
## Bradley W Bolling

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4417390/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Refrigerated and frozen storage impact aronia berry quality. Food Production Processing and Nutrition, 2022, 4, .	1.1	8
2	De novo assembly of a fruit transcriptome set identifies AmMYB10 as a key regulator of anthocyanin biosynthesis in Aronia melanocarpa. BMC Plant Biology, 2022, 22, 143.	1.6	3
3	Specialty seeds: Nutrients, bioactives, bioavailability, and health benefits: A comprehensive review. Comprehensive Reviews in Food Science and Food Safety, 2021, 20, 2382-2427.	5.9	26
4	Aronia berry polyphenols have matrix-dependent effects on the gut microbiota. Food Chemistry, 2021, 359, 129831.	4.2	22
5	Exploring the Links between Diet and Inflammation: Dairy Foods as Case Studies. Advances in Nutrition, 2021, 12, 1S-13S.	2.9	18
6	Cranberry (Vaccinium macrocarpon) Juice Precipitate Pigmentation Is Mainly Polymeric Colors and Has Limited Impact on Soluble Anthocyanin Loss. Antioxidants, 2021, 10, 1788.	2.2	1
7	Time of harvest affects United States-grown Aronia mitschurinii berry polyphenols, °Brix, and acidity. Journal of Agriculture and Food Research, 2021, 6, 100248.	1.2	3
8	Dairy Foods and Dairy Fats: New Perspectives on Pathways Implicated in Cardiometabolic Health. Advances in Nutrition, 2020, 11, 266-279.	2.9	21
9	Quercetin and Its Metabolites Inhibit Recombinant Human Angiotensin-Converting Enzyme 2 (ACE2) Activity. Journal of Agricultural and Food Chemistry, 2020, 68, 13982-13989.	2.4	66
10	Aronia berry inhibits disruption of Caco-2 intestinal barrier function. Archives of Biochemistry and Biophysics, 2020, 688, 108409.	1.4	30
11	Flavonoids and gut health. Current Opinion in Biotechnology, 2020, 61, 153-159.	3.3	144
12	Composition, polyphenol bioavailability, and health benefits of aronia berry: a review. Journal of Food Bioactives: an Official Scientific Publication of the International Society of Nutraceuticals and Functional Foods (ISNFF), 2020, 11, 13-30.	2.4	21
13	Aronia Berry Supplementation Mitigates Inflammation in T Cell Transfer-Induced Colitis by Decreasing Oxidative Stress. Nutrients, 2019, 11, 1316.	1.7	18
14	Bacteroides thetaiotaomicron Starch Utilization Promotes Quercetin Degradation and Butyrate Production by Eubacterium ramulus. Frontiers in Microbiology, 2019, 10, 1145.	1.5	41
15	Polyphenol Extracts from Three Colombian Passifloras (Passion Fruits) Prevent Inflammation-Induced Barrier Dysfunction of Caco-2 Cells. Molecules, 2019, 24, 4614.	1.7	28
16	Dietary Prevention of Colitis by Aronia Berry is Mediated Through Increased Th17 and Treg. Molecular Nutrition and Food Research, 2019, 63, e1800985.	1.5	19
17	Aronia berry (Aronia mitschurinii â€~Viking') inhibits colitis in mice and inhibits T cell tumour necrosis factor-α secretion. Journal of Functional Foods, 2018, 44, 48-57.	1.6	20
18	Browning Index of Anthocyaninâ€Rich Fruit Juice Depends on pH and Anthocyanin Loss More Than the Gain of Soluble Polymeric Pigments. Journal of Food Science, 2018, 83, 911-921.	1.5	16

BRADLEY W BOLLING

#	Article	IF	CITATIONS
19	A common antimicrobial additive increases colonic inflammation and colitis-associated colon tumorigenesis in mice. Science Translational Medicine, 2018, 10, .	5.8	117
20	Premeal Low-Fat Yogurt Consumption Reduces Postprandial Inflammation and Markers of Endotoxin Exposure in Healthy Premenopausal Women in a Randomized Controlled Trial. Journal of Nutrition, 2018, 148, 910-916.	1.3	20
21	Evidence for the effects of yogurt on gut health and obesity. Critical Reviews in Food Science and Nutrition, 2017, 57, 1569-1583.	5.4	95
22	Yogurt inhibits intestinal barrier dysfunction in Caco-2 cells by increasing tight junctions. Food and Function, 2017, 8, 406-414.	2.1	81
23	Almond Polyphenols: Methods of Analysis, Contribution to Food Quality, and Health Promotion. Comprehensive Reviews in Food Science and Food Safety, 2017, 16, 346-368.	5.9	97
24	Aronia berry polyphenol consumption reduces plasma total and low-density lipoprotein cholesterol in former smokers without lowering biomarkers of inflammation and oxidative stress: a randomized controlled trial. Nutrition Research, 2017, 37, 67-77.	1.3	71
25	Low-fat yogurt consumption reduces biomarkers of chronic inflammation and inhibits markers of endotoxin exposure in healthy premenopausal women: a randomised controlled trial. British Journal of Nutrition, 2017, 118, 1043-1051.	1.2	49
26	Bioavailability of anthocyanins and colonic polyphenol metabolites following consumption of aronia berry extract. Food Chemistry, 2016, 211, 860-868.	4.2	70
27	Characterizing and improving the sensory and hedonic responses to polyphenol-rich aronia berry juice. Appetite, 2016, 107, 116-125.	1.8	39
28	Nuts and their co-products: The impact of processing (roasting) on phenolics, bioavailability, and health benefits – A comprehensive review. Journal of Functional Foods, 2016, 26, 88-122.	1.6	142
29	Effects of roasting on proanthocyanidin contents of Turkish Tombul hazelnut and its skin. Journal of Functional Foods, 2016, 23, 647-653.	1.6	31
30	High-Molecular-Weight Proanthocyanidins in Foods: Overcoming Analytical Challenges in Pursuit of Novel Dietary Bioactive Components. Annual Review of Food Science and Technology, 2016, 7, 43-64.	5.1	63
31	Review of nut phytochemicals, fat-soluble bioactives, antioxidant components and health effects. British Journal of Nutrition, 2015, 113, S68-S78.	1.2	279
32	A review of the efficacy of dietary polyphenols in experimental models of inflammatory bowel diseases. Food and Function, 2015, 6, 1773-1786.	2.1	123
33	Phenolic and tocopherol content of autumn olive (Elaeagnus umbellate) berries. Journal of Functional Foods, 2015, 16, 305-314.	1.6	21
34	Harvest date affects aronia juice polyphenols, sugars, and antioxidant activity, but not anthocyanin stability. Food Chemistry, 2015, 187, 189-196.	4.2	44
35	Antioxidant fractions of Khaya grandifoliola C.DC. and Entada africana Guill. et Perr. induce nuclear translocation of Nrf2 in HC-04 cells. Cell Stress and Chaperones, 2015, 20, 991-1000.	1.2	18
36	Sugars and Citric Acid Differently Modulate DPPH Antioxidant Activity in Polyphenolâ€rich Fruit Juices. FASEB Journal, 2015, 29, 922.14.	0.2	2

BRADLEY W BOLLING

#	Article	IF	CITATIONS
37	Review and Perspective on the Composition and Safety of Green Tea Extracts. European Journal of Nutrition & Food Safety, 2015, 5, 1-31.	0.2	15
38	Anti-inflammatory activity of aronia berry extracts in murine splenocytes. Journal of Functional Foods, 2014, 8, 68-75.	1.6	43
39	Characterisation of stilbenes in California almonds (Prunus dulcis) by UHPLC–MS. Food Chemistry, 2014, 148, 300-306.	4.2	60
40	Polyphenol-rich black chokeberry (Aronia melanocarpa) extract regulates the expression of genes critical for intestinal cholesterol flux in Caco-2 cells. Journal of Nutritional Biochemistry, 2013, 24, 1564-1570.	1.9	55
41	Underutilized Chokeberry (Aronia melanocarpa, Aronia arbutifolia, Aronia prunifolia) Accessions Are Rich Sources of Anthocyanins, Flavonoids, Hydroxycinnamic Acids, and Proanthocyanidins. Journal of Agricultural and Food Chemistry, 2013, 61, 8581-8588.	2.4	104
42	Egg intake improves carotenoid status by increasing plasma HDL cholesterol in adults with metabolic syndrome. Food and Function, 2013, 4, 213-221.	2.1	71
43	Aronia melanocarpa (chokeberry) polyphenol–rich extract improves antioxidant function and reduces total plasma cholesterol in apolipoprotein E knockout mice. Nutrition Research, 2013, 33, 406-413.	1.3	80
44	Contributions of phenolics and added vitamin <scp>C</scp> to the antioxidant capacity of pomegranate and grape juices: synergism and antagonism among constituents. International Journal of Food Science and Technology, 2013, 48, 2650-2658.	1.3	31
45	Characterization of Ellagitannins, Gallotannins, and Bound Proanthocyanidins from California Almond (Prunus dulcis) Varieties. Journal of Agricultural and Food Chemistry, 2012, 60, 12151-12156.	2.4	46
46	Polyphenols, carotenoids, and ascorbic acid in underutilized medicinal vegetables. Journal of Functional Foods, 2012, 4, 339-347.	1.6	108
47	Assay Dilution Factors Confound Measures of Total Antioxidant Capacity in Polyphenolâ€Rich Juices. Journal of Food Science, 2012, 77, H69-75.	1.5	28
48	Dietary supplementation of ferulic acid and ferulic acid ethyl ester induces quinone reductase and glutathione-S-transferase in rats. Food Chemistry, 2011, 124, 1-6.	4.2	30
49	Microsomal Quercetin Glucuronidation in Rat Small Intestine Depends on Age and Segment. Drug Metabolism and Disposition, 2011, 39, 1406-1414.	1.7	15
50	Tree nut phytochemicals: composition, antioxidant capacity, bioactivity, impact factors. A systematic review of almonds, Brazils, cashews, hazelnuts, macadamias, pecans, pine nuts, pistachios and walnuts. Nutrition Research Reviews, 2011, 24, 244-275.	2.1	312
51	The kinetic basis for age-associated changes in quercetin and genistein glucuronidation by rat liver microsomes. Journal of Nutritional Biochemistry, 2010, 21, 498-503.	1.9	20
52	Flavonoid content and antioxidant activity of vegetables from Indonesia. Food Chemistry, 2010, 121, 1231-1235.	4.2	212
53	Polyphenol content and antioxidant activity of California almonds depend on cultivar and harvest year. Food Chemistry, 2010, 122, 819-825.	4.2	106
54	The influence of roasting, pasteurisation, and storage on the polyphenol content and antioxidant capacity of California almond skins. Food Chemistry, 2010, 123, 1040-1047.	4.2	65

BRADLEY W BOLLING

#	Article	IF	CITATIONS
55	The phytochemical composition and antioxidant actions of tree nuts. Asia Pacific Journal of Clinical Nutrition, 2010, 19, 117-23.	0.3	79
56	Quantification of Almond Skin Polyphenols by Liquid Chromatographyâ€Mass Spectrometry. Journal of Food Science, 2009, 74, C326-32.	1.5	43
57	Extraction methods determine the antioxidant capacity and induction of quinone reductase by soy products in vitro. Food Chemistry, 2009, 116, 351-355.	4.2	14
58	Limited contribution of isoflavones to hepatocellular phase II enzyme-inducing activity of soybean (Glycine max) extracts. Food Chemistry, 2009, 113, 1069-1075.	4.2	6
59	Tea and health: preventive and therapeutic usefulness in the elderly?. Current Opinion in Clinical Nutrition and Metabolic Care, 2009, 12, 42-48.	1.3	41
60	Ageâ€related increases in microsomal quercetin glucuronidation in rat small intestine FASEB Journal, 2009, 23, 750.1.	0.2	0
61	Phenolic Derivatives from Soy Flour Ethanol Extract Are Potent In Vitro Quinone Reductase (QR) Inducing Agents. Journal of Agricultural and Food Chemistry, 2008, 56, 10473-10480.	2.4	13
62	Quinone reductase inducing and antioxidant activities of aqueous isolates of green bean (Phaseolus) Tj ETQq0 0	0 rgBT /O	verlock 10 T
63	Betalains, Phase II Enzyme-Inducing Components From Red Beetroot (Beta vulgaris L.) Extracts. Nutrition and Cancer. 2005, 53, 91-103.	0.9	68

63	Nutrition and Cancer, 2005, 53, 91-103.	0.9	68
64	Phase II Enzyme-Inducing and Antioxidant Activities of Beetroot (Beta vulgarisL.) Extracts from Phenotypes of Different Pigmentation. Journal of Agricultural and Food Chemistry, 2002, 50, 6704-6709.	2.4	76
65	Screening for Phase II Enzyme-inducing and Antioxidant Activities of Common Vegetables. Journal of Food Science, 2002, 67, 2583-2588.	1.5	30
66	Development of a Simple Method for Detecting Presumptive Escherichia coli on Fresh Retail Beef. Journal of Food Science, 2002, 67, 258-261.	1.5	5
67	Anthocyanins and intestinal barrier function: a review. Journal of Food Bioactives: an Official Scientific Publication of the International Society of Nutraceuticals and Functional Foods (ISNFF), 0, 5, 18-30.	2.4	11