

Jill L Wegrzyn

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/441757/publications.pdf>

Version: 2024-02-01

101
papers

6,125
citations

70961

41
h-index

82410

72
g-index

117
all docs

117
docs citations

117
times ranked

6210
citing authors

#	ARTICLE	IF	CITATIONS
1	Decoding the massive genome of loblolly pine using haploid DNA and novel assembly strategies. <i>Genome Biology</i> , 2014, 15, R59.	13.9	424
2	Patterns of Population Structure and Environmental Associations to Aridity Across the Range of Loblolly Pine (<i>Pinus taeda</i> L., Pinaceae). <i>Genetics</i> , 2010, 185, 969-982.	1.2	332
3	Sequencing and Assembly of the 22-Gb Loblolly Pine Genome. <i>Genetics</i> , 2014, 196, 875-890.	1.2	286
4	15 years of GDR: New data and functionality in the Genome Database for Rosaceae. <i>Nucleic Acids Research</i> , 2019, 47, D1137-D1145.	6.5	285
5	The walnut (<i>Juglans regia</i>) genome sequence reveals diversity in genes coding for the biosynthesis of non-structural polyphenols. <i>Plant Journal</i> , 2016, 87, 507-532.	2.8	233
6	Proteases for Processing Proneuropeptides into Peptide Neurotransmitters and Hormones. <i>Annual Review of Pharmacology and Toxicology</i> , 2008, 48, 393-423.	4.2	215
7	Unique Features of the Loblolly Pine (<i>Pinus taeda</i> L.) Megagenome Revealed Through Sequence Annotation. <i>Genetics</i> , 2014, 196, 891-909.	1.2	207
8	Back to nature: ecological genomics of loblolly pine (<i>Pinus taeda</i> , Pinaceae). <i>Molecular Ecology</i> , 2010, 19, 3789-3805.	2.0	204
9	Disentangling the Roles of History and Local Selection in Shaping Clinal Variation of Allele Frequencies and Gene Expression in Norway Spruce (<i>Picea abies</i>). <i>Genetics</i> , 2012, 191, 865-881.	1.2	195
10	Association Genetics of Coastal Douglas Fir (<i>Pseudotsuga menziesii</i> var. <i>menziesii</i>), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 193	1.2	193
11	Sequence of the Sugar Pine Megagenome. <i>Genetics</i> , 2016, 204, 1613-1626.	1.2	169
12	The <i>Pinus taeda</i> genome is characterized by diverse and highly diverged repetitive sequences. <i>BMC Genomics</i> , 2010, 11, 420.	1.2	144
13	Association genetics of traits controlling lignin and cellulose biosynthesis in black cottonwood (<i>Populus trichocarpa</i> , Salicaceae) secondary xylem. <i>New Phytologist</i> , 2010, 188, 515-532.	3.5	134
14	<sc>EnTAP</sc>: Bringing faster and smarter functional annotation to non-model eukaryotic transcriptomes. <i>Molecular Ecology Resources</i> , 2020, 20, 591-604.	2.2	111
15	The Douglas-Fir Genome Sequence Reveals Specialization of the Photosynthetic Apparatus in Pinaceae. G3: Genes, Genomes, <i>Genetics</i> , 2017, 7, 3157-3167.	0.8	103
16	Lineage, fate, and fate potential of NG2-glia. <i>Brain Research</i> , 2016, 1638, 116-128.	1.1	100
17	Association Mapping of Quantitative Disease Resistance in a Natural Population of Loblolly Pine (<i>Pinus taeda</i> L.). <i>Genetics</i> , 2010, 186, 677-686.	1.2	94
18	Multilocus Patterns of Nucleotide Diversity and Divergence Reveal Positive Selection at Candidate Genes Related to Cold Hardiness in Coastal Douglas Fir (<i>Pseudotsuga menziesii</i> var. <i>menziesii</i>), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 57 Td	1.2	57

#	ARTICLE	IF	CITATIONS
19	TreeGenes: A Forest Tree Genome Database. <i>International Journal of Plant Genomics</i> , 2008, 2008, 1-7.	2.2	89
20	Association genetics of chemical wood properties in black poplar (<i>Populus nigra</i>). <i>New Phytologist</i> , 2013, 197, 162-176.	3.5	81
21	The <i>Cycas</i> genome and the early evolution of seed plants. <i>Nature Plants</i> , 2022, 8, 389-401.	4.7	80
22	Association genetics of the loblolly pine (<i>Pinus taeda</i> , Pinaceae) metabolome. <i>New Phytologist</i> , 2012, 193, 890-902.	3.5	78
23	Genomic Relationship Matrix for Correcting Pedigree Errors in Breeding Populations: Impact on Genetic Parameters and Genomic Selection Accuracy. <i>Crop Science</i> , 2014, 54, 1115-1123.	0.8	77
24	An improved assembly of the loblolly pine mega-genome using long-read single-molecule sequencing. <i>GigaScience</i> , 2017, 6, 1-4.	3.3	71
25	Association genetics of carbon isotope discrimination, height and foliar nitrogen in a natural population of <i>Pinus taeda</i> L. <i>Heredity</i> , 2011, 107, 105-114.	1.2	67
26	Cysteine Cathepsins in the secretory vesicle produce active peptides: Cathepsin L generates peptide neurotransmitters and cathepsin B produces beta-amyloid of Alzheimer's disease. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2012, 1824, 89-104.	1.1	67
27	A Reference Genome Sequence for Giant Sequoia. <i>G3: Genes, Genomes, Genetics</i> , 2020, 10, 3907-3919.	0.8	67
28	Development and implementation of a highly-multiplexed SNP array for genetic mapping in maritime pine and comparative mapping with loblolly pine. <i>BMC Genomics</i> , 2011, 12, 368.	1.2	66
29	Green plant genomes: What we know in an era of rapidly expanding opportunities. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	65
30	SNP markers trace familial linkages in a cloned population of <i>Pinus taeda</i> prospects for genomic selection. <i>Tree Genetics and Genomes</i> , 2012, 8, 1307-1318.	0.6	62
31	Association genetics of oleoresin flow in loblolly pine: discovering genes and predicting phenotype for improved resistance to bark beetles and bioenergy potential. <i>New Phytologist</i> , 2013, 199, 89-100.	3.5	58
32	Transcriptomic imprints of adaptation to fresh water: parallel evolution of osmoregulatory gene expression in the Alewife. <i>Molecular Ecology</i> , 2017, 26, 831-848.	2.0	54
33	AgBioData consortium recommendations for sustainable genomics and genetics databases for agriculture. <i>Database: the Journal of Biological Databases and Curation</i> , 2018, 2018, .	1.4	52
34	Assessing the Gene Content of the Megagenome: Sugar Pine (<i>Pinus lambertiana</i>). <i>G3: Genes, Genomes, Genetics</i> , 2016, 6, 3787-3802.	0.8	51
35	Water availability drives signatures of local adaptation in whitebark pine (<i>Pinus albicaulis</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 11	2.0	51
36	Contrasting patterns of nucleotide diversity for four conifers of Alpine European forests. <i>Evolutionary Applications</i> , 2012, 5, 762-775.	1.5	49

#	ARTICLE	IF	CITATIONS
37	Proteomics of Dense Core Secretory Vesicles Reveal Distinct Protein Categories for Secretion of Neuroeffectors for Cell-Cell Communication. <i>Journal of Proteome Research</i> , 2010, 9, 5002-5024.	1.8	48
38	Comparative mapping in Pinus: sugar pine (<i>Pinus lambertiana</i> Dougl.) and loblolly pine (<i>Pinus taeda</i> L.). <i>Tree Genetics and Genomes</i> , 2011, 7, 457-468.	0.6	47
39	Open access to tree genomes: the path to a better forest. <i>Genome Biology</i> , 2013, 14, 120.	3.8	46
40	Insights into the Loblolly Pine Genome: Characterization of BAC and Fosmid Sequences. <i>PLoS ONE</i> , 2013, 8, e72439.	1.1	46
41	Multilocus analyses reveal little evidence for lineage-wide adaptive evolution within major clades of soft pines (<i>Pinus</i> subgenus <i>Strobus</i>). <i>Molecular Ecology</i> , 2013, 22, 5635-5650.	2.0	45
42	Discovering candidate genes that regulate resin canal number in <i>Pinus taeda</i> stems by integrating genetic analysis across environments, ages, and populations. <i>New Phytologist</i> , 2015, 205, 627-641.	3.5	45
43	Proteomics of Neuroendocrine Secretory Vesicles Reveal Distinct Functional Systems for Biosynthesis and Exocytosis of Peptide Hormones and Neurotransmitters. <i>Journal of Proteome Research</i> , 2007, 6, 1652-1665.	1.8	44
44	Combined de novo and genome guided assembly and annotation of the <i>Pinus patula</i> juvenile shoot transcriptome. <i>BMC Genomics</i> , 2015, 16, 1057.	1.2	44
45	Bioinformatic analyses of mammalian 5'-UTR sequence properties of mRNAs predicts alternative translation initiation sites. <i>BMC Bioinformatics</i> , 2008, 9, 232.	1.2	43
46	The Evolutionary Genetics of the Genes Underlying Phenotypic Associations for Loblolly Pine (<i>Pinus taeda</i> , Pinaceae). <i>Genetics</i> , 2013, 195, 1353-1372.	1.2	41
47	Genetic structure and association mapping of adaptive and selective traits in the east Texas loblolly pine (<i>Pinus taeda</i> L.) breeding populations. <i>Tree Genetics and Genomes</i> , 2013, 9, 1161-1178.	0.6	40
48	Growing and cultivating the forest genomics database, TreeGenes. <i>Database: the Journal of Biological Databases and Curation</i> , 2018, 2018, 1-11.	1.4	40
49	Targeted Capture Sequencing in Whitebark Pine Reveals Range-Wide Demographic and Adaptive Patterns Despite Challenges of a Large, Repetitive Genome. <i>Frontiers in Plant Science</i> , 2016, 7, 484.	1.7	38
50	Co-option of wing-patterning genes underlies the evolution of the treehopper helmet. <i>Nature Ecology and Evolution</i> , 2020, 4, 250-260.	3.4	38
51	gFACs: Gene Filtering, Analysis, and Conversion to Unify Genome Annotations Across Alignment and Gene Prediction Frameworks. <i>Genomics, Proteomics and Bioinformatics</i> , 2019, 17, 305-310.	3.0	37
52	Transcription through the eye of a needle: daily and annual cyclic gene expression variation in Douglas-fir needles. <i>BMC Genomics</i> , 2017, 18, 558.	1.2	35
53	Comparative Transcriptomics Among Four White Pine Species. <i>G3: Genes, Genomes, Genetics</i> , 2018, 8, 1461-1474.	0.8	35
54	Standards recommendations for the Earth BioGenome Project. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	3.3	33

#	ARTICLE	IF	CITATIONS
55	Defence transcriptome assembly and pathogenesis related gene family analysis in <i>Pinus tecunumanii</i> (low elevation). <i>BMC Genomics</i> , 2018, 19, 632.	1.2	32
56	Expression profiling in <i>Pinus radiata</i> infected with <i>Fusarium circinatum</i> . <i>Tree Genetics and Genomes</i> , 2017, 13, 1.	0.6	31
57	PineSAP sequence alignment and SNP identification pipeline. <i>Bioinformatics</i> , 2009, 25, 2609-2610.	1.8	30
58	Assembled and annotated 26.5 Gbp coast redwood genome: a resource for estimating evolutionary adaptive potential and investigating hexaploid origin. <i>G3: Genes, Genomes, Genetics</i> , 2022, 12, .	0.8	28
59	Comparative genomics of six <i>Juglans</i> species reveals disease-associated gene family contractions. <i>Plant Journal</i> , 2020, 102, 410-423.	2.8	25
60	Cyberinfrastructure to Improve Forest Health and Productivity: The Role of Tree Databases in Connecting Genomes, Phenomes, and the Environment. <i>Frontiers in Plant Science</i> , 2019, 10, 813.	1.7	24
61	Neuropeptidomic Components Generated by Proteomic Functions in Secretory Vesicles for Cell-Cell Communication. <i>AAPS Journal</i> , 2010, 12, 635-645.	2.2	23
62	Combination of multipoint maximum likelihood (MML) and regression mapping algorithms to construct a high-density genetic linkage map for loblolly pine (<i>Pinus taeda</i> L.). <i>Tree Genetics and Genomes</i> , 2013, 9, 1529-1535.	0.6	23
63	YeATS - a tool suite for analyzing RNA-seq derived transcriptome identifies a highly transcribed putative extensin in heartwood/sapwood transition zone in black walnut. <i>F1000Research</i> , 2015, 4, 155.	0.8	23
64	Mapping Fusiform Rust Resistance Genes within a Complex Mating Design of Loblolly Pine. <i>Forests</i> , 2014, 5, 347-362.	0.9	22
65	JAK/STAT3 regulated global gene expression dynamics during late-stage reprogramming process. <i>BMC Genomics</i> , 2018, 19, 183.	1.2	22
66	TriPal v3: an ontology-based toolkit for construction of FAIR biological community databases. <i>Database: the Journal of Biological Databases and Curation</i> , 2019, 2019, .	1.4	22
67	Demonstration of GTG as an alternative initiation codon for the serpin endopin 2B-2. <i>Biochemical and Biophysical Research Communications</i> , 2005, 327, 837-844.	1.0	21
68	Association of loblolly pine xylem development gene expression with single-nucleotide polymorphisms. <i>Tree Physiology</i> , 2013, 33, 763-774.	1.4	21
69	Poor maternal nutrition during gestation alters the expression of genes involved in muscle development and metabolism in lambs. <i>Journal of Animal Science</i> , 2016, 94, 3093-3099.	0.2	21
70	Uniform standards for genome databases in forest and fruit trees. <i>Tree Genetics and Genomes</i> , 2012, 8, 549-557.	0.6	20
71	Toward genomic selection in <i>Pinus taeda</i> : Integrating resources to support array design in a complex conifer genome. <i>Applications in Plant Sciences</i> , 2021, 9, e11439.	0.8	19
72	Patterns of neutral and adaptive genetic diversity across the natural range of sugar pine (<i>Pinus</i>)	0.6	18

#	ARTICLE	IF	CITATIONS
73	Dual RNA-Seq Analysis of the Pine-Fusarium circinatum Interaction in Resistant (<i>Pinus tecunumanii</i>) and Susceptible (<i>Pinus patula</i>) Hosts. <i>Microorganisms</i> , 2019, 7, 315.	1.6	18
74	Transcriptome Analysis Reveals Differential Gene Expression and a Possible Role of Gibberellins in a Shade-Tolerant Mutant of Perennial Ryegrass. <i>Frontiers in Plant Science</i> , 2017, 8, 868.	1.7	17
75	Drought stress in <i>Pinus taeda</i> L. induces coordinated transcript accumulation of genes involved in the homogentisate pathway. <i>Tree Genetics and Genomes</i> , 2017, 13, 1.	0.6	16
76	New extension software modules to enhance searching and display of transcriptome data in Tripal databases. <i>Database: the Journal of Biological Databases and Curation</i> , 2017, 2017, .	1.4	15
77	Linking phenotype, genotype and environment to unravel genetic components underlying cold hardiness in coastal Douglas-fir (<i>Pseudotsuga menziesii</i> var. <i>menziesii</i>). <i>Tree Genetics and Genomes</i> , 2018, 14, 1.	0.6	15
78	Cyberinfrastructure and resources to enable an integrative approach to studying forest trees. <i>Evolutionary Applications</i> , 2020, 13, 228-241.	1.5	12
79	The Protein Architecture of Human Secretory Vesicles Reveals Differential Regulation of Signaling Molecule Secretion by Protein Kinases. <i>PLoS ONE</i> , 2012, 7, e41134.	1.1	11
80	Transcriptomic profile of leaf tissue from the leguminous tree, <i>Millettia pinnata</i> . <i>Tree Genetics and Genomes</i> , 2016, 12, 1.	0.6	11
81	Generation, functional annotation and comparative analysis of black spruce (<i>Picea mariana</i>) ESTs: an important conifer genomic resource. <i>BMC Genomics</i> , 2013, 14, 702.	1.2	10
82	A genome-wide SNP genotyping resource for tropical pine tree species. <i>Molecular Ecology Resources</i> , 2022, 22, 695-710.	2.2	10
83	YeATS - a tool suite for analyzing RNA-seq derived transcriptome identifies a highly transcribed putative extensin in heartwood/sapwood transition zone in black walnut. <i>F1000Research</i> , 2015, 4, 155.	0.8	10
84	CartograTree: connecting tree genomes, phenotypes and environment. <i>Molecular Ecology Resources</i> , 2013, 13, 528-537.	2.2	9
85	An extension of the Plant Ontology project supporting wood anatomy and development research. <i>IAWA Journal</i> , 2012, 33, 113-117.	2.7	8
86	Tripal, a community update after 10 years of supporting open source, standards-based genetic, genomic and breeding databases. <i>Briefings in Bioinformatics</i> , 2021, 22, .	3.2	6
87	NLR diversity and candidate fusiform rust resistance NLR genes in loblolly pine. <i>G3: Genes, Genomes, Genetics</i> , 2022, 12, .	0.8	6
88	Quantitative trait loci influencing forking defects in an outbred pedigree of loblolly pine. <i>BMC Genetics</i> , 2016, 17, 138.	2.7	5
89	High gene space divergence contrasts with frozen vegetative architecture in the moss family Funariaceae. <i>Molecular Phylogenetics and Evolution</i> , 2021, 154, 106965.	1.2	5
90	OUP accepted manuscript. <i>Database: the Journal of Biological Databases and Curation</i> , 2019, 2019, .	1.4	5

#	ARTICLE	IF	CITATIONS
91	Strategies of tolerance reflected in two North American maple genomes. <i>Plant Journal</i> , 2022, 109, 1591-1613.	2.8	5
92	Transcriptome of weeping pinyon pine, <i>Pinus pinceana</i> , shows differences across heterogeneous habitats. <i>Trees - Structure and Function</i> , 2021, 35, 1351-1365.	0.9	4
93	Gene Frequency Shift in Relict <i>Abies pinsapo</i> Forests Associated with Drought-Induced Mortality: Preliminary Evidence of Local-Scale Divergent Selection. <i>Forests</i> , 2021, 12, 1220.	0.9	4
94	Extensive Variation in Drought-Induced Gene Expression Changes Between Loblolly Pine Genotypes. <i>Frontiers in Genetics</i> , 2021, 12, 661440.	1.1	3
95	Comparative analysis of differential gene expression indicates divergence in ontogenetic strategies of leaves in two conifer genera. <i>Ecology and Evolution</i> , 2022, 12, e8611.	0.8	3
96	De novo assembly of a fruit transcriptome set identifies AmMYB10 as a key regulator of anthocyanin biosynthesis in <i>Aronia melanocarpa</i> . <i>BMC Plant Biology</i> , 2022, 22, 143.	1.6	3
97	ChloroMitoCU: Codon patterns across organelle genomes for functional genomics and evolutionary applications. <i>DNA Research</i> , 2017, 24, 327-332.	1.5	2
98	TriPal and Galaxy: supporting reproducible scientific workflows for community biological databases. <i>Database: the Journal of Biological Databases and Curation</i> , 2020, 2020, .	1.4	1
99	Demonstration of GTG as an endogenous initiation codon for a human mRNA transcript revealed by molecular cloning of the serpin endopin 2B.. <i>Journal of Biological Chemistry</i> , 2015, 290, 19010.	1.6	0
100	Evolutionary Histories of Gene Families in Angiosperm Trees. <i>Plant Genetics and Genomics: Crops and Models</i> , 2016, , 121-137.	0.3	0
101	Bioinformatic approach for the discovery of cis-eQTL signals during fruit ripening of a woody species as grape (<i>Vitis vinifera</i> L.). <i>Scientific Reports</i> , 2022, 12, 7481.	1.6	0