

J M Schattenberg

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4418448/publications.pdf>

Version: 2024-02-01

181
papers

12,902
citations

31902

53
h-index

28224

105
g-index

215
all docs

215
docs citations

215
times ranked

12269
citing authors

#	ARTICLE	IF	CITATIONS
1	A new definition for metabolic dysfunction-associated fatty liver disease: An international expert consensus statement. <i>Journal of Hepatology</i> , 2020, 73, 202-209.	1.8	2,171
2	Modeling NAFLD disease burden in China, France, Germany, Italy, Japan, Spain, United Kingdom, and United States for the period 2016–2030. <i>Journal of Hepatology</i> , 2018, 69, 896-904.	1.8	1,157
3	NASH limits anti-tumour surveillance in immunotherapy-treated HCC. <i>Nature</i> , 2021, 592, 450-456.	13.7	649
4	Association Between Fibrosis Stage and Outcomes of Patients With Nonalcoholic Fatty Liver Disease: A Systematic Review and Meta-Analysis. <i>Gastroenterology</i> , 2020, 158, 1611-1625.e12.	0.6	575
5	Age as a Confounding Factor for the Accurate Non-Invasive Diagnosis of Advanced NAFLD Fibrosis. <i>American Journal of Gastroenterology</i> , 2017, 112, 740-751.	0.2	524
6	Jnk1 but not jnk2 promotes the development of steatohepatitis in mice. <i>Hepatology</i> , 2006, 43, 163-172.	3.6	348
7	Advancing the global public health agenda for NAFLD: a consensus statement. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2022, 19, 60-78.	8.2	330
8	A Randomized, Controlled Trial of the Pan-PPAR Agonist Lanifibranor in NASH. <i>New England Journal of Medicine</i> , 2021, 385, 1547-1558.	13.9	284
9	Genome-wide association study of non-alcoholic fatty liver and steatohepatitis in a histologically characterised cohort†. <i>Journal of Hepatology</i> , 2020, 73, 505-515.	1.8	279
10	Mouse Models of Nonalcoholic Steatohepatitis: Toward Optimization of Their Relevance to Human Nonalcoholic Steatohepatitis. <i>Hepatology</i> , 2019, 69, 2241-2257.	3.6	227
11	Non-alcoholic steatohepatitis: Pathogenesis and novel therapeutic approaches. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013, 28, 68-76.	1.4	212
12	Transcriptomic profiling across the nonalcoholic fatty liver disease spectrum reveals gene signatures for steatohepatitis and fibrosis. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	205
13	Liver injury in COVID-19: The current evidence. <i>United European Gastroenterology Journal</i> , 2020, 8, 509-519.	1.6	182
14	Hepatocyte CYP2E1 Overexpression and Steatohepatitis Lead to Impaired Hepatic Insulin Signaling. <i>Journal of Biological Chemistry</i> , 2005, 280, 9887-9894.	1.6	174
15	GALAD Score Detects Early Hepatocellular Carcinoma in an International Cohort of Patients With Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 728-735.e4.	2.4	167
16	A randomized, placebo-controlled trial of emricasan in patients with NASH and F1-F3 fibrosis. <i>Journal of Hepatology</i> , 2020, 72, 816-827.	1.8	165
17	Non-alcoholic fatty liver disease and risk of incident chronic kidney disease: an updated meta-analysis. <i>Cut</i> , 2022, 71, 156-162.	6.1	162
18	Combined effects of the PNPLA3 rs738409, TM6SF2 rs58542926, and MBOAT7 rs641738 variants on NAFLD severity: a multicenter biopsy-based study. <i>Journal of Lipid Research</i> , 2017, 58, 247-255.	2.0	159

#	ARTICLE	IF	CITATIONS
19	Animal Models of Non-Alcoholic Steatohepatitis: Of Mice and Man. <i>Digestive Diseases</i> , 2010, 28, 247-254.	0.8	125
20	Metabolic Inflammation—A Role for Hepatic Inflammatory Pathways as Drivers of Comorbidities in Nonalcoholic Fatty Liver Disease?. <i>Gastroenterology</i> , 2020, 158, 1929-1947.e6.	0.6	120
21	Population screening for liver fibrosis: Toward early diagnosis and intervention for chronic liver diseases. <i>Hepatology</i> , 2022, 75, 219-228.	3.6	107
22	Apoptosis in liver disease. <i>Liver International</i> , 2006, 26, 904-911.	1.9	106
23	Hepatocyte-specific deletion of IL1-RI attenuates liver injury by blocking IL-1 driven autoinflammation. <i>Journal of Hepatology</i> , 2018, 68, 986-995.	1.8	106
24	Administrative Coding in Electronic Health Care Record—Based Research of NAFLD: An Expert Panel Consensus Statement. <i>Hepatology</i> , 2021, 74, 474-482.	3.6	102
25	Heterozygous carriage of the alpha1-antitrypsin Pi*Z variant increases the risk to develop liver cirrhosis. <i>Gut</i> , 2019, 68, 1099-1107.	6.1	100
26	Nonalcoholic steatohepatitis. <i>Current Opinion in Lipidology</i> , 2011, 22, 479-488.	1.2	98
27	Insulin resistance alters hepatic ethanol metabolism: studies in mice and children with non-alcoholic fatty liver disease. <i>Gut</i> , 2016, 65, 1564-1571.	6.1	96
28	Downregulation of organic cation transporters OCT1 (SLC22A1) and OCT3 (SLC22A3) in human hepatocellular carcinoma and their prognostic significance. <i>BMC Cancer</i> , 2012, 12, 109.	1.1	94
29	NAFLD — sounding the alarm on a silent epidemic. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2020, 17, 377-379.	8.2	94
30	Cell death and hepatocarcinogenesis: Dysregulation of apoptosis signaling pathways. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011, 26, 213-219.	1.4	92
31	Predictors of advanced fibrosis in non-cirrhotic non-alcoholic fatty liver disease in Germany. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 1109-1116.	1.9	88
32	Treatment and survival of non-alcoholic steatohepatitis associated hepatocellular carcinoma. <i>BMC Cancer</i> , 2015, 15, 210.	1.1	87
33	Performance of the PRO-C3 collagen neo-epitope biomarker in non-alcoholic fatty liver disease. <i>JHEP Reports</i> , 2019, 1, 188-198.	2.6	86
34	Use of HOMA-IR to diagnose non-alcoholic fatty liver disease: a population-based and inter-laboratory study. <i>Diabetologia</i> , 2017, 60, 1873-1882.	2.9	85
35	Health-related Quality of Life in Nonalcoholic Fatty Liver Disease Associates With Hepatic Inflammation. <i>Clinical Gastroenterology and Hepatology</i> , 2019, 17, 2085-2092.e1.	2.4	79
36	A randomized placebo-controlled trial of elafibranor in patients with primary biliary cholangitis and incomplete response to UDCA. <i>Journal of Hepatology</i> , 2021, 74, 1344-1354.	1.8	77

#	ARTICLE	IF	CITATIONS
37	Disease burden and economic impact of diagnosed non-alcoholic steatohepatitis in five European countries in 2018: A cost-of-illness analysis. <i>Liver International</i> , 2021, 41, 1227-1242.	1.9	76
38	Prospective evaluation of the impact of covert hepatic encephalopathy on quality of life and sleep in cirrhotic patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 313-321.	1.9	73
39	Hepatocyte Resistance to Oxidative Stress Is Dependent on Protein Kinase C-mediated Down-regulation of c-Jun/AP-1. <i>Journal of Biological Chemistry</i> , 2004, 279, 31089-31097.	1.6	72
40	Defining comprehensive models of care for NAFLD. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021, 18, 717-729.	8.2	72
41	Nonalcoholic Fatty Liver Disease Increases the Risk of Anxiety and Depression. <i>Hepatology Communications</i> , 2020, 4, 1293-1301.	2.0	70
42	Standardisation of diet and exercise in clinical trials of NAFLD-NASH: Recommendations from the Liver Forum. <i>Journal of Hepatology</i> , 2020, 73, 680-693.	1.8	69
43	Hepatocyte transplantation activates hepatic stellate cells with beneficial modulation of cell engraftment in the rat. <i>Hepatology</i> , 2005, 42, 1072-1081.	3.6	68
44	Impact of NAFLD on the Incidence of Cardiovascular Diseases in a Primary Care Population in Germany. <i>Digestive Diseases and Sciences</i> , 2020, 65, 2112-2119.	1.1	68
45	Improvement of non-invasive markers of NAFLD from an individualised, web-based exercise program. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 930-939.	1.9	67
46	CYP2E1 overexpression alters hepatocyte death from menadione and fatty acids by activation of ERK1/2 signaling. <i>Hepatology</i> , 2004, 39, 444-455.	3.6	65
47	Histone deacetylase inhibition by valproic acid down-regulates c-FLIP/CASH and sensitizes hepatoma cells towards CD95- and TRAIL receptor-mediated apoptosis and chemotherapy. <i>Oncology Reports</i> , 2006, 15, 227-30.	1.2	63
48	Regulation of the effects of CYP2E1-induced oxidative stress by JNK signaling. <i>Redox Biology</i> , 2014, 3, 7-15.	3.9	59
49	Chronic oxidative stress sensitizes hepatocytes to death from 4-hydroxynonenal by JNK/c-Jun overactivation. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, G907-G917.	1.6	58
50	Metabolic syndrome and its association with fatty liver disease after orthotopic liver transplantation. <i>Transplant International</i> , 2013, 26, 67-74.	0.8	58
51	Norursodeoxycholic acid versus placebo in the treatment of non-alcoholic fatty liver disease: a double-blind, randomised, placebo-controlled, phase 2 dose-finding trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 781-793.	3.7	58
52	Ablation of c-FLIP in hepatocytes enhances death-receptor mediated apoptosis and toxic liver injury in vivo. <i>Journal of Hepatology</i> , 2011, 55, 1272-1280.	1.8	57
53	<i>Saccharomyces boulardii</i> to Prevent Antibiotic-Associated Diarrhea: A Randomized, Double-Masked, Placebo-Controlled Trial. <i>Open Forum Infectious Diseases</i> , 2016, 3, ofw011.	0.4	54
54	Adding pegylated interferon to a current nucleos(t)ide therapy leads to HBsAg seroconversion in a subgroup of patients with chronic hepatitis B. <i>Journal of Clinical Virology</i> , 2012, 54, 93-95.	1.6	53

#	ARTICLE	IF	CITATIONS
55	Cost of non-alcoholic steatohepatitis in Europe and the USA: The GAIN study. <i>JHEP Reports</i> , 2020, 2, 100142.	2.6	53
56	The nonalcoholic steatohepatitis (NASH) drug development graveyard: established hurdles and planning for future success. <i>Expert Opinion on Investigational Drugs</i> , 2020, 29, 1365-1375.	1.9	46
57	Early changes in dynamic biomarkers of liver fibrosis in hepatitis C virus-infected patients treated with sofosbuvir. <i>Digestive and Liver Disease</i> , 2016, 48, 291-297.	0.4	44
58	Non-alcoholic fatty liver disease increases the risk of incident chronic kidney disease. <i>United European Gastroenterology Journal</i> , 2020, 8, 942-948.	1.6	43
59	NAFLD in the Elderly. <i>Clinical Interventions in Aging</i> , 2021, Volume 16, 1633-1649.	1.3	43
60	Downregulation of organic cation transporter 1 (SLC22A1) is associated with tumor progression and reduced patient survival in human cholangiocellular carcinoma. <i>International Journal of Oncology</i> , 2013, 42, 1297-1304.	1.4	42
61	Diabetes and apoptosis: liver. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009, 14, 1459-1471.	2.2	38
62	Organic Cation Transporter 1 (OCT1) mRNA expression in hepatocellular carcinoma as a biomarker for sorafenib treatment. <i>BMC Cancer</i> , 2016, 16, 94.	1.1	37
63	Diabetic liver injury from streptozotocin is regulated through the caspase-8 homolog cFLIP involving activation of JNK2 and intrahepatic immunocompetent cells. <i>Cell Death and Disease</i> , 2013, 4, e712-e712.	2.7	35
64	Health-related quality of life in patients with compensated and decompensated liver cirrhosis. <i>European Journal of Internal Medicine</i> , 2019, 70, 54-59.	1.0	35
65	Adipokines and Endotoxemia Correlate with Hepatic Steatosis in Non-Alcoholic Fatty Liver Disease (NAFLD). <i>Nutrients</i> , 2020, 12, 699.	1.7	33
66	Incident Dementia in Elderly Patients with Nonalcoholic Fatty Liver Disease in Germany. <i>Digestive Diseases and Sciences</i> , 2021, 66, 3179-3185.	1.1	32
67	Clinical Frailty Scale for Risk Stratification in Patients with Sars-Cov-2 Infection. <i>Journal of Investigative Medicine</i> , 2020, 68, 1199-1202.	0.7	32
68	Voluntary exercise in mice fed an obesogenic diet alters the hepatic immune phenotype and improves metabolic parameters – an animal model of life style intervention in NAFLD. <i>Scientific Reports</i> , 2019, 9, 4007.	1.6	31
69	Metabolic signatures across the full spectrum of non-alcoholic fatty liver disease. <i>JHEP Reports</i> , 2022, 4, 100477.	2.6	31
70	Alterations in lipid, carbohydrate and iron metabolism in patients with non-alcoholic steatohepatitis (NASH) and metabolic syndrome. <i>European Journal of Internal Medicine</i> , 2011, 22, 305-310.	1.0	29
71	Increased hepatic fibrosis and JNK2-dependent liver injury in mice exhibiting hepatocyte-specific deletion of cFLIP. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, G498-G506.	1.6	29
72	Could inherited predisposition drive non-obese fatty liver disease? Results from German tertiary referral centers. <i>Journal of Human Genetics</i> , 2018, 63, 621-626.	1.1	29

#	ARTICLE	IF	CITATIONS
73	Association between diabetes mellitus and hepatic encephalopathy in patients with cirrhosis. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 527-536.	1.9	29
74	Raised serum Interleukin-6 identifies patients with liver cirrhosis at high risk for overt hepatic encephalopathy. <i>Alimentary Pharmacology and Therapeutics</i> , 2019, 50, 1112-1119.	1.9	28
75	Development of a novel machine learning model to predict presence of nonalcoholic steatohepatitis. <i>Journal of the American Medical Informatics Association: JAMIA</i> , 2021, 28, 1235-1241.	2.2	28
76	Development and Validation of a Prognostic Score to Predict Covert Hepatic Encephalopathy in Patients With Cirrhosis. <i>American Journal of Gastroenterology</i> , 2019, 114, 764-770.	0.2	27
77	Cardiovascular Risk Categories in Patients With Nonalcoholic Fatty Liver Disease and the Role of Low-Density Lipoprotein Cholesterol. <i>Hepatology Communications</i> , 2019, 3, 1472-1481.	2.0	26
78	The Patient Perspectives on Future Therapeutic Options in NASH and Patient Needs. <i>Frontiers in Medicine</i> , 2019, 6, 61.	1.2	26
79	Liver transplanted patients with preoperative autoimmune hepatitis and immunological disorders are at increased risk for Post-Transplant Lymphoproliferative Disease (PTLD). <i>European Journal of Internal Medicine</i> , 2010, 21, 208-215.	1.0	25
80	Validation of the simplified Animal Naming Test as primary screening tool for the diagnosis of covert hepatic encephalopathy. <i>European Journal of Internal Medicine</i> , 2019, 60, 96-100.	1.0	24
81	Alternative Splice Forms of CYLD Mediate Ubiquitination of SMAD7 to Prevent TGF β Signaling and Promote Colitis. <i>Gastroenterology</i> , 2019, 156, 692-707.e7.	0.6	24
82	Prevalence and Risk Factors of Advanced Liver Fibrosis in a Population-Based Study in Germany. <i>Hepatology Communications</i> , 2022, 6, 1457-1466.	2.0	24
83	Interferon- and ribavirin-free therapy with new direct acting antivirals (DAA) for chronic hepatitis C improves vascular endothelial function. <i>International Journal of Cardiology</i> , 2018, 271, 296-300.	0.8	23
84	Patterns of liver injury in COVID-19 – a German case series. <i>United European Gastroenterology Journal</i> , 2020, 8, 814-819.	1.6	23
85	Web-Based Exercise as an Effective Complementary Treatment for Patients With Nonalcoholic Fatty Liver Disease: Intervention Study. <i>Journal of Medical Internet Research</i> , 2019, 21, e11250.	2.1	23
86	Elevated levels of Bcl-3 inhibits Treg development and function resulting in spontaneous colitis. <i>Nature Communications</i> , 2017, 8, 15069.	5.8	22
87	Dietary wheat amylase trypsin inhibitors promote features of murine non-alcoholic fatty liver disease. <i>Scientific Reports</i> , 2019, 9, 17463.	1.6	21
88	The Impact of Liver Cell Injury on Health-Related Quality of Life in Patients with Chronic Liver Disease. <i>PLoS ONE</i> , 2016, 11, e0151200.	1.1	21
89	Tumor Incidence in Patients with Non-Alcoholic Fatty Liver Disease. <i>Deutsches Arzteblatt International</i> , 2020, 117, 719-724.	0.6	21
90	Systematic Review with Meta-Analysis: Diagnostic Accuracy of Pro-C3 for Hepatic Fibrosis in Patients with Non-Alcoholic Fatty Liver Disease. <i>Biomedicines</i> , 2021, 9, 1920.	1.4	21

#	ARTICLE	IF	CITATIONS
91	Increased serum miR-193a-5p during non-alcoholic fatty liver disease progression: Diagnostic and mechanistic relevance. <i>JHEP Reports</i> , 2022, 4, 100409.	2.6	20
92	Risk Factors in Patients With Rapid Recurrent Hepatitis C Virus-Related Cirrhosis Within 1 Year After Liver Transplantation. <i>Transplantation Proceedings</i> , 2009, 41, 2549-2556.	0.3	19
93	Early virological response may predict treatment response in sofosbuvir-based combination therapy of chronic hepatitis c in a multi-center "real-life" cohort. <i>BMC Gastroenterology</i> , 2015, 15, 97.	0.8	19
94	A novel device for intracolonoscopy cleansing of inadequately prepared colonoscopy patients: a feasibility study. <i>Endoscopy</i> , 2019, 51, 85-92.	1.0	19
95	The Fatty Liver Assessment in Germany (FLAG) cohort study identifies large heterogeneity in NAFLD care. <i>JHEP Reports</i> , 2020, 2, 100168.	2.6	18
96	Determining a healthy reference range and factors potentially influencing PRO-C3 " A biomarker of liver fibrosis. <i>JHEP Reports</i> , 2021, 3, 100317.	2.6	18
97	Extracellular Vesicles as Messengers Between Hepatocytes and Macrophages in Nonalcoholic Steatohepatitis. <i>Gastroenterology</i> , 2016, 150, 815-818.	0.6	17
98	Epidemiology of hepatic encephalopathy in german hospitals " the EpHE study. <i>Zeitschrift Fur Gastroenterologie</i> , 2017, 55, 741-747.	0.2	17
99	Clinical Predictors for Poor Quality of Life in Patients With Covert Hepatic Encephalopathy. <i>Journal of Clinical Gastroenterology</i> , 2019, 53, e303-e307.	1.1	17
100	Beyond the Paradigm of Weight Loss in Non-Alcoholic Fatty Liver Disease: From Pathophysiology to Novel Dietary Approaches. <i>Nutrients</i> , 2021, 13, 1977.	1.7	17
101	Applicability of a Web-Based, Individualized Exercise Intervention in Patients With Liver Disease, Cystic Fibrosis, Esophageal Cancer, and Psychiatric Disorders: Process Evaluation of 4 Ongoing Clinical Trials. <i>JMIR Research Protocols</i> , 2018, 7, e106.	0.5	17
102	The role of death effector domain-containing proteins in acute oxidative cell injury in hepatocytes. <i>Free Radical Biology and Medicine</i> , 2012, 52, 1911-1917.	1.3	16
103	Hepatic B cell leukemia-3 promotes hepatic steatosis and inflammation through insulin-sensitive metabolic transcription factors. <i>Journal of Hepatology</i> , 2016, 65, 1188-1197.	1.8	16
104	Loss of cellular FLICE-inhibitory protein promotes acute cholestatic liver injury and inflammation from bile duct ligation. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, G319-G333.	1.6	16
105	Profiling and targeting connective tissue remodeling in autoimmunity - A novel paradigm for diagnosing and treating chronic diseases. <i>Autoimmunity Reviews</i> , 2021, 20, 102706.	2.5	16
106	The gut microbiota instructs the hepatic endothelial cell transcriptome. <i>IScience</i> , 2021, 24, 103092.	1.9	16
107	Loss of organic cation transporter 3 (Oct3) leads to enhanced proliferation and hepatocarcinogenesis. <i>Oncotarget</i> , 2017, 8, 115667-115680.	0.8	16
108	Symptom Burden and Treatment Response in Patients with Primary Biliary Cholangitis (PBC). <i>Digestive Diseases and Sciences</i> , 2020, 65, 3006-3013.	1.1	14

#	ARTICLE	IF	CITATIONS
109	Effectiveness of lifestyle interventions in NAFLD (nonalcoholic fatty liver disease) – how are clinical trials affected?. <i>Expert Opinion on Investigational Drugs</i> , 2020, 29, 93-97.	1.9	14
110	Risk factors for poorer health literacy in patients with liver cirrhosis. <i>PLoS ONE</i> , 2021, 16, e0255349.	1.1	14
111	Voluntary distance running prevents TNF-mediated liver injury in mice through alterations of the intrahepatic immune milieu. <i>Cell Death and Disease</i> , 2017, 8, e2893-e2893.	2.7	13
112	Resistance-associated substitutions in patients with chronic hepatitis C virus genotype 4 infection. <i>Journal of Viral Hepatitis</i> , 2020, 27, 974-986.	1.0	12
113	Noninvasive Testing Using Magnetic Resonance Imaging Techniques as Outcomes in Nonalcoholic Steatohepatitis Clinical Trials: How Full Is the Glass?. <i>Hepatology Communications</i> , 2020, 4, 141-144.	2.0	12
114	Hepatic sarcoidosis: Clinical characteristics and outcome. <i>JHEP Reports</i> , 2021, 3, 100360.	2.6	12
115	Acute organ failure following the loss of anti-apoptotic cellular FLICE-inhibitory protein involves activation of innate immune receptors. <i>Cell Death and Differentiation</i> , 2015, 22, 826-837.	5.0	11
116	New onset of diabetes after transplantation is associated with improved patient survival after liver transplantation due to confounding factor. <i>European Journal of Internal Medicine</i> , 2015, 26, 439-444.	1.0	11
117	Evaluation of IL-6 for Stepwise Diagnosis of Minimal Hepatic Encephalopathy in Patients With Liver Cirrhosis. <i>Hepatology Communications</i> , 2022, 6, 1113-1122.	2.0	11
118	A sustainable development goal framework to guide multisectoral action on NAFLD through a societal approach. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 234-243.	1.9	11
119	Leptomeningeal familial amyloidosis. <i>Journal of Neurology</i> , 2006, 253, 1238-1240.	1.8	10
120	Inclusion of targeted therapies in the standard of care for metastatic colorectal cancer patients in a German cancer center: the more the better?!. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015, 141, 515-522.	1.2	10
121	The Snoring Index Identifies Risk of Non-Alcoholic Fatty Liver Disease in Patients with Obstructive Sleep Apnea Syndrome. <i>Biology</i> , 2022, 11, 10.	1.3	10
122	Defer or treat? Reasons for treatment decisions in patients with chronic hepatitis C genotype 1 in the early era of directly acting antiviral agents. <i>Digestive and Liver Disease</i> , 2014, 46, 67-71.	0.4	9
123	On the value and limitations of liver histology in assessing non-alcoholic steatohepatitis. <i>Journal of Hepatology</i> , 2020, 73, 1592-1593.	1.8	9
124	Impact of thyroid disorders on the incidence of non-alcoholic fatty liver disease in Germany. <i>United European Gastroenterology Journal</i> , 2021, 9, 829-836.	1.6	9
125	Differences between current clinical guidelines for screening, diagnosis and management of nonalcoholic fatty liver disease and real-world practice: a targeted literature review. <i>Expert Review of Gastroenterology and Hepatology</i> , 2021, 15, 1253-1266.	1.4	9
126	Hepatic B cell leukemia-3 suppresses chemically-induced hepatocarcinogenesis in mice through altered MAPK and NF- κ B activation. <i>Oncotarget</i> , 2017, 8, 56095-56109.	0.8	9

#	ARTICLE	IF	CITATIONS
127	Effect of hepatic steatosis and associated metabolic comorbidities on health-related quality of life in people living with HIV. <i>Hepatology Communications</i> , 2022, 6, 2011-2021.	2.0	9
128	Nutritional Intake and the Risk for Non-Alcoholic Fatty Liver Disease (NAFLD). <i>Nutrients</i> , 2019, 11, 588.	1.7	8
129	Nonalcoholic Fatty Liver Disease in 2020. <i>Gastroenterology</i> , 2020, 158, 1849-1850.	0.6	8
130	Referral care paths for non-alcoholic fatty liver disease—Gearing up for an ever more prevalent and severe liver disease. <i>United European Gastroenterology Journal</i> , 2021, 9, 903-909.	1.6	8
131	Transforming Growth Factor- β 2 Activated Kinase 1 (Tak1) Is Activated in Hepatocellular Carcinoma, Mediates Tumor Progression, and Predicts Unfavorable Outcome. <i>Cancers</i> , 2022, 14, 430.	1.7	8
132	Validation of EncephalApp_Stroop as screening tool for the detection of minimal hepatic encephalopathy in German patients with liver cirrhosis. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2022, 46, 101873.	0.7	8
133	Disclosure behaviour and experienced reactions in patients with HIV versus chronic viral hepatitis or diabetes mellitus in Germany. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2013, 25, 1259-1270.	0.6	7
134	The ABCB4 p.T175A variant as potential modulator of hepatic fibrosis in patients with chronic liver diseases: Looking beyond the cholestatic realm. <i>Hepatology</i> , 2017, 66, 666-667.	3.6	7
135	Further delineation of fibrosis progression in NAFLD: evidence from a large cohort of patients with sequential biopsies. <i>Journal of Hepatology</i> , 2017, 66, S593.	1.8	7
136	Impact of Individual Components of the Metabolic Syndrome on the Outcome of Patients with Advanced Hepatocellular Carcinoma Treated with Sorafenib. <i>Digestive Diseases</i> , 2018, 36, 78-88.	0.8	7
137	Proton pump inhibitors increase risk of bone fractures in men with cirrhosis: a population-based study. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 52, 1042-1050.	1.9	7
138	Impact of acute-on-chronic liver failure and decompensated liver cirrhosis on psychosocial burden and quality of life of patients and their close relatives. <i>Health and Quality of Life Outcomes</i> , 2020, 18, 10.	1.0	7
139	An international survey on patterns of practice in NAFLD and expectations for therapies—the POP-NEXT project. <i>Hepatology</i> , 2022, 76, 1766-1777.	3.6	7
140	Recipient liver function before liver transplantation influences post-transplantation survival in patients with HCC. <i>European Journal of Internal Medicine</i> , 2018, 55, 57-65.	1.0	6
141	Response: Frailty assessment in the COVID-19 pandemic. <i>Journal of Investigative Medicine</i> , 2020, 68, 1302-1302.	0.7	6
142	Nonalcoholic fatty liver disease: use of diagnostic biomarkers and modalities in clinical practice. <i>Expert Review of Molecular Diagnostics</i> , 2021, 21, 1065-1078.	1.5	6
143	Treatment of Malignant Ascites with a Second Cycle of Catumaxomab in Gastric Signet Cell Carcinoma - a Report of 2 Cases. <i>Oncology Research and Treatment</i> , 2014, 37, 674-677.	0.8	5
144	Reading the stars for hepatic fibrosis or how to predict the severity of liver disease in patients with NASH. <i>Liver International</i> , 2019, 39, 812-814.	1.9	5

#	ARTICLE	IF	CITATIONS
145	Refining Noninvasive Diagnostics In Nonalcoholic Fatty Liver Disease: Closing the Gap to Detect Advanced Fibrosis. <i>Hepatology</i> , 2019, 69, 934-936.	3.6	5
146	A young patient with type 2 diabetes associated non-alcoholic steatohepatitis, liver cirrhosis, and hepatocellular carcinoma. <i>Zeitschrift Fur Gastroenterologie</i> , 2020, 58, 57-62.	0.2	5
147	NAFLD between genes and environment: what drives fibrogenesis?. <i>Gut</i> , 2021, 70, 815-816.	6.1	5
148	Applicability and safety of discontinuous ADVanced Organ Support (ADVOS) in the treatment of patients with acute-on-chronic liver failure (ACLF) outside of intensive care. <i>PLoS ONE</i> , 2021, 16, e0249342.	1.1	5
149	Health-related quality of life in patients with autoimmune hepatitis. <i>Quality of Life Research</i> , 2021, 30, 2853-2861.	1.5	5
150	Multidisciplinary approach to the complex treatment for non-cirrhotic portal hypertension â€“ case-report-based discussion. <i>Zeitschrift Fur Gastroenterologie</i> , 2021, 59, 43-49.	0.2	5
151	Liver Frailty Index for Prediction of Short-Term Rehospitalization in Patients with Liver Cirrhosis. <i>Diagnostics</i> , 2022, 12, 1069.	1.3	5
152	Efficacy, safety and pharmacokinetics of simeprevir and TMC647055/ritonavir with or without ribavirin and JNJ-56914845 in HCV genotype 1 infection. <i>BMC Gastroenterology</i> , 2017, 17, 26.	0.8	4
153	Assessing the disease burden of non-alcoholic fatty liver disease in the real world â€“ big data and big numbers. <i>BMC Medicine</i> , 2019, 17, 123.	2.3	4
154	Assessing physician preferences on future therapeutic options and diagnostic practices in non-alcoholic steatohepatitis. <i>JHEP Reports</i> , 2020, 2, 100081.	2.6	4
155	Emerging Pharmacological Treatment in Nonalcoholic Steatohepatitis. <i>Visceral Medicine</i> , 2020, 36, 411-416.	0.5	4
156	TNF/TNF Receptors. , 2010, , 161-177.		4
157	Hepatocyte Bcl-3 protects from death-receptor mediated apoptosis and subsequent acute liver failure. <i>Cell Death and Disease</i> , 2022, 13, .	2.7	4
158	Long-term outcome in PSC patients receiving azathioprine: Does immunosuppression have a positive effect on survival?. <i>Journal of Hepatology</i> , 2020, 73, 1285-1287.	1.8	3
159	Urinary ethyl glucuronide (uEtC) as a marker for alcohol consumption in liver transplant candidates: a real-world cohort. <i>Zeitschrift Fur Gastroenterologie</i> , 2020, 58, 30-38.	0.2	3
160	Shortcut to death. <i>Hepatology</i> , 2009, 50, 2040-2043.	3.6	2
161	Show me your signalingâ€“ and Iâ€™ll tell you who you are. <i>Journal of Hepatology</i> , 2009, 51, 638-639.	1.8	2
162	Serological diagnosis of early HCC in NASH: A German multicenter study. <i>Journal of Hepatology</i> , 2018, 68, S421-S422.	1.8	2

#	ARTICLE	IF	CITATIONS
163	Impact of non-selective Å-blockers on hepatic encephalopathy in patients with liver cirrhosis. <i>European Journal of Internal Medicine</i> , 2020, 82, 83-89.	1.0	2
164	Intestinal motility: a therapeutic target for NAFLD?. <i>The Lancet Gastroenterology and Hepatology</i> , 2020, 5, 957-958.	3.7	2
165	Treatment outcomes in hepatitis C virus genotype 1a infected patients with and without baseline NS5A resistance-associated substitutions. <i>Liver International</i> , 2020, 40, 2660-2671.	1.9	2
166	Burden of illness of progressive familial intrahepatic cholestasis in the US, UK, France, and Germany: study rationale and protocol of the PICTURE study. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2021, 21, 247-253.	0.7	2
167	Letter: coronary atherosclerosis in patients with significant hepatic fibrosis in non-alcoholic fatty liver disease—the role for non-invasive testing. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 214-215.	1.9	1
168	Letter: proton pump inhibitor use and bone fracture risk—a mechanistic point of view. Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 53, 673-673.	1.9	1
169	Refining imaging tools to detect advanced fibrosis: could liver surface nodularity address an unmet need in the NAFLD epidemic?. <i>European Radiology</i> , 2022, 32, 1757-1759.	2.3	1
170	Portal Vein Thrombosis Is Associated with an Increased Incidence of Depression and Anxiety Disorders. <i>Journal of Clinical Medicine</i> , 2021, 10, 5689.	1.0	1
171	CYP2E1 expression sensitizes hepatocytes to death from polyunsaturated fatty acids through ERK signaling. <i>Gastroenterology</i> , 2003, 124, A706-A707.	0.6	0
172	Predictors of the Metabolic Syndrome after Orthotopic Liver Transplantation Identified by a Retrospective Analysis. <i>Transplantation</i> , 2012, 94, 673.	0.5	0
173	Simple non-invasive fibrosis scores identify patients with non-alcoholic fatty liver disease who progress to advanced fibrosis/cirrhosis:evidence from a large cohort of patients with sequential liver biopsies. <i>Journal of Hepatology</i> , 2017, 66, S68-S69.	1.8	0
174	Editorial: stepwise risk stratification for both F3 and F4 in NAFLD patients—authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 1318-1319.	1.9	0
175	Prevalence, severity and patterns of clinical practice in outpatient visits for suspected NAFLD—the German CONSTANS STUDY. <i>Journal of Hepatology</i> , 2018, 68, S830-S831.	1.8	0
176	Fatty liver disease—the A multifaceted disease with more than one name?. <i>Liver International</i> , 2020, 40, 2937-2938.	1.9	0
177	Obeticholic acid (OCA) improves non-invasive markers of fibrosis in patients with non-alcoholic steatohepatitis (NASH): a secondary analysis of the phase 3 Regenerate study. <i>Digestive and Liver Disease</i> , 2020, 52, e41-e42.	0.4	0
178	Prevention of endpoints in primary biliary cholangitis with ursodeoxycholic acid: quantifying the benefit. <i>Gut</i> , 2020, 69, 1377-1378.	6.1	0
179	Correspondence. <i>Deutsches A&#x0308;rztblatt International</i> , 2021, 118, 271-272.	0.6	0
180	Editorial: the polygenic risk of cirrhosis development. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 53, 849-850.	1.9	0

#	ARTICLE	IF	CITATIONS
181	The unmet need of personalized HCC screening—Lessons learned from the Swedish nationwide registries. United European Gastroenterology Journal, 2022, 10, 447-448.	1.6	0