

# Marcel Ag G Van Der Heyden

## List of Publications by Citations

**Source:**

<https://exaly.com/author-pdf/4419097/marcel-ag-g-van-der-heyden-publications-by-citations.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122  
papers

3,823  
citations

30  
h-index

58  
g-index

134  
ext. papers

4,296  
ext. citations

5.5  
avg, IF

4.9  
L-index

#	Paper	IF	Citations
122	Differentiation of human embryonic stem cells to cardiomyocytes: role of coculture with visceral endoderm-like cells. <i>Circulation</i> , <b>2003</b> , 107, 2733-40	16.7	1012
121	TGF-beta1 induces efficient differentiation of human cardiomyocyte progenitor cells into functional cardiomyocytes in vitro. <i>Stem Cell Research</i> , <b>2007</b> , 1, 138-49	1.6	192
120	Twenty one years of P19 cells: what an embryonal carcinoma cell line taught us about cardiomyocyte differentiation. <i>Cardiovascular Research</i> , <b>2003</b> , 58, 292-302	9.9	142
119	Dominant missense mutations in ABCC9 cause Cantú syndrome. <i>Nature Genetics</i> , <b>2012</b> , 44, 793-6	36.3	139
118	Cardiac cell-cell junctions in health and disease: Electrical versus mechanical coupling. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2009</b> , 47, 23-31	5.8	138
117	Remodeling of the cardiac sodium channel, connexin43, and plakoglobin at the intercalated disk in patients with arrhythmogenic cardiomyopathy. <i>Heart Rhythm</i> , <b>2013</b> , 10, 412-9	6.7	100
116	Molecular aspects of adrenergic modulation of cardiac L-type Ca <sup>2+</sup> channels. <i>Cardiovascular Research</i> , <b>2005</b> , 65, 28-39	9.9	87
115	Grayanotoxin poisoning: Can honey disease and beyond. <i>Cardiovascular Toxicology</i> , <b>2012</b> , 12, 208-15	3.4	77
114	The immature electrophysiological phenotype of iPSC-CMs still hampers in vitro drug screening: Special focus on I. <i>Pharmacology &amp; Therapeutics</i> , <b>2018</b> , 183, 127-136	13.9	65
113	Sphingosine kinase interacting protein is an A-kinase anchoring protein specific for type I cAMP-dependent protein kinase. <i>ChemBioChem</i> , <b>2010</b> , 11, 963-71	3.8	65
112	Beat-to-beat variability of repolarization as a new biomarker for proarrhythmia in vivo. <i>Heart Rhythm</i> , <b>2012</b> , 9, 1718-26	6.7	64
111	Reorganized PKA-AKAP associations in the failing human heart. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2012</b> , 52, 511-8	5.8	59
110	Comparison of the IKr blockers moxifloxacin, dofetilide and E-4031 in five screening models of pro-arrhythmia reveals lack of specificity of isolated cardiomyocytes. <i>British Journal of Pharmacology</i> , <b>2012</b> , 165, 467-78	8.6	57
109	A small novel A-kinase anchoring protein (AKAP) that localizes specifically protein kinase A-regulatory subunit I (PKA-RI) to the plasma membrane. <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 43789-97	5.4	57
108	Epigenetics: DNA demethylation promotes skeletal myotube maturation. <i>FASEB Journal</i> , <b>2011</b> , 25, 3861-72	7.2	52
107	Drugs and trafficking of ion channels: a new pro-arrhythmic threat on the horizon?. <i>British Journal of Pharmacology</i> , <b>2008</b> , 153, 406-9	8.6	47
106	P19 embryonal carcinoma cells: a suitable model system for cardiac electrophysiological differentiation at the molecular and functional level. <i>Cardiovascular Research</i> , <b>2003</b> , 58, 410-22	9.9	47

105	Short-term variability of repolarization predicts ventricular tachycardia and sudden cardiac death in patients with structural heart disease: a comparison with QT variability index. <i>Heart Rhythm</i> , <b>2011</b> , 8, 1584-90	6.7	46
104	The mammalian K(IR)2.x inward rectifier ion channel family: expression pattern and pathophysiology. <i>Acta Physiologica</i> , <b>2010</b> , 199, 243-56	5.6	43
103	Molecular aspects of adrenergic modulation of the transient outward current. <i>Cardiovascular Research</i> , <b>2006</b> , 71, 430-42	9.9	40
102	Barium toxicity and the role of the potassium inward rectifier current. <i>Clinical Toxicology</i> , <b>2014</b> , 52, 584-93	9.9	39
101	The anti-protozoal drug pentamidine blocks KIR2.x-mediated inward rectifier current by entering the cytoplasmic pore region of the channel. <i>British Journal of Pharmacology</i> , <b>2010</b> , 159, 1532-41	8.6	39
100	Lysosome mediated Kir2.1 breakdown directly influences inward rectifier current density. <i>Biochemical and Biophysical Research Communications</i> , <b>2008</b> , 367, 687-92	3.4	38
99	A P19Cl6 GFP reporter line to quantify cardiomyocyte differentiation of stem cells. <i>International Journal of Developmental Biology</i> , <b>2004</b> , 48, 47-55	1.9	38
98	Selectivity in enrichment of cAMP-dependent protein kinase regulatory subunits type I and type II and their interactors using modified cAMP affinity resins. <i>Molecular and Cellular Proteomics</i> , <b>2009</b> , 8, 1016-28	7.6	37
97	Hyperpolarization induces differentiation in human cardiomyocyte progenitor cells. <i>Stem Cell Reviews and Reports</i> , <b>2010</b> , 6, 178-85	6.4	37
96	Expression of the electrophysiological system during murine embryonic stem cell cardiac differentiation. <i>Cellular Physiology and Biochemistry</i> , <b>2003</b> , 13, 263-70	3.9	36
95	Drug-induced torsade de pointes arrhythmias in the chronic AV block dog are perpetuated by focal activity. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2011</b> , 4, 566-76	6.4	34
94	Efficient and specific cardiac IK <sub>1</sub> inhibition by a new pentamidine analogue. <i>Cardiovascular Research</i> , <b>2013</b> , 99, 203-14	9.9	32
93	Inhibition of cardiomyocyte automaticity by electrotonic application of inward rectifier current from Kir2.1 expressing cells. <i>Medical and Biological Engineering and Computing</i> , <b>2006</b> , 44, 537-42	3.1	32
92	Cardiomyocytes from human and mouse embryonic stem cells. <i>Methods in Molecular Medicine</i> , <b>2007</b> , 140, 249-72		27
91	Robust anti-arrhythmic efficacy of verapamil and flunarizine against dofetilide-induced TdP arrhythmias is based upon a shared and a different mode of action. <i>British Journal of Pharmacology</i> , <b>2010</b> , 161, 162-75	8.6	26
90	Foetal and adult cardiomyocyte progenitor cells have different developmental potential. <i>Journal of Cellular and Molecular Medicine</i> , <b>2010</b> , 14, 861-70	5.6	25
89	Connexin43 repression following epithelium-to-mesenchyme transition in embryonal carcinoma cells requires Snail1 transcription factor. <i>Differentiation</i> , <b>2007</b> , 75, 208-18	3.5	25
88	Exploring chemical substructures essential for HERG k(+) channel blockade by synthesis and biological evaluation of dofetilide analogues. <i>ChemMedChem</i> , <b>2009</b> , 4, 1722-32	3.7	23

87	Fraud and misconduct in science: the stem cell seduction: Implications for the peer-review process. <i>Netherlands Heart Journal</i> , <b>2009</b> , 17, 25-9	2.2	23
86	Selective late sodium current inhibitor GS-458967 suppresses Torsades de Pointes by mostly affecting perpetuation but not initiation of the arrhythmia. <i>British Journal of Pharmacology</i> , <b>2018</b> , 175, 2470-2482	8.6	22
85	The actin binding domain of the epidermal growth factor receptor is required for EGF-stimulated tissue invasion. <i>Experimental Cell Research</i> , <b>1997</b> , 234, 521-6	4.2	22
84	Nicotine intoxication by e-cigarette liquids: a study of case reports and pathophysiology. <i>Clinical Toxicology</i> , <b>2020</b> , 58, 1-8	2.9	22
83	Carvedilol inhibits Kir2.3 channels by interference with PIP <sub>2</sub> channel interaction. <i>European Journal of Pharmacology</i> , <b>2011</b> , 668, 72-7	5.3	21
82	High-rate pacing reduces variability of repolarization and prevents repolarization-dependent arrhythmias in dogs with chronic AV block. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2010</b> , 21, 1384-91	2.7	21
81	Human cardiomyocyte progenitor cell-derived cardiomyocytes display a matured electrical phenotype. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2010</b> , 48, 254-60	5.8	21
80	Inhibiting the clathrin-mediated endocytosis pathway rescues K(IR)2.1 downregulation by pentamidine. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2013</b> , 465, 247-59	4.6	19
79	Sorting of ligand-activated epidermal growth factor receptor to lysosomes requires its actin-binding domain. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 11562-9	5.4	19
78	Structure-Affinity Relationships (SARs) and Structure-Kinetics Relationships (SKRs) of Kv11.1 Blockers. <i>Journal of Medicinal Chemistry</i> , <b>2015</b> , 58, 5916-29	8.3	18
77	Short-Lasting Episodes of Torsade de Pointes in the Chronic Atrioventricular Block Dog Model Have a Focal Mechanism, While Longer-Lasting Episodes Are Maintained by Re-Entry. <i>JACC: Clinical Electrophysiology</i> , <b>2017</b> , 3, 1565-1576	4.6	18
76	A systematic evaluation of protein kinase A-kinase anchoring protein interaction motifs. <i>Biochemistry</i> , <b>2015</b> , 54, 11-21	3.2	18
75	Inhibition of lysosomal degradation rescues pentamidine-mediated decreases of K(IR)2.1 ion channel expression but not that of K(v)11.1. <i>European Journal of Pharmacology</i> , <b>2011</b> , 652, 96-103	5.3	18
74	Mechanisms for Kir channel inhibition by quinacrine: acute pore block of Kir2.x channels and interference in PIP <sub>2</sub> interaction with Kir2.x and Kir6.2 channels. <i>Pflugers Archiv European Journal of Physiology</i> , <b>2011</b> , 462, 505-17	4.6	18
73	Regulatory roles of the ubiquitin-proteasome system in cardiomyocyte apoptosis. <i>Current Molecular Medicine</i> , <b>2010</b> , 10, 1-13	2.5	18
72	Anesthesia and arrhythmogenesis in the chronic atrioventricular block dog model. <i>Journal of Cardiovascular Pharmacology</i> , <b>2010</b> , 55, 601-8	3.1	18
71	Identification of an intracellular domain of the EGF receptor required for high-affinity binding of EGF. <i>FEBS Letters</i> , <b>1997</b> , 410, 265-8	3.8	17
70	Xenopus connexins: how frogs bridge the gap. <i>Differentiation</i> , <b>2005</b> , 73, 330-40	3.5	17

69	Calmodulin/CaMKII inhibition improves intercellular communication and impulse propagation in the heart and is antiarrhythmic under conditions when fibrosis is absent. <i>Cardiovascular Research</i> , <b>2016</b> , 111, 410-21	9.9	17
68	Deciphering hERG channels: molecular basis of the rapid component of the delayed rectifier potassium current. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2012</b> , 53, 369-74	5.8	16
67	Beta-, not alpha-adrenergic stimulation enhances conduction velocity in cultures of neonatal cardiomyocytes. <i>Circulation Journal</i> , <b>2007</b> , 71, 973-81	2.9	16
66	Structure-activity relationships of pentamidine-affected ion channel trafficking and dofetilide mediated rescue. <i>British Journal of Pharmacology</i> , <b>2013</b> , 169, 1322-34	8.6	15
65	Dehydroevodiamine and hortiamine, alkaloids from the traditional Chinese herbal drug <i>Evodia rutaecarpa</i> , are I blockers with proarrhythmic effects in vitro and in vivo. <i>Pharmacological Research</i> , <b>2018</b> , 131, 150-163	10.2	14
64	Toward specific cardiac I(K1) modulators for in vivo application: old drugs point the way. <i>Heart Rhythm</i> , <b>2011</b> , 8, 1076-80	6.7	13
63	Pro-arrhythmogenic potential of immature cardiomyocytes is triggered by low coupling and cluster size. <i>Cardiovascular Research</i> , <b>2006</b> , 71, 704-14	9.9	13
62	The inward rectifier current inhibitor PA-6 terminates atrial fibrillation and does not cause ventricular arrhythmias in goat and dog models. <i>British Journal of Pharmacology</i> , <b>2017</b> , 174, 2576-2590	8.6	12
61	Short-term Variability of Repolarization Is Superior to Other Repolarization Parameters in the Evaluation of Diverse Antiarrhythmic Interventions in the Chronic Atrioventricular Block Dog. <i>Journal of Cardiovascular Pharmacology</i> , <b>2017</b> , 69, 398-407	3.1	12
60	LUF7244, an allosteric modulator/activator of K 11.1 channels, counteracts dofetilide-induced torsades de pointes arrhythmia in the chronic atrioventricular block dog model. <i>British Journal of Pharmacology</i> , <b>2019</b> , 176, 3871-3885	8.6	12
59	Cardiac ion channel trafficking defects and drugs. <i>Pharmacology &amp; Therapeutics</i> , <b>2013</b> , 139, 24-31	13.9	12
58	The toxicology of zinc chloride smoke producing bombs and screens. <i>Clinical Toxicology</i> , <b>2017</b> , 55, 167-174	4.9	11
57	Beat-to-Beat Variability in Preload Unmasks Latent Risk of Torsade de Pointes in Anesthetized Chronic Atrioventricular Block Dogs. <i>Circulation Journal</i> , <b>2016</b> , 80, 1336-45	2.9	11
56	Epidermal growth factor-induced activation and translocation of c-Src to the cytoskeleton depends on the actin binding domain of the EGF-receptor. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , <b>1997</b> , 1359, 211-21	4.9	11
55	Connexin43 orthologues in vertebrates: phylogeny from fish to man. <i>Development Genes and Evolution</i> , <b>2004</b> , 214, 261-6	1.8	11
54	Connexin43 expression during <i>Xenopus</i> development. <i>Mechanisms of Development</i> , <b>2001</b> , 108, 217-20	1.7	11
53	Review of case reports on hyperkalemia induced by dietary intake: not restricted to chronic kidney disease patients. <i>European Journal of Clinical Nutrition</i> , <b>2019</b> , 73, 38-45	5.2	11
52	High-potency block of Kir4.1 channels by pentamidine: Molecular basis. <i>European Journal of Pharmacology</i> , <b>2017</b> , 815, 56-63	5.3	10

51	PA-6 inhibits inward rectifier currents carried by V93I and D172N gain-of-function K2.1 channels, but increases channel protein expression. <i>Journal of Biomedical Science</i> , <b>2017</b> , 24, 44	13.3	10
50	Disease Associated Mutations in K Proteins Linked to Aberrant Inward Rectifier Channel Trafficking. <i>Biomolecules</i> , <b>2019</b> , 9,	5.9	10
49	Vernakalant is devoid of proarrhythmic effects in the complete AV block dog model. <i>European Journal of Pharmacology</i> , <b>2013</b> , 720, 49-54	5.3	10
48	Geographical distribution of plakophilin-2 mutation prevalence in patients with arrhythmogenic cardiomyopathy. <i>Netherlands Heart Journal</i> , <b>2012</b> , 20, 234-9	2.2	10
47	Inhibition of cardiac inward rectifier currents by cationic amphiphilic drugs. <i>Current Molecular Medicine</i> , <b>2013</b> , 13, 1284-98	2.5	10
46	Class III antiarrhythmic drugs amiodarone and dronedarone impair K 2.1 backward trafficking. <i>Journal of Cellular and Molecular Medicine</i> , <b>2017</b> , 21, 2514-2523	5.6	9
45	Pharmacological exploration of the resting membrane potential reserve: Impact on atrial fibrillation. <i>European Journal of Pharmacology</i> , <b>2016</b> , 771, 56-64	5.3	9
44	Experimental Mapping of the Canine KCNJ2 and KCNJ12 Gene Structures and Functional Analysis of the Canine K(IR)2.2 ion Channel. <i>Frontiers in Physiology</i> , <b>2012</b> , 3, 9	4.6	9
43	Rewiring the heart: stem cell therapy to restore normal cardiac excitability and conduction. <i>Current Stem Cell Research and Therapy</i> , <b>2009</b> , 4, 23-33	3.6	9
42	Istaroxime, a positive inotropic agent devoid of proarrhythmic properties in sensitive chronic atrioventricular block dogs. <i>Pharmacological Research</i> , <b>2018</b> , 133, 132-140	10.2	9
41	A 2015 focus on preventing drug-induced arrhythmias. <i>Expert Review of Cardiovascular Therapy</i> , <b>2016</b> , 14, 245-53	2.5	8
40	AV-block and conduction slowing prevail over TdP arrhythmias in the methoxamine-sensitized pro-arrhythmic rabbit model. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2015</b> , 26, 82-9	2.7	8
39	Glibenclamide and HMR1098 normalize $Ca^{2+}$ syndrome-associated gain-of-function currents. <i>Journal of Cellular and Molecular Medicine</i> , <b>2019</b> , 23, 4962-4969	5.6	7
38	Reduced plakoglobin immunoreactivity in arrhythmogenic cardiomyopathy: methodological considerations. <i>Cardiovascular Pathology</i> , <b>2013</b> , 22, 314-8	3.8	7
37	A Heart too Drunk to Drive; AV Block following Acute Alcohol Intoxication. <i>Chinese Journal of Physiology</i> , <b>2016</b> , 59, 1-8	1.6	7
36	Insights in KIR2.1 channel structure and function by an evolutionary approach; cloning and functional characterization of the first reptilian inward rectifier channel KIR2.1, derived from the California kingsnake ( <i>Lampropeltis getula californica</i> ). <i>Biochemical and Biophysical Research Communications</i> , <b>2014</b> , 452, 992-7	3.4	6
35	Cloning and functional characterization of a novel connexin expressed in somites of <i>Xenopus laevis</i> . <i>Developmental Dynamics</i> , <b>2005</b> , 233, 864-71	2.9	6
34	LUF7244 plus Dofetilide Rescues Aberrant K11.1 Trafficking and Produces Functional I. <i>Molecular Pharmacology</i> , <b>2020</b> , 97, 355-364	4.3	5

33	Bilateral Successive Cranial Cruciate Ligament Rupture Treated by Extracapsular Stabilization Surgery in a Pet Rabbit ( <i>Oryctolagus cuniculus</i> ). <i>Journal of Exotic Pet Medicine</i> , <b>2010</b> , 19, 245-248	0.6	5
32	The hidden secrets of the hibernator's heart may protect against arrhythmias. <i>Heart Rhythm</i> , <b>2005</b> , 2, 976-8	6.7	5
31	Cloning, embryonic expression, and functional characterization of two novel connexins from <i>Xenopus laevis</i> . <i>Biochemical and Biophysical Research Communications</i> , <b>2006</b> , 349, 855-62	3.4	5
30	Efficacy of pentamidine analogue 6 in dogs with chronic atrial fibrillation. <i>Journal of Veterinary Internal Medicine</i> , <b>2018</b> , 32, 1549-1554	3.1	5
29	Cardiac Arrhythmias and Antiarrhythmic Drugs: An Autophagic Perspective. <i>Frontiers in Physiology</i> , <b>2018</b> , 9, 127	4.6	4
28	Mesenchymal stem cells repair conduction block. <i>Journal of the American College of Cardiology</i> , <b>2006</b> , 48, 219-20; author reply 220	15.1	4
27	The canine chronic atrioventricular block model in cardiovascular preclinical drug research. <i>British Journal of Pharmacology</i> , <b>2021</b> ,	8.6	4
26	Verapamil as an antiarrhythmic agent in congestive heart failure: hopping from rabbit to human?. <i>British Journal of Pharmacology</i> , <b>2012</b> , 166, 554-6	8.6	3
25	Finding inward rectifier channel inhibitors: why and how?. <i>Frontiers in Pharmacology</i> , <b>2011</b> , 2, 95	5.6	3
24	The secrets of hibernators' cardiac conduction reserve. <i>Heart Rhythm</i> , <b>2008</b> , 5, 1597-8	6.7	3
23	Cloning, sequence analysis and phylogeny of connexin43 isolated from American black bear heart. <i>DNA Sequence</i> , <b>2007</b> , 18, 380-4		3
22	Regulated expression of the <i>X. tropicalis</i> connexin43 promoter. <i>Cell Communication and Adhesion</i> , <b>2001</b> , 8, 293-8		3
21	Towards the Development of AgoKirs: New Pharmacological Activators to Study K2.x Channel and Target Cardiac Disease. <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	3
20	Computational Identification of Novel Kir6 Channel Inhibitors. <i>Frontiers in Pharmacology</i> , <b>2019</b> , 10, 549	5.6	2
19	Identification of a PEST Sequence in Vertebrate K2.1 That Modifies Rectification. <i>Frontiers in Physiology</i> , <b>2019</b> , 10, 863	4.6	2
18	Commentary: Autonomic Modulation in Patients with Heart Failure Increases Beat-to-Beat Variability of Ventricular Action Potential Duration. <i>Frontiers in Physiology</i> , <b>2017</b> , 8, 459	4.6	2
17	Molecular Regulation of Cardiac Inward Rectifier Potassium Channels by Pharmacologic Agents <b>2014</b> , 129-137		2
16	Commentary: Reciprocal Modulation of I-I Extends Excitability in Cardiac Ventricular Cells. <i>Frontiers in Physiology</i> , <b>2016</b> , 7, 647	4.6	2



15	Response to the letter from Warren et al. <i>Cardiovascular Research</i> , <b>2017</b> , 113, 1799-1800	9.9	1
14	Quantitative Analysis of the Cytoskeleton@ Role in Inward Rectifier K 2.1 Forward and Backward Trafficking.. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 812572	4.6	1
13	Development of I Ion Channel Blockers Targeting Sulfonylurea Resistant Mutant K6.2 Based Channels for Treating DEND Syndrome.. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 814066	5.6	1
12	Computational identification of novel Kir6 channel inhibitors		1
11	The 1-h fraud detection challenge. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , <b>2021</b> , 394, 1633-1640	4.4	1
10	A New In Vitro Co-Culture Model Using Magnetic Force-Based Nanotechnology. <i>Journal of Cellular Physiology</i> , <b>2016</b> , 231, 2249-56	7	1
9	Does vitamin B12 deficiency explain psychiatric symptoms in recreational nitrous oxide users? A narrative review. <i>Clinical Toxicology</i> , <b>2021</b> , 59, 947-955	2.9	1
8	Severe Bradycardia Increases the Incidence and Severity of Torsade de Pointes Arrhythmias by Augmenting Preexistent Spatial Dispersion of Repolarization in the CAVB Dog Model. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 642083	4.6	0
7	Drug-likeness of linear pentamidine analogues and their impact on the hERG K channel - correlation with structural features.. <i>RSC Advances</i> , <b>2019</b> , 9, 38355-38371	3.7	0
6	The clinical course and treatment of black mamba ( envenomations: a narrative review. <i>Clinical Toxicology</i> , <b>2021</b> , 59, 860-868	2.9	0
5	Commentary: Increased Beat-to-Beat Variability of T-Wave Heterogeneity Measured From Standard 12-Lead Electrocardiogram Is Associated With Sudden Cardiac Death: A Case-Control Study. <i>Frontiers in Physiology</i> , <b>2020</b> , 11, 598314	4.6	
4	Culturing and Differentiation of Embryonic and Adult Stem Cells for Heart Research and Transplantation Therapy <b>2005</b> , 592-609		
3	Stem Cells and Cardiomyocytes <b>2006</b> , 133-155		
2	Inhibition of Cardiomyocyte Automaticity by Electrotonic Application of Inward Rectifier Current from Kir2.1 Expressing Cells. <i>Series in Biomedical Engineering</i> , <b>2007</b> , 94-104		
1	Commentary: Golgin-97 Targets Ectopically Expressed Inward Rectifying Potassium Channel, Kir2.1, to the -Golgi Network in COS-7 Cells. <i>Frontiers in Physiology</i> , <b>2018</b> , 9, 1401	4.6	