

Rdvan Say

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4420184/ridvan-say-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

4,083
citations

39
h-index

61
g-index

100
ext. papers

4,301
ext. citations

5.2
avg. IF

5.21
L-index

#	Paper	IF	Citations
99	Protein recognition via ion-coordinated molecularly imprinted supermacroporous cryogels. <i>Journal of Chromatography A</i> , 2008 , 1190, 18-26	4.5	219
98	Preconcentration of copper on ion-selective imprinted polymer microbeads. <i>Analytica Chimica Acta</i> , 2003 , 480, 251-258	6.6	210
97	Ni(II) ion-imprinted solid-phase extraction and preconcentration in aqueous solutions by packed-bed columns. <i>Analytica Chimica Acta</i> , 2004 , 502, 91-97	6.6	208
96	Cr(III)-imprinted polymeric beads: Sorption and preconcentration studies. <i>Journal of Hazardous Materials</i> , 2007 , 140, 110-6	12.8	127
95	Quartz crystal microbalance based nanosensor for lysozyme detection with lysozyme imprinted nanoparticles. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 815-21	11.8	120
94	Quantum dot nanocrystals having guanosine imprinted nanoshell for DNA recognition. <i>Talanta</i> , 2008 , 75, 890-6	6.2	100
93	L-histidine imprinted synthetic receptor for biochromatography applications. <i>Analytical Chemistry</i> , 2006 , 78, 7253-8	7.8	95
92	Preconcentration of copper using double-imprinted polymer via solid phase extraction. <i>Analytica Chimica Acta</i> , 2006 , 565, 145-151	6.6	93
91	Removal of heavy metal ions from water by using poly(ethyleneglycol dimethacrylate-co-acrylamide) beads. <i>European Polymer Journal</i> , 2002 , 38, 1443-1448	5.2	90
90	Fab fragments imprinted SPR biosensor for real-time human immunoglobulin G detection. <i>Biosensors and Bioelectronics</i> , 2011 , 28, 97-104	11.8	87
89	Bilirubin recognition via molecularly imprinted supermacroporous cryogels. <i>Colloids and Surfaces B: Biointerfaces</i> , 2009 , 68, 33-8	6	87
88	Supermacroporous poly(hydroxyethyl methacrylate) based cryogel with embedded bilirubin imprinted particles. <i>Reactive and Functional Polymers</i> , 2009 , 69, 36-42	4.6	85
87	Molecular imprinted particles for lysozyme purification. <i>Materials Science and Engineering C</i> , 2007 , 27, 90-99	8.3	85
86	Rapid real-time detection of procalcitonin using a microcontact imprinted surface plasmon resonance biosensor. <i>Analyst, The</i> , 2013 , 138, 6422-8	5	83
85	Molecularly imprinted ligand-exchange recognition assay of glucose by quartz crystal microbalance. <i>Biosensors and Bioelectronics</i> , 2005 , 20, 2197-202	11.8	80
84	Use of molecular imprinted nanoparticles as biorecognition element on surface plasmon resonance sensor. <i>Sensors and Actuators B: Chemical</i> , 2011 , 160, 791-799	8.5	77
83	Molecularly Imprinted PHEMA-Based Cryogel for Depletion of Hemoglobin from Human Blood. <i>Macromolecular Chemistry and Physics</i> , 2010 , 211, 657-668	2.6	75

82	Production of surface plasmon resonance based assay kit for hepatitis diagnosis. <i>Biosensors and Bioelectronics</i> , 2009 , 24, 2878-84	11.8	74
81	Removal of phenolic compounds with nitrophenol-imprinted polymer based on π - π and hydrogen-bonding interactions. <i>Separation and Purification Technology</i> , 2004 , 38, 173-179	8.3	74
80	Ion-Selective Imprinted Beads for Aluminum Removal from Aqueous Solutions. <i>Industrial & Engineering Chemistry Research</i> , 2006 , 45, 1780-1786	3.9	65
79	Ion-imprinted beads for molecular recognition based mercury removal from human serum. <i>International Journal of Biological Macromolecules</i> , 2007 , 40, 159-66	7.9	61
78	Molecular recognition based cadmium removal from human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 811, 119-126	3.2	58
77	l-Histidine imprinted supermacroporous cryogels for protein recognition. <i>Separation and Purification Technology</i> , 2011 , 82, 28-35	8.3	57
76	Selective separation and preconcentration of cyanide by a column packed with cyanide-imprinted polymeric microbeads. <i>Separation and Purification Technology</i> , 2004 , 40, 9-14	8.3	56
75	Iron removal from human plasma based on molecular recognition using imprinted beads. <i>Materials Science and Engineering C</i> , 2005 , 25, 521-528	8.3	56
74	Ion-imprinted supermacroporous cryogel, for in vitro removal of iron out of human plasma with beta thalassemia. <i>Separation and Purification Technology</i> , 2010 , 73, 243-249	8.3	55
73	Molecularly imprinted supermacroporous cryogels for cytochrome c recognition. <i>Journal of Separation Science</i> , 2011 , 34, 3433-40	3.4	53
72	Selective Separation of Uranium Containing Glutamic Acid Molecular-Imprinted Polymeric Microbeads. <i>Separation Science and Technology</i> , 2003 , 38, 3431-3447	2.5	53
71	Poly(ethylene dimethacrylate-glycidyl methacrylate) Monolith as a Stationary Phase in Dye-Affinity Chromatography. <i>Industrial & Engineering Chemistry Research</i> , 2004 , 43, 6507-6513	3.9	51
70	Cadmium removal out of human plasma using ion-imprinted beads in a magnetic column. <i>Materials Science and Engineering C</i> , 2009 , 29, 144-152	8.3	50
69	Synthesis of cholesterol imprinted polymeric particles. <i>International Journal of Biological Macromolecules</i> , 2007 , 41, 8-15	7.9	48
68	Ion-selective Imprinted Superporous Monolith for Cadmium Removal from Human Plasma. <i>Separation Science and Technology</i> , 2005 , 40, 3167-3185	2.5	48
67	Metal-complexing ligand methacryloylamidocysteine containing polymer beads for Cd(II) removal. <i>Separation and Purification Technology</i> , 2003 , 30, 3-10	8.3	46
66	Gold nanoparticles having dipicolinic acid imprinted nanoshell for Bacillus cereus spores recognition. <i>Applied Surface Science</i> , 2009 , 256, 142-148	6.7	44
65	N-Acylbenzotriazole Mediated Synthesis of Some Methacrylamido Amino Acids. <i>Letters in Organic Chemistry</i> , 2007 , 4, 585-587	0.6	43

64	Superparamagnetic nanotraps containing MIP based mimic lipase for biotransformations uses. <i>Journal of Nanoparticle Research</i> , 2011 , 13, 2073-2079	2.3	40
63	Biomimicking, metal-chelating and surface-imprinted polymers for the degradation of pesticides. <i>Reactive and Functional Polymers</i> , 2010 , 70, 238-243	4.6	40
62	Molecular recognition based cadmium removal from human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 811, 119-26	3.2	40
61	Removal of aluminium by Alizarin Yellow-attached magnetic poly(2-hydroxyethyl methacrylate) beads. <i>Reactive and Functional Polymers</i> , 2003 , 55, 99-107	4.6	40
60	Gold-silver nanoclusters having dipicolinic acid imprinted nanoshell for Bacillus cereus spores recognition. <i>Talanta</i> , 2009 , 78, 1332-8	6.2	39
59	Synergie between molecular imprinted polymer based on solid-phase extraction and quartz crystal microbalance technique for 8-OHdG sensing. <i>Biosensors and Bioelectronics</i> , 2008 , 24, 742-7	11.8	38
58	Immunoglobulin G depletion from human serum with metal-chelated beads under magnetic field. <i>International Journal of Biological Macromolecules</i> , 2007 , 40, 254-60	7.9	37
57	Polyethyleneimine assisted-two-step polymerization to develop surface imprinted cryogels for lysozyme purification. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016 , 146, 567-76	6	36
56	8-OHdG sensing with MIP based solid phase extraction and QCM technique. <i>Sensors and Actuators B: Chemical</i> , 2009 , 137, 7-11	8.5	35
55	Immunoglobulin G recognition with Fab fragments imprinted monolithic cryogels: Evaluation of the effects of metal-ion assisted-coordination of template molecule. <i>Reactive and Functional Polymers</i> , 2013 , 73, 813-820	4.6	33
54	Preparation and Characterization of the Newly Synthesized Metal-Complexing-Ligand N-Methacryloylhistidine Having PHEMA Beads for Heavy Metal Removal from Aqueous Solutions. <i>Macromolecular Materials and Engineering</i> , 2002 , 287, 539-545	3.9	33
53	Preparation of poly(hydroxyethyl methacrylate-co-methacrylamidohistidine) beads and its design as a affinity adsorbent for Cu(II) removal from aqueous solutions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2002 , 196, 199-207	5.1	31
52	A new metal chelate affinity adsorbent for cytochrome C. <i>Biotechnology Progress</i> , 2004 , 20, 223-8	2.8	30
51	Oriented immobilized anti-hIgG via F(c) fragment-imprinted PHEMA cryogel for IgG purification. <i>Biomedical Chromatography</i> , 2013 , 27, 599-607	1.7	29
50	Ion-imprinted PHEMA based monolith for the removal of Fe ³⁺ ions from aqueous solutions. <i>Journal of Applied Polymer Science</i> , 2011 , 120, 1829-1836	2.9	29
49	Separation and purification of hyaluronic acid by embedded glucuronic acid imprinted polymers into cryogel. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2013 , 934, 46-52	3.2	28
48	Separation and purification of hyaluronic acid by glucuronic acid imprinted microbeads. <i>Materials Science and Engineering C</i> , 2009 , 29, 1404-1408	8.3	28
47	Molecularly imprinted ligand-exchange recognition assay of DNA by SPR system using guanosine and guanine recognition sites of DNA. <i>Sensors and Actuators B: Chemical</i> , 2008 , 133, 484-488	8.5	28

46	New synthesis method for 4-MAPBA monomer and using for the recognition of IgM and mannose with MIP-based QCM sensors. <i>Analyst, The</i> , 2013 , 138, 1558-63	5	27
45	Preparation of magnetic dye affinity adsorbent and its use in the removal of aluminium ions. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2001 , 12, 1059-73	3.5	27
44	Phosphoserine imprinted nanosensor for detection of Cancer Antigen 125. <i>Talanta</i> , 2017 , 167, 172-180	6.2	26
43	Polymer Clay Nanocomposite Iron Traps Based on Intersurface Ion-Imprinting. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 2258-2264	3.9	25
42	An Ion-Imprinted Monolith for in Vitro Removal of Iron out of Human Plasma with Beta Thalassemia. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 7849-7856	3.9	25
41	Ligand exchange based paraoxon imprinted QCM sensor. <i>Materials Science and Engineering C</i> , 2013 , 33, 938-42	8.3	24
40	Nanosensors having dipicolinic acid imprinted nanoshell for Bacillus cereus spores detection. <i>Journal of Nanoparticle Research</i> , 2010 , 12, 2069-2079	2.3	24
39	Molecularly imprinted cryogel for L-glutamic acid separation. <i>Biotechnology Progress</i> , 2012 , 28, 459-66	2.8	23
38	Self-oriented nanoparticles for site-selective immunoglobulin G recognition via epitope imprinting approach. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 123, 831-7	6	22
37	Molecularly imprinted cryogels for human interferon-alpha purification from human gingival fibroblast culture. <i>Journal of Molecular Recognition</i> , 2013 , 26, 633-42	2.6	21
36	Gold-silver-nanoclusters having cholic acid imprinted nanoshell. <i>Talanta</i> , 2012 , 93, 364-70	6.2	20
35	Molecular recognition-based detoxification of aluminum in human plasma. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2009 , 20, 1235-58	3.5	20
34	Development of a highly sensitive MIP based-QCM nanosensor for selective determination of cholic acid level in body fluids. <i>Materials Science and Engineering C</i> , 2014 , 42, 436-42	8.3	19
33	Performance of dye-affinity beads for aluminium removal in magnetically stabilized fluidized bed. <i>Biomagnetic Research and Technology</i> , 2004 , 2, 5		19
32	Aspartic acid incorporated monolithic columns for affinity glycoprotein purification. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 114, 67-74	6	18
31	Potentiometric sensor fabrication having 2D sarcosine memories and analytical features. <i>Materials Science and Engineering C</i> , 2016 , 69, 231-5	8.3	17
30	Investigation of synthetic lipase and its use in transesterification reactions. <i>Polymer</i> , 2012 , 53, 1981-1984	9	17
29	Creation of recognition sites for organophosphate esters based on charge transfer and ligand exchange imprinting methods. <i>Analytica Chimica Acta</i> , 2006 , 579, 74-80	6.6	17

28	Investigation of photosensitively bioconjugated targeted quantum dots for the labeling of Cu/Zn superoxide dismutase in fixed cells and tissue sections. <i>Histochemistry and Cell Biology</i> , 2011 , 135, 523-30	2.4	15
27	Methacryloylamidoglutamic acid having porous magnetic beads as a stationary phase in metal chelate affinity chromatography. <i>Journal of Biomaterials Science, Polymer Edition</i> , 2006 , 17, 213-26	3.5	15
26	Novel methacryloylamidophenylalanine functionalized porous chelating beads for adsorption of heavy metal ions. <i>Advances in Polymer Technology</i> , 2003 , 22, 355-364	1.9	14
25	Simultaneous depletion of albumin and immunoglobulin G by using twin affinity magnetic nanotraps. <i>Separation Science and Technology</i> , 2016 , 51, 2080-2089	2.5	13
24	Determination of Clenbuterol by Multiwalled Carbon Nanotube Potentiometric Sensors. <i>Analytical Letters</i> , 2016 , 49, 778-789	2.2	13
23	Imprinted polymer/organo-smectite nanocomposites for paraoxon hydrolysis. <i>Applied Clay Science</i> , 2010 , 47, 223-228	5.2	13
22	Mutual recognition of TNT using antibodies polymeric shell having CdS. <i>Talanta</i> , 2012 , 90, 103-8	6.2	11
21	Nanolabel for TNF- α determination. <i>Applied Surface Science</i> , 2013 , 275, 233-238	6.7	8
20	Silan based paraoxon memories onto QCM electrodes. <i>Journal of Industrial and Engineering Chemistry</i> , 2013 , 19, 1788-1792	6.3	6
19	Development of New Molecular Imprinted Solid Phase Extraction Material for Dimethoate. <i>Spectroscopy Letters</i> , 2014 , 47, 168-176	1.1	6
18	Novel protein photocrosslinking and cryopolymerization method for cryogel-based antibacterial material synthesis. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 145-151	2.9	6
17	Thiocyanate separation by imprinted polymeric systems. <i>Mikrochimica Acta</i> , 2010 , 169, 129-135	5.8	6
16	A novel lanthanide-chelate based molecularly imprinted cryogel for purification of hemoglobin from blood serum: An alternative method for thalassemia diagnosis. <i>Process Biochemistry</i> , 2020 , 91, 189-196	4.8	6
15	Metal chelate based site recognition of ceruloplasmin using molecularly imprinted polymer/cryogel system. <i>Separation Science and Technology</i> , 2020 , 55, 199-208	2.5	6
14	Double-imprinted potentiometric sensors based on ligand exchange for the determination of dimethoate. <i>Korean Journal of Chemical Engineering</i> , 2015 , 32, 1613-1617	2.8	5
13	Biopolymer based ion imprinting cryogel traps for the removal of Tl(I). <i>Separation Science and Technology</i> , 2016 , 51, 901-908	2.5	5
12	Proteinous Polymeric Shell Decorated Nanocrystals for the Recognition of Immunoglobulin M. <i>Journal of Fluorescence</i> , 2019 , 29, 609-617	2.4	4
11	Semi-synthetic biotin imprinting onto avidin crosslinked gold/silver nanoparticles. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	4

10	Gadolinium chelate monomer based memories onto QCM electrodes for folic acid detection in commercial follow-on baby milk. <i>Journal of Food Measurement and Characterization</i> , 2018 , 12, 2892-2898 ^{2.8}	2
9	Biomimetic Imprinted Polymers: Theory, Design Methods, and Catalytic Applications 2016 , 103-120	2
8	Development of molecular imprinting-based smart cryogels for selective recognition and separation of serum cytochrome-c as a biochemical indicator. <i>Process Biochemistry</i> , 2021 , 106, 112-119	4.8 2
7	Synergistic thallium and iodine memory-based cryogel traps for removing thallium and iodine ions. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2017 , 314, 2229-2236	1.5 1
6	Bioconjugated and cross-linked bionanostructures for bifunctional immunohistochemical labeling. <i>Microscopy and Microanalysis</i> , 2012 , 18, 324-30	0.5 1
5	Nickel(II)-imprinted monolithic columns for selective nickel recognition. <i>Journal of Applied Polymer Science</i> , 2010 , 117, n/a-n/a	2.9 1
4	Application of HRP-streptavidin bionanoparticles for potentiometric biotin determination. <i>Bioelectrochemistry</i> , 2021 , 144, 107993	5.6 0
3	Molecularly imprinted polymer embedded-cryogels as selective genotoxic impurity scavengers. <i>Separation Science and Technology</i> , 1-13	2.5 0
2	DNA ligase photocrosslinked cryogenic column based biotinylation kit for viral hybridization and detection. <i>Process Biochemistry</i> , 2019 , 84, 213-219	4.8
1	Polyvalent integrin antagonist-decorated superparamagnetic iron oxide nanoparticles for triggering apoptosis in human leukemia cancer cells. <i>Journal of Nanoparticle Research</i> , 2013 , 15, 1	2.3