

Matteo Ferroni

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4422078/matteo-ferroni-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

163
papers

5,315
citations

43
h-index

67
g-index

181
ext. papers

5,768
ext. citations

5.3
avg. IF

5.15
L-index

#	Paper	IF	Citations
163	Visible light photodegradation of dyes and paracetamol by direct sensitization mechanism onto metallic MoO ₂ nanocrystals. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021 , 413, 113258	4.7	4
162	Cyclodextrins enable indirect ultrasensitive Raman detection of polychlorinated biphenyls captured by plasmonic bubbles. <i>Chemical Physics Letters</i> , 2021 , 775, 138674	2.5	1
161	Effect of different heat-treatment routes on the impact properties of an additively manufactured AlSi10Mg alloy. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021 , 802, 140671	5.3	21
160	Vertically Coupling ZnO Nanorods onto MoS ₂ Flakes for Optical Gas Sensing. <i>Chemosensors</i> , 2020 , 8, 19	4	6
159	Alginate-Derived Active Blend Enhances Adsorption and Photocatalytic Removal of Organic Pollutants in Water. <i>Advanced Sustainable Systems</i> , 2020 , 4, 1900112	5.9	13
158	Bioinspired self-similar all-dielectric antennas: probing the effect of secondary scattering centres by Raman spectroscopy. <i>Materials Advances</i> , 2020 , 1, 2443-2449	3.3	3
157	A carnosine analog with therapeutic potentials in the treatment of disorders related to oxidative stress. <i>PLoS ONE</i> , 2019 , 14, e0215170	3.7	11
156	Branch-like NiO/ZnO heterostructures for VOC sensing. <i>Sensors and Actuators B: Chemical</i> , 2018 , 262, 477-485	8.5	84
155	Tin Oxide Nanowires Decorated with Ag Nanoparticles for Visible Light-Enhanced Hydrogen Sensing at Room Temperature: Bridging Conductometric Gas Sensing and Plasmon-Driven Catalysis. <i>Journal of Physical Chemistry C</i> , 2018 , 122, 5026-5031	3.8	20
154	Non-Plasmonic SERS with Silicon: Is It Really Safe? New Insights into the Optothermal Properties of Core/Shell Microbeads. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 2127-2132	6.4	14
153	Bottle-brush-shaped heterostructures of NiO-ZnO nanowires: growth study and sensing properties. <i>Nanotechnology</i> , 2017 , 28, 465502	3.4	7
152	Embodied energy as key parameter for sustainable materials selection: The case of reusing coal fly ash for removing anionic surfactants. <i>Journal of Cleaner Production</i> , 2017 , 141, 230-236	10.3	35
151	SEM tomography for the investigation of hybrid structures. <i>Journal of Physics: Conference Series</i> , 2017 , 902, 012031	0.3	
150	Metal Oxide Nanowire Preparation and Their Integration into Chemical Sensing Devices at the SENSOR Lab in Brescia. <i>Sensors</i> , 2017 , 17,	3.8	16
149	Biological application of Compressed Sensing Tomography in the Scanning Electron Microscope. <i>Scientific Reports</i> , 2016 , 6, 33354	4.9	6
148	Vapour phase nucleation of ZnO nanowires on GaN: growth habit, interface study and optical properties. <i>RSC Advances</i> , 2016 , 6, 15087-15093	3.7	5
147	Single Metal Oxide Nanowire devices for Ammonia and Other Gases Detection in Humid Atmosphere. <i>Procedia Engineering</i> , 2016 , 168, 1052-1055		7

146	Magnetic gas sensing exploiting the magneto-optical Kerr effect on ZnO nanorods/Co layer system. <i>RSC Advances</i> , 2016 , 6, 42517-42521	3.7	11
145	Enhanced reduction in threading dislocation density in Ge grown on porous silicon during annealing due to porous buffer reconstruction. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2016 , 213, 96-101	1.6	0
144	Fabrication of single-nanowire sensing devices by electron beam lithography 2015 ,		1
143	Room temperature trimethylamine gas sensor based on aqueous dispersed graphene 2015 ,		1
142	Large surface area biphasic titania for chemical sensing. <i>Sensors and Actuators B: Chemical</i> , 2015 , 209, 1091-1096	8.5	23
141	STEM electron tomography in the Scanning Electron Microscope. <i>Journal of Physics: Conference Series</i> , 2015 , 644, 012012	0.3	1
140	Experimental Evaluation and Modeling of Thermal Phenomena on Mobile Devices 2015 ,		2
139	Investigation of Seebeck Effect in ZnO Nanowires for Micropower Generation in Autonomous Sensor Systems. <i>Lecture Notes in Electrical Engineering</i> , 2014 , 245-249	0.2	
138	Taurine rescues cisplatin-induced muscle atrophy in vitro: a morphological study. <i>Oxidative Medicine and Cellular Longevity</i> , 2014 , 2014, 840951	6.7	16
137	Integration of ZnO and CuO nanowires into a thermoelectric module. <i>Beilstein Journal of Nanotechnology</i> , 2014 , 5, 927-36	3	17
136	Probing the spatial extension of light trapping-induced enhanced Raman scattering in high-density Si nanowire arrays. <i>Nanotechnology</i> , 2014 , 25, 465705	3.4	31
135	Ge growth on porous silicon: The effect of buffer porosity on the epilayer crystalline quality. <i>Applied Physics Letters</i> , 2014 , 105, 122104	3.4	9
134	Sequential physical vapor deposition and chemical vapor deposition for the growth of In ₂ O ₃ /SnO ₂ radial and longitudinal heterojunctions. <i>Applied Surface Science</i> , 2014 , 323, 59-64	6.7	6
133	Two-phase Titania Nanotubes for Gas Sensing. <i>Procedia Engineering</i> , 2014 , 87, 176-179		7
132	Investigation of Seebeck Effect in Metal Oxide Nanowires for Powering Autonomous Microsystems. <i>Lecture Notes in Electrical Engineering</i> , 2014 , 3-7	0.2	
131	Plasmonic Heating-Assisted Transformation of SiO ₂ /Au Core/Shell Nanospheres (Au Nanoshells): Caveats and Opportunities for SERS and Direct Laser Writing. <i>Plasmonics</i> , 2013 , 8, 129-132	2.4	21
130	New label free CA125 detection based on gold nanostructured screen-printed electrode. <i>Sensors and Actuators B: Chemical</i> , 2013 , 179, 194-200	8.5	80
129	Adaptive and Flexible Smartphone Power Modeling. <i>Mobile Networks and Applications</i> , 2013 , 18, 600-609	9	14

128	Plasma-induced enhancement of UV photoluminescence in ZnO nanowires. <i>CrystEngComm</i> , 2013 , 15, 7981	3.3	25
127	Experimental apparatus for annihilation cross-section measurements of low energy antiprotons. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2013 , 711, 12-20	1.2	19
126	Metal oxide nanoscience and nanotechnology for chemical sensors. <i>Sensors and Actuators B: Chemical</i> , 2013 , 179, 3-20	8.5	129
125	MPower 2013 ,		11
124	Metal oxide nanowire chemical and biochemical sensors. <i>Journal of Materials Research</i> , 2013 , 28, 2911-2931	3.1	17
123	Sputtering deposition of amorphous cadmium stannate as transparent conducting oxide. <i>Thin Solid Films</i> , 2012 , 520, 2739-2744	2.2	11
122	Synthesis and integration of tin oxide nanowires into an electronic nose. <i>Vacuum</i> , 2012 , 86, 532-535	3.7	58
121	One-dimensional nanostructured oxides for thermoelectric applications and excitonic solar cells. <i>Nano Energy</i> , 2012 , 1, 372-390	17.1	36
120	Planar Thermoelectric Generator based on Metal-Oxide Nanowires for Powering Autonomous Microsystems. <i>Procedia Engineering</i> , 2012 , 47, 346-349		6
119	Metal Oxides Mono-Dimensional Nanostructures for Gas Sensing and Light Emission. <i>Journal of the American Ceramic Society</i> , 2012 , 95, n/a-n/a	3.8	5
118	Nanostructured metal oxide gas sensors, a survey of applications carried out at SENSOR lab, Brescia (Italy) in the security and food quality fields. <i>Sensors</i> , 2012 , 12, 17023-45	3.8	52
117	Seebeck effect in ZnO nanowires for micropower generation. <i>Procedia Engineering</i> , 2011 , 25, 1481-1484		12
116	. <i>IEEE Transactions on Electron Devices</i> , 2011 , 58, 2610-2619	2.9	68
115	High degree of polarization of the near-band-edge photoluminescence in ZnO nanowires. <i>Nanoscale Research Letters</i> , 2011 , 6, 501	5	13
114	CdSe spherical quantum dots stabilised by thiomalic acid: biphasic wet synthesis and characterisation. <i>ChemPhysChem</i> , 2011 , 12, 863-70	3.2	9
113	Plasmon-Assisted, Spatially Resolved Laser Generation of Transition Metal Oxides from Liquid Precursors. <i>Journal of Physical Chemistry C</i> , 2011 , 115, 5174-5180	3.8	16
112	Structural and gas-sensing characterization of tungsten oxide nanorods and nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2011 , 153, 340-346	8.5	49
111	Pt/Nanostructured RuO ₂ /SiC Schottky Diode Based Hydrogen Gas Sensors. <i>Sensor Letters</i> , 2011 , 9, 797-800		3

110	One-Dimensional Polyaniline Nanotubes for Enhanced Chemical and Biochemical Sensing. <i>Lecture Notes in Electrical Engineering</i> , 2011 , 311-315	0.2	3
109	Gas Influence on Photocurrent Generation in Metal Oxide Nanowires. <i>Lecture Notes in Electrical Engineering</i> , 2011 , 93-97	0.2	
108	Direct integration of metal oxide nanowires into an effective gas sensing device. <i>Nanotechnology</i> , 2010 , 21, 145502	3.4	29
107	Insight into the Formation Mechanism of One-Dimensional Indium Oxide Wires. <i>Crystal Growth and Design</i> , 2010 , 10, 140-145	3.5	29
106	Template controlled synthesis of monometallic zerovalent metal nanoclusters inside cross-linked polymer frameworks: the effect of a single matrix on the size of different metal nanoparticles. <i>New Journal of Chemistry</i> , 2010 , 34, 2956	3.6	14
105	One pot synthesis of bi-linker stabilised CdSe quantum dots. <i>Journal of Physics: Conference Series</i> , 2010 , 245, 012067	0.3	2
104	Synthesis of different ZnO nanostructures by modified PVD process and potential use for dye-sensitized solar cells. <i>Materials Chemistry and Physics</i> , 2010 , 124, 694-698	4.4	63
103	Synthesis of Cu ₂ O bi-pyramids by reduction of Cu(OH) ₂ in solution. <i>Materials Letters</i> , 2010 , 64, 469-471	3.3	39
102	Transparent Metal Oxide Semiconductors as Gas Sensors 2010 , 417-442		
101	Physical Vapor Deposition of Copper Oxide Nanowires. <i>Procedia Engineering</i> , 2010 , 5, 1051-1054		2
100	Reversed bias Pt/nanostructured ZnO Schottky diode with enhanced electric field for hydrogen sensing. <i>Sensors and Actuators B: Chemical</i> , 2010 , 146, 507-512	8.5	69
99	Quasi-monodimensional polyaniline nanostructures for enhanced molecularly imprinted polymer-based sensing. <i>Biosensors and Bioelectronics</i> , 2010 , 26, 497-503	11.8	67
98	Optical Gas Sensing Properties of ZnO Nanowires. <i>Lecture Notes in Electrical Engineering</i> , 2010 , 173-176	0.2	
97	ZnO/TiO ₂ nanonetwork as efficient photoanode in excitonic solar cells. <i>Applied Physics Letters</i> , 2009 , 95, 193104	3.4	37
96	SnO ₂ nanowires for optical and optoelectronic gas sensing 2009 ,		1
95	Reverse Biased Schottky Contact Hydrogen Sensors Based on Pt/nanostructured ZnO/SiC 2009 ,		2
94	In situ plasmon-heating-induced generation of Au/TiO ₂ "hot spots" on colloidal crystals. <i>ChemPhysChem</i> , 2009 , 10, 1017-22	3.2	29
93	Tailoring the pore size and architecture of CeO ₂ /TiO ₂ core/shell inverse opals by atomic layer deposition. <i>Small</i> , 2009 , 5, 336-40	11	56

92	Semiconducting tin oxide nanowires and thin films for Chemical Warfare Agents detection. <i>Thin Solid Films</i> , 2009 , 517, 6156-6160	2.2	42
91	Metal oxide nanowires: Preparation and application in gas sensing. <i>Journal of Molecular Catalysis A</i> , 2009 , 305, 170-177		51
90	Quasi-one dimensional metal oxide semiconductors: Preparation, characterization and application as chemical sensors. <i>Progress in Materials Science</i> , 2009 , 54, 1-67	42.2	509
89	Growing ZnO Nanocrystals on Polystyrene Nanospheres by Extra-Low-Temperature Atomic Layer Deposition. <i>Crystal Growth and Design</i> , 2009 , 9, 1258-1259	3.5	21
88	Exploiting optothermal conversion for nanofabrication: site-selective generation of Au/TiO ₂ inverse opals. <i>Journal of Materials Chemistry</i> , 2009 , 19, 7990		24
87	Effects of aluminium sulphate in the mouse liver: similarities to the aging process. <i>Experimental Gerontology</i> , 2008 , 43, 330-8	4.5	17
86	. <i>IEEE Sensors Journal</i> , 2008 , 8, 735-742	4	44
85	Shaping of silicon crystals for channelling experiments through anisotropic chemical etching. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 245501	3	51
84	Nanowires of metal oxides for gas sensing applications. <i>Surface and Interface Analysis</i> , 2008 , 40, 575-578	1.5	29
83	Inverse opal gas sensors: Zn(II)-doped tin dioxide systems for low temperature detection of pollutant gases. <i>Sensors and Actuators B: Chemical</i> , 2008 , 130, 567-573	8.5	37
82	On the Spatial Resolution and Nanoscale Features Visibility in Scanning Electron Microscopy and Low-Energy Scanning Transmission Electron Microscopy 2008 , 521-522		
81	Size Effect in Gold Nanoparticles Investigated by Electron Holography and STEM 2008 , 247-248		
80	Nanowires of Semiconducting Metal-oxides and their Functional Properties 2008 , 127-128		
79	HYDROGEN GAS SENSING PERFORMANCE OF Pt/SnO ₂ NANOWIRES/SiC MOS DEVICES. <i>International Journal on Smart Sensing and Intelligent Systems</i> , 2008 , 1, 771-783	0.4	13
78	Preparation of Radial and Longitudinal Nanosized Heterostructures of In ₂ O ₃ and SnO ₂ . <i>Nano Letters</i> , 2007 , 7, 3553-3558	11.5	55
77	In ₂ O ₃ nanowires for gas sensors: morphology and sensing characterisation. <i>Thin Solid Films</i> , 2007 , 515, 8356-8359	2.2	75
76	Electrical and holographic characterization of gold catalyzed titania-based layers. <i>Journal of the European Ceramic Society</i> , 2007 , 27, 4131-4134	6	4
75	Synthesis and characterization of semiconducting nanowires for gas sensing. <i>Sensors and Actuators B: Chemical</i> , 2007 , 121, 208-213	8.5	145

74	Gas sensing properties of zinc oxide nanostructures prepared by thermal evaporation. <i>Applied Physics A: Materials Science and Processing</i> , 2007 , 88, 45-48	2.6	26
73	Functional nanowires of tin oxide. <i>Applied Physics A: Materials Science and Processing</i> , 2007 , 89, 73-76	2.6	15
72	Metal oxide nanowires for optical gas sensing 2007 , 6474, 212		
71	Single crystal ZnO nanowires as optical and conductometric chemical sensor. <i>Journal Physics D: Applied Physics</i> , 2007 , 40, 7255-7259	3	77
70	SnO ₂ nanowire bio-transistor for electrical DNA sensing 2007 ,		1
69	Controlled Growth and Sensing Properties of In ₂ O ₃ Nanowires. <i>Crystal Growth and Design</i> , 2007 , 7, 2500-2504	3.5	117
68	Preparation and Characterization of Tin Oxide Nanowires on SiC 2007 ,		1
67	Inverse Opal Nanoassemblies: Novel Architectures for Gas Sensors The SnO ₂ :Zn Case. <i>Materials Research Society Symposia Proceedings</i> , 2006 , 915, 1		
66	High Temperature Phases of Nanostructured Tungsten Oxide for Gas Sensing Applications. <i>Materials Research Society Symposia Proceedings</i> , 2006 , 915, 1		1
65	Dopant regions imaging in scanning electron microscopy. <i>Journal of Applied Physics</i> , 2006 , 99, 043512	2.5	8
64	Indium oxide quasi-monodimensional low temperature gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2006 , 118, 204-207	8.5	48
63	Iron-doped indium oxide by modified RGTO deposition for ozone sensing. <i>Sensors and Actuators B: Chemical</i> , 2006 , 118, 221-225	8.5	18
62	Application of ion beam analysis to the selective sublimation processing of thin films for gas sensing. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2006 , 249, 302-305	1.2	
61	Structural investigation of Ce ₂ Zr ₂ O ₈ after redox treatments which lead to low temperature reduction. <i>Topics in Catalysis</i> , 2006 , 41, 35-42	2.3	23
60	Detection of landfill gases by chemoresistive sensors based on titanium, molybdenum, tungsten oxides. <i>IEEE Sensors Journal</i> , 2005 , 5, 4-11	4	15
59	Synthesis, morphological and raman spectroscopic characterization of partially graphitized ordered mesoporous carbons. <i>Studies in Surface Science and Catalysis</i> , 2005 , 158, 509-516	1.8	3
58	Effects of Ta/Nb-doping on titania-based thin films for gas-sensing. <i>Sensors and Actuators B: Chemical</i> , 2005 , 108, 21-28	8.5	29
57	Nanostructured WO ₃ deposited by modified thermal evaporation for gas-sensing applications. <i>Thin Solid Films</i> , 2005 , 490, 81-85	2.2	120

56	Selective sublimation processing of thin films for gas sensing. <i>Sensors and Actuators B: Chemical</i> , 2005 , 108, 15-20	8.5	2
55	Diffusion-equation approach to describe ionic mobility in nanostructured titania. <i>Physical Review B</i> , 2005 , 72,	3.3	4
54	Scanning electron microscopy of dopant distribution in semiconductors. <i>Applied Physics Letters</i> , 2005 , 86, 101916	3.4	11
53	The effects of boundary conditions on dopant region imaging in scanning electron microscopy. <i>Springer Proceedings in Physics</i> , 2005 , 475-478	0.2	
52	Au/TiO ₂ Nanosystems: A Combined RF-Sputtering/Sol-Gel Approach. <i>Chemistry of Materials</i> , 2004 , 16, 3331-3338	9.6	66
51	XAS investigation of tantalum and niobium in nanostructured TiO ₂ anatase. <i>Journal of Solid State Chemistry</i> , 2004 , 177, 1781-1788	3.3	44
50	Thick-film gas sensors based on vanadium-titanium oxide powders prepared by sol-gel synthesis. <i>Journal of the European Ceramic Society</i> , 2004 , 24, 1409-1413	6	22
49	Innovative Approaches to Oxide Nanosystems: CeO ₂ -ZrO ₂ Nanocomposites by a Combined PE-CVD/Sol-Gel Route. <i>Chemical Vapor Deposition</i> , 2004 , 10, 257-264		22
48	TiO ₂ :Mo, MoO ₃ :Ti, TiO+WO ₃ and TiO:W layer for landfill produced gases sensing. <i>Sensors and Actuators B: Chemical</i> , 2004 , 100, 41-46	8.5	14
47	Radiofrequency magnetron co-sputtering deposition synthesis of Co-based nanocomposite glasses for optical and magnetic applications. <i>Applied Surface Science</i> , 2004 , 226, 62-67	6.7	10
46	Structural and physical properties of cobalt nanocluster composite glasses. <i>Journal of Non-Crystalline Solids</i> , 2004 , 336, 148-152	3.9	16
45	Preparation and microstructural characterization of nanosized Mo ₂ SiO ₂ and Mo ₂ W ₂ O thin films by sputtering: tailoring of composition and porosity by thermal treatment. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2003 , 101, 216-221	3.1	18
44	Response to ethanol of thin films based on Mo and Ti oxides deposited by sputtering. <i>Sensors and Actuators B: Chemical</i> , 2003 , 93, 409-415	8.5	13
43	CO sensing properties of W/Mo and tin oxide RGTO multiple layers structures. <i>Sensors and Actuators B: Chemical</i> , 2003 , 95, 157-161	8.5	5
42	Effect of Dopants on Grain Coalescence and Oxygen Mobility in Nanostructured Titania Anatase and Rutile. <i>Journal of Physical Chemistry B</i> , 2003 , 107, 120-124	3.4	62
41	Near-infrared photoluminescence in titania: Evidence for phonon-replica effect. <i>Journal of Applied Physics</i> , 2003 , 94, 1501-1505	2.5	84
40	Selective sublimation processing of a molybdenum-tungsten mixed oxide thin film. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2003 , 21, 1442		18
39	Gas sensing through thick film technology. <i>Sensors and Actuators B: Chemical</i> , 2002 , 84, 72-77	8.5	61

38	Pulverisation method for active layer coating on microsystems. <i>Sensors and Actuators B: Chemical</i> , 2002 , 84, 78-82	8.5	14
37	Nanostructured mixed oxides compounds for gas sensing applications. <i>Sensors and Actuators B: Chemical</i> , 2002 , 84, 26-32	8.5	90
36	Coalescence inhibition in nanosized titania films and related effects on chemoresistive properties towards ethanol. <i>Journal of Vacuum Science & Technology an Official Journal of the American Vacuum Society B, Microelectronics Processing and Phenomena</i> , 2002 , 20, 523		16
35	Preparation and characterization of nanosized titania sensing film. <i>Sensors and Actuators B: Chemical</i> , 2001 , 77, 163-166	8.5	70
34	Nanosized Ti-doped MoO ₃ thin films for gas-sensing application. <i>Sensors and Actuators B: Chemical</i> , 2001 , 77, 555-560	8.5	25
33	Production and characterization of titanium and iron oxide nano-sized thin films. <i>Journal of Materials Research</i> , 2001 , 16, 1559-1564	2.5	14
32	NO ₂ monitoring with a novel p-type material: TiO. <i>Sensors and Actuators B: Chemical</i> , 2000 , 68, 175-183	8.5	18
31	Structural characterization of Nb-doped TiO ₂ nanosized thick-films for gas sensing application. <i>Sensors and Actuators B: Chemical</i> , 2000 , 68, 140-145	8.5	61
30	Preparation and characterisation of titanium-tungsten sensors. <i>Sensors and Actuators B: Chemical</i> , 2000 , 65, 264-266	8.5	20
29	Electron microscopy and Rutherford backscattering study of nucleation and growth in nanosized W-doped TiO ₂ thin films. <i>Journal of Applied Physics</i> , 2000 , 88, 1097-1103	2.5	19
28	Mo-W-O thin films for CO sensing. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 638, 1		
27	Study on nanosized TiO ₂ /WO ₃ thin films achieved by radio frequency sputtering. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2000 , 18, 509-514	2.9	8
26	Screen-printed perovskite-type thick films as gas sensors for environmental monitoring. <i>Sensors and Actuators B: Chemical</i> , 1999 , 55, 99-110	8.5	204
25	Nanosized thin films of tungsten-titanium mixed oxides as gas sensors. <i>Sensors and Actuators B: Chemical</i> , 1999 , 58, 289-294	8.5	32
24	Nanostructured pure and Nb-doped TiO ₂ as thick film gas sensors for environmental monitoring. <i>Sensors and Actuators B: Chemical</i> , 1999 , 58, 310-317	8.5	139
23	Preparation of nanosized titania thick and thin films as gas-sensors. <i>Sensors and Actuators B: Chemical</i> , 1999 , 57, 197-200	8.5	74
22	Preparation and Characterization of Nanostructured Titania Thick Films. <i>Advanced Materials</i> , 1999 , 11, 943-946	24	72
21	MoO ₃ -based sputtered thin films for fast NO ₂ detection. <i>Sensors and Actuators B: Chemical</i> , 1998 , 48, 285-288	8.5	107

20	High-precision neural pre-processing for signal analysis of a sensor array. <i>Sensors and Actuators B: Chemical</i> , 1998 , 47, 77-83	8.5	6
19	Thin-film gas sensor implemented on a low-power-consumption micromachined silicon structure. <i>Sensors and Actuators B: Chemical</i> , 1998 , 49, 88-92	8.5	54
18	Helium purity control by thin film gas sensors at the NA-48 experiment at CERN. <i>Sensors and Actuators B: Chemical</i> , 1998 , 47, 54-58	8.5	
17	WTiO layers for gas-sensing applications: Structure, morphology, and electrical properties. <i>Journal of Materials Research</i> , 1998 , 13, 1568-1575	2.5	11
16	Microstructural characterization of a titanium-tungsten oxide gas sensor. <i>Journal of Materials Research</i> , 1997 , 12, 793-798	2.5	43
15	Performance of the CHORUS lead-scintillating fiber calorimeter. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1997 , 54, 198-203		1
14	Quantification of H ₂ S and NO ₂ using gas sensor arrays and an artificial neural network. <i>Sensors and Actuators B: Chemical</i> , 1997 , 43, 235-238	8.5	18
13	Gas-sensing applications of WTiO-based nanosized thin films prepared by r.f. reactive sputtering. <i>Sensors and Actuators B: Chemical</i> , 1997 , 44, 499-502	8.5	47
12	The CHORUS experiment to search for ρ oscillation. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1997 , 401, 7-44	1.2	166
11	Characterization of a molybdenum oxide sputtered thin film as a gas sensor. <i>Thin Solid Films</i> , 1997 , 307, 148-151	2.2	94
10	Characterization of a nanosized TiO ₂ gas sensor. <i>Scripta Materialia</i> , 1996 , 7, 709-718		104
9	Response to electrons and pions of the calorimeter for the CHORUS experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1996 , 378, 221-232	1.2	22
8	A novel method for the preparation of nanosized tio ₂ thin films. <i>Advanced Materials</i> , 1996 , 8, 334-337	24	61
7	Sub-ppm NO ₂ sensors based on nanosized thin films of titanium-tungsten oxides. <i>Sensors and Actuators B: Chemical</i> , 1996 , 31, 89-92	8.5	53
6	Preparation and micro-structural characterization of nanosized thin film of TiO ₂ ?WO ₃ as a novel material with high sensitivity towards NO ₂ . <i>Sensors and Actuators B: Chemical</i> , 1996 , 36, 381-383	8.5	47
5	The CHORUS calorimeter: test results. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1995 , 360, 197-200	1.2	1
4	Calibration and performance of the CHORUS calorimeter. <i>Nuclear Physics, Section B, Proceedings Supplements</i> , 1995 , 44, 45-50		1
3	Construction and test of calorimeter modules for the CHORUS experiment. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 1994 , 349, 70-80	1.2	36

2 Structural and electrical characterization of cobalt oxide p-type gas sensor 1

1 On the Anisotropic Impact Behavior of an Additively Manufactured AlSi10Mg Alloy in Different Heat Treatment Conditions. *Journal of Materials Engineering and Performance*,1 1.6 0