

# Hans Kromhout

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4422695/publications.pdf>

Version: 2024-02-01

513  
papers

33,001  
citations

16791

66  
h-index

6349

163  
g-index

521  
all docs

521  
docs citations

521  
times ranked

37878  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between occupational exposure to irritant agents and a distinct asthma endotype in adults. <i>Occupational and Environmental Medicine</i> , 2022, 79, 155-161.	1.3	6
2	Recent pesticide exposure affects sleep: A cross-sectional study among smallholder farmers in Uganda. <i>Environment International</i> , 2022, 158, 106878.	4.8	20
3	Developing a company-specific job exposure matrix for the Asbest Chrysotile Cohort Study. <i>Occupational and Environmental Medicine</i> , 2022, 79, 339-346.	1.3	5
4	Response Letter to Koivisto et al. "Evaluating the Theoretical Background of STOFFENMANAGER® and the Advanced REACH Tool™". <i>Annals of Work Exposures and Health</i> , 2022, 66, 543-549.	0.6	3
5	Evaluation of two-year recall of self-reported pesticide exposure among Ugandan smallholder farmers. <i>International Journal of Hygiene and Environmental Health</i> , 2022, 240, 113911.	2.1	7
6	Lifetime occupational exposures and chronic obstructive pulmonary disease risk in the UK Biobank cohort. <i>Thorax</i> , 2022, , thoraxjnl-2020-216523.	2.7	5
7	Recall of exposure in UK farmers and pesticide applicators: trends with follow-up time. <i>Annals of Work Exposures and Health</i> , 2022, 66, 754-767.	0.6	2
8	OUP accepted manuscript. <i>Annals of Work Exposures and Health</i> , 2022, , .	0.6	2
9	Development of a Crosswalk to Translate Italian Occupation Codes to ISCO-68 Codes. <i>Annals of Work Exposures and Health</i> , 2022, , .	0.6	2
10	Gender differences in authorship prior to and during the COVID-19 pandemic in research submissions to <i>Occupational and Environmental Medicine</i> (2017-2021). <i>Occupational and Environmental Medicine</i> , 2022, 79, 361-364.	1.3	3
11	Asbestos Exposure in Patients with Malignant Pleural Mesothelioma included in the PRIMATE Study, Lombardy, Italy. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3390.	1.2	1
12	Response to: Correspondence on "Association between occupational exposure to irritant agents and a distinct asthma endotype in adults" by Andrianjafimasy et al. <i>Occupational and Environmental Medicine</i> , 2022, 79, 359-360.	1.3	1
13	Occupational exposures to pesticides and other chemicals: a New Zealand motor neuron disease case-control study. <i>Occupational and Environmental Medicine</i> , 2022, 79, 412-420.	1.3	3
14	Impact of occupational pesticide exposure assessment method on risk estimates for prostate cancer, non-Hodgkin's lymphoma and Parkinson's disease: results of three meta-analyses. <i>Occupational and Environmental Medicine</i> , 2022, 79, 566-574.	1.3	6
15	Is the New EN689 a Better Standard to Test Compliance With Occupational Exposure Limits in the Workplace?. <i>Annals of Work Exposures and Health</i> , 2022, 66, 412-415.	0.6	1
16	Determinants of Respirable Quartz Exposure Concentrations Across Occupations in Denmark, 2018. <i>Annals of Work Exposures and Health</i> , 2022, 66, 472-480.	0.6	3
17	Pesticide Research on Environmental and Human Exposure and Risks in Sub-Saharan Africa: A Systematic Literature Review. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 259.	1.2	22
18	Occupational Exposure to Polycyclic Aromatic Hydrocarbons and Lung Cancer Risk: Results from a Pooled Analysis of Case-Control Studies (SYNERGY). <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2022, 31, 1433-1441.	1.1	10

#	ARTICLE	IF	CITATIONS
19	Estimation of RF and ELF dose by anatomical location in the brain from wireless phones in the MOBI-Kids study. <i>Environment International</i> , 2022, 163, 107189.	4.8	8
20	Pleural mesothelioma risk by industry and occupation: results from the Multicentre Italian Study on the Etiology of Mesothelioma (MISEM). <i>Environmental Health</i> , 2022, 21, .	1.7	5
21	Gender differences in respiratory health outcomes among farming cohorts around the globe: findings from the AGRICOH consortium. <i>Journal of Agromedicine</i> , 2021, 26, 97-108.	0.9	13
22	Lung cancer risk in painters: results from the SYNERGY pooled caseâ€“control study consortium. <i>Occupational and Environmental Medicine</i> , 2021, 78, 269-278.	1.3	11
23	Occupational exposure to MRI-related magnetic stray fields and sleep quality among MRI â€“ Technicians - A cross-sectional study in the Netherlands. <i>International Journal of Hygiene and Environmental Health</i> , 2021, 231, 113636.	2.1	5
24	Airborne Occupational Exposures and Lung Function in the Lifelines Cohort Study. <i>Annals of the American Thoracic Society</i> , 2021, 18, 60-67.	1.5	7
25	Occupational cancer burden: the contribution of exposure to processâ€“generated substances at the workplace. <i>Molecular Oncology</i> , 2021, 15, 753-763.	2.1	22
26	Cumulative Occupational Exposures and Lung-Function Decline in Two Large General-Population Cohorts. <i>Annals of the American Thoracic Society</i> , 2021, 18, 238-246.	1.5	14
27	Airborne occupational exposures and the risk of developing respiratory symptoms and airway obstruction in the Lifelines Cohort Study. <i>Thorax</i> , 2021, 76, 790-797.	2.7	5
28	Application of two job indices for general occupational demands in a pooled analysis of caseâ€“control studies on lung cancer. <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 475-481.	1.7	1
29	Possible causes of aberrations in adverse grouping behavior of dairy cows: A field study. <i>Journal of Dairy Science</i> , 2021, 104, 7000-7007.	1.4	2
30	Authorsâ€™ response to: Occupational exposure to respirable crystalline silica and autoimmunity: sex-differences in mouse models. <i>International Journal of Epidemiology</i> , 2021, 50, 1397-1400.	0.9	0
31	Exposure to multiple pesticides and neurobehavioral outcomes among smallholder farmers in Uganda. <i>Environment International</i> , 2021, 152, 106477.	4.8	40
32	Occupational Exposure to Carcinogens and Occupational Epidemiological Cancer Studies in Iran: A Review. <i>Cancers</i> , 2021, 13, 3581.	1.7	6
33	Personal measurements of radiofrequency electromagnetic field exposure among workers of high, medium and low exposed occupations in Spain. <i>ISEE Conference Abstracts</i> , 2021, 2021, .	0.0	0
34	Cancer incidence in agricultural workers: Findings from an international consortium of agricultural cohort studies (AGRICOH). <i>Environment International</i> , 2021, 157, 106825.	4.8	24
35	Occupational exposure to respirable crystalline silica and risk of autoimmune rheumatic diseases: a nationwide cohort study. <i>International Journal of Epidemiology</i> , 2021, 50, 1213-1226.	0.9	35
36	Associations of Occupational Exposures to Electric Shocks and Extremely Low-Frequency Magnetic Fields With Motor Neurone Disease. <i>American Journal of Epidemiology</i> , 2021, 190, 393-402.	1.6	3

#	ARTICLE	IF	CITATIONS
37	Dust exposure and the impact on hospital readmission of farming and wood industry workers for asthma and chronic obstructive pulmonary disease (COPD). <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 163-168.	1.7	0
38	Dust exposure and the impact on hospital readmission of farming and wood industry workers for asthma and chronic obstructive pulmonary disease (COPD). <i>Scandinavian Journal of Work, Environment and Health</i> , 2021, 47, 163-168.	1.7	5
39	Parental occupational exposure to pesticides, animals and organic dust and risk of childhood leukemia and central nervous system tumors: Findings from the International Childhood Cancer Cohort Consortium (I4C). <i>International Journal of Cancer</i> , 2020, 146, 943-952.	2.3	41
40	Laryngeal Cancer Risks in Workers Exposed to Lung Carcinogens: Exposure-Effect Analyses Using a Quantitative Job Exposure Matrix. <i>Epidemiology</i> , 2020, 31, 145-154.	1.2	15
41	Global burden of 87 risk factors in 204 countries and territories, 1990-2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1223-1249.	6.3	3,928
42	Occupational cohort study of current and former workers exposed to chrysotile in mine and processing facilities in Asbest, the Russian Federation: Cohort profile of the Asbest Chrysotile Cohort study. <i>PLoS ONE</i> , 2020, 15, e0236475.	1.1	7
43	Occupational exposures and genetic susceptibility to occupational exposures are related to sickness absence in the Lifelines cohort study. <i>Scientific Reports</i> , 2020, 10, 12963.	1.6	3
44	Temporal trends in respirable dust and respirable quartz concentrations within the European industrial minerals sector over a 15-year period (2002-2016). <i>Occupational and Environmental Medicine</i> , 2020, 77, 268-275.	1.3	17
45	Tobacco smoking among chrysotile asbestos workers in Asbest in the Russian Federation. <i>Occupational and Environmental Medicine</i> , 2020, 77, 623-627.	1.3	5
46	Commentary. <i>Occupational and Environmental Medicine</i> , 2020, 77, 513-514.	1.3	2
47	Learning from a global pandemic. <i>Occupational and Environmental Medicine</i> , 2020, 77, 587-588.	1.3	7
48	Comparison of Two Information Sources for Cause-of-Death Follow-up in the Russian Federation: The Asbest Chrysotile Cohort Study. <i>Methods of Information in Medicine</i> , 2020, 59, 009-017.	0.7	4
49	Systematic review of methods used to assess exposure to pesticides in occupational epidemiology studies, 1993-2017. <i>Occupational and Environmental Medicine</i> , 2020, 77, 357-367.	1.3	43
50	Diesel Engine Exhaust Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Exposure-Response Analysis of 14 Case-Control Studies. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 402-411.	2.5	34
51	Respirable Crystalline Silica Exposure, Smoking, and Lung Cancer Subtype Risks. A Pooled Analysis of Case-Control Studies. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2020, 202, 412-421.	2.5	44
52	Variability and predictors of weekly pesticide exposure in applicators from organic, sustainable and conventional smallholder farms in Costa Rica. <i>Occupational and Environmental Medicine</i> , 2020, 77, 40-47.	1.3	22
53	Immunoreactivity to metal and silica associates with sarcoidosis in Dutch patients. <i>Respiratory Research</i> , 2020, 21, 141.	1.4	27
54	Maternal occupational exposure to solvents and gastroschisis in offspring - National Birth Defects Prevention Study 1997-2011. <i>Occupational and Environmental Medicine</i> , 2020, 77, 172-178.	1.3	3

#	ARTICLE	IF	CITATIONS
55	Interventions to Reduce Exposures in the Workplace: A Systematic Review of Intervention Studies Over Six Decades, 1960â€“2019. <i>Frontiers in Public Health</i> , 2020, 8, 67.	1.3	7
56	Clinical presentation of young people (10â€“24 years old) with brain tumors: results from the international MOBI-Kids study. <i>Journal of Neuro-Oncology</i> , 2020, 147, 427-440.	1.4	20
57	Exposure to Medical Radiation during Fetal Life, Childhood and Adolescence and Risk of Brain Tumor in Young Age: Results from The MOBI-Kids Case-Control Study. <i>Neuroepidemiology</i> , 2020, 54, 343-355.	1.1	6
58	Re Ferrante et al (2020). Mortality and mesothelioma incidence among chrysotile asbestos miners in Balangero, Italy: A cohort study. <i>American Journal of Industrial Medicine</i> , 2020, 63, 834-835.	1.0	3
59	Re: Sponsorship by Big Oil, Like the Tobacco Industry, Should Be Banned by the Research Community. <i>Epidemiology</i> , 2020, 31, e29-e29.	1.2	1
60	Long-term effect of mobile phone use on sleep quality: Results from the cohort study of mobile phone use and health (COSMOS). <i>Environment International</i> , 2020, 140, 105687.	4.8	32
61	Improving Exposure Assessment Methodologies for Epidemiological Studies on Pesticides: Study Protocol. <i>JMIR Research Protocols</i> , 2020, 9, e16448.	0.5	10
62	Maternal occupational exposure and congenital heart defects in offspring. <i>Scandinavian Journal of Work, Environment and Health</i> , 2020, 46, 599-608.	1.7	4
63	Occupational Exposures and Incidence of ASTHMA Over Two Decades in the ECRHS. , 2020, , .		0
64	Peritoneal mesothelioma and asbestos exposure: a population-based caseâ€“control study in Lombardy, Italy. <i>Occupational and Environmental Medicine</i> , 2019, 76, 545-553.	1.3	20
65	Headache, tinnitus and hearing loss in the international Cohort Study of Mobile Phone Use and Health (COSMOS) in Sweden and Finland. <i>International Journal of Epidemiology</i> , 2019, 48, 1567-1579.	0.9	33
66	Sarcoidosis in a patient clinically diagnosed with silicosis; is silica associated sarcoidosis a new phenotype?. <i>Respiratory Medicine Case Reports</i> , 2019, 28, 100906.	0.2	12
67	Influence of Childhood Asthma and Allergies on Occupational Exposure in Early Adulthood: A Prospective Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2163.	1.2	4
68	Associations of Electric Shock and Extremely Low-Frequency Magnetic Field Exposure With the Risk of Amyotrophic Lateral Sclerosis. <i>American Journal of Epidemiology</i> , 2019, 188, 796-805.	1.6	20
69	Development of a Job-Exposure Matrix for Assessment of Occupational Exposure to High-Frequency Electromagnetic Fields (3 kHzâ€“300 GHz). <i>Annals of Work Exposures and Health</i> , 2019, 63, 1013-1028.	0.6	6
70	Occupational exposure to gases/fumes and mineral dust affect DNA methylation levels of genes regulating expression. <i>Human Molecular Genetics</i> , 2019, 28, 2477-2485.	1.4	9
71	Parkinson's disease and long-term exposure to outdoor air pollution: A matched case-control study in the Netherlands. <i>Environment International</i> , 2019, 129, 28-34.	4.8	39
72	Occupational exposure to solvents and lung function decline: A population based study. <i>Thorax</i> , 2019, 74, 650-658.	2.7	21

#	ARTICLE	IF	CITATIONS
73	Pesticide use and risk of non-Hodgkin lymphoid malignancies in agricultural cohorts from France, Norway and the USA: a pooled analysis from the AGRICOH consortium. <i>International Journal of Epidemiology</i> , 2019, 48, 1519-1535.	0.9	104
74	Occupation and motor neuron disease: a New Zealand case-control study. <i>Occupational and Environmental Medicine</i> , 2019, 76, 309-316.	1.3	13
75	Congenital anomalies in the offspring of occupationally exposed mothers: a systematic review and meta-analysis of studies using expert assessment for occupational exposures. <i>Human Reproduction</i> , 2019, 34, 903-919.	0.4	28
76	Job-exposure matrix for historical exposures to rubber dust, rubber fumes and n-Nitrosamines in the British rubber industry. <i>Occupational and Environmental Medicine</i> , 2019, 76, 259-267.	1.3	9
77	O6B.4-...Laryngeal cancer risks in workers exposed to lung carcinogens: exposure-effect analyses using a quantitative job exposure matrix. <i>Occupational and Environmental Medicine</i> , 2019, 76, A54.1-A54.	1.3	1
78	O6E.1-...Self-report occupational exposures and mnd in new zealand. <i>Occupational and Environmental Medicine</i> , 2019, 76, A59.1-A59.	1.3	0
79	O2E.4-...Evaluation of exposure assessment methods in epidemiological studies: the welding example. <i>Occupational and Environmental Medicine</i> , 2019, 76, A21.1-A21.	1.3	0
80	O3A.6-...Recent organic dust exposure and prognosis of asthma and chronic obstructive lung disease (COPD). A nationwide register based follow-up study. <i>Occupational and Environmental Medicine</i> , 2019, 76, A23.1-A23.	1.3	0
81	O1C.5-...Assessment and assignment of exposure to asbestos for an industrial cohort of chrysotile miners and processors. <i>Occupational and Environmental Medicine</i> , 2019, 76, A8.1-A8.	1.3	0
82	O2E.1-...Why the quality of exposure assessment matters in human observational studies and consequent hazard and risk assessment. <i>Occupational and Environmental Medicine</i> , 2019, 76, A20.1-A20.	1.3	2
83	O1C.6-...Is adjustment for smoking needed in a cohort study of cancer mortality among chrysotile asbestos factory and mine workers?. <i>Occupational and Environmental Medicine</i> , 2019, 76, A8.2-A8.	1.3	0
84	Metals and Silica as Possible Antigens in Dutch Sarcoidosis Patients. , 2019, , .		0
85	Animal farming and the risk of lymphohaematopoietic cancers: a meta-analysis of three cohort studies within the AGRICOH consortium. <i>Occupational and Environmental Medicine</i> , 2019, 76, 827-837.	1.3	3
86	A nationwide follow-up study of occupational organic dust exposure and risk of chronic obstructive pulmonary disease (COPD). <i>Occupational and Environmental Medicine</i> , 2019, 76, 105-113.	1.3	17
87	Genome-wide interaction study of gene-by-occupational exposures on respiratory symptoms. <i>Environment International</i> , 2019, 122, 263-269.	4.8	17
88	Radiofrequency electromagnetic fields, screen time, and emotional and behavioural problems in 5-year-old children. <i>International Journal of Hygiene and Environmental Health</i> , 2019, 222, 188-194.	2.1	22
89	Occupational exposures and incidence of chronic bronchitis and related symptoms over two decades: the European Community Respiratory Health Survey. <i>Occupational and Environmental Medicine</i> , 2019, 76, oemed-2018-105274.	1.3	17
90	Impress: Improving Exposure Assessment Methodologies for Epidemiological Studies on Pesticides. <i>Outlooks on Pest Management</i> , 2019, 30, 18-19.	0.1	1

#	ARTICLE	IF	CITATIONS
91	Airborne occupational exposures and (changes in) lung function in the Lifelines Cohort study. , 2019, , .		0
92	Development of hypertension after long-term exposure to static magnetic fields among workers from a magnetic resonance imaging device manufacturing facility. Environmental Research, 2018, 164, 565-573.	3.7	15
93	Update of an occupational asthma-specific job exposure matrix to assess exposure to 30 specific agents. Occupational and Environmental Medicine, 2018, 75, 507-514.	1.3	41
94	Neurobehavioural symptoms and acute pesticide poisoning: a cross-sectional study among male pesticide applicators selected from three commercial farming systems in Ethiopia. Occupational and Environmental Medicine, 2018, 75, 283-289.	1.3	23
95	Cohort profile: LIFEWORK, a prospective cohort study on occupational and environmental risk factors and health in the Netherlands. BMJ Open, 2018, 8, e018504.	0.8	9
96	Recall of mobile phone usage and laterality in young people: The multinational Mobi-Expo study. Environmental Research, 2018, 165, 150-157.	3.7	21
97	Occupational exposures and 20-year incidence of COPD: the European Community Respiratory Health Survey. Thorax, 2018, 73, 1008-1015.	2.7	56
98	Occupational extremely low frequency magnetic fields (ELF-MF) exposure and hematolymphopoietic cancers â€“ Swiss National Cohort analysis and updated meta-analysis. Environmental Research, 2018, 164, 467-474.	3.7	20
99	A survey on abnormal uterine bleeding among radiographers with frequent MRI exposure using intrauterine contraceptive devices. Magnetic Resonance in Medicine, 2018, 79, 1083-1089.	1.9	7
100	Assessment of residential environmental exposure to pesticides from agricultural fields in the Netherlands. Journal of Exposure Science and Environmental Epidemiology, 2018, 28, 173-181.	1.8	34
101	An international prospective cohort study of mobile phone users and health (COSMOS): Factors affecting validity of self-reported mobile phone use. International Journal of Hygiene and Environmental Health, 2018, 221, 1-8.	2.1	14
102	1280â€¦Improving exposure assessment methodologies for epidemiological studies on pesticides. , 2018, , .		0
103	1232â€¦Lung cancer and occupational social status: the synergy study. , 2018, , .		0
104	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
105	Use and Reliability of Exposure Assessment Methods in Occupational Caseâ€“Control Studies in the General Population: Past, Present, and Future. Annals of Work Exposures and Health, 2018, 62, 1047-1063.	0.6	24
106	Occupational exposure to pesticides is associated with differential DNA methylation. Occupational and Environmental Medicine, 2018, 75, 427-435.	1.3	61
107	Carcinogenicity of isobutyl nitrite, Î²-picoline, and some acrylates. Lancet Oncology, The, 2018, 19, 1020-1022.	5.1	4
108	Longitudinal associations between risk appraisal of base stations for mobile phones, radio or television and non-specific symptoms. Journal of Psychosomatic Research, 2018, 112, 81-89.	1.2	4

#	ARTICLE	IF	CITATIONS
109	Modeled and perceived RF-EMF, noise and air pollution and symptoms in a population cohort. Is perception key in predicting symptoms?. <i>Science of the Total Environment</i> , 2018, 639, 75-83.	3.9	21
110	Lung cancer and socioeconomic status in a pooled analysis of case-control studies. <i>PLoS ONE</i> , 2018, 13, e0192999.	1.1	107
111	Influence of childhood asthma and allergies on occupational exposure in early adulthood: a prospective cohort study. , 2018, , .		1
112	Validity of Self-Reported Mobile Phone Use in the COSMOS Study. <i>ISEE Conference Abstracts</i> , 2018, 2017, 804.	0.0	0
113	Association between Occupational Exposures to Irritants and Biomarkers of Oxidative and Nitrosative Stress in the Egea Study. <i>ISEE Conference Abstracts</i> , 2018, 2018, .	0.0	0
114	Modeled and Perceived RF-EMF, Noise, Air Pollution and Symptoms in a Population Cohort: Is Perception Key in Predicting Symptoms?. <i>ISEE Conference Abstracts</i> , 2018, 2018, .	0.0	0
115	ELF exposure from mobile and cordless phones for the epidemiological MOBI-Kids study. <i>Environment International</i> , 2017, 101, 59-69.	4.8	7
116	Occupational pesticide exposure and respiratory health: a large-scale cross-sectional study in three commercial farming systems in Ethiopia. <i>Thorax</i> , 2017, 72, 498.1-499.	2.7	55
117	Occupational causes of amyotrophic lateral sclerosis: where to from here?. <i>Occupational and Environmental Medicine</i> , 2017, 74, 83-84.	1.3	1
118	Modeled and Perceived Exposure to Radiofrequency Electromagnetic Fields From Mobile-Phone Base Stations and the Development of Symptoms Over Time in a General Population Cohort. <i>American Journal of Epidemiology</i> , 2017, 186, 210-219.	1.6	23
119	A comparison of parallel dust and fibre measurements of airborne chrysotile asbestos in a large mine and processing factories in the Russian Federation. <i>International Journal of Hygiene and Environmental Health</i> , 2017, 220, 857-868.	2.1	11
120	Radiofrequency exposure levels in Amsterdam schools. <i>Bioelectromagnetics</i> , 2017, 38, 397-400.	0.9	14
121	15 years of monitoring occupational exposure to respirable dust and quartz within the European industrial minerals sector. <i>International Journal of Hygiene and Environmental Health</i> , 2017, 220, 810-819.	2.1	16
122	MRI-related magnetic field exposures and risk of commuting accidents â€“ A cross-sectional survey among Dutch imaging technicians. <i>Environmental Research</i> , 2017, 156, 613-618.	3.7	12
123	Exposureâ€“Response Analyses of Asbestos and Lung Cancer Subtypes in a Pooled Analysis of Caseâ€“Control Studies. <i>Epidemiology</i> , 2017, 28, 288-299.	1.2	71
124	Exposure to extremely low and intermediate-frequency magnetic and electric fields among children from the INMA-Gipuzkoa cohort. <i>Environmental Research</i> , 2017, 157, 190-197.	3.7	12
125	Hearing loss associated with repeated MRI acquisition procedure-related acoustic noise exposure: an occupational cohort study. <i>Occupational and Environmental Medicine</i> , 2017, 74, 776-784.	1.3	11
126	Wood Dust in Joineries and Furniture Manufacturing: An Exposure Determinant and Intervention Study. <i>Annals of Work Exposures and Health</i> , 2017, 61, 416-428.	0.6	13



#	ARTICLE	IF	CITATIONS
127	Occupational exposure and amyotrophic lateral sclerosis in a prospective cohort. <i>Occupational and Environmental Medicine</i> , 2017, 74, 578-585.	1.3	46
128	Context-sensitive ecological momentary assessments; integrating real-time exposure measurements, data-analytics and health assessment using a smartphone application. <i>Environment International</i> , 2017, 103, 8-12.	4.8	19
129	Electromagnetic hypersensitivity (EHS) in occupational and primary health care: A nation-wide survey among general practitioners, occupational physicians and hygienists in the Netherlands. <i>International Journal of Hygiene and Environmental Health</i> , 2017, 220, 395-400.	2.1	5
130	Effects of personalised exposure on self-rated electromagnetic hypersensitivity and sensibility – A double-blind randomised controlled trial. <i>Environment International</i> , 2017, 99, 255-262.	4.8	20
131	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1345-1422.	6.3	1,879
132	Assessment of occupational exposure to pesticides in a pooled analysis of agricultural cohorts within the AGRICOH consortium: authors’ response. <i>Occupational and Environmental Medicine</i> , 2017, 74, 81-81.	1.3	2
133	Environmental exposure to pesticides and the risk of Parkinson's disease in the Netherlands. <i>Environment International</i> , 2017, 107, 100-110.	4.8	121
134	ICNIRP Statement on Diagnostic Devices Using Non-ionizing Radiation. <i>Health Physics</i> , 2017, 113, 149-150.	0.3	2
135	Temporal Trends in Airborne Dust Concentrations at a Large Chrysotile Mine and its Asbestos-enrichment Factories in the Russian Federation During 1951–2001. <i>Annals of Work Exposures and Health</i> , 2017, 61, 797-808.	0.6	13
136	Response to: “Does ‘job’ predict exposure to magnetic fields?” by Sorahan and Swanson. <i>Occupational and Environmental Medicine</i> , 2017, 74, 925.2-926.	1.3	2
137	Occupational exposure to pesticides are associated with fixed airflow obstruction in middle-age. <i>Thorax</i> , 2017, 72, 990-997.	2.7	32
138	Patterns of cellular phone use among young people in 12 countries: Implications for RF exposure. <i>Environment International</i> , 2017, 107, 65-74.	4.8	27
139	Reply to the Letter by Dr Peter Griffin and Prof. Andrew Curran, “Response to Article by Prof. Hans Kromhout, <i>Hygiene Without Numbers</i> ”; <i>Annals of Work Exposures and Health</i> , 2017, 61, 495-496.	0.6	0
140	0475–...Occupational exposure to respirable crystalline silica and lung cancer risk in the synergy project. , 2017, , .		0
141	0219–...The synergy exposure assessment strategy. , 2017, , .		0
142	0482–...Exposure to hexavalent chromium and nickel and lung cancer risk: a pooled analysis of case-control studies from europe and canada. , 2017, , .		0
143	0454–...Multiplicative two-way interactions between occupational lung carcinogens in the synergy project. , 2017, , .		0
144	0495–...Overview of the exposure assessment methodological issues for epidemiological studies on pesticides. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
145	Maternal occupational exposure and oral clefts in offspring. <i>Environmental Health</i> , 2017, 16, 83.	1.7	18
146	THE AUTHORS REPLY. <i>American Journal of Epidemiology</i> , 2017, 186, 1218-1218.	1.6	0
147	Occupational exposures to solvents and metals are associated with fixed airflow obstruction. <i>Scandinavian Journal of Work, Environment and Health</i> , 2017, 43, 595-603.	1.7	7
148	DNA methylation mediates the association between occupational exposures and lung function. , 2017, , .		0
149	O46-4â€...Development of a quantitative job exposure matrix for endotoxin exposure in agriculture. , 2016, , .		1
150	Assessment of occupational exposure to pesticides in a pooled analysis of agricultural cohorts within the AGRICOH consortium. <i>Occupational and Environmental Medicine</i> , 2016, 73, 359-367.	1.3	32
151	O26-4â€...Inverse associations between occupational organic dust exposure and incidence of chronic obstructive pulmonary disease (copd) â€“ healthy worker survivor bias?. , 2016, , .		0
152	Risk of Central Nervous System Tumors in Children Related to Parental Occupational Pesticide Exposures in three European Case-Control Studies. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 1046-1052.	0.9	13
153	Lung Cancer Among Firefighters. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 1137-1143.	0.9	15
154	Differences in the carcinogenic evaluation of glyphosate between the International Agency for Research on Cancer (IARC) and the European Food Safety Authority (EFSA). <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 741-745.	2.0	138
155	A Method for Semi-quantitative Assessment of Exposure to Pesticides of Applicators and Re-entry Workers: An Application in Three Farming Systems in Ethiopia. <i>Annals of Occupational Hygiene</i> , 2016, 60, 669-683.	1.9	23
156	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1659-1724.	6.3	4,203
157	Work-related factors associated with occupational exposure to static magnetic stray fields from MRI scanners. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 2141-2155.	1.9	20
158	Novel exposure units for atâ€home personalized testing of electromagnetic sensibility. <i>Bioelectromagnetics</i> , 2016, 37, 62-68.	0.9	2
159	Occupational prestige, social mobility and the association with lung cancer in men. <i>BMC Cancer</i> , 2016, 16, 395.	1.1	18
160	Novel Genetic Susceptibility Loci for FEV<sub>1</sub> in the Context of Occupational Exposure in Never-Smokers. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016, 194, 769-772.	2.5	1
161	O04-2â€...Occupational pesticide exposure and respiratory health of famers and farm workers: a study in three commercial farming systems in ethiopia. , 2016, , .		1
162	O25-4â€...Parental occupational exposure and risk of childhood central nervous system tumours: a pooled analysis of caseâ€“control studies from germany, france, and the uk. , 2016, , .		0

#	ARTICLE	IF	CITATIONS
163	P030...Animal production and risk of lympho-hematopoietic cancers in three cohort studies of farmers within the agricoh consortium-preliminary results. , 2016, , .		0
164	P096...Statistical modelling and development of a quantitative job exposure matrix for wood dust in the wood manufacturing industry. , 2016, , .		3
165	Feedback on Measured Dust Concentrations Reduces Exposure Levels Among Farmers. <i>Annals of Occupational Hygiene</i> , 2016, 60, 812-824.	1.9	15
166	SYN-JEM: A Quantitative Job-Exposure Matrix for Five Lung Carcinogens. <i>Annals of Occupational Hygiene</i> , 2016, 60, 795-811.	1.9	67
167	Exposure to static magnetic fields and risk of accidents among a cohort of workers from a medical imaging device manufacturing facility. <i>Magnetic Resonance in Medicine</i> , 2016, 75, 2165-2174.	1.9	27
168	Outdoor and indoor sources of residential radiofrequency electromagnetic fields, personal cell phone and cordless phone use, and cognitive function in 5-6 years old children. <i>Environmental Research</i> , 2016, 150, 364-374.	3.7	36
169	Hygiene Without Numbers. <i>Annals of Occupational Hygiene</i> , 2016, 60, 403-404.	1.9	19
170	Exposure to MRI-related magnetic fields and vertigo in MRI workers. <i>Occupational and Environmental Medicine</i> , 2016, 73, 161-166.	1.3	35
171	Use of Chemical Pesticides in Ethiopia: A Cross-Sectional Comparative Study on Knowledge, Attitude and Practice of Farmers and Farm Workers in Three Farming Systems. <i>Annals of Occupational Hygiene</i> , 2016, 60, 551-566.	1.9	116
172	Residential exposure to RF-EMF from mobile phone base stations: Model predictions versus personal and home measurements. <i>Science of the Total Environment</i> , 2016, 550, 987-993.	3.9	21
173	LATE-BREAKING ABSTRACT: Occupational exposure to pesticides is associated with differential DNA methylation. , 2016, , .		0
174	Prediction models and risk assessment for silicosis using a retrospective cohort study among workers exposed to silica in China. <i>Scientific Reports</i> , 2015, 5, 11059.	1.6	25
175	Personal exposure to static and time-varying magnetic fields during MRI procedures in clinical practice in the UK. <i>Occupational and Environmental Medicine</i> , 2015, 73, oemed-2015-103194.	1.3	17
176	Occupational exposures and risk of dementia-related mortality in the prospective Netherlands Cohort Study. <i>American Journal of Industrial Medicine</i> , 2015, 58, 625-635.	1.0	19
177	Using software-modified smartphones to validate self-reported mobile phone use in young people: A pilot study. <i>Bioelectromagnetics</i> , 2015, 36, 538-543.	0.9	20
178	Does assessment of personal exposure matter during experimental neurocognitive testing in MRI-related magnetic fields?. <i>Magnetic Resonance in Medicine</i> , 2015, 73, 765-772.	1.9	1
179	Simultaneous exposure to MRI-related static and low-frequency movement-induced time-varying magnetic fields affects neurocognitive performance: A double-blind randomized crossover study. <i>Magnetic Resonance in Medicine</i> , 2015, 74, 840-849.	1.9	18
180	Extremely Low Frequency Magnetic Field Exposure and Parkinson's Disease? A Systematic Review and Meta-Analysis of the Data. <i>International Journal of Environmental Research and Public Health</i> , 2015, 12, 7348-7356.	1.2	15

#	ARTICLE	IF	CITATIONS
181	Environmental Radiofrequency Electromagnetic Fields Exposure at Home, Mobile and Cordless Phone Use, and Sleep Problems in 7-Year-Old Children. PLoS ONE, 2015, 10, e0139869.	1.1	26
182	Occupational exposure to extremely low-frequency magnetic fields and electrical shocks and acute myeloid leukemia in four Nordic countries. Cancer Causes and Control, 2015, 26, 1079-1085.	0.8	6
183	Occupational exposures and Parkinson's disease mortality in a prospective Dutch cohort. Occupational and Environmental Medicine, 2015, 72, 448-455.	1.3	48
184	Exposure levels, determinants and IgE mediated sensitization to bovine allergens among Danish farmers and non-farmers. International Journal of Hygiene and Environmental Health, 2015, 218, 265-272.	2.1	18
185	What input data are needed to accurately model electromagnetic fields from mobile phone base stations?. Journal of Exposure Science and Environmental Epidemiology, 2015, 25, 53-57.	1.8	15
186	IARC Monographs: 40 Years of Evaluating Carcinogenic Hazards to Humans. Environmental Health Perspectives, 2015, 123, 507-514.	2.8	86
187	Validity of at home model predictions as a proxy for personal exposure to radiofrequency electromagnetic fields from mobile phone base stations. Environmental Research, 2015, 142, 221-226.	3.7	19
188	Transient health symptoms of MRI staff working with 1.5 and 3.0 Tesla scanners in the UK. European Radiology, 2015, 25, 2718-2726.	2.3	32
189	Occupational exposure to solvents, metals and welding fumes and risk of Parkinson's disease. Parkinsonism and Related Disorders, 2015, 21, 635-639.	1.1	20
190	Lung Cancer Risk Among Cooks When Accounting for Tobacco Smoking. Journal of Occupational and Environmental Medicine, 2015, 57, 202-209.	0.9	9
191	Carcinogenicity of tetrachlorvinphos, parathion, malathion, diazinon, and glyphosate. Lancet Oncology, The, 2015, 16, 490-491.	5.1	642
192	A comprehensive review of levels and determinants of personal exposure to dust and endotoxin in livestock farming. Journal of Exposure Science and Environmental Epidemiology, 2015, 25, 123-137.	1.8	79
193	Genome-wide interaction study of gene-by-occupational exposure and effects on FEV1 levels. Journal of Allergy and Clinical Immunology, 2015, 136, 1664-1672.e14.	1.5	34
194	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	6.3	2,184
195	Validating self-reported mobile phone use in adults using a newly developed smartphone application. Occupational and Environmental Medicine, 2015, 72, 812-818.	1.3	56
196	Occupational exposure to magnetic fields and electric shocks and risk of ALS: The Swiss National Cohort. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2015, 16, 80-85.	1.1	32
197	Lung cancer risk among bricklayers in a pooled analysis of caseâ€“control studies. International Journal of Cancer, 2015, 136, 360-371.	2.3	34
198	Extremely low-frequency magnetic field exposure, electrical shocks and risk of Parkinsonâ€™s disease. International Archives of Occupational and Environmental Health, 2015, 88, 227-234.	1.1	12

#	ARTICLE	IF	CITATIONS
199	Lung cancer among coal miners, ore miners and quarrymen: smoking-adjusted risk estimates from the synergy pooled analysis of case-control studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 467-477.	1.7	32
200	Chronic cough and phlegm in relation to occupational exposures in a prospective cohort study (ECRHS III). , 2015, , .		0
201	Occupational organic dust exposure and risk of chronic obstructive pulmonary disease (COPD) in Denmark. , 2015, , .		0
202	Should we take major macro-economic and political developments into account when assessing long-term occupational exposures for epidemiological research?. <i>Occupational and Environmental Medicine</i> , 2014, 71, A48.1-A48.	1.3	1
203	The MOBI-Kids Study Protocol: Challenges in Assessing Childhood and Adolescent Exposure to Electromagnetic Fields from Wireless Telecommunication Technologies and Possible Association with Brain Tumor Risk. <i>Frontiers in Public Health</i> , 2014, 2, 124.	1.3	53
204	Occupational exposures and uncontrolled adult-onset asthma in the European Community Respiratory Health Survey II. <i>European Respiratory Journal</i> , 2014, 43, 374-386.	3.1	58
205	Interactions between SERPINA1 PIMZ genotype, occupational exposure and lung function decline. <i>Occupational and Environmental Medicine</i> , 2014, 71, 234-240.	1.3	27
206	Pesticides and other occupational exposures are associated with airway obstruction: the LifeLines cohort study. <i>Occupational and Environmental Medicine</i> , 2014, 71, 88-96.	1.3	68
207	<i>NOS1</i> : A Susceptibility Gene for Reduced Level of FEV <sub>1</sub> in the Setting of Pesticide Exposure. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 190, 1188-1190.	2.5	4
208	Leukemia from Dermal Exposure to Cyclophosphamide among Nurses in the Netherlands: Quantitative Assessment of the Risk. <i>Annals of Occupational Hygiene</i> , 2014, 58, 271-82.	1.9	18
209	Author's Reply to Koppisch et al. 2014. <i>Annals of Occupational Hygiene</i> , 2014, , .	1.9	1
210	Reliability of the Advanced REACH Tool (ART). <i>Annals of Occupational Hygiene</i> , 2014, 58, 450-68.	1.9	29
211	Is Previous Respiratory Disease a Risk Factor for Lung Cancer?. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 190, 549-559.	2.5	97
212	Occupational exposure to pesticides and endotoxin and Parkinson disease in the Netherlands. <i>Occupational and Environmental Medicine</i> , 2014, 71, 757-764.	1.3	29
213	Assessment of extremely low frequency magnetic field exposure from GSM mobile phones. <i>Bioelectromagnetics</i> , 2014, 35, 210-221.	0.9	15
214	Expert assessment of historical crop specific pesticide use in the Netherlands. <i>Occupational and Environmental Medicine</i> , 2014, 71, 717-722.	1.3	6
215	Parental occupational exposure and risk of childhood central nervous system tumors: a pooled analysis of case-control studies from Germany, France, and the UK. <i>Cancer Causes and Control</i> , 2014, 25, 1603-1613.	0.8	11
216	The Nightingale study: rationale, study design and baseline characteristics of a prospective cohort study on shift work and breast cancer risk among nurses. <i>BMC Cancer</i> , 2014, 14, 47.	1.1	22

#	ARTICLE	IF	CITATIONS
217	Using GPS-derived speed patterns for recognition of transport modes in adults. <i>International Journal of Health Geographics</i> , 2014, 13, 40.	1.2	23
218	Association of Occupational Pesticide Exposure With Accelerated Longitudinal Decline in Lung Function. <i>American Journal of Epidemiology</i> , 2014, 179, 1323-1330.	1.6	45
219	Occupational Risk Factors for Chronic Respiratory Disease in a New Zealand Population Using Lifetime Occupational History. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 270-280.	0.9	18
220	Occupational Asbestos Exposure and Risk of Pleural Mesothelioma, Lung Cancer, and Laryngeal Cancer in the Prospective Netherlands Cohort Study. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, 6-19.	0.9	47
221	Exposure-Affecting Factors of Dairy Farmers' Exposure to Inhalable Dust and Endotoxin. <i>Annals of Occupational Hygiene</i> , 2014, 58, 707-23.	1.9	29
222	A comparison of exposure assessment approaches: lung cancer and occupational asbestos exposure in a population-based case-control study. <i>Occupational and Environmental Medicine</i> , 2014, 71, 282-288.	1.3	10
223	Occupational Exposure to Vapors, Gases, Dusts, and Fumes Is Associated with Small Airways Obstruction. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2014, 189, 487-490.	2.5	21
224	Occupational extremely low-frequency magnetic field exposure and selected cancer outcomes in a prospective Dutch cohort. <i>Cancer Causes and Control</i> , 2014, 25, 203-214.	0.8	40
225	Effect Modification of the Association of Cumulative Exposure and Cancer Risk by Intensity of Exposure and Time Since Exposure Cessation: A Flexible Method Applied to Cigarette Smoking and Lung Cancer in the SYNERGY Study. <i>American Journal of Epidemiology</i> , 2014, 179, 290-298.	1.6	38
226	Risk factors for chronic mucus hypersecretion in individuals with and without COPD: influence of smoking and job exposure on CMH. <i>Occupational and Environmental Medicine</i> , 2014, 71, 346-352.	1.3	17
227	Exposure to Static and Time-Varying Magnetic Fields From Working in the Static Magnetic Stray Fields of MRI Scanners: A Comprehensive Survey in the Netherlands. <i>Annals of Occupational Hygiene</i> , 2014, 58, 1094-110.	1.9	24
228	Advanced REACH Tool: A Bayesian Model for Occupational Exposure Assessment. <i>Annals of Occupational Hygiene</i> , 2014, 58, 551-65.	1.9	34
229	Impact of input data uncertainty on environmental exposure assessment models: A case study for electromagnetic field modelling from mobile phone base stations. <i>Environmental Research</i> , 2014, 135, 148-155.	3.7	25
230	Neurodegenerative disease: The next occupational disease epidemic?. <i>Occupational and Environmental Medicine</i> , 2014, 71, 594-595.	1.3	17
231	Occupational asbestos exposure and risk of esophageal, gastric and colorectal cancer in the prospective Netherlands Cohort Study. <i>International Journal of Cancer</i> , 2014, 135, 1970-1977.	2.3	36
232	Trichloroethylene: Mechanistic, epidemiologic and other supporting evidence of carcinogenic hazard. <i>Environmental Health Perspectives</i> , 2014, 141, 55-68.		88
233	Modelling indoor electromagnetic fields (EMF) from mobile phone base stations for epidemiological studies. <i>Environment International</i> , 2014, 67, 22-26.	4.8	38
234	Occupational exposure of healthcare and research staff to static magnetic stray fields from 1.5-Tesla MRI scanners is associated with reporting of transient symptoms. <i>Occupational and Environmental Medicine</i> , 2014, 71, 423-429.	1.3	58

#	ARTICLE	IF	CITATIONS
235	Do Existing Empirical Models for Welding Fumes Estimate Exposure to Ultrafine Particles Among Canadian Welding Apprentices?. <i>Journal of Occupational and Environmental Medicine</i> , 2014, 56, e9-e11.	0.9	0
236	Lifetime Occupational Exposure to Dusts, Gases and Fumes Is Associated with Bronchitis Symptoms and Higher Diffusion Capacity in COPD Patients. <i>PLoS ONE</i> , 2014, 9, e88426.	1.1	25
237	A Case-Control Study of the Protective Effect of Alcohol, Coffee, and Cigarette Consumption on Parkinson Disease Risk: Time-Since-Cessation Modifies the Effect of Tobacco Smoking. <i>PLoS ONE</i> , 2014, 9, e95297.	1.1	52
238	Occupational asbestos exposure and risk of oral cavity and pharyngeal cancer in the prospective Netherlands Cohort Study. <i>Scandinavian Journal of Work, Environment and Health</i> , 2014, 40, 420-427.	1.7	9
239	JEMs and Incompatible Occupational Coding Systems: Effect of Manual and Automatic Recoding of Job Codes on Exposure Assignment. <i>Annals of Occupational Hygiene</i> , 2013, 57, 107-14.	1.9	19
240	Inventory of MRI applications and workers exposed to MRI-related electromagnetic fields in the Netherlands. <i>European Journal of Radiology</i> , 2013, 82, 2279-2285.	1.2	37
241	A retrospective cohort study of cancer mortality in employees of a Russian chrysotile asbestos mine and mills: Study rationale and key features. <i>Cancer Epidemiology</i> , 2013, 37, 440-445.	0.8	24
242	Does apartment's distance to an in-built transformer room predict magnetic field exposure levels?. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2013, 23, 554-558.	1.8	15
243	Geospatial modelling of electromagnetic fields from mobile phone base stations. <i>Science of the Total Environment</i> , 2013, 445-446, 202-209.	3.9	55
244	MRI-related static magnetic stray fields and postural body sway: A double-blind randomized crossover study. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 232-240.	1.9	34
245	The Advanced REACH Tool (ART): Incorporation of an Exposure Measurement Database. <i>Annals of Occupational Hygiene</i> , 2013, 57, 717-27.	1.9	24
246	Welding and Lung Cancer in a Pooled Analysis of Case-Control Studies. <i>American Journal of Epidemiology</i> , 2013, 178, 1513-1525.	1.6	55
247	Authors' Response to: Comment upon the article: Impact of occupational carcinogens on lung cancer risk in a general population. <i>International Journal of Epidemiology</i> , 2013, 42, 1895-1896.	0.9	1
248	Comparing JEMs in population-based studies: what if expert assessment and measurements are not available? Authors' response. <i>Occupational and Environmental Medicine</i> , 2013, 70, 519.1-519.	1.3	1
249	Lung Cancer Risk Among Hairdressers: A Pooled Analysis of Case-Control Studies Conducted Between 1985 and 2010. <i>American Journal of Epidemiology</i> , 2013, 178, 1355-1365.	1.6	8
250	Does a more refined assessment of exposure to bitumen fume and confounders alter risk estimates from a nested case-control study of lung cancer among European asphalt workers?. <i>Occupational and Environmental Medicine</i> , 2013, 70, 195-202.	1.3	7
251	Impact of occupational carcinogens on lung cancer risk in a general population. <i>International Journal of Epidemiology</i> , 2013, 42, 1902-1902.	0.9	1
252	Occupational exposure to extremely low-frequency magnetic fields and cardiovascular disease mortality in a prospective cohort study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 402-407.	1.3	23

#	ARTICLE	IF	CITATIONS
253	Retrospective Assessment of Exposure to Static Magnetic Fields During Production and Development of Magnetic Resonance Imaging Systems. <i>Annals of Occupational Hygiene</i> , 2013, 58, 85-102.	1.9	7
254	Authors' response to: Qualitative job-exposure matrix--a tool for the quantification of population-attributable fractions for occupational lung carcinogens?. <i>International Journal of Epidemiology</i> , 2013, 42, 357-358.	0.9	1
255	Exposure to Inhalable Dust and Endotoxin Among Danish Pig Farmers Affected by Work Tasks and Stable Characteristics. <i>Annals of Occupational Hygiene</i> , 2013, 57, 1005-19.	1.9	37
256	Electric shocks at work in Europe: development of a job exposure matrix. <i>Occupational and Environmental Medicine</i> , 2013, 70, 261-267.	1.3	29
257	Lung cancer risk among bakers, pastry cooks and confectionary makers: the SYNERGY study. <i>Occupational and Environmental Medicine</i> , 2013, 70, 810-814.	1.3	12
258	Performance of GPS-devices for environmental exposure assessment. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2013, 23, 498-505.	1.8	33
259	Relationship between environmental exposure to pesticides and anthropometric outcomes of boys in the rural Western Cape, South Africa. <i>South African Medical Journal</i> , 2013, 103, 942.	0.2	5
260	Development of an Exposure Measurement Database on Five Lung Carcinogens (ExpoSYN) for Quantitative Retrospective Occupational Exposure Assessment. <i>Annals of Occupational Hygiene</i> , 2012, 56, 70-9.	1.9	40
261	Is Pesticide Use Related to Parkinson Disease? Some Clues to Heterogeneity in Study Results. <i>Environmental Health Perspectives</i> , 2012, 120, 340-347.	2.8	175
262	Sensitivity Analyses of Exposure Estimates from a Quantitative Job-exposure Matrix (SYN-JEM) for Use in Community-based Studies. <i>Annals of Occupational Hygiene</i> , 2012, 57, 98-106.	1.9	16
263	Impact of occupational carcinogens on lung cancer risk in a general population. <i>International Journal of Epidemiology</i> , 2012, 41, 711-721.	0.9	79
264	Should we share ideas or measurement data?. <i>Occupational and Environmental Medicine</i> , 2012, 69, 375-376.	1.3	5
265	Respiratory, allergy and eye problems in bagasse-exposed sugar cane workers in Costa Rica. <i>Occupational and Environmental Medicine</i> , 2012, 69, 331-338.	1.3	15
266	Occupational Exposure to Dusts, Gases, and Fumes and Incidence of Chronic Obstructive Pulmonary Disease in the Swiss Cohort Study on Air Pollution and Lung and Heart Diseases in Adults. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012, 185, 1292-1300.	2.5	146
267	Occupational exposure to organic dust increases lung cancer risk in the general population. <i>Thorax</i> , 2012, 67, 111-116.	2.7	45
268	Effects of magnetic stray fields from a 7â€¦Tesla MRI scanner on neurocognition: a double-blind randomised crossover study. <i>Occupational and Environmental Medicine</i> , 2012, 69, 759-766.	1.3	47
269	Comparison of expert and job-exposure matrix-based retrospective exposure assessment of occupational carcinogens in the Netherlands Cohort Study. <i>Occupational and Environmental Medicine</i> , 2012, 69, 745-751.	1.3	42
270	The Use of Benfordâ€™s Law for Evaluation of Quality of Occupational Hygiene Data. <i>Annals of Occupational Hygiene</i> , 2012, 57, 296-304.	1.9	10



#	ARTICLE	IF	CITATIONS
271	The Impact of Selection Bias Due to Increasing Response Rates among Population Controls in Occupational Case-Control Studies. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2012, 185, 106-107.	2.5	6
272	Neurobehavioral and neurodevelopmental effects of pesticide exposures. <i>NeuroToxicology</i> , 2012, 33, 887-896.	1.4	144
273	Exposure to inhalable dust and endotoxin among Danish livestock farmers: results from the SUS cohort study. <i>Journal of Environmental Monitoring</i> , 2012, 14, 604-614.	2.1	52
274	Transient receptor potential genes, smoking, occupational exposures and cough in adults. <i>Respiratory Research</i> , 2012, 13, 26.	1.4	84
275	Hierarchical Regression for Multiple Comparisons in a Case-Control Study of Occupational Risks for Lung Cancer. <i>PLoS ONE</i> , 2012, 7, e38944.	1.1	10
276	Occupational benzene exposure and the risk of chronic myeloid leukemia: A meta-analysis of cohort studies incorporating study quality dimensions. <i>American Journal of Industrial Medicine</i> , 2012, 55, 779-785.	1.0	52
277	Health Effects and Safety of Magnetic Resonance Imaging. <i>Journal of Medical Systems</i> , 2012, 36, 1779-1780.	2.2	7
278	Comment on: Effects of static magnetic fields on cognition, vital signs, and sensory perception: A meta-analysis. <i>Journal of Magnetic Resonance Imaging</i> , 2012, 35, 235-236.	1.9	3
279	Modelling of occupational respirable crystalline silica exposure for quantitative exposure assessment in community-based case-control studies. <i>Journal of Environmental Monitoring</i> , 2011, 13, 3262.	2.1	48
280	Validation of the inhalable dust algorithm of the Advanced REACH Tool using a dataset from the pharmaceutical industry. <i>Journal of Environmental Monitoring</i> , 2011, 13, 1597.	2.1	26
281	Advanced REACH Tool (ART): Calibration of the mechanistic model. <i>Journal of Environmental Monitoring</i> , 2011, 13, 1374.	2.1	56
282	Occupational Benzene Exposure and Lymphoma Risks: Vlaanderen et al. <i>Respond. Environmental Health Perspectives</i> , 2011, 119, .	2.8	2
283	Diesel Motor Exhaust and Lung Cancer: Additional Perspectives. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 184, 619-620.	2.5	3
284	AGRICOH: A Consortium of Agricultural Cohorts. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 1341-1357.	1.2	40
285	Comments on "Results of a Long-Term Low-Level Microwave Exposure of Rats. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2011, 59, 1893-1894.	2.9	0
286	Lung cancer and occupation: A new zealand cancer registry-based case-control study. <i>American Journal of Industrial Medicine</i> , 2011, 54, 89-101.	1.0	45
287	An international prospective cohort study of mobile phone users and health (Cosmos): Design considerations and enrolment. <i>Cancer Epidemiology</i> , 2011, 35, 37-43.	0.8	66
288	Advanced REACH Tool (ART): Overview of Version 1.0 and Research Needs. <i>Annals of Occupational Hygiene</i> , 2011, 55, 949-56.	1.9	43

#	ARTICLE	IF	CITATIONS
289	Exposure to Diesel Motor Exhaust and Lung Cancer Risk in a Pooled Analysis from Case-Control Studies in Europe and Canada. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2011, 183, 941-948.	2.5	150
290	Health Council of the Netherlands: No need to change from SAR to time-temperature relation in electromagnetic fields exposure limits. <i>International Journal of Hyperthermia</i> , 2011, 27, 399-404.	1.1	58
291	The Impact of Saturable Metabolism on Exposure-Response Relations in 2 Studies of Benzene-induced Leukemia. <i>American Journal of Epidemiology</i> , 2011, 174, 621-629.	1.6	8
292	Advanced Reach Tool (ART): Development of the Mechanistic Model. <i>Annals of Occupational Hygiene</i> , 2011, 55, 957-79.	1.9	63
293	Comparison of exposure assessment methods for occupational carcinogens in a multi-centre lung cancer case-control study. <i>Occupational and Environmental Medicine</i> , 2011, 68, 148-153.	1.3	82
294	Occupational Activities Associated with a Reported History of Malaria among Women Working in Small-Scale Agriculture in South Africa. <i>American Journal of Tropical Medicine and Hygiene</i> , 2011, 85, 805-810.	0.6	11
295	Respirable Dust and Quartz Exposure from Three South African Farms with Sandy, Sandy Loam, and Clay Soils. <i>Annals of Occupational Hygiene</i> , 2011, 55, 634-43.	1.9	6
296	Do young adults with childhood asthma avoid occupational exposures at first hire?. <i>European Respiratory Journal</i> , 2011, 37, 1043-1049.	3.1	29
297	Assessment of dermal exposure to bitumen condensate among road paving and mastic crews with an observational method. <i>Annals of Occupational Hygiene</i> , 2011, 55, 578-90.	1.9	6
298	Developing a General Population Job-Exposure Matrix in the Absence of Sufficient Exposure Monitoring Data. <i>Annals of Occupational Hygiene</i> , 2011, 55, 879-85.	1.9	10
299	Occupational Benzene Exposure and the Risk of Lymphoma Subtypes: A Meta-analysis of Cohort Studies Incorporating Three Study Quality Dimensions. <i>Environmental Health Perspectives</i> , 2011, 119, 159-167.	2.8	91
300	Classification of Occupational Activities for Assessment of Inhalation Exposure. <i>Annals of Occupational Hygiene</i> , 2011, 55, 989-1005.	1.9	19
301	MOBI-KIDS; STUDY ON COMMUNICATION TECHNOLOGY, ENVIRONMENT AND BRAIN TUMOURS IN YOUNG PEOPLE. <i>ISEE Conference Abstracts</i> , 2011, 2011, .	0.0	1
302	Spontaneous miscarriages and infant deaths among female farmers in rural South Africa. <i>Scandinavian Journal of Work, Environment and Health</i> , 2011, 37, 227-236.	1.7	26
303	Abstract 1875: Lung cancer risk among hairdressers in SYNERGY " pooled analysis from case-control studies in Europe and Canada with detailed smoking data. , 2011, , .		0
304	Abstract 1877: Lung cancer risk in painters: Results from the SYNERGY pooled analysis. , 2011, , .		0
305	Abstract 1874: Public health impact of occupational carcinogens exposure and lung cancer. , 2011, , .		0
306	A review of the data quality and comparability of case-control studies of low-level exposure to benzene in the petroleum industry. <i>International Archives of Occupational and Environmental Health</i> , 2010, 83, 69-76.	1.1	7

#	ARTICLE	IF	CITATIONS
307	Exposure to respirable dust and crystalline silica in bricklaying education at Dutch vocational training centers. <i>American Journal of Industrial Medicine</i> , 2010, 53, 628-634.	1.0	5
308	Healthy hire effect, job selection and inhalation exposure among young adults with asthma. <i>European Respiratory Journal</i> , 2010, 36, 517-523.	3.1	23
309	The occupational contribution to severe exacerbation of asthma. <i>European Respiratory Journal</i> , 2010, 36, 743-750.	3.1	50
310	A graphical tool to evaluate temporal coverage of occupational history by exposure measurements. <i>Occupational and Environmental Medicine</i> , 2010, 67, 636-638.	1.3	8
311	Cross-validation and refinement of the Stoffenmanager as a first tier exposure assessment tool for REACH. <i>Occupational and Environmental Medicine</i> , 2010, 67, 125-132.	1.3	60
312	Pesticide safety training and practices in women working in small-scale agriculture in South Africa. <i>Occupational and Environmental Medicine</i> , 2010, 67, 823-828.	1.3	56
313	Flexible Meta-Regression to Assess the Shape of the Benzeneâ€“Leukemia Exposureâ€“Response Curve. <i>Environmental Health Perspectives</i> , 2010, 118, 526-532.	2.8	48
314	A Caseâ€“Control Study of Lung Cancer Nested in a Cohort of European Asphalt Workers. <i>Environmental Health Perspectives</i> , 2010, 118, 1418-1424.	2.8	46
315	Exposure Assessment for a Nested Caseâ€“Control Study of Lung Cancer among European Asphalt Workers. <i>Annals of Occupational Hygiene</i> , 2010, 54, 813-23.	1.9	7
316	Quartz Exposure in Agriculture: Literature Review and South African Survey. <i>Annals of Occupational Hygiene</i> , 2010, 54, 281-292.	1.9	22
317	Exposure to rubber process dust and fume since 1970s in the United Kingdom; influence of origin of measurement data. <i>Journal of Environmental Monitoring</i> , 2010, 12, 1170.	2.1	9
318	Pesticide exposure and blood endosulfan levels after first season spray amongst farm workers in the Western Cape, South Africa. <i>Journal of Environmental Science and Health - Part B Pesticides, Food Contaminants, and Agricultural Wastes</i> , 2009, 44, 271-277.	0.7	29
319	Bayesian modelling of lung cancer risk and bitumen fume exposure adjusted for unmeasured confounding by smoking. <i>Occupational and Environmental Medicine</i> , 2009, 66, 502-508.	1.3	19
320	Trends in Wood Dust Inhalation Exposure in the UK, 1985â€“2005. <i>Annals of Occupational Hygiene</i> , 2009, 53, 657-67.	1.9	28
321	An international prospective general population-based study of respiratory work disability. <i>Thorax</i> , 2009, 64, 339-344.	2.7	46
322	Pesticide Exposure and Respiratory Health of Indigenous Women in Costa Rica. <i>American Journal of Epidemiology</i> , 2009, 169, 1500-1506.	1.6	68
323	Leukaemia and occupation: a New Zealand Cancer Registry-based caseâ€“control Study. <i>International Journal of Epidemiology</i> , 2009, 38, 594-606.	0.9	23
324	Inhalation incidents and respiratory health: results from the European Community respiratory health survey. <i>American Journal of Industrial Medicine</i> , 2009, 52, 17-24.	1.0	4

#	ARTICLE	IF	CITATIONS
325	Musculoskeletal pain in women working in small-scale agriculture in South Africa. <i>American Journal of Industrial Medicine</i> , 2009, 52, 202-209.	1.0	42
326	Personal exposure to static and time-varying magnetic fields during MRI system test procedures. <i>Journal of Magnetic Resonance Imaging</i> , 2009, 30, 1223-1228.	1.9	37
327	Sensitivity of the association between increased lung cancer risk and bitumen fume exposure to the assumptions in the assessment of exposure. <i>International Archives of Occupational and Environmental Health</i> , 2009, 82, 723-733.	1.1	7
328	Cancer mortality and occupational exposure to aromatic amines and inhalable aerosols in rubber tire manufacturing in Poland. <i>Cancer Epidemiology</i> , 2009, 33, 94-102.	0.8	45
329	Metalworking exposures and persistent skin symptoms in the ECRHS II and SAPALDIA 2 cohorts. <i>Contact Dermatitis</i> , 2009, 60, 256-263.	0.8	18
330	Temporal trends of flour dust exposure in the United Kingdom, 1985-2003. <i>Journal of Environmental Monitoring</i> , 2009, 11, 1492.	2.1	17
331	Domestic use of hypochlorite bleach, atopic sensitization, and respiratory symptoms in adults. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 124, 731-738.e1.	1.5	55
332	Personal exposure to inhalable cement dust among construction workers. <i>Journal of Environmental Monitoring</i> , 2009, 11, 174-180.	2.1	34
333	Exposure to chemicals and metals and risk of amyotrophic lateral sclerosis: A systematic review. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2009, 10, 302-309.	2.3	124
334	What we truly know about occupation as a risk factor for ALS: A critical and systematic review. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2009, 10, 295-301.	2.3	69
335	Temporal changes in the variability of respirable mineral dust exposure concentrations. <i>Journal of Physics: Conference Series</i> , 2009, 151, 012056.	0.3	0
336	Building an industry-wide occupational exposure database for respirable mineral dust "experiences from the IMA dust monitoring programme. <i>Journal of Physics: Conference Series</i> , 2009, 151, 012047.	0.3	0
337	Personal exposure to inhalable cement dust among construction workers. <i>Journal of Physics: Conference Series</i> , 2009, 151, 012054.	0.3	2
338	Historical exposure levels of inhalable dust in the Polish rubber industry compared to levels in Western Europe. <i>Journal of Physics: Conference Series</i> , 2009, 151, 012053.	0.3	0
339	Exposure to respirable crystalline silica in South African farm workers. <i>Journal of Physics: Conference Series</i> , 2009, 151, 012005.	0.3	2
340	Human MRI above the FDA 8T guideline: Can we conclude that it is safe?. <i>Journal of Magnetic Resonance Imaging</i> , 2008, 27, 938-939.	1.9	3
341	Case-control study of high risk occupations for bladder cancer in New Zealand. <i>International Journal of Cancer</i> , 2008, 122, 1340-1346.	2.3	37
342	Elaboration of a quantitative job-exposure matrix for historical exposure to airborne exposures in the Polish rubber industry. <i>American Journal of Industrial Medicine</i> , 2008, 51, 852-860.	1.0	11

#	ARTICLE	IF	CITATIONS
343	Challenges of exposure assessment for health studies in the aftermath of chemical incidents and disasters. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2008, 18, 341-359.	1.8	32
344	Expert assessment of exposure to carcinogens in Norway's offshore petroleum industry. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2008, 18, 175-182.	1.8	12
345	Development of an advanced exposure assessment tool for REACH. <i>Toxicology Letters</i> , 2008, 180, S75-S76.	0.4	1
346	The Accuracy of DERM may be a Self-fulfilling DREAM. <i>Annals of Occupational Hygiene</i> , 2008, 52, 783-4; author reply 784-5.	1.9	5
347	Exposure to inhalable dust and its cyclohexane soluble fraction since the 1970s in the rubber manufacturing industry in the European Union. <i>Occupational and Environmental Medicine</i> , 2008, 65, 384-391.	1.3	28
348	Polycyclic Aromatic Hydrocarbon Exposure, Urinary Mutagenicity, and DNA Adducts in Rubber Manufacturing Workers. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1452-1459.	1.1	29
349	A Population-Based Study on Welding Exposures at Work and Respiratory Symptoms. <i>Annals of Occupational Hygiene</i> , 2008, 52, 107-15.	1.9	43
350	Trends in Occupational Exposure to Styrene in the European Glass Fibre-Reinforced Plastics Industry. <i>Annals of Occupational Hygiene</i> , 2008, 52, 337-349.	1.9	23
351	Letters to the Editor. <i>Journal of Occupational and Environmental Hygiene</i> , 2008, 5, D73-D76.	0.4	2
352	High risk occupations for non-Hodgkin's lymphoma in New Zealand: case-control study. <i>Occupational and Environmental Medicine</i> , 2008, 65, 354-363.	1.3	37
353	Conceptual Model for Assessment of Inhalation Exposure: Defining Modifying Factors. <i>Annals of Occupational Hygiene</i> , 2008, 52, 577-86.	1.9	59
354	Agricultural Activities, Pesticide Use and Occupational Hazards among Women Working in Small Scale Farming in Northern KwaZulu-Natal, South Africa. <i>International Journal of Occupational and Environmental Health</i> , 2008, 14, 218-224.	1.2	19
355	Guidelines to Evaluate Human Observational Studies for Quantitative Risk Assessment. <i>Environmental Health Perspectives</i> , 2008, 116, 1700-1705.	2.8	39
356	Trends in Inhalation Exposure—A Review of the Data in the Published Scientific Literature. <i>Annals of Occupational Hygiene</i> , 2007, 51, 665-78.	1.9	95
357	Occupational risk factors for asthma among nurses and related healthcare professionals in an international study. <i>Occupational and Environmental Medicine</i> , 2007, 64, 474-479.	1.3	107
358	Bladder cancer incidence and exposure to polycyclic aromatic hydrocarbons among asphalt pavers. <i>Occupational and Environmental Medicine</i> , 2007, 64, 520-526.	1.3	40
359	Inter-rater agreement in the assessment of exposure to carcinogens in the offshore petroleum industry. <i>Occupational and Environmental Medicine</i> , 2007, 64, 582-588.	1.3	17
360	Vapours and Aerosols of Bitumen: Exposure Data Obtained by the German Bitumen Forum. <i>Annals of Occupational Hygiene</i> , 2007, 51, 423-5; author reply 425-6.	1.9	4

#	ARTICLE	IF	CITATIONS
361	Nurses With Dermal Exposure to Antineoplastic Drugs. <i>Epidemiology</i> , 2007, 18, 112-119.	1.2	134
362	Lifetime occupation, education, smoking, and risk of ALS. <i>Neurology</i> , 2007, 69, 1508-1514.	1.5	99
363	The Use of Household Cleaning Sprays and Adult Asthma. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2007, 176, 735-741.	2.5	208
364	A Pooled Analysis to Study Trends in Exposure to Antineoplastic Drugs Among Nurses. <i>Annals of Occupational Hygiene</i> , 2007, 51, 231-9.	1.9	51
365	Employment status and use of respiratory protection among metalworkers, solderers and welders. <i>Occupational and Environmental Medicine</i> , 2007, 64, 548-552.	1.3	11
366	Pesticide dose estimates for children of Iowa farmers and non-farmers. <i>Environmental Research</i> , 2007, 105, 307-315.	3.7	75
367	Exposure to substances in the workplace and new-onset asthma: an international prospective population-based study (ECRHS-II). <i>Lancet, The</i> , 2007, 370, 336-341.	6.3	359
368	Occupational exposure to NDMA and NMor in the European rubber industry. <i>Journal of Environmental Monitoring</i> , 2007, 9, 253.	2.1	45
369	Cognitive effects of head-movements in stray fields generated by a 7 Tesla whole-body MRI magnet. <i>Bioelectromagnetics</i> , 2007, 28, 247-255.	0.9	58
370	Pooled analyses of effects on visual and visuomotor performance from exposure to magnetic stray fields from MRI scanners: Application of the Bayesian framework. <i>Journal of Magnetic Resonance Imaging</i> , 2007, 26, 1255-1260.	1.9	22
371	Exposure profiles of pesticides among greenhouse workers: implications for epidemiological studies. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2007, 17, 501-509.	1.8	21
372	Tools for regulatory assessment of occupational exposure: development and challenges. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2007, 17, S72-S80.	1.8	41
373	Evaluation of 2 self-administered questionnaires to ascertain dermatitis among metal workers and its relation with exposure to metalworking fluids. <i>Contact Dermatitis</i> , 2007, 56, 311-317.	0.8	12
374	Evaluation of two self-administered questionnaires to ascertain dermatitis among metal workers and its relation with exposure to metal working fluids. <i>Contact Dermatitis</i> , 2007, 57, 14-20.	0.8	6
375	Exposure to alternating electromagnetic fields and effects on the visual and visuomotor systems. <i>British Journal of Radiology</i> , 2007, 80, 822-828.	1.0	13
376	Inhalation and dermal exposure to eight antineoplastic drugs in an industrial laundry facility. <i>International Archives of Occupational and Environmental Health</i> , 2007, 80, 396-403.	1.1	32
377	FIOH-Sponsored Newsletter Misrepresents Asbestos Hazards in Zimbabwe. <i>International Journal of Occupational and Environmental Health</i> , 2006, 12, 254-258.	1.2	1
378	Field comparison of inhalable aerosol samplers applied in the european rubber manufacturing industry. <i>International Archives of Occupational and Environmental Health</i> , 2006, 79, 621-629.	1.1	21

#	ARTICLE	IF	CITATIONS
379	Exposure, health complaints and cognitive performance among employees of an MRI scanners manufacturing department. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 23, 197-204.	1.9	96
380	Acute neurobehavioral effects of exposure to static magnetic fields: Analyses of exposureâ€“response relations. <i>Journal of Magnetic Resonance Imaging</i> , 2006, 23, 291-297.	1.9	64
381	Exposure to Wood Dust Among Carpenters in the Construction Industry in The Netherlands. <i>Annals of Occupational Hygiene</i> , 2006, 51, 241-8.	1.9	22
382	Non-Hodgkin lymphoma and occupational exposures: multiple exposures != multiple papers. <i>Occupational and Environmental Medicine</i> , 2006, 64, 4-5.	1.3	2
383	Exposure to Antineoplastic Drugs Outside the Hospital Environment. <i>Annals of Occupational Hygiene</i> , 2006, 50, 657-64.	1.9	34
384	A probabilistic assessment of the impact of interventions on oncology nurses' exposure to antineoplastic agents. <i>Occupational and Environmental Medicine</i> , 2006, 63, 530-537.	1.3	11
385	Occupational Exposure to Inhalable Wood Dust in the Member States of the European Union. <i>Annals of Occupational Hygiene</i> , 2006, 50, 549-61.	1.9	118
386	Urinary Pesticide Concentrations Among Children, Mothers and Fathers Living in Farm and Non-Farm Households in Iowa. <i>Annals of Occupational Hygiene</i> , 2006, 51, 53-65.	1.9	177
387	Dermal exposure assessment to benzene and toluene using charcoal cloth pads. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005, 15, 47-50.	1.8	19
388	Reliability of a semi-quantitative method for dermal exposure assessment (DREAM). <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005, 15, 111-120.	1.8	34
389	Suicide and exposure to organophosphate insecticides: Cause or effect?. <i>American Journal of Industrial Medicine</i> , 2005, 47, 308-321.	1.0	147
390	Comparison of self-reported occupational exposure with a job exposure matrix in an international community-based study on asthma. <i>American Journal of Industrial Medicine</i> , 2005, 47, 434-442.	1.0	51
391	Dermal exposure to cyclophosphamide in hospitals during preparation, nursing and cleaning activities. <i>International Archives of Occupational and Environmental Health</i> , 2005, 78, 403-412.	1.1	115
392	Biological monitoring of carbon disulphide and phthalate exposure in the contemporary rubber industry. <i>International Archives of Occupational and Environmental Health</i> , 2005, 78, 663-669.	1.1	22
393	Assessing historical exposure is like solving a mystery. <i>Occupational and Environmental Medicine</i> , 2005, 62, 429-430.	1.3	2
394	An assessment of dermal exposure to semi-synthetic metal working fluids by different methods to group workers for an epidemiological study on dermatitis. <i>Occupational and Environmental Medicine</i> , 2005, 62, 633-641.	1.3	22
395	Accuracy of a semiquantitative method for Dermal Exposure Assessment (DREAM). <i>Occupational and Environmental Medicine</i> , 2005, 62, 623-632.	1.3	29
396	A Database of Exposures in the Rubber Manufacturing Industry: Design and Quality Control. <i>Annals of Occupational Hygiene</i> , 2005, 49, 691-701.	1.9	34

#	ARTICLE	IF	CITATIONS
397	Biological dust exposure in the workplace is a risk factor for chronic obstructive pulmonary disease. <i>Thorax</i> , 2005, 60, 645-651.	2.7	214
398	Historical limitations of determinant based exposure groupings in the rubber manufacturing industry. <i>Occupational and Environmental Medicine</i> , 2005, 62, 793-799.	1.3	17
399	Lung Function Decline, Chronic Bronchitis, and Occupational Exposures in Young Adults. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 172, 1139-1145.	2.5	91
400	Are Variance Components of Exposure Heterogeneous Between Time Periods and Factories in the European Carbon Black Industry?. <i>Annals of Occupational Hygiene</i> , 2005, 50, 55-64.	1.9	14
401	Polycyclic Aromatic Hydrocarbons and Fatal Ischemic Heart Disease. <i>Epidemiology</i> , 2005, 16, 744-750.	1.2	135
402	Effects of errors in the measurement of agricultural exposures. <i>Scandinavian Journal of Work, Environment and Health</i> , 2005, 31 Suppl 1, 33-8; discussion 5-7.	1.7	9
403	Variability of Task-based Dermal Exposure Measurements from a Variety of Workplaces. <i>Annals of Occupational Hygiene</i> , 2004, 48, 187-96.	1.9	21
404	Characteristics of Peaks of Inhalation Exposure to Organic Solvents. <i>Annals of Occupational Hygiene</i> , 2004, 48, 643-52.	1.9	39
405	Evaluating Exposures to Complex Mixtures of Chemicals During a New Production Process in the Plastics Industry. <i>Annals of Occupational Hygiene</i> , 2004, 48, 499-507.	1.9	7
406	Occupational Dermal Exposure to Cyclophosphamide in Dutch Hospitals: A Pilot Study. <i>Annals of Occupational Hygiene</i> , 2004, 48, 237-44.	1.9	68
407	Cross-shift changes in FEV1 in relation to wood dust exposure: the implications of different exposure assessment methods. <i>Occupational and Environmental Medicine</i> , 2004, 61, 824-830.	1.3	22
408	Evaluation of specific occupational asthma risks in a community-based study with special reference to single and multiple exposures. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2004, 14, 397-403.	1.8	34
409	Exposure variability: Concepts and applications in occupational epidemiology. <i>American Journal of Industrial Medicine</i> , 2004, 45, 113-122.	1.0	95
410	Interaction of atopy and smoking on respiratory effects of occupational dust exposure: a general population-based study. <i>Environmental Health</i> , 2004, 3, 6.	1.7	36
411	Cancer incidence of Nordic asphalt workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 2004, 30, 350-355.	1.7	21
412	Neurobehavioral effects among subjects exposed to high static and gradient magnetic fields from a 1.5 Tesla magnetic resonance imaging system? A case-crossover pilot study. <i>Magnetic Resonance in Medicine</i> , 2003, 50, 670-674.	1.9	54
413	Epidemiologic study of cancer mortality among Israeli asphalt workers. <i>American Journal of Industrial Medicine</i> , 2003, 43, 69-78.	1.0	9
414	Lung cancer mortality in a Dutch cohort of asphalt workers: Evaluation of possible confounding by smoking. <i>American Journal of Industrial Medicine</i> , 2003, 43, 79-87.	1.0	23



#	ARTICLE	IF	CITATIONS
415	Performance of different exposure assessment approaches in a study of bitumen fume exposure and lung cancer mortality. <i>American Journal of Industrial Medicine</i> , 2003, 43, 40-48.	1.0	19
416	Cancer mortality among European asphalt workers: An international epidemiological study. I. Results of the analysis based on job titles. <i>American Journal of Industrial Medicine</i> , 2003, 43, 18-27.	1.0	94
417	Cancer mortality among European asphalt workers: An international epidemiological study. II. Exposure to bitumen fume and other agents. <i>American Journal of Industrial Medicine</i> , 2003, 43, 28-39.	1.0	96
418	Estimating exposures in the asphalt industry for an international epidemiological cohort study of cancer risk. <i>American Journal of Industrial Medicine</i> , 2003, 43, 3-17.	1.0	56
419	Mortality from Obstructive Lung Diseases and Exposure to Polycyclic Aromatic Hydrocarbons among Asphalt Workers. <i>American Journal of Epidemiology</i> , 2003, 158, 468-478.	1.6	60
420	The use of occupation and industry classifications in general population studies. <i>International Journal of Epidemiology</i> , 2003, 32, 419-428.	0.9	119
421	Exposure related mutagens in urine of rubber workers associated with inhalable particulate and dermal exposure. <i>Occupational and Environmental Medicine</i> , 2003, 60, 97-103.	1.3	19
422	Musicians playing wind instruments and risk of lung cancer: is there an association?. <i>Occupational and Environmental Medicine</i> , 2003, 60, 143-143.	1.3	4
423	Who Qualifies to be an Expert?. <i>Annals of Occupational Hygiene</i> , 2003, 47, 89; author reply 90.	1.9	2
424	DREAM: A Method for Semi-quantitative Dermal Exposure Assessment. <i>Annals of Occupational Hygiene</i> , 2003, 47, 71-87.	1.9	70
425	Bitumen, Polycyclic Aromatic Hydrocarbons and Vehicle Exhaust: Exposure Levels and Controls among Norwegian Asphalt Workers. <i>Annals of Occupational Hygiene</i> , 2002, 46, 79-87.	1.9	30
426	Application of Mixed-effects Models for Exposure Assessment. <i>Annals of Occupational Hygiene</i> , 2002, 46, 69-77.	1.9	62
427	The Babel of Multicenter Exposure Assessment. <i>Annals of Occupational Hygiene</i> , 2002, 46, 649-52.	1.9	2
428	Characterizing Worker Exposure to Bitumen During Hot Mix Paving and Asphalt Mixing Operations. <i>AIHA Journal: A Journal for the Science of Occupational and Environmental Health and Safety</i> , 2002, 63, 293-299.	0.4	12
429	A Critique of Bayesian Methods for Retrospective Exposure Assessment. <i>Annals of Occupational Hygiene</i> , 2002, 46, 429-31; author reply 431-2.	1.9	15
430	Validity of empirical models of exposure in asphalt paving. <i>Occupational and Environmental Medicine</i> , 2002, 59, 620-624.	1.3	35
431	Quantitative risk assessment for lung cancer after exposure to bitumen fume. <i>Toxicology and Industrial Health</i> , 2002, 18, 417-424.	0.6	4
432	Design of measurement strategies for workplace exposures. <i>Occupational and Environmental Medicine</i> , 2002, 59, 349-354.	1.3	54

#	ARTICLE	IF	CITATIONS
433	Serum organochlorines and urinary porphyrin pattern in a population highly exposed to hexachlorobenzene. <i>Environmental Health</i> , 2002, 1, 1.	1.7	27
434	Respiratory symptoms and occupation: a cross-sectional study of the general population. <i>Environmental Health</i> , 2002, 1, 5.	1.7	21
435	Urothelial cell DNA adducts in rubber workers. <i>Environmental and Molecular Mutagenesis</i> , 2002, 39, 306-313.	0.9	19
436	Introduction: An International Perspective on Occupational Health and Hygiene. <i>International Journal of Occupational and Environmental Health</i> , 2002, 8, 111-112.	1.2	5
437	Dermal exposure assessment in occupational epidemiologic research. <i>Scandinavian Journal of Work, Environment and Health</i> , 2002, 28, 371-385.	1.7	32
438	Trends in inhalation exposure to hydrocarbons among commercial painters in The Netherlands. <i>Scandinavian Journal of Work, Environment and Health</i> , 2002, 28, 429-438.	1.7	19
439	Introduction: An International Perspective on Occupational Health and Hygiene. <i>International Journal of Occupational and Environmental Health</i> , 2002, 8, 111-112.	1.2	2
440	Mutagenic exposure in the rubber manufacturing industry: an industry wide survey. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2001, 490, 27-34.	0.9	19
441	Chronic nervous-system effects of long-term occupational exposure to DDT. <i>Lancet, The</i> , 2001, 357, 1014-1016.	6.3	106
442	The importance of reliable exposure estimates in deciding whether trichloroethylene can cause kidney cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2001, 127, 400-402.	1.2	16
443	Respiratory effects of exposure to low levels of concrete dust containing crystalline silica. <i>American Journal of Industrial Medicine</i> , 2001, 40, 133-140.	1.0	63
444	Correspondence Letter. <i>Annals of Occupational Hygiene</i> , 2001, 45, 499-500.	1.9	0
445	Occupation, Chronic Bronchitis, and Lung Function in Young Adults. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2001, 163, 1572-1577.	2.5	121
446	Dermal Exposure, Handwashing, and Hand Dermatitis in the Rubber Manufacturing Industry. <i>Epidemiology</i> , 2001, 12, 350-354.	1.2	20
447	Within-Day Variability of Magnetic Fields Among Electric Utility Workers: Consequences for Measurement Strategies. <i>AIHAJ: A Journal for the Science of Occupational and Environmental Health and Safety</i> , 2000, 61, 31-38.	0.4	0
448	Case-cohort analysis of brain cancer and leukemia in electric utility workers using a refined magnetic field job-exposure matrix. <i>American Journal of Industrial Medicine</i> , 2000, 38, 417-425.	1.0	33
449	Ascertainment of hand dermatitis using a symptom-based questionnaire; applicability in an industrial population. <i>Contact Dermatitis</i> , 2000, 42, 202-206.	0.8	58
450	Are the Members of a Paving Crew Uniformly Exposed to Bitumen Fume, Organic Vapor, and Benzo(a)pyrene?. <i>Risk Analysis</i> , 2000, 20, 653-664.	1.5	38

#	ARTICLE	IF	CITATIONS
451	Dermal exposure assessment. <i>Annals of Occupational Hygiene</i> , 2000, 44, 493-499.	1.9	46
452	Postulating a dermal pathway for exposure to anti-neoplastic drugs among hospital workers. Applying a conceptual model to the results of three workplace surveys. <i>Annals of Occupational Hygiene</i> , 2000, 44, 551-560.	1.9	108
453	Statistical Modelling of the Determinants of Historical Exposure to Bitumen and Polycyclic Aromatic Hydrocarbons among Paving Workers. <i>Annals of Occupational Hygiene</i> , 2000, 44, 43-56.	1.9	42
454	Designing an International Industrial Hygiene Database of Exposures among Workers in the Asphalt Industry. <i>Annals of Occupational Hygiene</i> , 2000, 44, 57-66.	1.9	13
455	Literature Review of Levels and Determinants of Exposure to Potential Carcinogens and Other Agents in the Road Construction Industry. <i>AIHAJ: A Journal for the Science of Occupational and Environmental Health and Safety</i> , 2000, 61, 715-726.	0.4	36
456	Self reported symptoms and inhibition of acetylcholinesterase activity among Kenyan agricultural workers. <i>Occupational and Environmental Medicine</i> , 2000, 57, 195-200.	1.3	115
457	Performance of population specific job exposure matrices (JEMs): European collaborative analyses on occupational risk factors for chronic obstructive pulmonary disease with job exposure matrices (ECOJEM). <i>Occupational and Environmental Medicine</i> , 2000, 57, 126-132.	1.3	50
458	Occupational exposure to carcinogens in the European Union. <i>Occupational and Environmental Medicine</i> , 2000, 57, 10-18.	1.3	326
459	Mutagenic profile of rubber dust and fume exposure in two rubber tire companies. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2000, 468, 165-171.	0.9	27
460	Latex Allergy Risk among the General Population due to Traffic-Related Airborne Dust?. <i>Epidemiology</i> , 2000, 11, 92.	1.2	5
461	Within-Day Variability of Magnetic Fields Among Electric Utility Workers: Consequences for Measurement Strategies. <i>AIHA Journal</i> , 2000, 61, 31-38.	0.4	4
462	Literature Review of Levels and Determinants of Exposure to Potential Carcinogens and Other Agents in the Road Construction Industry. <i>AIHA Journal</i> , 2000, 61, 715-726.	0.4	47
463	Within-Day Variability of Magnetic Fields Among Electric Utility Workers: Consequences for Measurement Strategies. <i>AIHA Journal</i> , 1999, 60, 713-719.	0.4	7
464	Conceptual model for assessment of dermal exposure. <i>Occupational and Environmental Medicine</i> , 1999, 56, 765-773.	1.3	171
465	Assessment of occupational exposures in a general population: comparison of different methods. <i>Occupational and Environmental Medicine</i> , 1999, 56, 145-151.	1.3	135
466	Uncertainty in the Relation between Exposure to Magnetic Fields and Brain Cancer due to Assessment and Assignment of Exposure and Analytical Methods in Dose-Response Modeling. <i>Annals of the New York Academy of Sciences</i> , 1999, 895, 141-155.	1.8	12
467	Assessment of the sensitivity of the relation between current exposure to carbon black and lung function parameters when using different grouping schemes. , 1999, 36, 548-556.		20
468	Occupational asthma in Europe and other industrialised areas: a population-based study. <i>Lancet</i> , The, 1999, 353, 1750-1754.	6.3	399

#	ARTICLE	IF	CITATIONS
469	Response to Paul Hewett's "Comments Relating to Tornero-Velez et al.: Compliance Versus Risk in Assessing Occupational Exposures". Risk Analysis, 1998, 18, 669-671.	1.5	2
470	Response to Paul Hewett's "Comments Relating to Tornero Velez et al.: Compliance Versus Risk in Assessing Occupational Exposures". Risk Analysis, 1998, 18, 669-671.	1.5	2
471	Individual-based and group-based occupational exposure assessment: Some equations to evaluate different strategies. Annals of Occupational Hygiene, 1998, 42, 115-119.	1.9	98
472	Effects of the analytical treatment of exposure data on associations of cancer and occupational magnetic field exposure. , 1998, 34, 49-56.		19
473	Effect of airborne particles from selected indoor and outdoor environments on gap-junctional intercellular communication. Toxicology Letters, 1998, 96-97, 209-213.	0.4	5
474	Determinants of Exposure to Captan in Fruit Growing. AIHA Journal, 1998, 59, 166-172.	0.4	24
475	Cancer risk in the rubber industry: a review of the recent epidemiological evidence. Occupational and Environmental Medicine, 1998, 55, 1-12.	1.3	142
476	Pulmonary Ventilatory Defects and Occupational Exposures in a Population-based Study in Spain. American Journal of Respiratory and Critical Care Medicine, 1998, 157, 512-517.	2.5	97
477	Exposure to Captan in Fruit Growing. AIHA Journal, 1998, 59, 158-165.	0.4	44
478	Determinants of airborne rat and mouse urinary allergen exposure. Scandinavian Journal of Work, Environment and Health, 1998, 24, 228-235.	1.7	27
479	Acetylcholinesterase Inhibition as an Indicator of Organophosphate and Carbamate Poisoning in Kenyan Agricultural Workers. International Journal of Occupational and Environmental Health, 1997, 3, 210-220.	1.2	20
480	Sensitivity of the Relation between Cumulative Magnetic Field Exposure and Brain Cancer Mortality to Choice of Monitoring Data Grouping Scheme. Epidemiology, 1997, 8, 442.	1.2	31
481	Compliance Versus Risk in Assessing Occupational Exposures. Risk Analysis, 1997, 17, 279-292.	1.5	56
482	A collaborative european study of personal inhalable aerosol sampler performance. Annals of Occupational Hygiene, 1997, 41, 135-153.	1.9	148
483	Monitoring and modelling of exposure to ethanol in hairdressing salons. Annals of Occupational Hygiene, 1997, 41, 235-247.	1.9	17
484	Grouping strategies for exposure to inhalable dust, wheat allergens and -amylase allergens in bakeries. Annals of Occupational Hygiene, 1997, 41, 287-296.	1.9	38
485	Paraquat Exposure of Knapsack Spray Operators on Banana Plantations in Costa Rica. International Journal of Occupational and Environmental Health, 1996, 2, 294-304.	1.2	32
486	The influence of seniority on occupational exposures to magnetic fields. American Journal of Industrial Medicine, 1996, 29, 570-570.	1.0	5

#	ARTICLE	IF	CITATIONS
487	Experts' subjective assessment of pesticide exposure in fruit growing. <i>Scandinavian Journal of Work, Environment and Health</i> , 1996, 22, 425-432.	1.7	47
488	Occupational epidemiology in the rubber industry: Implications of exposure variability. <i>American Journal of Industrial Medicine</i> , 1995, 27, 171-185.	1.0	111
489	Urinary excretion of tetrahydrophthalimide in fruit growers with dermal exposure to captan. <i>American Journal of Industrial Medicine</i> , 1995, 28, 245-256.	1.0	29
490	WOOD-DUST EXPOSURE DURING WOOD-WORKING PROCESSES. <i>Annals of Occupational Hygiene</i> , 1995, , .	1.9	27
491	Determinants of Dust and Endotoxin Exposure of Pig Farmers: Development of a Control Strategy Using Empirical Modelling. <i>Annals of Occupational Hygiene</i> , 1995, , .	1.9	32
492	Cancer risk for European asphalt workers. <i>Scandinavian Journal of Work, Environment and Health</i> , 1995, 21, 252-258.	1.7	23
493	Modeling long-term average exposure in occupational exposure-response analysis. <i>Scandinavian Journal of Work, Environment and Health</i> , 1995, 21, 504-512.	1.7	70
494	Assessment and grouping of occupational magnetic field exposure in five electric utility companies. <i>Scandinavian Journal of Work, Environment and Health</i> , 1995, 21, 43-50.	1.7	61
495	EMPIRICAL MODELLING OF CHEMICAL EXPOSURE IN THE RUBBER-MANUFACTURING INDUSTRY. <i>Annals of Occupational Hygiene</i> , 1994, 38, 3-22.	1.9	71
496	Organization and classification of work history data in industry-wide studies: An application to the electric power industry. <i>American Journal of Industrial Medicine</i> , 1994, 26, 413-425.	1.0	38
497	PREVENTION AND CONTROL OF CHEMICAL EXPOSURES IN THE RUBBER MANUFACTURING INDUSTRY IN THE NETHERLANDS. <i>Annals of Occupational Hygiene</i> , 1993, 37, 117-34.	1.9	16
498	A COMPREHENSIVE EVALUATION OF WITHIN- AND BETWEEN-WORKER COMPONENTS OF OCCUPATIONAL EXPOSURE TO CHEMICAL AGENTS. <i>Annals of Occupational Hygiene</i> , 1993, 37, 253-70.	1.9	307
499	Job Exposure Matrices in Industry. <i>International Journal of Epidemiology</i> , 1993, 22, S10-S15.	0.9	71
500	VARIATION OF EXPOSURE BETWEEN WORKERS IN HOMOGENEOUS EXPOSURE GROUPS. <i>AIHA Journal</i> , 1993, 54, 654-662.	0.4	137
501	THE RELATIONSHIP BETWEEN POLYCYCLIC AROMATIC HYDROCARBONS IN AIR AND IN URINE OF WORKERS IN A SÅ-DERBERG POTROOM. <i>AIHA Journal</i> , 1993, 54, 277-284.	0.4	78
502	Performance of Two General Job-Exposure Matrices in a Study of Lung Cancer Morbidity in the Zutphen Cohort. <i>American Journal of Epidemiology</i> , 1992, 136, 698-711.	1.6	58
503	Semiquantitative Estimates of Exposure to Methylene Chloride and Styrene: The Influence of Quantitative Exposure Data. <i>Journal of Occupational and Environmental Hygiene</i> , 1991, 6, 197-204.	0.5	52
504	Reentry After Methomyl Application in Greenhouses. <i>Journal of Occupational and Environmental Hygiene</i> , 1991, 6, 672-676.	0.5	9

#	ARTICLE	IF	CITATIONS
505	Retrospective Evaluation of Occupational Exposures in Cancer Epidemiology: A European Concerted Action of Research. <i>Journal of Occupational and Environmental Hygiene</i> , 1991, 6, 541-546.	0.5	7
506	Use and Analysis of Exposure Monitoring Data in Occupational Epidemiology: An Example of an Epidemiological Study in the Dutch Animal Food Industry. <i>Journal of Occupational and Environmental Hygiene</i> , 1991, 6, 458-464.	0.5	45
507	ASSESSMENT OF LONG-TERM EXPOSURES TO TOXIC SUBSTANCES IN AIR. <i>Annals of Occupational Hygiene</i> , 1991, 35, 671-4.	1.9	9
508	THE JOINT EDUCATION AND TRAINING COMMITTEE OF THE BOHS, IOH, AND BEBOBOHÁŠ—A DISCUSSION ON THE FUTURE OF OCCUPATIONAL HYGIENE EDUCATION AND TRAINING IN THE U.K.. <i>Annals of Occupational Hygiene</i> , 1991, 35, 665-70.	1.9	2
509	Occupational Exposure and 25-Year Incidence Rate of Non-Specific Lung Disease: The Zutphen Study. <i>International Journal of Epidemiology</i> , 1990, 19, 945-952.	0.9	62
510	Chronic Non-Specific Lung Disease and Occupational Exposures Estimated by Means of a Job Exposure Matrix: The Zutphen Study. <i>International Journal of Epidemiology</i> , 1989, 18, 382-389.	0.9	46
511	Mutagens in urine of non-smoking and smoking workers in an aircraft tyre retreading plant. Skin exposure as a causal factor?. <i>Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure</i> , 1989, 223, 41-48.	1.2	36
512	Agreement between qualitative exposure estimates and quantitative exposure measurements. <i>American Journal of Industrial Medicine</i> , 1987, 12, 551-562.	1.0	151
513	THE RELATIONSHIP BETWEEN POLYCYCLIC AROMATIC HYDROCARBONS IN AIR AND IN URINE OF WORKERS IN A SÄ—DERBERG POTROOM. , 0, .		3