## Yuko Kachi

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4425084/publications.pdf

Version: 2024-02-01

933447 839539 33 368 10 18 citations h-index g-index papers 33 33 33 577 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Precarious employment and the risk of serious psychological distress: a population-based cohort study in Japan. Scandinavian Journal of Work, Environment and Health, 2014, 40, 465-472.	3.4	47
2	Association of metabolic syndrome with atypical features of depression in <scp>J</scp> apanese people. Psychiatry and Clinical Neurosciences, 2013, 67, 532-539.	1.8	33
3	Development of a risk prediction model for incident hypertension in a working-age Japanese male population. Hypertension Research, 2015, 38, 419-425.	2.7	30
4	Socioeconomic Status and Overweight: A Population-Based Cross-Sectional Study of Japanese Children and Adolescents. Journal of Epidemiology, 2015, 25, 463-469.	2.4	27
5	Occupational stress and the risk of turnover: a large prospective cohort study of employees in Japan. BMC Public Health, 2020, 20, 174.	2.9	25
6	Association of sleep duration with untreated diabetes in Japanese men. Sleep Medicine, 2012, 13, 307-309.	1.6	24
7	Association between Insomnia Symptoms and Hemoglobin A1c Level in Japanese Men. PLoS ONE, 2011, 6, e21420.	2.5	17
8	Differences in Selfâ€rated Health by Employment Contract and Household Structure among Japanese Employees: A Nationwide Crossâ€sectional Study. Journal of Occupational Health, 2014, 56, 339-346.	2.1	17
9	Relationship between Dietary Factors and Prostate-Specific Antigen in Healthy Men. Urologia Internationalis, 2012, 89, 270-274.	1.3	14
10	Work Engagement and Work Performance Among Japanese Workers. Journal of Occupational and Environmental Medicine, 2020, 62, 993-997.	1.7	13
11	Socioeconomic disparities in psychological distress in a nationally representative sample of Japanese adolescents: A time trend study. Australian and New Zealand Journal of Psychiatry, 2017, 51, 278-286.	2.3	12
12	Serum Cystatin C, Creatinine-Based Estimated Glomerular Filtration Rate, and the Risk of Incident Hypertension in Middle-Aged Men. American Journal of Hypertension, 2014, 27, 596-602.	2.0	9
13	Psychosocial Work Environment Explains the Association of Job Dissatisfaction With Long-term Sickness Absence: A One-Year Prospect Study of Japanese Employees. Journal of Epidemiology, 2020, 30, 390-395.	2.4	9
14	Gender differences in the effects of job insecurity on psychological distress in Japanese workers: a population-based panel study. International Archives of Occupational and Environmental Health, 2018, 91, 991-999.	2.3	8
15	Mothers' nonstandard work schedules and adolescent obesity: a population-based cross-sectional study in the Tokyo metropolitan area. BMC Public Health, 2021, 21, 237.	2.9	8
16	Association between maternity harassment and depression during pregnancy amid the COVID-19 state of emergency. Journal of Occupational Health, 2021, 63, e12196.	2.1	8
17	Associations between contractual status, part-time work, and intent to leave among professional caregivers for older people: Results of a national cross-sectional survey in Japan. International Journal of Nursing Studies, 2010, 47, 1028-1036.	5.6	7
18	Should co-payments for financially deprived patients be lowered? Primary care physicians' perspectives using a mixed-methods approach in a survey study in Tokyo. International Journal for Equity in Health, 2017, 16, 38.	3.5	7

#	Article	IF	CITATIONS
19	Associations of non-standard employment with cardiovascular risk factors: findings from nationwide cross-sectional studies in Japan. Industrial Health, 2018, 56, 336-345.	1.0	7
20	Socio-Economic Disparities in Early Childhood Education Enrollment: Japanese Population-Based Study. Journal of Epidemiology, 2020, 30, 143-150.	2.4	7
21	Workplace social capital and refraining from seeking medical care in Japanese employees: a 1-year prospective cohort study. BMJ Open, 2020, 10, e036910.	1.9	7
22	Preventive effect of pravastatin on the development of hypertension in patients with hypercholesterolemia: A post-hoc analysis of the Management of Elevated Cholesterol in the Primary Prevention Group of Adult Japanese (MEGA) Study. Journal of Clinical Lipidology, 2017, 11, 998-1006.	1.5	6
23	Association Between Adaptation of Management Philosophy and Mission Statement, and Work Engagement Among Japanese Workers. Journal of Occupational and Environmental Medicine, 2021, 63, e601-e604.	1.7	4
24	Prevalence and Associated Factors of Psychological Distress Among Single Fathers in Japan. Journal of Epidemiology, 2023, 33, 294-302.	2.4	4
25	Parental Socioeconomic Status and Weight Faltering in Infants in Japan. Frontiers in Pediatrics, 2018, 6, 127.	1.9	3
26	Organizational justice and illness reporting among Japanese employees with chronic diseases. PLoS ONE, 2019, 14, e0223595.	2.5	3
27	Association of child's disability status with father's health outcomes in Japan. SSM - Population Health, 2021, 16, 100951.	2.7	3
28	Latent structure of dieting among female high-school students in Japan. Personality and Individual Differences, 2010, 48, 11-15.	2.9	2
29	Predictive value of asymmetric dimethylarginine and C-reactive protein for the risk of developing metabolic syndrome in middle-aged men. IJC Metabolic & Endocrine, 2014, 5, 42-47.	0.5	2
30	Links between organizational preparedness and employee action to seek support among a Japanese working population with chronic diseases. Journal of Occupational Health, 2019, 61, 407-414.	2.1	2
31	Factors related to parenting stress among fathers of preschool children in Japan. Pediatrics International, 2022, 64, e15132.	0.5	2
32	Organizational Justice and Cognitive Failures in Japanese Employees. Journal of Occupational and Environmental Medicine, 2021, Publish Ahead of Print, 901-906.	1.7	1
33	Combined effect of high stress and job dissatisfaction on long-term sickness absence: a 1-year prospective study of Japanese employees. Environmental and Occupational Health Practice, 2020, 2, n/a.	0.5	0