Deepak Kar

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4425481/deepak-kar-publications-by-year.pdf

Version: 2024-04-11

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

650
papers

22,572
citations

69
h-index

g-index

684
ext. papers

5
avg, IF

L-index

#	Paper	IF	Citations
650	Performance of the ATLAS Level-1 topological trigger in Run 2. European Physical Journal C, 2022 , 82, 1	4.2	O
649	Search for exotic decays of the Higgs boson into b\$\$ overline{b} \$\$ and missing transverse momentum in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	0
648	Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at 13[\$\$text {TeV}\$\$ with the ATLAS detector. European Physical Journal C, 2022, 82, 1	4.2	O
647	Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with 139 fb ¹ of pp collision data at \$\$ sqrt{s} \$\$ = 13 TeV. <i>Journal of High Energy Physics</i> , 2022 , 2022, 1	5.4	О
646	AtlFast3: The Next Generation of Fast Simulation in ATLAS. <i>Computing and Software for Big Science</i> , 2022 , 6, 1	6	O
645	Measurement of the energy response of the ATLASIcalorimeter to chargedipions from \$\$W^{pm }rightarrow tau ^{pm }(rightarrow pi ^{pm }nu _{tau })nu _{tau }\$\$ events in Run data. European Physical Journal C, 2022, 82, 1	4.2	O
644	The ATLAS inner detector trigger performance in pp collisions at 13 TeV during LHC Run 2. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	
643	Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\$\$qrt{s} = 7\$\$$, 8 and 13 TeV. <i>European Physical Journal C</i> , 2022 , 82, 1	4.2	1
642	Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using (sqrt{s} = 13hbox { TeV}) protonproton collision data. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
641	Measurement of the t(overline{t})t(overline{t}) production cross section in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	O
640	Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
639	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at ($sqrt{s} = 13,{text TeV}$) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
638	Measurement of light-by-light scattering and search for axion-like particles with 2.2 nb1 of Pb+Pb data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
637	Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
636	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
635	Exploring jet substructure in semi-visible jets. SciPost Physics, 2021, 10,	6.1	1
634	Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at (sqrt{mathrm{s}}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8

(2021-2021)

633	Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton proton collisions at (sqrt(s)) = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5
632	Optimisation of large-radius jet reconstruction for the ATLAS detector in 13 TeV proton collisions. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	2
631	Search for heavy resonances decaying into a pair of Z bosons in the (ell ^+ell ^-ell '^-) and (ell ^+ell ^-nu {{bar{nu }}}) final states using 139 (mathrm {fb}^{-1}) of protonproton collisions at (sqrt{s} = 13,)TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1	4.2	8
630	Search for new phenomena in final states with b-jets and missing transverse momentum in (sqrt{mathrm{s}}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
629	Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the (ell ell bb) and (ell ell WW) final states in pp collisions at (sqrt{s}=13) (text {TeV}) with the ATLAS detector. European Physical Journal C, 2021, 81, 1	4.2	7
628	Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at (sqrt{mathrm{s}}) = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1	5.4	3
627	Measurements of W+W \blacksquare \Box jet production cross-sections in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	O
626	Search for charged Higgs bosons decaying into a top quark and a bottom quark at (sqrt{mathrm{s}}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8
625	Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at (sqrt{s}=13,text {TeV}). <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	О
624	Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a Elepton in pp collisions at ($sqrt{s}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	6
623	Search for supersymmetry in events with four or more charged leptons in 139 fb1 of (sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
622	Determination of the parton distribution functions of the proton from ATLAS measurements of differential W∃ and Z boson production in association with jets. <i>Journal of High Energy Physics</i> , 2021 , 1	5.4	1
621	Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	О
620	How to discover QCD Instantons at the LHC. European Physical Journal C, 2021, 81, 1	4.2	Ο
619	A search for the decays of stopped long-lived particles at ($sqrt{mathrm{s}}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	1
618	Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at (sqrt{s}=13) TeV. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	13
617	Measurement of hadronic event shapes in high-pT multijet final states at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	3
616	Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 fb 1 0 of (sqrt{s}) = 13 TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	8

615	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in protonproton collisions at ATLAS. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	5
614	Measurements of WH and ZH production in the (H rightarrow bbar{b}) decay channel in pp collisions at (13,text {Te}text {V}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	7
613	Search for dark matter in association with an energetic photon in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	5
612	Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	O
611	Measurement of single top-quark production in association with a W boson in the single-lepton channel at (sqrt{s} = 8,text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
610	Jet energy scale and resolution measured in protonproton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	11
609	Measurements of the inclusive and differential production cross sections of a top-quarkIntiquark pair in association with a Z boson at (sqrt{s} = 13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
608	Search for dark matter produced in association with a single top quark in (sqrt{s}=13) TeV (pp) collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	4
607	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at (sqrt{mathrm{s}}) = 13 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	2
606	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
605	Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	О
604	Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	O
603	Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV using displaced vertices in the ATLAS inner detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	О
602	Search for charginoBeutralino pair production in final states with three leptons and missing transverse momentum in \$\$sqrt{s} = 13\$\$DeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
601	Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021 , 81, 1	4.2	1
600	Measurement of b-quark fragmentation properties in jets using the decay $BH \rightarrow J/KH$ in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021 , 2021, 1	5.4	O
599	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using (sqrt{s}) = 13 TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	7
598	Higgs boson production cross-section measurements and their EFT interpretation in the (4ell) decay channel at (sqrt{s}=)13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	12

(2020-2020)

597	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in (sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
596	Constraining Stealth SUSY with illuminated fat jets at the LHC. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2020 , 801, 135151	4.2	O
595	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb ¹ of data collected with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
594	Search for dijet resonances in events with an isolated charged lepton using (sqrt{s}) = 13 TeV proton-proton collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
593	Measurement of the Z(-> \blacksquare The production cross-section in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
592	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at (sqrt{s}=8) and 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3
591	Transverse momentum and process dependent azimuthal anisotropies in (sqrt{s_{mathrm {NN}}}=8.16) TeV p+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
590	Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	30
589	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in (sqrt{s}=13) (text {TeV}) pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1	4.2	50
588	Search for top squarks in events with a Higgs or Z boson using 139 fb(^{-1}) of pp collision data at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	1
587	Evidence for (tbar{t}tbar{t}) production in the multilepton final state in protonproton collisions at (sqrt{s}=13) (text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
586	Search for heavy diboson resonances in semileptonic final states in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	4
585	Search for light long-lived neutral particles produced in pp collisions at (sqrt{s} = 13~mathrm {TeV}) and decaying into collimated leptons or light hadrons with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8
584	Search for a scalar partner of the top quark in the all-hadronic (t{bar{t}}) plus missing transverse momentum final state at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	17
583	Fast simulation of detector effects in Rivet. SciPost Physics, 2020, 8,	6.1	6
582	Reinterpretation of LHC Results for New Physics: Status and recommendations after Run 2. <i>SciPost Physics</i> , 2020 , 9,	6.1	17
581	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1	4.2	4
580	Determination of jet calibration and energy resolution in proton β roton collisions at (sqrt{s} = 8~hbox {TeV}) using the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	3

579	Measurement of J/[production in association with a W∃ boson with pp data at 8 TeV. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	4
578	Search for new resonances in mass distributions of jet pairs using 139 fb1 of pp collisions at (sqrt{mathrm{s}}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	20
577	Search for (toverline $\{t\}$) resonances in fully hadronic final states in pp collisions at (sqrt $\{s\}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	6
576	Reconstruction and identification of boosted di-Bystems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	3
575	Measurements of inclusive and differential cross-sections of combined (toverline{t}gamma) and tW[production in the elchannel at 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
574	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	8
573	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	9
572	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the 4(ell) decay channel at (sqrt{s}) = 13 TeV. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	9
571	Fluctuations of anisotropic flow in Pb+Pb collisions at (sqrt{{mathrm{s}}_{mathrm{NN}}}) = 5.02 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	13
570	Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in (pp) collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	13
569	Measurement of differential cross sections for single diffractive dissociation in ($sqrt{s}$) = 8 TeV pp collisions using the ATLAS ALFA spectrometer. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
568	Measurement of isolated-photon plus two-jet production in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	2
567	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at ($sqrt{s}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
566	Search for the HH -> (boverline{b}boverline{b}) process via vector-boson fusion production using proton-proton collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
565	Observation of the associated production of a top quark and a Z boson in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	5
564	Measurement of the transverse momentum distribution of DrellMan lepton pairs in protonproton collisions at (sqrt{s}=13,)TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	7
563	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020 , 2020, 1	5.4	1
562	Measurements of top-quark pair spin correlations in the (emu) channel at (sqrt{s} = 13) TeV using pp collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2020 , 80, 1	4.2	8

561	Measurement of the cross-section and charge asymmetry of W bosons produced in proton collisions at (sqrt{s}=8~text {TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	11	
560	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at ($sqrt{s}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8	
559	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton β roton collision data at (sqrt{s} = 13) (text {TeV}). European Physical Journal C, 2019 , 79, 1	4.2	37	
558	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $(\sqrt{s}) = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2	
557	Search for single production of vector-like quarks decaying into Wb in pp collisions at ($sqrt{s}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	14	
556	Search for top-quark decays $t \rightarrow Hq$ with 36 fb1 of pp collision data at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	13	
555	Measurement of VH, (mathrm{H}to mathrm{b}overline{mathrm{b}}) production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8	
554	Measurements of W and Z boson production in pp collisions at (sqrt{s}=5.02) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	12	
553	Performance of top-quark and (varvec{W})-boson tagging with ATLAS in Run 2 of the LHC. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	19	
552	Measurements of inclusive and differential fiducial cross-sections of (tbar{t}gamma) production in leptonic final states at (sqrt{s}=13~text {TeV}) in ATLAS. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	7	
551	Electron and photon energy calibration with the ATLAS detector using 2015 2 016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019 , 14, P03017-P03017	1	25	
550	Probing underlying event in Z-boson events using event shape observables. <i>International Journal of Modern Physics A</i> , 2019 , 34, 1950022	1.2	3	
549	Search for doubly charged scalar bosons decaying into same-sign boson pairs with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 58	4.2	20	
548	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21	
547	In situ calibration of large-radius jet energy and mass in 13 TeV protonBroton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16	
546	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	26	
545	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at (sqrt{s}) = 13 and 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	5	
544	Measurement of the top quark mass in the (tbar{t}rightarrow) lepton+jets channel from (sqrt{s}=8) TeV ATLAS data and combination with previous results. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	24	

543	Search for pair production of Higgs bosons in the (boverline{b}boverline{b}) final state using proton-proton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31
542	Constraints on mediator-based dark matter and scalar dark energy models using (sqrt{s}) = 13 TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	31
541	Search for long-lived neutral particles in pp collisions at ($\{\text{sqrt}\{s\}\} = 13 \sim \{\text{text} \{\text{TeV}\}\}\)$) that decay into displaced hadronic jets in the ATLAS calorimeter. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	18
540	Search for Higgs boson pair production in the WW(*)WW(*) decay channel using ATLAS data recorded at (sqrt{mathrm{s}}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
539	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at (sqrt $\{s\}$) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
538	Measurement of (W^{pm }Z) production cross sections and gauge boson polarisation in pp collisions at ($sqrt{s} = 13\sim text {TeV}$) with the ATLAS detector. European Physical Journal C, 2019 , 79, 1	4.2	20
537	Searches for third-generation scalar leptoquarks in (sqrt{s}) = 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	18
536	Search for scalar resonances decaying into HIn events with and without b-tagged jets produced in proton-proton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	8
535	Search for diboson resonances in hadronic final states in 139 fb 1 of pp collisions at (sqrt{s}) = 13 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	10
534	Search for excited electrons singly produced in proton β roton collisions at \$\$sqrt{s} ~=~13~text {Te}text {V}\$\$ with the ATLAS experiment at the LHC. European Physical Journal C, 2019 , 79,	4.2	3
533	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at 13[\$\$text {TeV}\$\$. European Physical Journal C, 2019, 79,	4.2	11
532	Measurement of $\$K_S^0$ and $\$Lambda^0$ production in $\$Lambda^0$ dileptonic events in pp collisions at $\$sqrt{s} = \7 TeV with the ATLAS detector. European Physical Journal C, 2019 , 79, 1	4.2	3
531	Measurement of the inclusive isolated-photon cross section in pp collisions at (sqrt{s}) = 13 TeV using 36 fbfl of ATLAS data. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
530	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	14
529	Measurement of the top-quark mass in (toverline $\{t\}$) + 1-jet events collected with the ATLAS detector in pp collisions at (sqrt $\{s\}$) = 8 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	12
528	Measurement of fiducial and differential (W $^+$ W $^-$) production cross-sections at (sqrt{s}=13) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	16
527	Measurement of ZZ production in the Ifinal state with the ATLAS detector in pp collisions at (sqrt{s}) = 13 TeV. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	2
526	Measurement of (W^{pm })-boson and Z-boson production cross-sections in pp collisions at (sqrt{s}=2.76) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	2

(2018-2019)

525	Measurement of the inclusive cross-section for the production of jets in association with a Z boson in protonproton collisions at 8 TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	4
524	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	21
523	Measurement of (W^pm) boson production in Pb+Pb collisions at $(\sqrt{s_{mathrm{NN}}}) = 5.02$ ~text {Te}text {V}) with the ATLAS detector. European Physical Journal C, 2019 , 79, 1	4.2	7
522	ATLAS b-jet identification performance and efficiency measurement with (t{bar{t}}) events in pp collisions at (sqrt{s}=13) TeV. <i>European Physical Journal C</i> , 2019 , 79, 1	4.2	43
521	Measurement of flow harmonics correlations with mean transverse momentum in leadlead and protonlead collisions at (sqrt{s_{mathrm{NN}}} = 5.02~hbox {TeV}) with the ATLAS detector. European Physical Journal C, 2019, 79, 1	4.2	16
520	Measurements of top-quark pair differential and double-differential cross-sections in the (ell)+jets channel with pp collisions at (sqrt{s}=13) TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1	4.2	13
519	Jet substructure at the Large Hadron Collider. Reviews of Modern Physics, 2019, 91,	40.5	66
518	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. <i>Journal of High Energy Physics</i> , 2019 , 2019, 1	5.4	7
517	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in 36 fbd of pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	81
516	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at (sqrt{s}=13) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	10
515	Measurement of the -boson mass in pp collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 110	4.2	59
514	Search for new phenomena in high-mass final states with a photon and a jet from collisions at = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 102	4.2	7
513	Search for the direct production of charginos and neutralinos in final states with tau leptons in collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 154	4.2	23
512	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at and 5.02 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 142	4.2	35
511	Measurement of quarkonium production in proton-lead and proton-proton collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 171	4.2	35
510	Measurement of differential cross-sections of a single top quark produced in association with a boson at with ATLAS. <i>European Physical Journal C</i> , 2018 , 78, 186	4.2	5
509	Search for heavy resonances in the and final states using proton-proton collisions at Dwith the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 293	4.2	41
508	A search for pair-produced resonances in four-jet final states at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 250	4.2	28

507	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb1 of (sqrt{s}=13) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	26
506	Search for heavy resonances decaying into in the final state in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 24	4.2	47
505	Direct top-quark decay width measurement in the lepton+jets channel at with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 129	4.2	11
504	Search for W W/W Z resonance production in Eqq final states in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
503	Measurement of the Higgs boson coupling properties in the H -> ZZ^* -> $4D$ decay channel at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	36
502	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	12
501	Search for dark matter produced in association with bottom or top quarks in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 18	4.2	32
500	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 199	4.2	55
499	Measurement of polarisation in decays in proton-proton collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 163	4.2	3
498	Searches for heavy ZZ and ZW resonances in the 🏻 q and 🔻 q final states in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	17
497	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23
496	Measurement of differential cross sections and W+/Wltross-section ratios for W boson production in association with jets at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	7
495	Measurement of the W-boson mass in pp collisions at (sqrt{s}=7, hbox {TeV}) with the ATLAS detector 2018 , 78, 1		1
494	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using protonproton collisions at (sqrt{s}=13,text {TeV}) 2018 , 78, 1		1
493	Measurement of the Observables Sensitive to Underlying Event. <i>Advanced Series on Directions in High Energy Physics</i> , 2018 , 227-266	0	
492	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in 36 fb1 of (sqrt{s}=13) TeV pp collisions with the ATLAS detector 2018 , 2018, 1		1
491	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the H -> aa -> 4b channel in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	14
490	Measurement of the (Zgamma to nu overline{nu}gamma) production cross section in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics 2018, 2018, 1	5.4	6

489	Prompt and non-prompt elliptic flow in Pb+Pb collisions at Tev with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 784	4.2	8	
488	Search for Higgs boson pair production in the channel using collision data recorded at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 1007	4.2	21	
487	Measurement of colour flow using jet-pull observables in events with the ATLAS experiment at. <i>European Physical Journal C</i> , 2018 , 78, 847	4.2	5	
486	Searching for leptoquarks at IceCube and the LHC. <i>Physical Review D</i> , 2018 , 98,	4.9	24	
485	Angular analysis of B 0 d -> K*\delta cays in pp collisions at (sqrt\{s\}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	44	
484	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in 36 fb of collisions at TeV with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 401	4.2	23	
483	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	15	
482	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at (sqrt{s}=13) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	4	
481	Search for Higgs boson pair production in the (upgamma upgamma boverline{b}) final state with 13 TeV pp collision data collected by the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	23	
480	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	21	
479	Measurement of the azimuthal anisotropy of charged particles produced in = 5.02 TeV Pb+Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 997	4.2	21	
478	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at. <i>European Physical Journal C</i> , 2018 , 78, 903	4.2	66	
477	Search for electroweak production of supersymmetric particles in final states with two or three leptons at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 995	4.2	49	
476	Search for charged Higgs bosons decaying into top and bottom quarks at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	39	
475	Operation and performance of the ATLAS Tile Calorimeter in Run . <i>European Physical Journal C</i> , 2018 , 78, 987	4.2	13	
474	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	28	
473	Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	16	
472	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb[] of (sqrt{s}=13) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	33	

471	Search for long-lived charginos based on a disappearing-track signature in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	48
470	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	9
469	Search for charged Higgs bosons decaying via H\(\textit{\alpha}\) -> \(\textit{\alpha}\) in the \(\textit{\alpha}\) jets and \(\textit{\alpha}\) lepton final states with 36 fb\(\textit{\alpha}\) of pp collision data recorded at (sqrt\{s\}=13) TeV with the ATLAS experiment. \(\textit{Journal of High Energy Physics}\), 2018, 2018, 1	5.4	33
468	Prompt and non-prompt and suppression at high transverse momentum in Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018 , 78, 762	4.2	23
467	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	22
466	Search for exclusive Higgs and Z boson decays to ?land liwith the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	6
465	Measurements of b-jet tagging efficiency with the ATLAS detector using (toverline{t}) events at (sqrt{s}=13) TeV. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	31
464	Search for flavour-changing neutral current top-quark decays t -> qZ in proton-proton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	8
463	Measurement of the inclusive and fiducial production cross-sections in the lepton+jets channel in collisions at with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 487	4.2	5
462	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at \(\text{\text{\text{with}}} \) the ATLAS detector. \(\text{\text{\text{\text{\text{European Physical Journal C}}}} \) 2018 , 78, 565	4.2	34
461	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in [collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2018 , 78, 625	4.2	15
460	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018 , 2018, 1	5.4	101
459	Measurement of the [Formula: see text] and [Formula: see text] production cross sections in multilepton final states using 3.2 fb[Formula: see text] of [Formula: see text] collisions at [Formula: see text] = 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 40	4.2	14
458	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 -collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 26	4.2	22
457	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
456	Measurement of jet activity produced in top-quark events with an electron, a muon and two -tagged jets in the final state in collisions at [Formula: see text] TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220	4.2	5
455	Measurement of the boson polarisation in [Formula: see text] events from collisions at [Formula: see text] = 8 TeV in the lepton [] [Jets channel with ATLAS. European Physical Journal C, 2017, 77, 264	4.2	19
454	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2017 , 77, 195	4.2	61

(2017-2017)

453	Measurements of top-quark pair differential cross-sections in the [Formula: see text] channel in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 292	4.2	13	
452	Performance of algorithms that reconstruct missing transverse momentum in [Formula: see text]= 8 TeV proton-proton collisions in the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 241	4.2	38	
45 ¹	Measurement of the prompt /[Formula: see text] pair production cross-section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 76	4.2	47	
450	Search for triboson [Formula: see text] production in collisions at [Formula: see text] [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 141	4.2	13	
449	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. <i>European Physical Journal C</i> , 2017 , 77, 490	4.2	177	
448	Fiducial, total and differential cross-section measurements of -channel single top-quark production in collisions at 8TeV using data collected by the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 531	4.2	27	
447	Measurements of electroweak [Formula: see text] production and constraints on anomalous gauge couplings with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 474	4.2	14	
446	Jet reconstruction and performance using particle flow with the ATLAS Detector. <i>European Physical Journal C</i> , 2017 , 77, 466	4.2	42	
445	Measurement of multi-particle azimuthal correlations in pp, pl-Pb and low-multiplicity Pbl-Pb collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 428	4.2	48	
444	Measurement of inclusive and differential cross sections in the H -> ZZ * -> 4decay channel in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	25	
443	Measurement of lepton differential distributions and the top quark mass in production in collisions at TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 804	4.2	11	
442	Measurement of the (toverline{t}gamma) production cross section in proton-proton collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7	
441	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6	
440	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017 , 77, 673	4.2	33	
439	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text][Formula: see text][Formula: see text] text] collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144	4.2	8	
438	Measurement of the ZZ production cross section in proton-proton collisions at (sqrt{s}=8) TeV using the ZZ -> ⊞22+ and (ZZto {ell}^{-}{ell}^{+}nu overline{nu}) decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1	5.4	9	
437	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	11	
436	Measurements of [PS] and X(3872) -> J/III III production in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	15	

435	Measurements of top-quark pair to Z-boson cross-section ratios at (sqrt{s}=13), 8, 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
434	Search for lepton-flavour-violating decays of the Higgs and bosons with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 70	4.2	52
433	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317	4.2	272
432	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 332	4.2	29
431	Measurements of the production cross section of a [Formula: see text] boson in association with jets in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 361	4.2	26
430	Precision measurement and interpretation of inclusive, and production cross sections with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 367	4.2	56
429	Measurement of jet fragmentation in Pb+Pb and collisions at TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2017 , 77, 379	4.2	35
428	Search for dark matter at [Formula: see text] in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 393	4.2	52
427	Measurement of charged-particle distributions sensitive to the underlying event in (sqrt{s}=13) TeV proton-proton collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	9
426	Search for direct top squark pair production in final states with two leptons in TeV collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 898	4.2	19
425	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in (sqrt{s}=13) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
424	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in collisions at TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 765	4.2	10
423	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	5
422	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	13
421	Measurement of the inclusive jet cross-sections in proton-proton collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
420	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in (sqrt{s}=13) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	27
419	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 580	4.2	16
418	Measurement of production with the hadronically decaying boson reconstructed as one or two jets in collisions at with ATLAS, and constraints on anomalous gauge couplings. <i>European Physical Journal C</i> , 2017 , 77, 563	4.2	15

417	Systematics of quark/gluon tagging. Journal of High Energy Physics, 2017, 2017, 1	5.4	55
416	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using (sqrt{s}=13) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
415	Searches for the Zīdecay mode of the Higgs boson and for new high-mass resonances in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	20
414	Studies of Z[production in association with a high-mass dijet system in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
413	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at (sqrt{s}=13) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
412	Search for top quark decays t -> qH, with H -> []in (sqrt{s}=13) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
411	Study of and production in collisions at and search for anomalous quartic gauge couplings with the ATLAS experiment. <i>European Physical Journal C</i> , 2017 , 77, 646	4.2	11
410	Measurements of top quark spin observables in (toverline{t}) events using dilepton final states in (sqrt{s}=8) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	12
409	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	8
408	Top-quark mass measurement in the all-hadronic (toverline{t}) decay channel at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	6
407	Measurement of the Drell-Yan triple-differential cross section in pp collisions at (sqrt{s}=8) TeV. Journal of High Energy Physics, 2017, 2017, 1	5.4	16
406	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	30
405	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fbd of (sqrt{s}=13) TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	22
404	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1	5.4	29
403	Measurement of the k t splitting scales in Z -> Devents in pp collisions at ($sqrt{s}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	3
402	Analysis of the Wtb vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	7
401	Evidence for the (Hto boverline{b}) decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	50
400	Search for new high-mass phenomena in the dilepton final state using 36 fb 1 of proton-proton collision data at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017 , 2017, 1	5.4	126

399	Determination of the strong coupling constant from transverse energy-energy correlations in multijet events at using the ATLAS detector. <i>European Physical Journal C</i> , 2017 , 77, 872	4.2	19
398	A heavy scalar of mass 270 GeV and its possible connection to the 750 GeV excess. <i>Journal of Physics: Conference Series</i> , 2017 , 802, 012001	0.3	1
397	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 295	4.2	28
396	Performance of pile-up mitigation techniques for jets in [Formula: see text] collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 581	4.2	148
395	Measurement of the charged-particle multiplicity inside jets from [Formula: see text][Formula: see text][collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 322	4.2	35
394	Measurement of jet activity in top quark events using the elfinal state with two b-tagged jets in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	4
393	Measurement of the transverse momentum and [Formula: see text] distributions of Drell-Yan lepton pairs in proton-proton collisions at [Formula: see text][TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291	4.2	63
392	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to WW *->elwith the ATLAS detector at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
391	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
390	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in (sqrt{s}=8) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10
389	Identification of high transverse momentum top quarks in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	13
388	A search for an excited muon decaying to a muon and two jets inppcollisions at \$sqrt{s};=;8;{rm{TeV}}\$ with the ATLAS detector. <i>New Journal of Physics</i> , 2016 , 18, 073021	2.9	1
387	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. <i>Journal of Instrumentation</i> , 2016 , 11, P05013-P05013	1	8
386	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 538	4.2	48
385	Measurement of the differential cross-sections of prompt and non-prompt production of [Formula: see text] and [Formula: see text] in collisions at [Formula: see text] and 8☐ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283	4.2	42
384	Luminosity determination in collisions at [Formula: see text] = 8 TeV using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 653	4.2	188
383	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at [Formula: see text] TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683	4.2	7
382	Addendum to Measurement of the (tbar{t}) production cross-section using (emu) events with b-tagged jets in pp collisions at (sqrt{s}) = 7 and 8 (,mathrm{TeV}) with the ATLAS detector European Physical Journal C, 2016, 76, 1	4.2	13

381	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20	
380	Searches for heavy diboson resonances in pp collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	20	
379	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in (sqrt{s}=8) TeV proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	16	
378	Phenomenological signatures of additional scalar bosons at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 1	4.2	49	
377	Search for the Standard Model Higgs boson decaying into (boverline{b}) produced in association with top quarks decaying hadronically in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1	5.4	16	
376	Measurement of the CP-violating phase ? s and the B 0 s meson decay width difference with B 0 s -> J/🛮 decays in ATLAS. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	10	
375	Search for squarks and gluinos in final states with jets and missing transverse momentum at [Formula: see text] =13 [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 392	4.2	53	
374	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	24	
373	A search for prompt lepton-jets in pp collisions at (sqrt{mathrm{s}}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	22	
372	Search for new phenomena with photon+jet events in proton-proton collisions at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12	
371	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 199	4.2	39	
370	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12	
369	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	14	
368	Search for strong gravity in multijet final states produced in pp collisions at (sqrt{s}=13) TeV using the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	12	
367	Identification of boosted, hadronically decaying bosons and comparisons with ATLAS data taken at [Formula: see text][TeV. European Physical Journal C, 2016, 76, 154	4.2	44	
366	Search for new phenomena in events with at least three photons collected in collisions at [Formula: see text] = 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 210	4.2	53	
365	Probing lepton flavour violation via neutrinoless [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 232	4.2	12	
364	A new method to distinguish hadronically decaying boosted bosons from bosons using the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 238	4.2	6	

363	Search for supersymmetry at [Formula: see text] TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 259	4.2	48
362	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	45
361	Search for anomalous couplings in the W tb vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1-46	5.4	12
360	Searches for scalar leptoquarks in collisions at [Formula: see text] = 8[TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5	4.2	68
359	Measurements of the Higgs boson production and decay rates and coupling strengths using collision data at [Formula: see text] and 8TeV in the ATLAS experiment. <i>European Physical Journal C</i> , 2016 , 76, 6	4.2	185
358	Measurements of fiducial cross-sections for [Formula: see text] production with one or two additional -jets in collisions at [Formula: see text]=8 TeV lusing the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 11	4.2	21
357	Study of the [Formula: see text] and [Formula: see text] decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 4	4.2	13
356	Search for an additional, heavy Higgs boson in the [Formula: see text] decay channel at [Formula: see text] in [Formula: see text] collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 45	4.2	152
355	Search for single top-quark production via flavour-changing neutral currents at 8 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 55	4.2	28
354	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at (sqrt{s}=8,mathrm TeV{}) with the ATLAS detector 2016 , 76, 1		1
353	Study of hard double-parton scattering in four-jet events in pp collisions at (sqrt{s}=7) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	21
352	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in (sqrt{s}=8) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	8
351	Measurement of event-shape observables in [Formula: see text] events in collisions at [Formula: see text][Formula: see text] with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375	4.2	5
350	Charged-particle distributions in interactions at [Formula: see text] measured with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 403	4.2	19
349	Charged-particle distributions at low transverse momentum in [Formula: see text] TeV interactions measured with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016 , 76, 502	4.2	37
348	Search for bottom squark pair production in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 547	4.2	25
347	Search for minimal supersymmetric standard model Higgs Bosons [/□and for a [Formula: see text] boson in the [Formula: see text] final state produced in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 585	4.2	28
346	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016 , 76, 666	4.2	53

345	Measurement of the [Formula: see text] dijet cross section in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 670	4.2	7
344	The performance of the jet trigger for the ATLAS detector during 2011 data taking. <i>European Physical Journal C</i> , 2016 , 76, 526	4.2	16
343	Search for new phenomena in different-flavour high-mass dilepton final states in collisions at [Formula: see text] Tev with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 541	4.2	7
342	Search for the Higgs boson produced in association with a boson and decaying to four -quarks via two spin-zero particles in collisions at 13 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 605	4.2	16
341	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at [Formula: see text]=13[TeV. European Physical Journal C, 2016, 76, 292	4.2	263
340	Test of CP invariance in vector-boson fusion production of the Higgs boson using the method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 658	4.2	26
339	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at [Formula: see text] = 13 Te V with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 565	4.2	20
338	Measurement of the inclusive isolated prompt photon cross section in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	25
337	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	59
336	Search for flavour-changing neutral current top-quark decays to [Formula: see text] in [Formula: see text] collision data collected with the ATLAS detector at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2016 , 76, 12	4.2	16
335	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in collision data at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 87	4.2	18
334	Search for direct top squark pair production in final states with two tau leptons in collisions at [Formula: see text][TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 81	4.2	7
333	Search for charged Higgs bosons in the H \oplus -> tb decay channel in pp collisions at (sqrt{s}=8) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	33
332	Study of the rare decays of [Formula: see text] and [Formula: see text] into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 513	4.2	27
331	Search for supersymmetry in a final state containing two photons and missing transverse momentum in [Formula: see text]	4.2	17
330	Search for resonances in diphoton events at (sqrt{s}=13) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	49
329	Search for single production of vector-like quarks decaying into in collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016 , 76, 442	4.2	24
328	Measurement of the relative width difference of the ({B}^0hbox{-} {overline{B}}^0) system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016 , 2016, 1	5.4	5

327	Jet energy measurement and its systematic uncertainty in proton-proton collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 17	4.2	194
326	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 79	4.2	21
325	Search for resonant diboson production in the [Formula: see text] final state in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69	4.2	62
324	Measurements of the [Formula: see text] production cross sections in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 82	4.2	54
323	Search for dark matter in events with heavy quarks and missing transverse momentum in [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 92	4.2	60
322	Measurement of the (toverline{t}) production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
321	Measurement of the W W + W Z cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	12
320	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	29
319	Search for the (boverline{b}) decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	64
318	Measurement of the inclusive jet cross-section in proton-proton collisions at (sqrt{s}=7) TeV using 4.5 fb[] of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	27
317	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with (sqrt{s}=8) TeV pp collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	45
316	Search for charged Higgs bosons decaying via H \oplus -> \boxplus \Box n fully hadronic final states using pp collision data at (sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	56
315	Search for production of [Formula: see text] resonances decaying to a lepton, neutrino and jets in [Formula: see text] collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 209	4.2	73
314	Performance of the ATLAS muon trigger in pp collisions at [Formula: see text] TeV. <i>European Physical Journal C</i> , 2015 , 75, 120	4.2	51
313	Search for Higgs boson pair production in the [Formula: see text] final state from collisions at [Formula: see text] TeVwith the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 412	4.2	66
312	Determination of spin and parity of the Higgs boson in the [Formula: see text] decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 231	4.2	15
311	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in collisions at [Formula: see text]TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 299	4.2	202
310	Search for a new resonance decaying to a or boson and a Higgs boson in the [Formula: see text] final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 263	4.2	46

309	Measurement of three-jet production cross-sections in [Formula: see text] collisions at 7[[Formula: see text] centre-of-mass energy using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 228	4.2	18
308	Constraints on the off-shell Higgs boson signal strength in the high-mass and final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 335	4.2	56
307	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in collisions at [Formula: see text][Formula: see text]. <i>European Physical Journal C</i> , 2015 , 75, 303	4.2	49
306	Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 476	4.2	104
305	Observation and measurements of the production of prompt and non-prompt [Formula: see text] mesons in association with a [Formula: see text] boson in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 229	4.2	38
304	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into [Formula: see text] in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 349	4.2	94
303	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in [Formula: see text] [FeV collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318	4.2	44
302	Search for heavy long-lived multi-charged particles in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 362	4.2	22
301	Two-particle Bose-Einstein correlations in collisions at [Formula: see text] 0.9 and 7 TeV measured with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 466	4.2	28
300	Measurement of the top quark mass in the [Formula: see text] and [Formula: see text] channels using [Formula: see text][Formula: see text] ATLAS data. <i>European Physical Journal C</i> , 2015 , 75, 330	4.2	32
299	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. <i>European Physical Journal C</i> , 2015 , 75, 510	4.2	109
298	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at (sqrt{s}=8) TeV. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	2
297	A search for high-mass resonances decaying to HIIn pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
296	Summary of the ATLAS experiments sensitivity to supersymmetry after LHC Run 1 IInterpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	42
295	Search for lepton-flavour-violating H -> Edecays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015 , 2015, 1	5.4	46
294	Measurement of four-jet differential cross sections in (sqrt{s}=8) TeV proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-76	5.4	5
293	A search for (toverline{t}) resonances using lepton-plus-jets events in proton-proton collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	57
292	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	18

291	Measurement of charged-particle spectra in Pb+Pb collisions at (sqrt{s_{mathrm{NN}}}=2.76) TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	49
290	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	26
289	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	91
288	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-39	5.4	66
287	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at (sqrt{s}=7) TeV in the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	31
286	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at (sqrt{s}=8) TeV. Journal of High Energy Physics, 2015 , 2015, 1	5.4	65
285	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	54
284	Search for new phenomena in events with three or more charged leptons in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
283	Summary of the searches for squarks and gluinos using (sqrt{s}=8) TeV pp collisions with the ATLAS experiment at the LHC. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	55
282	Determination of the top-quark pole mass using (toverline{t}) + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	15
281	Measurement of the (toverline $\{t\}W$) and (toverline $\{t\}Z$) production cross sections in pp collisions at (sqrt $\{s\}=8$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
2 80	Search for flavour-changing neutral current top quark decays t -> Hq in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1-65	5.4	18
279	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	22
278	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	37
277	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	74
276	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at (sqrt{s}=7) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	16
275	Search for [Formula: see text] decays in [Formula: see text] collisions at [Formula: see text] IFB ITeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165	4.2	25
274	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at [Formula: see text]. European Physical Journal C, 2015, 75, 158	4.2	8

(2014-2015)

273	boson in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 208	4.2	50
272	Study of (W/Z)H production and Higgs boson couplings using H-> W W * decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015 , 2015, 1	5.4	14
271	Search for metastable heavy charged particles with large ionisation energy loss in collisions at [Formula: see text] TeV using the ATLAS experiment. <i>European Physical Journal C</i> , 2015 , 75, 407	4.2	18
270	Measurement of the production and lepton charge asymmetry of [Formula: see text] bosons in Pb+Pb collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2015 , 75, 23	4.2	31
269	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at (sqrt{s}=8) TeV with the ATLAS detector 2015 , 75, 1		1
268	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $(\sqrt{s}=8^{-1})$ with the ATLAS detector 2015 , 75, 1		2
267	Measurement of the inclusive jet cross-section in proton-proton collisions at ($sqrt{s}=7$) TeV using 4.5 fb1 of data with the ATLAS detector 2015 , 2015, 1		3
266	Measurement of the top quark pair production charge asymmetry in proton-proton collisions at ($sqrt{s}) = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
265	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
264	The differential production cross section of the [Formula: see text](1020) meson in [Formula: see text] = 7 [FeV [Formula: see text] collisions measured with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2895	4.2	12
263	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 2941	4.2	160
262	Measurement of the underlying event in jet events from 7 (text {TeV}) protonproton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	18
261	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2982	4.2	18
260	Light-quark and gluon jet discrimination in [Formula: see text] collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3023	4.2	46
259	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at (sqrt{s}) = 8 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	14
258	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in (sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	76
257	Measurement of the production cross section of prompt J/ \Box mesons in association with a W \Box boson in pp collisions at (sqrt{s}) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	24
256	Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	17

255	Measurement of the production of a W boson in association with a charm quark in pp collisions at ($sqrt\{s\}$) = 7 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	37
254	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at (sqrt{s}) = 8TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1	5.4	120
253	Search for supersymmetry at $(sqrt\{s\}) = 8$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	39
252	Measurement of the low-mass Drell-Yan differential cross section at ($sqrt{s}$) = 7 TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	18
251	Search for direct top-squark pair production in final states with two leptons in pp collisions at (sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	52
250	Measurement of $\textcircled{E}1$ and $\textcircled{E}2$ production with (sqrt{s}) = 7 TeV pp collisions at ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26
249	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at (sqrt{s}) = 8 TeV. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	6
248	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at (sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	40
247	Boosted objects and jet substructure at the LHC. Report of BOOST2012, held at IFIC Valencia, 23rd 17th of July 2012. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	110
246	Search for direct top squark pair production in events with a [Formula: see text] boson, [Formula: see text]-jets and missing transverse momentum in [Formula: see text] TeV [Formula: see text] collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 2883	4.2	41
245	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	67
244	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2014 , 74, 3130	4.2	166
243	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in [Formula: see text] collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3117	4.2	17
242	A measurement of the ratio of the production cross sections for [Formula: see text] and [Formula: see text] bosons in association with jets with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3168	4.2	16
241	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at (sqrt{s}=8) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	30
240	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fbfl of (sqrt{s}) = 8 TeV proton-proton collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	9
239	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using (sqrt{s}=8) TeV proton-proton collision data. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	108
238	Measurement of the [Formula: see text] production cross-section using [Formula: see text] events with [Formula: see text]-tagged jets in [Formula: see text] collisions at [Formula: see text] and 8 [TeV] with the ATLAS detector. European Physical Journal C, 2014, 74, 3109	4.2	107

237	Reconstructing singly produced top partners in decays to Wb. Physical Review D, 2014, 90,	4.9	7
236	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in (sqrt{s}) = 8 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	54
235	Muon reconstruction efficiency and momentum resolution of the ATLAS experiment in proton-proton collisions at [Formula: see text] TeV in 2010. European Physical Journal C, 2014, 74, 3034	4.2	45
234	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. <i>European Physical Journal C</i> , 2014 , 74, 1	4.2	160
233	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at [Formula: see text] [8] TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134	4.2	31
232	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3157	4.2	52
231	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in [Formula: see text] TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014 , 74, 3195	4.2	21
230	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at (sqrt{s}) = 8 TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	36
229	Measurement of the production cross-section of (\D S) -> J/(\P -> \D	5.4	16
228	Measurement of the Z/I* boson transverse momentum distribution in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	79
227	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at (sqrt{s} = 8) TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	31
226	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	26
225	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	38
224	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at (sqrt{s}=8) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014 , 2014, 1	5.4	29
223	Measurement of the (toverline $\{t\}$) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at (sqrt $\{s\}$ =7) and 8 TeV with the ATLAS detector 2014 , 74, 1		2
222	Measurement of the production cross section of jets in association with a Z boson in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	50
221	Measurement of the cross-section for W boson production in association with b-jets in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	34
220	Search for third generation scalar leptoquarks in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	30

219	Search for dark matter candidates and large extra dimensions in events with a jet and missing transverse momentum with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	124
218	Measurement of ZZ production in pp collisions at (sqrt{s}=7) TeV and limits on anomalous ZZZ and ZZIŁouplings with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	45
217	Search for charged Higgs bosons through the violation of lepton universality in (toverline{t}) events using pp collision data at (sqrt{s}=7) TeV with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	14
216	Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	47
215	Measurement of splitting scales in -> events at [Formula: see text] with the ATLAS detector. European Physical Journal C, 2013 , 73, 2432	4.2	8
214	Search for a light charged Higgs boson in the decay channel [Formula: see text] in [Formula: see text] events using collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2465	4.2	76
213	Search for direct third-generation squark pair production in final states with missing transverse momentum and two b-jets in (sqrt{s}=8) TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	92
212	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum at (sqrt{s}=8) TeV proton-proton collisions using the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	64
211	Measurement of the differential cross-section of B + meson production in pp collisions at (sqrt{s}=7) TeV at ATLAS. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	24
210	Performance of jet substructure techniques for large-R jets in proton-proton collisions at (sqrt{s}=7) TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	43
209	Improved luminosity determination in collisions at [Formula: see text] using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2518	4.2	276
208	Measurement of the inclusive jet cross-section in collisions at [Formula: see text] and comparison to the inclusive jet cross-section at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2509	4.2	71
207	Multi-channel search for squarks and gluinos in [Formula: see text] collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 2362	4.2	25
206	Jet energy measurement with the ATLAS detector in proton-proton collisions at (sqrt{mathrm{s}}=7 mathrm{TeV}). European Physical Journal C, 2013 , 73, 1	4.2	209
205	Measurement of jet shapes in top-quark pair events at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2676	4.2	18
204	Measurement of the distributions of event-by-event flow harmonics in lead-lead collisions at (sqrt{{{s_{NN }}}}) = 2.76 TeV with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	143
203	Measurement of the top quark charge in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1	5.4	15
202	ATLAS search for new phenomena in dijet mass and angular distributions using pp collisions at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	72

201	Measurement of isolated-photon pair production in pp collisions at (sqrt{s}=7;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	44	
200	Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at (sqrt{s}=7) TeV. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	55	
199	Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at (sqrt{s}=7;mathrm{TeV}) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013 , 2013, 1	5.4	15	
198	Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at (sqrt{s} = 7 mbox{TeV}). <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	55	
197	Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton β roton collisions at (sqrt{s} = 7 mbox{TeV}). European Physical Journal C, 2013 , 73, 1	4.2	44	
196	Measurement of the flavour composition of dijet events in pp collisions at (sqrt{s}=7 mbox{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	12	
195	Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013 , 73, 1	4.2	41	
194	Jet energy resolution in proton-proton collisions at [Formula: see text] recorded in 2010 with the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2306	4.2	153	
193	Measurement of the [Formula: see text] production cross section in the tau + jets channel using the ATLAS detector. <i>European Physical Journal C</i> , 2013 , 73, 2328	4.2	30	
192	Search forWHproduction with a light Higgs boson decaying to prompt electron-jets in protonproton collisions at \$sqrt {s}=7\$ TeV with the ATLAS detector. <i>New Journal of Physics</i> , 2013 , 15, 043009	2.9	15	
191	Search for decays of stopped, long-lived particles from 7 TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	14	
190	Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at (sqrt{s} = 7 mbox{TeV}) with the ATLAS experiment. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	31	
189	Measurement of the charge asymmetry in top quark pair production in collisions at [Formula: see text] using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2039	4.2	78	
188	Search for lepton flavour violation in the continuum with the ATLAS detector in [Formula: see text] collisions at the LHC. <i>European Physical Journal C</i> , 2012 , 72, 2040	4.2	10	
187	Measurement of the top quark mass with the template method in the [Formula: see text] channel using ATLAS data. <i>European Physical Journal C</i> , 2012 , 72, 2046	4.2	42	
186	Search for heavy neutrinos and right-handed bosons in events with two leptons and jets in collisions at [Formula: see text] with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2056	4.2	78	
185	Measurement of polarization in -> decays with the ATLAS detector in collisions at [Formula: see text]. European Physical Journal C, 2012, 72, 2062	4.2	17	
184	Measurement of the cross section for top-quark pair production in pp collisions at (sqrt {s} = {7},{text{TeV}}) with the ATLAS detector using final states with two high-p T leptons. <i>Journal of High Energy Physics</i> 2012 2012 1	5.4	43	

183	Jet mass and substructure of inclusive jets in ($sqrt {s} = 7;{text{TeV}}$) pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	67
182	Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	10
181	Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in 4.7 fb of (sqrt {s} = 7;TeV) proton-proton collisions. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	48
180	A search for (toverline t) resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at (sqrt $\{s\} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	39
179	Search for the Standard Model Higgs boson in the H -> \square \square decay mode in (sqrt {s} = 7,{mathrm{TeV}}) pp collisions with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	37
178	A search for flavour changing neutral currents in top-quark decays in pp collision data collected with the ATLAS detector at (sqrt{s}=7;TeV). <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	31
177	Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at (sqrt{s}=7) TeV with ATLAS. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	11
176	Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	53
175	Search for high-mass resonances decaying to dilepton final states in pp collisions at (sqrt{s}=7) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	49
174	Search for anomalous production of prompt like-sign lepton pairs at (sqrt{s}=7;mathrm{TeV}) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	16
173	Search for pair production of massive particles decaying into three quarks with the ATLAS detector in (sqrt{s}=7;mathrm{TeV}) pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	45
172	Search for R-parity-violating supersymmetry in events with four or more leptons in (sqrt{s}=7;mathrm{TeV}) pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	13
171	Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	199
170	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $(sqrt\{s\} = 7 mbox\{\sim TeV\})$. European Physical Journal C, 2012 , 72, 1	4.2	70
169	Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at (sqrt{s} = 7~mathrm{TeV}). European Physical Journal C, 2012, 72, 1	4.2	13
168	Measurement of [Formula: see text] production with a veto on additional central jet activity in collisions at [Formula: see text] TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 2043	4.2	82
167	A search for [Formula: see text] resonances with the ATLAS detector in 2.05 fb of proton-proton collisions at [Formula: see text]. <i>European Physical Journal C</i> , 2012 , 72, 2083	4.2	14
166	Search for second generation scalar leptoquarks in pp collisions at (sqrt{s}=7~mbox{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	35

165	Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	13
164	Measurement of W \oplus Z production in proton-proton collisions at (sqrt{s}=7~mbox{TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	54
163	Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	24
162	Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at (sqrt{mathbf{s}}=7 mathrm{TeV}). European Physical Journal C, 2012, 72, 1	4.2	18
161	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	11
160	Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in (sqrt{s}=7 mathrm{TeV}) protonproton collisions. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	31
159	ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at (sqrt $\{s\}$ = 7 mathrm $\{TeV\}$). European Physical Journal C, 2012 , 72, 1	4.2	34
158	Search for doubly charged Higgs bosons in like-sign dilepton final states at $(sqrt\{s\} = 7 mathrm\{TeV\})$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	104
157	Performance of missing transverse momentum reconstruction in proton-proton collisions at $(sqrt\{s\} = 7 \sim Mox\{TeV\})$ with ATLAS. <i>European Physical Journal C</i> , 2012 , 72, 1	4.2	217
156	Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1	4.2	232
155	Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at (sqrt $\{s\} = \{7\}; \{\text{text}\{\text{TeV}\}\}$) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	34
154	Search for charged Higgs bosons decaying via H \oplus -> \Box n (toverline t) events using pp collision data at (sqrt {s} = 7;TeV) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	112
153	Measurement of the W boson polarization in top quark decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	52
152	Forward-backward correlations and charged-particle azimuthal distributions in pp interactions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012 , 2012, 1	5.4	23
151	Measurement of inclusive jet and dijet cross sections in proton-proton collisions at 7 TeV centre-of-mass energy with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	103
150	Measurement of the top quark-pair production cross section with ATLAS in pp collisions at (sqrt{s}=7) TeV. European Physical Journal C, 2011, 71, 1	4.2	138
149	Studies of the performance of the ATLAS detector using cosmic-ray muons. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	16
148	Luminosity determination in pp collisions at (sqrt{s} = 7) TeV using the ATLAS detector at the LHC. European Physical Journal C, 2011 , 71, 1	4.2	167

147	Measurements of underlying-event properties using neutral and charged particles in pp collisions at (sqrt{s}=900) GeV and (sqrt{s}=7) TeV with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	30
146	Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in (sqrt{s}=7) TeV protonproton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	18
145	Search for supersymmetric particles in events with lepton pairs and large missing transverse momentum in (sqrt{s}=7~mbox{TeV}) protonproton collisions with the ATLAS experiment. European Physical Journal C, 2011, 71, 1	4.2	41
144	Limits on the production of the standard model Higgs boson in pp collisions at (sqrt{s} = 7) TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
143	Search for diphoton events with large missing transverse energy with 36 pbfl of 7 TeV proton proton collision data with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	15
142	Measurement of multi-jet cross sections in protonproton collisions at a 7 TeV center-of-mass energy. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	44
141	Measurement of the jet fragmentation function and transverse profile in protonproton collisions at a center-of-mass energy of 7 TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	51
140	Search for a heavy neutral particle decaying into an electron and a muon using 1 fb 1 of ATLAS data. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	13
139	Search for massive colored scalars in four-jet final states in (sqrt{s}=7~mbox{TeV}) protonproton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	37
138	Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at (sqrt{s}=7mbox{~TeV}) with the ATLAS detector. <i>European Physical Journal C</i> , 2011 , 71, 1	4.2	53
137	Measurement of Whand Zhroduction in proton-proton collisions at (sqrt $\{s\} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	11
136	Inclusive search for same-sign dilepton signatures in pp collisions at (sqrt $\{s\} = 7$) TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	31
135	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using (sqrt {s}) = 7 TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011 , 2011, 1	5.4	60
134	Measurement of the Bilifetime using a simulation free approach for trigger bias correction. <i>Physical Review D</i> , 2011 , 83,	4.9	7
133	Search for R-parity violating decays of sneutrinos to e \square and e \square pairs in pp collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 105, 191801	7.4	17
132	Search for technicolor particles produced in association with a W Boson at CDF. <i>Physical Review Letters</i> , 2010 , 104, 111802	7.4	6
131	Inclusive search for standard model Higgs boson production in the WW decay channel using the CDF II detector. <i>Physical Review Letters</i> , 2010 , 104, 061803	7.4	35
130	Measurement of the Lambdab0 lifetime in Lambdab0> Lambdac+pi- decays in pp collisions at square root of s = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 104, 102002	7.4	24

(2010-2010)

129	Search for the production of scalar bottom quarks in pp collisions at square root(s) = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 105, 081802	7.4	23	
128	Search for pair production of supersymmetric top quarks in dilepton events from pp collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2010 , 104, 251801	7.4	27	
127	Measurement of the W+ W- production cross section and search for anomalous WWIand WWZ couplings in pp collisions at square root(s)=1.96 TeV. <i>Physical Review Letters</i> , 2010 , 104, 201801	7.4	55	
126	Measurement of the WW + WZ production cross section using the lepton + jets final state at CDF II. <i>Physical Review Letters</i> , 2010 , 104, 101801	7.4	21	
125	Exclusion of an exotic top quark with -4/3 electric charge using soft lepton tagging. <i>Physical Review Letters</i> , 2010 , 105, 101801	7.4	14	
124	Measurement of W-boson polarization in Top-Quark Decay in pp collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2010 , 105, 042002	7.4	30	
123	Search for the Higgs boson using neural networks in events with missing energy and b-quark jets in pp collisions at square root(s) = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 104, 141801	7.4	10	
122	First measurement of the b-jet cross section in events with a W boson in pp collisions at square root(s) = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 104, 131801	7.4	32	
121	Measurement of the top quark mass and pp[]->tt[] cross section in the all-hadronic mode with the CDF II detector. <i>Physical Review D</i> , 2010 , 81,	4.9	25	
120	Search for WW and WZ resonances decaying to electron, missing E(T), and two jets in pp collisions at square root(s) = 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 104, 241801	7.4	26	
119	Measurement of the ratio [tt]/[Z/[*}->ll} and precise extraction of the tt cross section. <i>Physical Review Letters</i> , 2010 , 105, 012001	7.4	54	
118	Search for new physics with a dijet plus missing E(T) signature in pp collisions at 🗷 1.96 TeV. <i>Physical Review Letters</i> , 2010 , 105, 131801	7.4	8	
117	Search for supersymmetry with gauge-mediated breaking in diphoton events with missing transverse energy at CDF II. <i>Physical Review Letters</i> , 2010 , 104, 011801	7.4	31	
116	Search for new bottomlike quark pair decays QQ>(tW(+)(-))(tW(+)(-)in same-charge dilepton events. <i>Physical Review Letters</i> , 2010 , 104, 091801	7.4	70	
115	Observation of single top quark production and measurement of Vtb with CDF. <i>Physical Review D</i> , 2010 , 82,	4.9	74	
114	Studying the underlying event in Drell-Yan and high transverse momentum jet production at the Tevatron. <i>Physical Review D</i> , 2010 , 82,	4.9	45	
113	Study of the associated production of photons and b-quark jets in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2010 , 81,	4.9	20	
112	Measurement of Ziproduction in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2010 , 82,	4.9	7	

111	Search for anomalous production of events with two photons and additional energetic objects at CDF. <i>Physical Review D</i> , 2010 , 82,	4.9	12
110	Measurement of the tt□production cross section in pp□collisions at s=1.96 TeV using soft electron b-tagging. <i>Physical Review D</i> , 2010 , 81,	4.9	6
109	Measurement of the top quark mass in the dilepton channel using mT2 at CDF. <i>Physical Review D</i> , 2010 , 81,	4.9	21
108	Measurements of branching fraction ratios and CP asymmetries in B∃->DCPK∃ decays in hadron collisions. <i>Physical Review D</i> , 2010 , 81,	4.9	21
107	Measurements of the top-quark mass using charged particle tracking. <i>Physical Review D</i> , 2010 , 81,	4.9	19
106	Search for single top quark production in pp[] collisions at s=1.96 TeV in the missing transverse energy plus jets topology. <i>Physical Review D</i> , 2010 , 81,	4.9	15
105	Performance of the electronic readout of the ATLAS liquid argon calorimeters. <i>Journal of Instrumentation</i> , 2010 , 5, P09003-P09003	1	25
104	Study of multi-muon events produced in (pbar{p}) interactions at (sqrt{s}=1.96) TeV. <i>European Physical Journal C</i> , 2010 , 68, 109-118	4.2	4
103	Comments and Reply on: Btudy of multi-muon events produced in (pbar{p}) interactions at (sqrt{s}=1.96) TeVIT. Aaltonen et al. (The CDF Collaboration). <i>European Physical Journal C</i> , 2010 , 68, 119-123	4.2	
102	The ATLAS Inner Detector commissioning and calibration. <i>European Physical Journal C</i> , 2010 , 70, 787-82	14.2	70
101	Commissioning of the ATLAS Muon Spectrometer with cosmic rays. <i>European Physical Journal C</i> , 2010 , 70, 875-916	4.2	14
100	The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874	4.2	817
99	Readiness of the ATLAS Tile Calorimeter for LHC collisions. European Physical Journal C, 2010, 70, 1193-	1,2,36	82
98	Performance of the ATLAS detector using first collision data. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	14
97	Measurement of the W -> \Box and Z/\Box -> \Box production cross sections in proton-proton collisions at (sqrt {s} = 7;{text{TeV}}) with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2010 , 2010, 1	5.4	58
96	Search for new color-octet vector particle decaying to . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 691, 183-190	4.2	16
95	Measurement of . <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2010 , 692, 232-239	4.2	63
94	Inclusive search for squark and gluino production in pp[over] collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 121801	7.4	64

(2009-2009)

93	Search for high-mass resonances decaying to dimuons at CDF. <i>Physical Review Letters</i> , 2009 , 102, 09180)57.4	83	
92	First observation of B(s)(0)> D(s)(+/-)K(-/+) and measurement of the ratio of branching fractions B(B(s)(0)> D(s)(+/-)K(-/+)/B(B(s)(0)> D(s)(+)pi(-)). Physical Review Letters, 2009 , 103, 191802	7.4	17	
91	Observation of new charmless decays of bottom hadrons. <i>Physical Review Letters</i> , 2009 , 103, 031801	7.4	40	
90	First observation of vector boson pairs in a hadronic final state at the tevatron collider. <i>Physical Review Letters</i> , 2009 , 103, 091803	7.4	18	
89	Search for Higgs bosons predicted in two-Higgs-doublet models via decays to tau lepton pairs in 1.96 TeV pp collisions. <i>Physical Review Letters</i> , 2009 , 103, 201801	7.4	33	
88	Direct bound on the total decay width of the top quark in pp collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 042001	7.4	15	
87	Search for long-lived massive charged particles in 1.96 TeV pp collisions. <i>Physical Review Letters</i> , 2009 , 103, 021802	7.4	56	
86	Search for maximal flavor violating scalars in same-charge lepton pairs in pp collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 041801	7.4	22	
85	Direct measurement of the W production charge asymmetry in pp collisions at square root s=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 181801	7.4	67	
84	Search for the neutral current top quark decay t->Zc using the ratio of Z-boson+4 jets to W-boson+4 jets production. <i>Physical Review D</i> , 2009 , 80,	4.9	4	
83	Measurement of resonance parameters of orbitally excited narrow B0 mesons. <i>Physical Review Letters</i> , 2009 , 102, 102003	7.4	32	
82	Search for a Higgs boson decaying to two W bosons at CDF. <i>Physical Review Letters</i> , 2009 , 102, 021802	7.4	19	
81	Search for anomalous production of events with a photon, jet, b-quark jet, and missing transverse energy. <i>Physical Review D</i> , 2009 , 80,	4.9	3	
80	Search for exclusive Z-boson production and observation of high-mass pp[over]>pgammagammap[over]>pl;{+}l;{-}p[over] events in pp[over] collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 222002	7.4	54	
79	Search for the production of narrow tb[over] resonances in 1.9 fb;{-1} of pp[over] collisions at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2009 , 103, 041801	7.4	50	
78	Evidence for a narrow near-threshold structure in the J/psivarphi mass spectrum in B;{+}> J/psivarphiK;{+} decays. <i>Physical Review Letters</i> , 2009 , 102, 242002	7·4	211	
77	Measurement of cross sections for b jet production in events with a Z boson in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2009 , 79,	4.9	26	
76	Search for a standard model Higgs boson in WH> lvbb in pp collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2009 , 103, 101802	7.4	30	

75	Precision measurement of the X(3872) mass in J/psi pi(+) pi(-) decays. <i>Physical Review Letters</i> , 2009 , 103, 152001	7.4	71
74	Search for the decays B_{(s)};{0}> e;{+} micro;{-} and B_{(s)};{0}> e;{+} e;{-} in CDF run II. <i>Physical Review Letters</i> , 2009 , 102, 201801	7.4	31
73	Top quark mass measurement in the lepton plus jets channel using a modified matrix element method. <i>Physical Review D</i> , 2009 , 79,	4.9	15
72	Search for top-quark production via flavor-changing neutral currents in W+1 jet events at CDF. <i>Physical Review Letters</i> , 2009 , 102, 151801	7.4	51
71	Observation of exclusive charmonium production and gammagamma> micro;{+}micro;{-} in pp[over] collisions at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 242001	7.4	126
70	Measurement of the k(T) distribution of particles in jets produced in pp collisions at sqrt(s)=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 232002	7.4	10
69	Search for Gluino-Mediated Bottom Squark Production in pp[over] Collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 221801	7.4	13
68	First measurement of the tt[over] differential cross section dsigma/dM_{tt[over]} in pp[over] collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 222003	7.4	113
67	Search for new physics in the He/HE T channel with a low-pT lepton threshold at the Collider Detector at Fermilab. <i>Physical Review D</i> , 2009 , 79,	4.9	5
66	Search for high-mass e+e- resonances in pp collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2009 , 102, 031801	7.4	55
65	Search for the associated production of the standard-model Higgs Boson in the all-hadronic channel. <i>Physical Review Letters</i> , 2009 , 103, 221801	7.4	9
64	Search for a fermiophobic Higgs boson decaying into diphotons in pp[over] collisions at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2009 , 103, 061803	7.4	24
63	Measurement of the top-quark mass with dilepton events selected using neuroevolution at CDF. <i>Physical Review Letters</i> , 2009 , 102, 152001	7.4	38
62	Observation of electroweak single top-quark production. <i>Physical Review Letters</i> , 2009 , 103, 092002	7.4	174
61	First measurement of the ratio of branching fractions B(B0->d+II)/B(B0->d+II) <i>Physical Review D</i> , 2009 , 79,	4.9	16
60	Search for charged Higgs bosons in decays of top quarks in pp collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2009 , 103, 101803	7.4	87
59	Measurement of W-boson helicity fractions in top-quark decays using cos. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2009 , 674, 160-167	4.2	17
58	Search for narrow resonances lighter than ? mesons. <i>European Physical Journal C</i> , 2009 , 62, 319-326	4.2	6

(2009-2009)

57	Observation of the Bibaryon and measurement of the properties of the Biband Bibaryons. <i>Physical Review D</i> , 2009 , 80,	4.9	41
56	Production of (᠒S) mesons in pp□collisions at 1.96 TeV. <i>Physical Review D</i> , 2009 , 80,	4.9	37
55	Search for new particles decaying into dijets in proton-antiproton collisions at s=1.96 TeV. <i>Physical Review D</i> , 2009 , 79,	4.9	159
54	Measurement of the inclusive isolated prompt photon cross section in pp□collisions at s=1.96 TeV using the CDF detector. <i>Physical Review D</i> , 2009 , 80,	4.9	26
53	Search for the Higgs boson produced in association with Z->Husing the matrix element method at CDF II. <i>Physical Review D</i> , 2009 , 80,	4.9	9
52	Global search for new physics with 2.0 fbl at CDF. <i>Physical Review D</i> , 2009 , 79,	4.9	44
51	Measurement of the ttllcross section in ppllcollisions at s=1.96 TeV using dilepton events with a lepton plus track selection. <i>Physical Review D</i> , 2009 , 79,	4.9	11
50	Search for standard model Higgs boson production in association with a W boson using a neural network discriminant at CDF. <i>Physical Review D</i> , 2009 , 80,	4.9	6
49	Search for the rare decays B+-> $\mathbb{H}\mathbb{K}$ +, B0-> $\mathbb{H}\mathbb{K}$ *(892)0, and Bs0-> $\mathbb{H}\mathbb{D}$ at CDF. <i>Physical Review D</i> , 2009 , 79,	4.9	18
48	Measurement of the ttllproduction cross section in 2 fbll of ppllcollisions at s=1.96 TeV using lepton plus jets events with soft muon b tagging. <i>Physical Review D</i> , 2009 , 79,	4.9	13
47	Top quark mass measurement in the tt□all hadronic channel using a matrix element technique in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2009 , 79,	4.9	10
46	Measurement of the top quark mass using the invariant mass of lepton pairs in soft muon b-tagged events. <i>Physical Review D</i> , 2009 , 80,	4.9	7
45	Search for WW and WZ production in lepton plus jets final state at CDF. <i>Physical Review D</i> , 2009 , 79,	4.9	1
44	Measurement of the fraction of tt□production via gluon-gluon fusion in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2009 , 79,	4.9	12
43	Measurement of particle production and inclusive differential cross sections in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2009 , 79,	4.9	43
42	First simultaneous measurement of the top quark mass in the lepton+jets and dilepton channels at CDF. <i>Physical Review D</i> , 2009 , 79,	4.9	25
41	Measurement of the b-hadron production cross section using decays to $D0X$ final states in pp collisions at s=1.96 TeV. <i>Physical Review D</i> , 2009 , 79,	4.9	18
40	Searching the inclusive E T+b-quark signature for radiative top quark decay and non-standard-model processes. <i>Physical Review D</i> , 2009 , 80,	4.9	5

39	Measurement of the top quark mass at CDF using the Eleutrino? weighting Lemplate method on a lepton plus isolated track sample. <i>Physical Review D</i> , 2009 , 79,	4.9	10
38	Measurement of inclusive jet cross sections in Z/gamma*(>e+e-) + jets production in pp[over] collisions at square root s = 1.96 TeV. <i>Physical Review Letters</i> , 2008 , 100, 102001	7.4	60
37	Search for chargino-neutralino production in pp□collisions at s=1.96 TeV with high-pT leptons. <i>Physical Review D</i> , 2008 , 77,	4.9	11
36	Observation of exclusive dijet production at the Fermilab Tevatron p□p collider. <i>Physical Review D</i> , 2008 , 77,	4.9	62
35	First run II measurement of the W boson mass at the Fermilab Tevatron. <i>Physical Review D</i> , 2008 , 77,	4.9	44
34	Limits on the production of narrow tt□resonances in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2008 , 77,	4.9	34
33	First measurement of the fraction of top-quark pair production through gluon-gluon fusion. <i>Physical Review D</i> , 2008 , 78,	4.9	9
32	Measurement of the cross section for W-boson production in association with jets in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2008 , 77,	4.9	59
31	Search for heavy, long-lived neutralinos that decay to photons at CDF II using photon timing. <i>Physical Review D</i> , 2008 , 78,	4.9	14
30	Search for new heavy particles decaying to Z0Z0->eeee in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2008 , 78,	4.9	4
29	Model-independent and quasi-model-independent search for new physics at CDF. <i>Physical Review D</i> , 2008 , 78,	4.9	30
28	First measurement of W boson production in association with a single Charm quark in pp collisions at sqrt(s)=1.96 TeV. <i>Physical Review Letters</i> , 2008 , 100, 091803	7.4	32
27	Measurement of the inclusive jet cross section at the Fermilab Tevatron pp□collider using a cone-based jet algorithm. <i>Physical Review D</i> , 2008 , 78,	4.9	119
26	Search for Bs0> micro+ micro- and B0> micro+ micro- decays with 2 fb-1 of pp collisions. <i>Physical Review Letters</i> , 2008 , 100, 101802	7.4	164
25	Search for the Higgs boson in events with missing transverse energy and b quark jets produced in pp collisions at square root(s)=1.96 TeV. <i>Physical Review Letters</i> , 2008 , 100, 211801	7.4	13
24	Search for standard model Higgs bosons produced in association with W bosons. <i>Physical Review Letters</i> , 2008 , 100, 041801	7.4	12
23	Search for pair production of scalar top quarks decaying to a tau lepton and a b quark in pp over collisions at sqrt s=1.96 TeV. <i>Physical Review Letters</i> , 2008 , 101, 071802	7.4	15
22	Measurement of the single-top-quark production cross section at CDF. <i>Physical Review Letters</i> , 2008 , 101, 252001	7.4	44

(2008-2008)

21	Measurement of b-jet shapes in inclusive jet production in pp[] collisions at s=1.96 TeV. <i>Physical Review D</i> , 2008 , 78,	4.9	9
20	Two-particle momentum correlations in jets produced in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2008 , 77,	4.9	9
19	Forward-backward asymmetry in top-quark production in pp[over] collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2008 , 101, 202001	7.4	177
18	Measurement of ratios of fragmentation fractions for bottom hadrons in pp□collisions at s=1.96 TeV. <i>Physical Review D</i> , 2008 , 77,	4.9	26
17	First observation of the decay Bs0>Ds-Ds+ and measurement of its branching ratio. <i>Physical Review Letters</i> , 2008 , 100, 021803	7.4	15
16	Search for supersymmetry in pp collisions at sqrt[s]=1.96 TeV Using the trilepton signature for chargino-neutralino production. <i>Physical Review Letters</i> , 2008 , 101, 251801	7.4	52
15	Strong evidence for ZZ production in pp[over] collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2008 , 100, 201801	7.4	28
14	Search for standard model Higgs boson production in association with a W boson at CDF. <i>Physical Review D</i> , 2008 , 78,	4.9	10
13	Search for the Higgs boson produced in association with Z>l+l in pp collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2008 , 101, 251803	7.4	4
12	Measurement of Lifetime and Decay-Width Difference in B_{s};{0}>J/psivarphi Decays. <i>Physical Review Letters</i> , 2008 , 100, 121803	7.4	36
11	Search for resonant tt[overline] production in pp[overline] collisions at sqrt[s]=1.96 TeV. <i>Physical Review Letters</i> , 2008 , 100, 231801	7.4	37
10	Observation of orbitally excited B(s) mesons. <i>Physical Review Letters</i> , 2008 , 100, 082001	7.4	73
9	Search for heavy toplike quarks using lepton plus jets events in 1.96 TeV pp collisions. <i>Physical Review Letters</i> , 2008 , 100, 161803	7.4	30
8	Search for doubly charged Higgs bosons with lepton-flavor-violating decays involving tau leptons. <i>Physical Review Letters</i> , 2008 , 101, 121801	7.4	42
7	Search for the flavor-changing neutral-current decay t>Zq in pp collisions at sqrt[s] = 1.96 TeV. <i>Physical Review Letters</i> , 2008 , 101, 192002	7.4	50
6	Evidence for D0-D(0) mixing using the CDF II detector. <i>Physical Review Letters</i> , 2008 , 100, 121802	7.4	91
5	Observation of the decay Bc+/>J/psipi+/- and measurement of the Bc+/- mass. <i>Physical Review Letters</i> , 2008 , 100, 182002	7.4	90
4	Search for large extra dimensions in final states containing one photon or jet and large missing transverse energy produced in pp collisions at square root[s]=1.96 TeV. <i>Physical Review Letters</i> , 2008 , 101, 181602	7.4	72

3	First flavor-tagged determination of bounds on mixing-induced CP violation in Bs0> J/psiphi decays. <i>Physical Review Letters</i> , 2008 , 100, 161802	7.4	161
2	Direct measurement of the W Boson width in ppover collisions at square roots = 1.96 TeV. <i>Physical Review Letters</i> , 2008 , 100, 071801	7.4	11
1	Cross-section-constrained top-quark mass measurement from dilepton events at the Tevatron. <i>Physical Review Letters</i> , 2008 , 100, 062005	7.4	15