

Young Mog Shim

List of Publications by Citations

Source: <https://exaly.com/author-pdf/442656/young-mog-shim-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| | | | |
|--------------------|-------------------------|----------------|-----------------|
| 170 papers | 2,568 citations | 27 h-index | 43 g-index |
| 181 ext. papers | 3,337 ext. citations | 4.3 avg, IF | 4.95 L-index |

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 170 | Evaluation of lymph node metastases in squamous cell carcinoma of the esophagus with positron emission tomography. <i>Annals of Thoracic Surgery</i> , 2001 , 71, 290-4 | 2.7 | 114 |
| 169 | Prognostic Significance of PD-L1 in Patients with Non-Small Cell Lung Cancer: A Large Cohort Study of Surgically Resected Cases. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1003-11 | 8.9 | 112 |
| 168 | Micropapillary and solid subtypes of invasive lung adenocarcinoma: clinical predictors of histopathology and outcome. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 147, 921-928.e2 | 1.5 | 112 |
| 167 | Quantitative CT analysis of pulmonary ground-glass opacity nodules for the distinction of invasive adenocarcinoma from pre-invasive or minimally invasive adenocarcinoma. <i>PLoS ONE</i> , 2014 , 9, e104066 | 3.7 | 103 |
| 166 | Pharmacogenomic landscape of patient-derived tumor cells informs precision oncology therapy. <i>Nature Genetics</i> , 2018 , 50, 1399-1411 | 36.3 | 94 |
| 165 | Quantitative CT analysis of pulmonary ground-glass opacity nodules for distinguishing invasive adenocarcinoma from non-invasive or minimally invasive adenocarcinoma: the added value of using iodine mapping. <i>European Radiology</i> , 2016 , 26, 43-54 | 8 | 79 |
| 164 | Lung cancer in never-smoker Asian females is driven by oncogenic mutations, most often involving EGFR. <i>Oncotarget</i> , 2015 , 6, 5465-74 | 3.3 | 78 |
| 163 | Long-term outcomes of wedge resection for pulmonary ground-glass opacity nodules. <i>Annals of Thoracic Surgery</i> , 2015 , 99, 218-22 | 2.7 | 77 |
| 162 | Comparison of survival and recurrence pattern between two-field and three-field lymph node dissections for upper thoracic esophageal squamous cell carcinoma. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 707-12 | 8.9 | 57 |
| 161 | Enucleation of esophageal submucosal tumors: a single institution's experience. <i>Annals of Thoracic Surgery</i> , 2014 , 97, 454-9 | 2.7 | 55 |
| 160 | Uniportal video-assisted thoracoscopic lobectomy: an alternative to conventional thoracoscopic lobectomy in lung cancer surgery?. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2015 , 20, 813-9 | 1.8 | 54 |
| 159 | Patient-derived xenografts from non-small cell lung cancer brain metastases are valuable translational platforms for the development of personalized targeted therapy. <i>Clinical Cancer Research</i> , 2015 , 21, 1172-82 | 12.9 | 49 |
| 158 | Quantitative image variables reflect the intratumoral pathologic heterogeneity of lung adenocarcinoma. <i>Oncotarget</i> , 2016 , 7, 67302-67313 | 3.3 | 48 |
| 157 | Imaging Phenotyping Using Radiomics to Predict Micropapillary Pattern within Lung Adenocarcinoma. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 624-632 | 8.9 | 47 |
| 156 | Lung Cancer Risk and Residential Exposure to Air Pollution: A Korean Population-Based Case-Control Study. <i>Yonsei Medical Journal</i> , 2017 , 58, 1111-1118 | 3 | 45 |
| 155 | Prognosis in Resected Invasive Mucinous Adenocarcinomas of the Lung: Related Factors and Comparison with Resected Nonmucinous Adenocarcinomas. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 1064-73 | 8.9 | 45 |
| 154 | Molecular breakdown: a comprehensive view of anaplastic lymphoma kinase (ALK)-rearranged non-small cell lung cancer. <i>Journal of Pathology</i> , 2017 , 243, 307-319 | 9.4 | 43 |

| | | | |
|-----|--|------|----|
| 153 | Lung Adenocarcinoma: CT Features Associated with Spread through Air Spaces. <i>Radiology</i> , 2018 , 289, 831-840 | 20.5 | 42 |
| 152 | Quantitative CT variables enabling response prediction in neoadjuvant therapy with EGFR-TKIs: are they different from those in neoadjuvant concurrent chemoradiotherapy?. <i>PLoS ONE</i> , 2014 , 9, e88598 | 3.7 | 38 |
| 151 | Comparison of endoscopic submucosal dissection and surgery for superficial esophageal squamous cell carcinoma: a propensity score-matched analysis. <i>Gastrointestinal Endoscopy</i> , 2018 , 88, 624-633 | 5.2 | 34 |
| 150 | HOXA9 inhibits migration of lung cancer cells and its hypermethylation is associated with recurrence in non-small cell lung cancer. <i>Molecular Carcinogenesis</i> , 2015 , 54 Suppl 1, E72-80 | 5 | 30 |
| 149 | Pathologic stratification of operable lung adenocarcinoma using radiomics features extracted from dual energy CT images. <i>Oncotarget</i> , 2017 , 8, 523-535 | 3.3 | 29 |
| 148 | Integrated genomic analysis of recurrence-associated small non-coding RNAs in oesophageal cancer. <i>Gut</i> , 2017 , 66, 215-225 | 19.2 | 28 |
| 147 | Comparison of fatigue, depression, and anxiety as factors affecting posttreatment health-related quality of life in lung cancer survivors. <i>Psycho-Oncology</i> , 2018 , 27, 465-470 | 3.9 | 28 |
| 146 | The prognostic importance of the number of metastases in pulmonary metastasectomy of colorectal cancer. <i>World Journal of Surgical Oncology</i> , 2015 , 13, 222 | 3.4 | 28 |
| 145 | Programmed Death Ligand 1 Expression in Paired Non-Small Cell Lung Cancer Tumor Samples. <i>Clinical Lung Cancer</i> , 2017 , 18, e473-e479 | 4.9 | 27 |
| 144 | Thymic epithelial tumors: prognostic determinants among clinical, histopathologic, and computed tomography findings. <i>Annals of Thoracic Surgery</i> , 2015 , 99, 462-70 | 2.7 | 27 |
| 143 | Fibroblast growth factor receptor 1 gene amplification is associated with poor survival in patients with resected esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2015 , 6, 2562-72 | 3.3 | 27 |
| 142 | Outcomes of neoadjuvant concurrent chemoradiotherapy followed by surgery for non-small-cell lung cancer with N2 disease. <i>Lung Cancer</i> , 2016 , 96, 56-62 | 5.9 | 26 |
| 141 | Prevalence of and risk factors for pulmonary complications after curative resection in otherwise healthy elderly patients with early stage lung cancer. <i>Respiratory Research</i> , 2019 , 20, 136 | 7.3 | 25 |
| 140 | Prognostic value of quality of life score in disease-free survivors of surgically-treated lung cancer. <i>BMC Cancer</i> , 2016 , 16, 505 | 4.8 | 25 |
| 139 | Endoscopic vacuum therapy for postoperative esophageal leak. <i>BMC Surgery</i> , 2019 , 19, 37 | 2.3 | 23 |
| 138 | Outcomes of Curative-Intent Surgery and Adjuvant Treatment for Pulmonary Large Cell Neuroendocrine Carcinoma. <i>World Journal of Surgery</i> , 2017 , 41, 1820-1827 | 3.3 | 22 |
| 137 | Chronic obstructive pulmonary disease and lung cancer incidence in never smokers: a cohort study. <i>Thorax</i> , 2020 , 75, 506-509 | 7.3 | 22 |
| 136 | Clinical stage T1-T2N0M0 oesophageal cancer: accuracy of clinical staging and predictive factors for lymph node metastasis. <i>European Journal of Cardio-thoracic Surgery</i> , 2014 , 46, 274-9; discussion 279 | 3 | 22 |

| | | | |
|-----|--|-----|----|
| 135 | Metformin induces cell cycle arrest at the G1 phase through E2F8 suppression in lung cancer cells. <i>Oncotarget</i> , 2017 , 8, 101509-101519 | 3.3 | 22 |
| 134 | Recurrence Risk-Scoring Model for Stage I Adenocarcinoma of the Lung. <i>Annals of Surgical Oncology</i> , 2015 , 22, 4089-97 | 3.1 | 19 |
| 133 | Patient-reported assessment of self-management strategies of health in cancer patients: development and validation of the Smart Management Strategy for Health Assessment Tool (SAT). <i>Psycho-Oncology</i> , 2015 , 24, 1723-30 | 3.9 | 19 |
| 132 | Volume-Based Assessment With 18F-FDG PET/CT Improves Outcome Prediction for Patients With Stage IIIA-N2 Non-Small Cell Lung Cancer. <i>American Journal of Roentgenology</i> , 2015 , 205, 623-8 | 5.4 | 18 |
| 131 | Metformin and tenovin-6 synergistically induces apoptosis through LKB1-independent SIRT1 down-regulation in non-small cell lung cancer cells. <i>Journal of Cellular and Molecular Medicine</i> , 2019 , 23, 2872-2889 | 5.6 | 17 |
| 130 | Recommended Change in the N Descriptor Proposed by the International Association for the Study of Lung Cancer: A Validation Study. <i>Journal of Thoracic Oncology</i> , 2019 , 14, 1962-1969 | 8.9 | 17 |
| 129 | Prognostic Value of 6-Min Walk Test to Predict Postoperative Cardiopulmonary Complications in Patients With Non-small Cell Lung Cancer. <i>Chest</i> , 2020 , 157, 1665-1673 | 5.3 | 16 |
| 128 | Comprehensive Computed Tomography Radiomics Analysis of Lung Adenocarcinoma for Prognostication. <i>Oncologist</i> , 2018 , 23, 806-813 | 5.7 | 16 |
| 127 | Randomized Phase II Trial Comparing Chemoradiotherapy with Chemotherapy for Completely Resected Unsuspected N2-Positive Non-Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2017 , 12, 1806-1813 | 8.9 | 16 |
| 126 | Prediction of Pathologic Grade and Prognosis in Mucoepidermoid Carcinoma of the Lung Using 18 F-FDG PET/CT. <i>Korean Journal of Radiology</i> , 2015 , 16, 929-35 | 6.9 | 16 |
| 125 | Clinical predictors of aspiration after esophagectomy in esophageal cancer patients. <i>Supportive Care in Cancer</i> , 2016 , 24, 295-299 | 3.9 | 15 |
| 124 | Prognostic impact of nomogram based on whole tumour size, tumour disappearance ratio on CT and SUVmax on PET in lung adenocarcinoma. <i>European Radiology</i> , 2016 , 26, 1538-46 | 8 | 15 |
| 123 | PIK3CA amplification is associated with poor prognosis among patients with curatively resected esophageal squamous cell carcinoma. <i>Oncotarget</i> , 2016 , 7, 30691-701 | 3.3 | 15 |
| 122 | Response evaluation after neoadjuvant chemoradiation by positron emission tomography-computed tomography for esophageal squamous cell carcinoma. <i>Cancer Research and Treatment</i> , 2013 , 45, 22-30 | 5.2 | 15 |
| 121 | Recurrence dynamics after trimodality therapy (Neoadjuvant concurrent chemoradiotherapy and surgery) in patients with stage IIIA (N2) lung cancer. <i>Lung Cancer</i> , 2018 , 115, 89-96 | 5.9 | 15 |
| 120 | Anaplastic lymphoma kinase rearrangement in surgically resected stage IA lung adenocarcinoma. <i>Journal of Thoracic Disease</i> , 2018 , 10, 3460-3467 | 2.6 | 15 |
| 119 | Prognostic Impact of Sarcopenia and Skeletal Muscle Loss During Neoadjuvant Chemoradiotherapy in Esophageal Cancer. <i>Cancers</i> , 2020 , 12, | 6.6 | 14 |
| 118 | Prognostic factors after pulmonary metastasectomy of colorectal cancers: influence of liver metastasis. <i>World Journal of Surgical Oncology</i> , 2016 , 14, 201 | 3.4 | 14 |

| | | | |
|-----|---|------|----|
| 117 | Incidence of brain metastasis in lung adenocarcinoma at initial diagnosis on the basis of stage and genetic alterations. <i>Lung Cancer</i> , 2019 , 129, 28-34 | 5.9 | 14 |
| 116 | Bronchial biopsy specimen as a surrogate for DNA methylation analysis in inoperable lung cancer. <i>Clinical Epigenetics</i> , 2017 , 9, 131 | 7.7 | 13 |
| 115 | Intensive care unit (ICU) readmission after major lung resection: Prevalence, patterns, and mortality. <i>Thoracic Cancer</i> , 2017 , 8, 33-39 | 3.2 | 12 |
| 114 | Efficacy of health coaching and a web-based program on physical activity, weight, and distress management among cancer survivors: A multi-centered randomised controlled trial. <i>Psycho-Oncology</i> , 2020 , 29, 1105-1114 | 3.9 | 12 |
| 113 | Extended sleeve lobectomy for centrally located non-small-cell lung cancer: a 20-year single-centre experience. <i>European Journal of Cardio-thoracic Surgery</i> , 2018 , 54, 142-148 | 3 | 12 |
| 112 | Overexpression of E-catenin and Cyclin D1 is Associated with Poor Overall Survival in Patients with Stage IA-IIA Squamous Cell Lung Cancer Irrespective of Adjuvant Chemotherapy. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 2193-2201 | 8.9 | 12 |
| 111 | Surgically resected T1- and T2-stage esophageal squamous cell carcinoma: T and N staging performance of EUS and PET/CT. <i>Cancer Medicine</i> , 2018 , 7, 3561-3570 | 4.8 | 12 |
| 110 | Negative effect of cyclin D1 overexpression on recurrence-free survival in stage II-IIIa lung adenocarcinoma and its expression modulation by vorinostat in vitro. <i>BMC Cancer</i> , 2015 , 15, 982 | 4.8 | 12 |
| 109 | Nomogram for prediction of lymph node metastasis in patients with superficial esophageal squamous cell carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1009-1015 | 4 | 12 |
| 108 | Genome-wide analysis of DNA methylation in bronchial washings. <i>Clinical Epigenetics</i> , 2018 , 10, 65 | 7.7 | 11 |
| 107 | Chyle leakage patterns and management after oncologic esophagectomy: A retrospective cohort study. <i>Thoracic Cancer</i> , 2014 , 5, 391-7 | 3.2 | 11 |
| 106 | Joint effect of airflow limitation and emphysema on postoperative outcomes in early-stage nonsmall cell lung cancer. <i>European Respiratory Journal</i> , 2016 , 48, 1743-1750 | 13.6 | 11 |
| 105 | Impact of Lymph Node Dissection on Thymic Malignancies: Multi-Institutional Propensity Score Matched Analysis. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 1949-1957 | 8.9 | 11 |
| 104 | Dosimetric predictors for postoperative pulmonary complications in esophageal cancer following neoadjuvant chemoradiotherapy and surgery. <i>Radiotherapy and Oncology</i> , 2019 , 133, 87-92 | 5.3 | 10 |
| 103 | Prognostic significance of histologic classification and tumor disappearance rate by computed tomography in lung cancer. <i>Journal of Thoracic Disease</i> , 2018 , 10, 388-397 | 2.6 | 10 |
| 102 | Nomogram to predict treatment outcome of fluoropyrimidine/platinum-based chemotherapy in metastatic esophageal squamous cell carcinoma. <i>Cancer Research and Treatment</i> , 2013 , 45, 285-94 | 5.2 | 10 |
| 101 | Spread through air spaces (STAS) in invasive mucinous adenocarcinoma of the lung: Incidence, prognostic impact, and prediction based on clinicoradiologic factors. <i>Thoracic Cancer</i> , 2020 , 11, 3145-3154 | 3.2 | 10 |
| 100 | Treatment outcomes in patients with extranodal marginal zone B-cell lymphoma of the lung. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2017 , 154, 342-349 | 1.5 | 9 |

| | | | |
|----|--|------|---|
| 99 | JOURNAL CLUB: Doubling Time of Thymic Epithelial Tumors Correlates With World Health Organization Histopathologic Classification. <i>American Journal of Roentgenology</i> , 2017 , 209, W202-W210 | 5.4 | 9 |
| 98 | A retrospective comparative analysis of elderly and younger patients undergoing pulmonary resection for stage I non-small cell lung cancer. <i>World Journal of Surgical Oncology</i> , 2016 , 14, 13 | 3.4 | 9 |
| 97 | Heterogeneity of clinical n1 non-small cell lung cancer. <i>Thoracic and Cardiovascular Surgeon</i> , 2014 , 62, 103-8 | 1.6 | 9 |
| 96 | Pattern of recurrence after curative resection of local (stage I and II) non-small cell lung cancer: difference according to the histologic type. <i>Journal of Korean Medical Science</i> , 2004 , 19, 674-6 | 4.7 | 9 |
| 95 | Dynamic prognostication using conditional survival analysis for patients with operable lung adenocarcinoma. <i>Oncotarget</i> , 2017 , 8, 32201-32211 | 3.3 | 9 |
| 94 | High CD3 and ICOS and low TIM-3 expression predict favourable survival in resected oesophageal squamous cell carcinoma. <i>Scientific Reports</i> , 2019 , 9, 20197 | 4.9 | 9 |
| 93 | Temporal and regional distribution of initial recurrence site in completely resected N1-stage II lung adenocarcinoma: The effect of postoperative adjuvant chemotherapy. <i>Lung Cancer</i> , 2018 , 117, 7-13 | 5.9 | 8 |
| 92 | A rare case of mixed type a thymoma and micronodular thymoma with lymphoid stroma. <i>Journal of Pathology and Translational Medicine</i> , 2015 , 49, 75-7 | 2.9 | 8 |
| 91 | A Rare Case of Tumor-to-Tumor Metastasis of Thyroid Papillary Carcinoma within a Pulmonary Adenocarcinoma. <i>Journal of Pathology and Translational Medicine</i> , 2015 , 49, 78-80 | 2.9 | 8 |
| 90 | A Randomized Phase II Study of Leucovorin/5-Fluorouracil with or without Oxaliplatin (LV5FU2 vs. FOLFOX) for Curatively-Resected, Node-Positive Esophageal Squamous Cell Carcinoma. <i>Cancer Research and Treatment</i> , 2017 , 49, 816-823 | 5.2 | 8 |
| 89 | Surgical Treatment for Non-Small Cell Lung Cancer in Patients on Hemodialysis due to Chronic Kidney Disease: Clinical Outcome and Intermediate-Term Results. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2015 , 48, 193-8 | 0.6 | 8 |
| 88 | Predictors of post-thymectomy long-term neurological remission in thymomatous myasthenia gravis: an analysis from a multi-institutional database. <i>European Journal of Cardio-thoracic Surgery</i> , 2020 , 57, 867-873 | 3 | 8 |
| 87 | Pulmonary Intravascular Lymphomatosis: Clinical, CT, and PET Findings, Correlation of CT and Pathologic Results, and Survival Outcome. <i>Radiology</i> , 2016 , 280, 602-10 | 20.5 | 7 |
| 86 | Ipsilateral pleural recurrence after diagnostic transthoracic needle biopsy in pathological stage I lung cancer patients who underwent curative resection. <i>Lung Cancer</i> , 2017 , 111, 69-74 | 5.9 | 7 |
| 85 | Gastrointestinal stromal tumours of the oesophagus: a clinicopathological and molecular analysis of 27 cases. <i>Histopathology</i> , 2017 , 71, 805-812 | 7.3 | 7 |
| 84 | PD-L1 expression and survival in patients with non-small cell lung cancer (NSCLC) in Korea.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 8066-8066 | 2.2 | 7 |
| 83 | RAR α hypermethylation is associated with poor recurrence-free survival in never-smokers with adenocarcinoma of the lung. <i>Clinical Epigenetics</i> , 2015 , 7, 32 | 7.7 | 6 |
| 82 | Long-term survival in locally advanced non-small cell lung cancer invading the great vessels and heart. <i>Thoracic Cancer</i> , 2018 , 9, 598-605 | 3.2 | 6 |

| | | | |
|----|---|-----|---|
| 81 | Reliability of small biopsy or cytology for the diagnosis of pulmonary mucinous adenocarcinoma. <i>Journal of Clinical Pathology</i> , 2014 , 67, 587-91 | 3.9 | 6 |
| 80 | Pathologic heterogeneity of lung adenocarcinomas: A novel pathologic index predicts survival. <i>Oncotarget</i> , 2016 , 7, 70353-70363 | 3.3 | 6 |
| 79 | Supraclavicular and/or celiac lymph node metastases from thoracic esophageal squamous cell carcinoma did not compromise survival following neoadjuvant chemoradiotherapy and surgery. <i>Oncotarget</i> , 2017 , 8, 3542-3552 | 3.3 | 6 |
| 78 | Pneumonectomy for Clinical Stage I Non-Small Cell Lung Cancer in Elderly Patients over 70 Years of Age. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2015 , 48, 252-7 | 0.6 | 6 |
| 77 | Conditional Survival of Patients Who Underwent Curative Resection for Esophageal Squamous Cell Carcinoma. <i>Annals of Surgery</i> , 2020 , | 7.8 | 6 |
| 76 | Metformin Reduces Histone H3K4me3 at the Promoter Regions of Positive Cell Cycle Regulatory Genes in Lung Cancer Cells. <i>Cancers</i> , 2021 , 13, | 6.6 | 6 |
| 75 | Development and validation of the smart management strategy for health assessment tool-short form (SAT-SF) in cancer survivors. <i>Quality of Life Research</i> , 2018 , 27, 347-354 | 3.7 | 6 |
| 74 | Genomic alterations of ground-glass nodular lung adenocarcinoma. <i>Scientific Reports</i> , 2018 , 8, 7691 | 4.9 | 6 |
| 73 | Resected Pure Small Cell Lung Carcinomas and Combined Small Cell Lung Carcinomas: Histopathology Features, Imaging Features, and Prognoses. <i>American Journal of Roentgenology</i> , 2019 , 212, 773-781 | 5.4 | 5 |
| 72 | Improved detection of metastatic lymph nodes in oesophageal squamous cell carcinoma by combined interpretation of fluorine-18-fluorodeoxyglucose positron-emission tomography/computed tomography. <i>Cancer Imaging</i> , 2019 , 19, 40 | 5.6 | 5 |
| 71 | Early corticosteroid treatment for postoperative acute lung injury after lung cancer surgery. <i>Therapeutic Advances in Respiratory Disease</i> , 2019 , 13, 1753466619840256 | 4.9 | 5 |
| 70 | A nomogram for predicting recurrence after complete resection for thymic epithelial tumors based on the TNM classification: A multi-institutional retrospective analysis. <i>Journal of Surgical Oncology</i> , 2019 , 119, 1161-1169 | 2.8 | 5 |
| 69 | Long-term outcomes of video-assisted thoracoscopic lobectomy for clinical N1 non-small cell lung cancer: A propensity score-weighted comparison with open thoracotomy. <i>Lung Cancer</i> , 2020 , 150, 201-208 | 5.9 | 5 |
| 68 | Surgically Resected Esophageal Squamous Cell Carcinoma: Patient Survival and Clinicopathological Prognostic Factors. <i>Scientific Reports</i> , 2020 , 10, 5077 | 4.9 | 5 |
| 67 | Factors related with colorectal and stomach cancer screening practice among disease-free lung cancer survivors in Korea. <i>BMC Cancer</i> , 2017 , 17, 600 | 4.8 | 5 |
| 66 | An unusual case of pulmonary mucous gland adenoma with fibromyxoid stroma and cartilage islands in 68-year-old woman. <i>Korean Journal of Pathology</i> , 2014 , 48, 167-9 | | 5 |
| 65 | Prognosis after surgical resection of M1a/M1b esophageal squamous cell carcinoma. <i>Journal of Korean Medical Science</i> , 2005 , 20, 229-31 | 4.7 | 5 |
| 64 | Association between Sarcopenia and Physical Function among Preoperative Lung Cancer Patients. <i>Journal of Personalized Medicine</i> , 2020 , 10, | 3.6 | 5 |

| | | | |
|----|--|-----|---|
| 63 | Integrated evaluation of clinical, pathological and radiological prognostic factors in squamous cell carcinoma of the lung. <i>PLoS ONE</i> , 2019 , 14, e0223298 | 3.7 | 4 |
| 62 | Prevalence and clinical course of postoperative acute lung injury after esophagectomy for esophageal cancer. <i>Journal of Thoracic Disease</i> , 2019 , 11, 200-205 | 2.6 | 4 |
| 61 | Clinicopathological Significance of in Non-Small Cell Lung Cancer. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 4 |
| 60 | The major effects of health-related quality of life on 5-year survival prediction among lung cancer survivors: applications of machine learning. <i>Scientific Reports</i> , 2020 , 10, 10693 | 4.9 | 4 |
| 59 | Impact of diffusing lung capacity before and after neoadjuvant concurrent chemoradiation on postoperative pulmonary complications among patients with stage IIIA/N2 non-small-cell lung cancer. <i>Respiratory Research</i> , 2020 , 21, 13 | 7.3 | 4 |
| 58 | Seasonal Variation in Physical Activity among Preoperative Patients with Lung Cancer Determined Using a Wearable Device. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 4 |
| 57 | The role of postoperative radiotherapy in stage II and III thymoma: a Korean multicenter database study. <i>Journal of Thoracic Disease</i> , 2020 , 12, 6680-6689 | 2.6 | 4 |
| 56 | Is video-assisted thoracic surgery lobectomy in benign disease practical and effective?. <i>Journal of Thoracic Disease</i> , 2014 , 6, 1225-9 | 2.6 | 4 |
| 55 | Surgical treatment of anastomotic recurrence after gastrectomy for gastric cancer. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 47, 269-74 | 0.6 | 4 |
| 54 | Primary Chest Wall Sarcoma: Surgical Outcomes and Prognostic Factors. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , 52, 360-367 | 0.6 | 4 |
| 53 | Management of chyle leakage after general thoracic surgery: Impact of thoracic duct embolization. <i>Thoracic Cancer</i> , 2021 , 12, 1382-1386 | 3.2 | 4 |
| 52 | Evaluating the tumor biology of lung adenocarcinoma: A multimodal analysis. <i>Medicine (United States)</i> , 2019 , 98, e16313 | 1.8 | 4 |
| 51 | Clinical outcomes of microscopic residual disease after bronchial sleeve resection for non-small cell lung cancer. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2020 , | 1.5 | 4 |
| 50 | Adjuvant therapy in stage IIIA-N2 non-small cell lung cancer after neoadjuvant concurrent chemoradiotherapy followed by surgery. <i>Journal of Thoracic Disease</i> , 2020 , 12, 2602-2613 | 2.6 | 3 |
| 49 | Open surgery for removal of a failing Gianturco stent with reversed sleeve resection of the right middle and lower lobes. <i>European Journal of Cardio-thoracic Surgery</i> , 1998 , 14, 329-31 | 3 | 3 |
| 48 | Treatment modality and outcomes among early-stage non-small cell lung cancer patients with COPD: a cohort study. <i>Journal of Thoracic Disease</i> , 2020 , 12, 4651-4660 | 2.6 | 3 |
| 47 | Squamous Cell Carcinoma Arising from the Pleural Cavity After Pneumonectomy for Chronic Empyema. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2017 , 50, 123-125 | 0.6 | 3 |
| 46 | Association between cancer stigma and job loss among cancer survivors. <i>Psycho-Oncology</i> , 2021 , 30, 1343-1353 | 3.5 | 3 |

| | | | |
|----|--|------|---|
| 45 | Do New pN Subclassifications Proposed by IASLC Lung Cancer Staging Project Agree with ypN Categories after Trimodality Therapy for Initial N2 Disease?. <i>Journal of Thoracic Oncology</i> , 2016 , 11, 2202-2207 | 8.9 | 3 |
| 44 | Tumor size as a prognostic factor in limited-stage thymic epithelial tumors: A multicenter analysis. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021 , 162, 309-317.e9 | 1.5 | 3 |
| 43 | Prognostic Significance of Metabolic Parameters by F-FDG PET/CT in Thymic Epithelial Tumors. <i>Cancers</i> , 2021 , 13, | 6.6 | 3 |
| 42 | Conditional Survival of Surgically Treated Patients with Lung Cancer: A Comprehensive Analyses of Overall, Recurrence-free, and Relative Survival. <i>Cancer Research and Treatment</i> , 2021 , 53, 1057-1071 | 5.2 | 3 |
| 41 | Exuberant Vasculoconnective Component in Mediastinal Mixed Germ Cell Tumors. <i>Journal of Korean Medical Science</i> , 2015 , 30, 1085-91 | 4.7 | 2 |
| 40 | Surgical management of locoregionally recurrent thymoma. <i>Thoracic Cancer</i> , 2011 , 2, 196-200 | 3.2 | 2 |
| 39 | Feasibility and Safety of a New Chest Drain Wound Closure Method with Knotless Sutures. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2018 , 51, 260-265 | 0.6 | 2 |
| 38 | Comparing the Effectiveness of a Wearable Activity Tracker in Addition to Counseling and Counseling Only to Reinforce Leisure-Time Physical Activity among Breast Cancer Patients: A Randomized Controlled Trial. <i>Cancers</i> , 2021 , 13, | 6.6 | 2 |
| 37 | Machine learning model for predicting excessive muscle loss during neoadjuvant chemoradiotherapy in oesophageal cancer. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2021 , 12, 1144-1152 | 10.3 | 2 |
| 36 | Thoracoscopic Vs Open Surgery Following Neoadjuvant Chemoradiation for Clinical N2 Lung Cancer. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2021 , | 1.7 | 2 |
| 35 | Feasibility of an Interactive Health Coaching Mobile App to Prevent Malnutrition and Muscle Loss in Esophageal Cancer Patients Receiving Neoadjuvant Concurrent Chemoradiotherapy: Prospective Pilot Study. <i>Journal of Medical Internet Research</i> , 2021 , 23, e28695 | 7.6 | 2 |
| 34 | Diagnostic value of surveillance F-fluorodeoxyglucose PET/CT for detecting recurrent esophageal carcinoma after curative treatment. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2019 , 46, 1850-1858 | 8.8 | 1 |
| 33 | Central Lung Cancer Management: Impact of Bronchial Resection Margin Length. <i>Thoracic and Cardiovascular Surgeon</i> , 2015 , 63, 583-8 | 1.6 | 1 |
| 32 | Change of junctions between stations 10 and 4 in the new International Association for the Study of Lung Cancer Lymph Node Map: a validation study from a single, tertiary referral hospital experience. <i>Chest</i> , 2015 , 147, 1299-1306 | 5.3 | 1 |
| 31 | Approach to metastasis-suspected nodule accompanying operable non-small cell lung cancer. <i>Thoracic and Cardiovascular Surgeon</i> , 2014 , 62, 616-23 | 1.6 | 1 |
| 30 | The role of pleural fluid MAGE RT-nested PCR in the diagnosis of malignant pleural effusion. <i>Thoracic Cancer</i> , 2012 , 3, 320-325 | 3.2 | 1 |
| 29 | The role of postoperative radiotherapy in stage II and III thymoma: a Korean multicenter database study. <i>Journal of Thoracic Disease</i> , 2020 , 12, 6680-6689 | 2.6 | 1 |
| 28 | Aberrant Methylation of Gene in Plasma Cell-Free DNA of Non-Small Cell Lung Cancer Patients.. <i>Cancers</i> , 2022 , 14, | 6.6 | 1 |

| | | | |
|----|---|-----|---|
| 27 | Video-assisted thoracoscopic lobectomy versus open lobectomy in the treatment of large lung cancer: propensity-score matched analysis.. <i>Journal of Cardiothoracic Surgery</i> , 2022 , 17, 2 | 1.6 | 1 |
| 26 | Pragmatic role of noncontrast magnetic resonance lymphangiography in postoperative chylothorax or cervical chylous leakage as a diagnostic and preprocedural planning tool. <i>European Radiology</i> , 2021 , 1 | 8 | 1 |
| 25 | Diagnostic Performance of 18 F-Fluorodeoxyglucose Positron Emission Tomography/CT for Chronic Empyema-Associated Malignancy. <i>Korean Journal of Radiology</i> , 2019 , 20, 1293-1299 | 6.9 | 1 |
| 24 | Incidence and Risk Factors of Chronic Pulmonary Aspergillosis Development during Long-Term Follow-Up after Lung Cancer Surgery. <i>Journal of Fungi (Basel, Switzerland)</i> , 2020 , 6, | 5.6 | 1 |
| 23 | Close Observation versus Additional Surgery after Noncurative Endoscopic Resection of Esophageal Squamous Cell Carcinoma. <i>Digestive Surgery</i> , 2021 , 38, 247-254 | 2.5 | 1 |
| 22 | Effect of perioperative bronchodilator therapy on postoperative pulmonary function among lung cancer patients with COPD. <i>Scientific Reports</i> , 2021 , 11, 8359 | 4.9 | 1 |
| 21 | Management of patients with bilateral recurrent laryngeal nerve paralysis following esophagectomy. <i>Thoracic Cancer</i> , 2021 , 12, 1851-1856 | 3.2 | 1 |
| 20 | Nononcologic Mortality after Pneumonectomy Compared to Lobectomy. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2021 , | 1.7 | 1 |
| 19 | Simultaneous Resection of Synchronous Esophageal and Gastric Cancers. <i>Thoracic and Cardiovascular Surgeon</i> , 2016 , 64, 611-618 | 1.6 | 1 |
| 18 | Patterns of Failure Following Postoperative Radiation Therapy Based on "Tumor Bed With Margin" for Stage II to IV Type C Thymic Epithelial Tumor. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 102, 1505-1513 | 4 | 1 |
| 17 | Clinical outcomes of radiation therapy for clinical T4b oesophageal cancer with airway invasion. <i>Radiation Oncology</i> , 2018 , 13, 245 | 4.2 | 1 |
| 16 | Role of Recurrent Laryngeal Nerve Lymph Node Dissection in Surgery of Early-Stage Esophageal Squamous Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2021 , 1 | 3.1 | 1 |
| 15 | Supportive Care Needs and Health-Related Quality of Life of Esophageal Cancer Survivors. <i>Asia-Pacific Journal of Oncology Nursing</i> , 2021 , 8, 164-171 | 2.2 | 1 |
| 14 | Rarest of rare cases within the one thousand faces of atypical carcinoid: Pseudomesotheliomatous manifestation in a pregnant woman.. <i>Thoracic Cancer</i> , 2021 , | 3.2 | 1 |
| 13 | Prognostic impact of lymph node ratio in patients with pT1-2N1M0 non-small cell lung cancer. <i>Journal of Thoracic Disease</i> , 2020 , 12, 5552-5560 | 2.6 | 0 |
| 12 | Role of Adjuvant Thoracic Radiation Therapy and Full Dose Chemotherapy in pN2 Non-small Cell Lung Cancer: Elucidation Based on Single Institute Experience. <i>Cancer Research and Treatment</i> , 2017 , 49, 880-889 | 5.2 | 0 |
| 11 | Trimodality therapy for locally advanced esophageal squamous cell carcinoma: the role of volume-based PET/CT in patient management and prognostication. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2021 , 1 | 8.8 | 0 |
| 10 | An Overview of Surgical Treatment of Thymic Epithelial Tumors in Korea: A Retrospective Multicenter Analysis.. <i>Journal of Chest Surgery</i> , 2022 , 55, 126-142 | | 0 |

- 9 Treatment of Refractory Chylous Ascites with an Innovative Peritoneovenous Shunt: Temporary Usage of a Continuous Renal Replacement System: A Case Report.. *Journal of Chest Surgery*, **2022**, 55, 81-84
- 8 Adjuvant Chemotherapy in Patients with Node-Negative Non-Small Cell Lung Cancer with Satellite Pulmonary Nodules in the Same Lobe.. *Journal of Chest Surgery*, **2022**, 55, 10-19
- 7 Surgical Strategy for Primary Colorectal Carcinoma and Synchronous Pulmonary Metastasis Resection.. *Journal of Chest Surgery*, **2022**, 55, 37-43
- 6 Diagnostic Efficacy of FDG-PET Imaging in Solitary Pulmonary Nodule. *Tuberculosis and Respiratory Diseases*, **1996**, 43, 882
- 5 Accuracy of CT in Detection of Mediastinal Lymph Node Metastasis in Patients with Lung Cancer: A Prospective Study. *Journal of the Korean Radiological Society*, **1999**, 40, 47
- 4 Utility of positron emission-computed tomography for predicting pathological response in resectable oesophageal squamous cell carcinoma after neoadjuvant chemoradiation. *European Journal of Cardio-thoracic Surgery*, **2020**, 58, 1019-1026 3
- 3 ASO Visual Abstract: Role of Recurrent Laryngeal Nerve Lymph Node Dissection in the Surgery of Early-Stage Esophageal Squamous Cell Carcinoma. *Annals of Surgical Oncology*, **2021**, 28, 692-693 3.1
- 2 Prognostic impact of micropapillary and solid histological subtype on patients undergoing curative resection for stage I lung adenocarcinoma according to the extent of pulmonary resection and lymph node assessment.. *Lung Cancer*, **2022**, 168, 21-29 5.9
- 1 Risk Factors for the Development of Nontuberculous Mycobacteria Pulmonary Disease during Long-Term Follow-Up after Lung Cancer Surgery. *Diagnostics*, **2022**, 12, 1086 3.8