

Else-Marie Lberg

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4427614/else-marie-loberg-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

61
papers

1,091
citations

16
h-index

32
g-index

66
ext. papers

1,441
ext. citations

4.1
avg, IF

4.62
L-index

#	Paper	IF	Citations
61	Association between C-reactive protein levels and antipsychotic treatment during 12 months follow-up period after acute psychosis.. <i>Schizophrenia Research</i> , 2022 , 241, 174-183	3.6	
60	Akathisia and atypical antipsychotics. Relation to suicidality, agitation and depression in a clinical trial.. <i>Acta Neuropsychiatrica</i> , 2022 , 1-21	3.9	
59	Prevalence and correlates of suicide attempts in high-risk populations: a cross-sectional study among patients receiving opioid agonist therapy in Norway.. <i>BMC Psychiatry</i> , 2022 , 22, 181	4.2	0
58	Impact of liver fibrosis and clinical characteristics on dose-adjusted serum methadone concentrations.. <i>Journal of Addictive Diseases</i> , 2022 , 1-11	1.7	
57	'Not at all what I had expected': Discontinuing treatment with extended-release naltrexone (XR-NTX): A qualitative study. <i>Journal of Substance Abuse Treatment</i> , 2021 , 108667	4.2	2
56	The association between cytokines and psychomotor speed in a spectrum of psychotic disorders: A longitudinal study. <i>Brain, Behavior, & Immunity - Health</i> , 2021 , 18, 100392	5.1	0
55	Subjective symptoms and serum methadone concentrations: what should guide dose adjustments in methadone maintenance treatment? A naturalistic cohort study from Norway. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021 , 16, 39	3.4	1
54	Integrated treatment of hepatitis C virus infection among people who inject drugs: A multicenter randomized controlled trial (INTRO-HCV). <i>PLoS Medicine</i> , 2021 , 18, e1003653	11.6	5
53	Substance use and symptoms of mental health disorders: a prospective cohort of patients with severe substance use disorders in Norway. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021 , 16, 20	3.4	3
52	Glutamate- and GABA-Modulated Connectivity in Auditory Hallucinations-A Combined Resting State fMRI and MR Spectroscopy Study. <i>Frontiers in Psychiatry</i> , 2021 , 12, 643564	5	1
51	The Influence of Substance Use on Side Effects of Olanzapine, Quetiapine, Risperidone, and Ziprasidone in Psychosis. <i>Substance Use and Misuse</i> , 2021 , 56, 1880-1891	2.2	
50	Sex differences in antipsychotic efficacy and side effects in schizophrenia spectrum disorder: results from the BeSt InTro study. <i>NPJ Schizophrenia</i> , 2021 , 7, 39	5.5	5
49	Changes in substance use during outpatient treatment for substance use disorders: a prospective Norwegian cohort study from 2016 to 2020. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2021 , 16, 67	3.4	1
48	Cognitive change and antipsychotic medications: Results from a pragmatic rater-blind RCT. <i>Schizophrenia Research: Cognition</i> , 2021 , 26, 100204	2.8	1
47	White Matter Microstructural Differences between Hallucinating and Non-Hallucinating Schizophrenia Spectrum Patients. <i>Diagnostics</i> , 2021 , 11,	3.8	4
46	Negative valence of hallucinatory voices as predictor of cortical glutamatergic metabolite levels in schizophrenia patients. <i>Brain and Behavior</i> , 2021 , e32446	3.4	2
45	Hallucinating schizophrenia patients have longer left arcuate fasciculus fiber tracks: a DTI tractography study. <i>Psychiatry Research - Neuroimaging</i> , 2020 , 302, 111088	2.9	4

44	Different response patterns in hallucinations and delusions to antipsychotic treatment. <i>Nordic Journal of Psychiatry</i> , 2020 , 74, 497-504	2.3	3
43	Dynamic Functional Connectivity Patterns in Schizophrenia and the Relationship With Hallucinations. <i>Frontiers in Psychiatry</i> , 2020 , 11, 227	5	10
42	T134. THE ROLE OF THE DEFAULT MODE NETWORK IN SCHIZOPHRENIA AND AUDITORY VERBAL HALLUCINATIONS IN AN INVESTIGATION OF DYNAMIC FMRI RESTING STATE CONNECTIVITY. <i>Schizophrenia Bulletin</i> , 2020 , 46, S281-S282	1.3	1
41	T206. ANTIPSYCHOTIC EFFECTIVENESS FOCUSING ON INSIGHT. <i>Schizophrenia Bulletin</i> , 2020 , 46, S310-S311	1.3	78
40	M47. AKATHISIA AND ATYPICAL ANTIPSYCHOTICS: EXPLORING ASSOCIATIONS TO SUICIDALITY AND AGITATION. <i>Schizophrenia Bulletin</i> , 2020 , 46, S151-S152	1.3	1
39	M146. NEUROCHEMICAL MODULATION OF AUDITORY CORTEX FUNCTIONAL CONNECTIVITY IN PATIENTS WITH AUDITORY VERBAL HALLUCINATIONS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S191-S191	1.3	78
38	Brain Age Prediction Reveals Aberrant Brain White Matter in Schizophrenia and Bipolar Disorder: A Multisample Diffusion Tensor Imaging Study. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2020 , 5, 1095-1103	3.4	12
37	Amisulpride, aripiprazole, and olanzapine in patients with schizophrenia-spectrum disorders (BeSt InTro): a pragmatic, rater-blind, semi-randomised trial. <i>Lancet Psychiatry</i> , 2020 , 7, 945-954	23.3	15
36	Health-related quality of life of long-term patients receiving opioid agonist therapy: a nested prospective cohort study in Norway. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020 , 15, 68	3.4	8
35	Impact of clinical and sociodemographic factors on fatigue among patients with substance use disorder: a cohort study from Norway for the period 2016-2020. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2020 , 15, 93	3.4	1
34	Intra-Regional Glu-GABA vs Inter-Regional Glu-Glu Imbalance: A 1H-MRS Study of the Neurochemistry of Auditory Verbal Hallucinations in Schizophrenia. <i>Schizophrenia Bulletin</i> , 2020 , 46, 633-642	1.3	14
33	Revealing different things from different people: a qualitative exploration of recovery in first episode psychosis. <i>Social Work in Mental Health</i> , 2020 , 18, 75-95	0.8	2
32	S2. CHILDHOOD TRAUMA SUBTYPES IN RELATION TO COGNITIVE FUNCTIONING IN SCHIZOPHRENIA SPECTRUM DISORDERS. <i>Schizophrenia Bulletin</i> , 2019 , 45, S306-S306	1.3	78
31	The influence of substance use on the effectiveness of antipsychotic medication: a prospective, pragmatic study. <i>Nordic Journal of Psychiatry</i> , 2019 , 73, 281-287	2.3	5
30	Psychosocial characteristics differentiate non-distressing and distressing voices in 10,346 adolescents. <i>European Child and Adolescent Psychiatry</i> , 2019 , 28, 1353-1363	5.5	8
29	Integrated care of severe infectious diseases to people with substance use disorders; a systematic review. <i>BMC Infectious Diseases</i> , 2019 , 19, 306	4	8
28	Predictors of treatment satisfaction in antipsychotic-naïve and previously medicated patients with acute-phase psychosis. <i>Nordic Journal of Psychiatry</i> , 2019 , 73, 349-356	2.3	2
27	Integrated treatment of hepatitis C virus infection among people who inject drugs: study protocol for a randomised controlled trial (INTRO-HCV). <i>BMC Infectious Diseases</i> , 2019 , 19, 943	4	15

26	Cognitive Profile in Ultra High Risk for Psychosis and Schizophrenia: A Comparison Using Coordinated Norms. <i>Frontiers in Psychiatry</i> , 2019 , 10, 695	5	5
25	Peer involvement and cross-sector efforts in establishing integrated treatment of hepatitis C virus infection for people with substance use disorders: experiences from Norway. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2019 , 14, 58	3.4	
24	Associations between C-reactive protein levels and cognition during the first 6 months after acute psychosis. <i>Acta Neuropsychiatrica</i> , 2019 , 31, 36-45	3.9	11
23	Childhood trauma in schizophrenia spectrum disorders as compared to substance abuse disorders. <i>Psychiatry Research</i> , 2018 , 261, 481-487	9.9	16
22	The Beliefs about Voices Questionnaire - Revised: A factor structure from 450 participants. <i>Psychiatry Research</i> , 2018 , 259, 95-103	9.9	11
21	S57. TREATMENT SATISFACTION IN ACUTE PHASE PSYCHOSIS: COMPARISON BETWEEN ANTIPSYCHOTIC NAÏVE AND PREVIOUSLY MEDICATED PATIENTS. <i>Schizophrenia Bulletin</i> , 2018 , 44, S346-S346	1.3	78
20	S87. THE INITIAL CHANGE IN THE SERUM LEVEL OF C-REACTIVE PROTEIN IN ACUTE PSYCHOSIS IS ASSOCIATED WITH COGNITIVE PERFORMANCE IN LATER PHASES. <i>Schizophrenia Bulletin</i> , 2018 , 44, S358-S359	1.3	78
19	S3. CHILDHOOD TRAUMA AND COGNITIVE FUNCTIONING IN SCHIZOPHRENIA SPECTRUM DISORDERS: EFFECT OF FREQUENCY AND TYPE OF CHILDHOOD TRAUMA. <i>Schizophrenia Bulletin</i> , 2018 , 44, S324-S325	1.3	78
18	The positive link between executive function and lifetime cannabis use in schizophrenia is not explained by current levels of superior social cognition. <i>Psychiatry Research</i> , 2017 , 250, 92-98	9.9	9
17	The serum level of C-reactive protein (CRP) is associated with cognitive performance in acute phase psychosis. <i>BMC Psychiatry</i> , 2016 , 16, 60	4.2	43
16	Patient satisfaction after acute admission for psychosis. <i>Nordic Journal of Psychiatry</i> , 2016 , 70, 321-8	2.3	20
15	Cannabis use is associated with 3years earlier onset of schizophrenia spectrum disorder in a naturalistic, multi-site sample (N=1119). <i>Schizophrenia Research</i> , 2016 , 170, 217-21	3.6	29
14	The Course of Neurocognitive Changes in Acute Psychosis: Relation to Symptomatic Improvement. <i>PLoS ONE</i> , 2016 , 11, e0167390	3.7	16
13	Influence of different second generation antipsychotics on the QTc interval: A pragmatic study. <i>World Journal of Psychiatry</i> , 2016 , 6, 442-448	3	7
12	Auditory verbal hallucinations reflect stable auditory attention deficits: a prospective study. <i>Cognitive Neuropsychiatry</i> , 2015 , 20, 81-94	2	12
11	Prevalence of auditory hallucinations in Norwegian adolescents: results from a population-based study. <i>Scandinavian Journal of Psychology</i> , 2015 , 56, 391-6	2.2	11
10	Glutamate as a mediating transmitter for auditory hallucinations in schizophrenia: a (1)H MRS study. <i>Schizophrenia Research</i> , 2015 , 161, 252-60	3.6	45
9	A critical review of pro-cognitive drug targets in psychosis: convergence on myelination and inflammation. <i>Frontiers in Psychiatry</i> , 2014 , 5, 11	5	26

8	Cognitive changes in patients with acute phase psychosis--effects of illicit drug use. <i>Psychiatry Research</i> , 2014 , 220, 818-24	9.9	5
7	Neurobiology of cognitive remediation therapy for schizophrenia: a systematic review. <i>Frontiers in Psychiatry</i> , 2014 , 5, 103	5	33
6	The Cannabis Pathway to Non-Affective Psychosis may Reflect Less Neurobiological Vulnerability. <i>Frontiers in Psychiatry</i> , 2014 , 5, 159	5	26
5	QTc Prolongation in Patients Acutely Admitted to Hospital for Psychosis and Treated with Second Generation Antipsychotics. <i>Schizophrenia Research and Treatment</i> , 2013 , 2013, 375020	0.6	7
4	Amphetamine-induced psychosis--a separate diagnostic entity or primary psychosis triggered in the vulnerable?. <i>BMC Psychiatry</i> , 2012 , 12, 221	4.2	117
3	An fMRI Study of Neuronal Activation in Schizophrenia Patients with and without Previous Cannabis Use. <i>Frontiers in Psychiatry</i> , 2012 , 3, 94	5	15
2	Functional brain asymmetry and attentional modulation in young and stabilised schizophrenic patients: a dichotic listening study. <i>Psychiatry Research</i> , 2002 , 109, 281-7	9.9	24
1	Brain age prediction reveals aberrant brain white matter in schizophrenia and bipolar disorder: A multi-sample diffusion tensor imaging study		1