Carmen Garca Ruiz

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/442832/carmen-garcia-ruiz-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174
papers3,461
citations32
h-index45
g-index177
ext. papers3,871
ext. citations4.7
avg, IF5.8
L-index

#	Paper	IF	Citations
174	Classification of Various Marijuana Varieties by Raman Microscopy and Chemometrics <i>Toxics</i> , 2022 , 10,	4.7	2
173	An approximation to the identification of contexts, experiences, and profiles of victims of drug-facilitated sexual assaults. <i>Journal of Clinical Forensic and Legal Medicine</i> , 2022 , 90, 102376	1.7	
172	Chemical Classification of Explosives. <i>Critical Reviews in Analytical Chemistry</i> , 2021 , 51, 656-673	5.2	3
171	Forensic examination of textile fibres using Raman imaging and multivariate analysis Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2021 , 268, 120695	4.4	2
170	Prevalence study of drugs and new psychoactive substances in hair of ketamine consumers using a methanolic direct extraction prior to high-resolution mass spectrometry. <i>Forensic Science International</i> , 2021 , 329, 111080	2.6	2
169	Human ultra-weak photon emission as non-invasive spectroscopic tool for diagnosis of internal states - A review. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2021 , 216, 112141	6.7	5
168	Identification of 2C-B in Hair by UHPLC-HRMS/MS. A Real Forensic Case. <i>Toxics</i> , 2021 , 9,	4.7	2
167	Introducing ATR-FTIR Spectroscopy through Analysis of Acetaminophen Drugs: Practical Lessons for Interdisciplinary and Progressive Learning for Undergraduate Students <i>Journal of Chemical Education</i> , 2021 , 98, 2675-2686	2.4	2
166	Comparison between computed tomography and silicone-casting methods to determine gunshot cavities in ballistic soap. <i>International Journal of Legal Medicine</i> , 2021 , 135, 829-836	3.1	О
165	Chemical classification of new psychoactive substances (NPS). <i>Microchemical Journal</i> , 2021 , 163, 10587	74.8	7
164	Analysis of tooth mark patterns on bone remains caused by wolves (Canis lupus) and domestic dogs (Canis lupus familiaris) for taxonomic identification: A scoping review focused on their value as a forensic tool. <i>Applied Animal Behaviour Science</i> , 2021 , 240, 105356	2.2	1
163	Increment of spontaneous human biophoton emission caused by anger emotional states. Proof of concept. <i>Microchemical Journal</i> , 2021 , 169, 106558	4.8	
162	Potential Of High-Resolution Mass Spectrometry For The Detection Of Drugs And Metabolites In Hair: Methoxetamine In A Real Forensic Case. <i>Journal of Analytical Toxicology</i> , 2020 ,	2.9	3
161	A Morphological and Morphometric Dental Analysis as a Forensic Tool to Identify the Iberian Wolf (). <i>Animals</i> , 2020 , 10,	3.1	4
160	Increasing awareness of the severity of female victimization by opportunistic drug-facilitated sexual assault: A new viewpoint. <i>Forensic Science International</i> , 2020 , 315, 110460	2.6	2
159	An ecological working framework as a new model for understanding and preventing the victimization of women by drug-facilitated sexual assault. <i>Forensic Science International</i> , 2020 , 315, 110	4 3 .8	2
158	A practical beginner∃ guide to Raman microscopy. <i>Applied Spectroscopy Reviews</i> , 2020 , 1-24	4.5	3

(2018-2020)

157	Ultraviolet-Visible and High-Resolution Mass Spectrometry for the Identification of Cyclopropyl-Fentanyl in the First Fatal Case in Spain. <i>Journal of Analytical Toxicology</i> , 2020 , 44, 927-935	2.9	3
156	Multi-target methodology for the screening of blood specimens in drug-facilitated sexual assault cases. <i>Microchemical Journal</i> , 2019 , 150, 104204	4.8	O
155	Shooting distance estimation based on gunshot residues analyzed by XRD and multivariate analysis. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2019 , 193, 103831	3.8	3
154	A validated GC-MS method for ketamine and norketamine in hair and its use in authentic cases. <i>Forensic Science International</i> , 2019 , 301, 447-454	2.6	8
153	Occurrence and identification of microplastics along a beach in the Biosphere Reserve of Lanzarote. <i>Marine Pollution Bulletin</i> , 2019 , 143, 220-227	6.7	53
152	Maximizing semen extraction from sanitary pads by chemical and shredding treatments. <i>Forensic Science International: Genetics</i> , 2019 , 42, 198-202	4.3	3
151	Probing the confinement of Egalactosidase into meso-macro porous silica by Raman spectroscopy. <i>Microporous and Mesoporous Materials</i> , 2019 , 278, 149-155	5.3	6
150	Human Ultraweak Photon Emission: Key Analytical Aspects, Results and Future Trends - A Review. <i>Critical Reviews in Analytical Chemistry</i> , 2019 , 49, 368-381	5.2	7
149	Direct and indirect approaches based on paper analysis by Py-GC/MS for estimating the age of documents. <i>Journal of Analytical and Applied Pyrolysis</i> , 2018 , 131, 9-16	6	14
148	Simple multispectral imaging approach for determining the transfer of explosive residues in consecutive fingerprints. <i>Talanta</i> , 2018 , 184, 437-445	6.2	6
147	Successive injection in microstructured-capillary electrophoresis for rapid pairwise comparisons. Application to questioned documents. <i>Microchemical Journal</i> , 2018 , 139, 416-423	4.8	1
146	Ultraviolet resonance Raman spectroscopy for the detection of cocaine in oral fluid. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 188, 338-340	4.4	21
145	Acid alteration of several ignitable liquids of potential use in arsons. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2018 , 58, 7-16	2	6
144	The discrimination of 72 nitrate, chlorate and perchlorate salts using IR and Raman spectroscopy. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2018 , 189, 535-542	4.4	40
143	Detection of microscopic traces of explosive residues on textile fabrics by Raman spectroscopy. Journal of Raman Spectroscopy, 2018 , 49, 1668-1677	2.3	5
142	Study of the adhesion of explosive residues to the finger and transfer to clothing and luggage. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2018 , 58, 415-424	2	4
141	Measuring the Human Ultra-Weak Photon Emission Distribution Using an Electron-Multiplying, Charge-Coupled Device as a Sensor. <i>Sensors</i> , 2018 , 18,	3.8	7
140	Gold nanorods as SERS substrate for the ultratrace detection of cocaine in non-pretreated oral fluid samples. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018 , 557, 43-50	5.1	18

139	Interpreting the near infrared region of explosives. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2018 , 204, 81-87	4.4	8
138	Chemometric approaches for document dating: Handling paper variability. <i>Analytica Chimica Acta</i> , 2018 , 1031, 28-37	6.6	22
137	Multi-spectral imaging for the estimation of shooting distances. <i>Forensic Science International</i> , 2018 , 282, 80-85	2.6	8
136	Selective Monitoring of Oxyanion Mixtures by a Flow System with Raman Detection. <i>Sensors</i> , 2018 , 18,	3.8	4
135	Monitoring of the stability of cocaine and some metabolites in water and oral fluid by a newly developed CE method. <i>Electrophoresis</i> , 2017 , 38, 1217-1223	3.6	4
134	Revealing the location of semen, vaginal fluid and urine in stained evidence through near infrared chemical imaging. <i>Talanta</i> , 2017 , 166, 292-299	6.2	15
133	An exploratory study of the potential of LIBS for visualizing gunshot residue patterns. <i>Forensic Science International</i> , 2017 , 273, 124-131	2.6	23
132	Short wave infrared chemical imaging as future tool for analysing gunshot residues patterns in targets. <i>Talanta</i> , 2017 , 167, 227-235	6.2	7
131	Comparison of different GC-MS configurations for the determination of prevalent drugs and related metabolites. <i>Analytical Methods</i> , 2017 , 9, 2897-2908	3.2	4
130	Analysis of different materials subjected to open-air explosions in search of explosive traces by Raman microscopy. <i>Forensic Science International</i> , 2017 , 275, 57-64	2.6	11
129	Effect of Meso vs Macro Size of Hierarchical Porous Silica on the Adsorption and Activity of Immobilized Egalactosidase. <i>Langmuir</i> , 2017 , 33, 3333-3340	4	18
128	Investigation of the use of luminescent markers as gunshot residue indicators. <i>Forensic Science International</i> , 2017 , 280, 95-102	2.6	13
127	Statistical approach for ATR-FTIR screening of semen in sexual evidence. <i>Talanta</i> , 2017 , 174, 853-857	6.2	14
126	Analysis of human bodily fluids on superabsorbent pads by ATR-FTIR. <i>Talanta</i> , 2017 , 162, 634-640	6.2	16
125	From Optical to Hyperspectral Imaging Techniques in Forensic Sciences 2016 , 125-149		1
124	Determination of Nanogram Microparticles from Explosives after Real Open-Air Explosions by Confocal Raman Microscopy. <i>Analytical Chemistry</i> , 2016 , 88, 6726-33	7.8	12
123	Detection and identification of explosives by surface enhanced Raman scattering. <i>Applied Spectroscopy Reviews</i> , 2016 , 51, 227-262	4.5	39
122	Study of consumer fireworks post-blast residues by ATR-FTIR. <i>Talanta</i> , 2016 , 149, 257-265	6.2	31

(2015-2016)

121	Differentiation of Body Fluid Stains on Fabrics Using External Reflection Fourier Transform Infrared Spectroscopy (FT-IR) and Chemometrics. <i>Applied Spectroscopy</i> , 2016 , 70, 654-65	3.1	26
120	Study of Spectral Modifications in Acidified Ignitable Liquids by Attenuated Total Reflection Fourier Transform Infrared Spectroscopy. <i>Applied Spectroscopy</i> , 2016 , 70, 520-30	3.1	6
119	Spectroscopic techniques for the forensic analysis of textile fibers. <i>Applied Spectroscopy Reviews</i> , 2016 , 51, 278-301	4.5	19
118	Recent advances in capillary electrophoresis instrumentation for the analysis of explosives. <i>TrAC - Trends in Analytical Chemistry</i> , 2016 , 75, 75-85	14.6	22
117	Analytical tools for the analysis of fire debris. A review: 2008-2015. <i>Analytica Chimica Acta</i> , 2016 , 928, 1-19	6.6	44
116	Surface-enhanced Raman spectroscopy for the analysis of smokeless gunpowders and macroscopic gunshot residues. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 4965-73	4.4	22
115	Analysis of street cocaine samples in nasal fluid by Raman spectroscopy. <i>Talanta</i> , 2016 , 154, 367-73	6.2	12
114	A new CE with contactless conductivity detection method for the determination of complex cationic compositions: Application to the analysis of pen inks. <i>Electrophoresis</i> , 2016 , 37, 2896-2902	3.6	3
113	Progressing the analysis of Improvised Explosive Devices: Comparative study for trace detection of explosive residues in handprints by Raman spectroscopy and liquid chromatography. <i>Talanta</i> , 2016 , 161, 219-227	6.2	29
112	Micro-injector for capillary electrophoresis. <i>Electrophoresis</i> , 2015 , 36, 1941-4	3.6	17
111	Spectroscopic Trends for the Determination of Illicit Drugs in Oral Fluid. <i>Applied Spectroscopy Reviews</i> , 2015 , 50, 775-796	4.5	20
110	Study of chemical modifications in acidified ignitable liquids analysed by GC-MS. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2015 , 55, 446-55	2	8
109	Analysis of pre-ignited improvised incendiary devices using portable Raman. <i>Talanta</i> , 2015 , 144, 612-8	6.2	7
108	A microstructured capillary electrophoresis method for nitrocellulose detection in dynamite. <i>Microchemical Journal</i> , 2015 , 123, 218-223	4.8	5
107	Confocal Raman spectrocopy for the analysis of nail polish evidence. <i>Talanta</i> , 2015 , 138, 155-162	6.2	12
106	A microdestructive capillary electrophoresis method for the analysis of blue-pen-ink strokes on office paper. <i>Journal of Chromatography A</i> , 2015 , 1400, 140-8	4.5	7
105	Vibrational Spectroscopy as a Promising Tool to Study Enzyme-Carrier Interactions: A Review. <i>Applied Spectroscopy Reviews</i> , 2015 , 50, 797-821	4.5	11
104	Forensic discrimination of inkjet-printed lines by Raman spectroscopy and surface-enhanced Raman spectroscopy. <i>Australian Journal of Forensic Sciences</i> , 2015 , 47, 411-420	1.1	11

103	Emerging spectrometric techniques for the forensic analysis of body fluids. <i>TrAC - Trends in Analytical Chemistry</i> , 2015 , 64, 53-63	14.6	58
102	Analysis of questioned documents: a review. <i>Analytica Chimica Acta</i> , 2015 , 853, 143-166	6.6	80
101	Fundamentals on new capillaries inspired by photonic crystal fibers as optofluidic separation systems in CE. <i>Electrophoresis</i> , 2015 , 36, 433-40	3.6	6
100	Chemical and biochemical sensing applications of microstructured optical fiber-based systems. Laser and Photonics Reviews, 2015 , 9, 604-627	8.3	40
99	Forensic Applications 2015 , 1877-1895		
98	Fast Analysis of Complete Macroscopic Gunshot Residues on Substrates Using Raman Imaging. Applied Spectroscopy, 2015 , 69, 889-93	3.1	16
97	Study of acidified ignitable liquid residues in fire debris by solid-phase microextraction with gas chromatography and mass spectrometry. <i>Journal of Separation Science</i> , 2015 , 38, 3218-3227	3.4	7
96	Raman imaging for determining the sequence of blue pen ink crossings. <i>Forensic Science International</i> , 2015 , 249, 92-100	2.6	30
95	Raman identification of drug of abuse particles collected with colored and transparent tapes. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2014 , 54, 164-9	2	10
94	Recent non-chemical approaches to estimate the shooting distance. <i>Forensic Science International</i> , 2014 , 239, 79-85	2.6	20
93	A study to visualize and determine the sequencing of intersecting ink lines. <i>Forensic Science International</i> , 2014 , 234, 39-44	2.6	16
92	Infrared and Raman spectroscopy techniques applied to identification of explosives. <i>TrAC - Trends in Analytical Chemistry</i> , 2014 , 54, 36-44	14.6	148
91	Raman spectral signatures for the differentiation of benzodiazepine drugs. <i>Analytical Methods</i> , 2014 , 6, 9536-9546	3.2	8
90	Simultaneous separation of cations and anions in capillary electrophoresis. <i>TrAC - Trends in Analytical Chemistry</i> , 2014 , 62, 162-172	14.6	33
89	Near infrared spectral imaging for the analysis of dynamite residues on human handprints. <i>Talanta</i> , 2014 , 130, 315-21	6.2	27
88	Carbon nanotube-Cu hybrids enhanced catalytic activity in aqueous media. <i>Carbon</i> , 2014 , 78, 10-18	10.4	7
87	Analytical techniques for the analysis of consumer fireworks. <i>TrAC - Trends in Analytical Chemistry</i> , 2014 , 56, 27-36	14.6	32
86	Confocal Raman spectroscopy to trace lipstick with their smudges on different surfaces. <i>Talanta</i> , 2014 , 123, 135-9	6.2	20

(2013-2014)

85	In response to the letter "scopolamine: useful medicine or dangerous drug?". <i>Science and Justice - Journal of the Forensic Science Society</i> , 2014 , 54, 323	2	1
84	Anions in pre- and post-blast consumer fireworks by capillary electrophoresis. <i>Electrophoresis</i> , 2014 , 35, 3272-80	3.6	15
83	Photonic crystal fibres as efficient separation component in capillary electrophoresis. <i>Sensors and Actuators B: Chemical</i> , 2014 , 191, 264-269	8.5	11
82	Proteins in olive fruit and oil. <i>Critical Reviews in Food Science and Nutrition</i> , 2014 , 54, 611-24	11.5	17
81	Near Promising Future of near Infrared Hyperspectral Imaging in Forensic Sciences. <i>NIR News</i> , 2014 , 25, 6-9	0.8	4
80	Analysis and differentiation of paper samples by capillary electrophoresis and multivariate analysis. <i>Electrophoresis</i> , 2014 , 35, 3264-71	3.6	4
79	Detection of residues from explosive manipulation by near infrared hyperspectral imaging: a promising forensic tool. <i>Forensic Science International</i> , 2014 , 242, 228-235	2.6	45
78	Studying the variability in the Raman signature of writing pen inks. <i>Forensic Science International</i> , 2014 , 245, 38-44	2.6	19
77	Electrophoretic fingerprinting of benzodiazepine tablets in spike drinks. <i>Electrophoresis</i> , 2014 , 35, 3250)-3 .6	4
76	Concurrent determination of anions and cations in consumer fireworks with a portable dual-capillary electrophoresis system. <i>Journal of Chromatography A</i> , 2014 , 1372C, 245-252	4.5	32
75	Raman spectroscopy for forensic analysis of inks in questioned documents. <i>Forensic Science International</i> , 2013 , 232, 206-12	2.6	104
74	Validation of an analytical method for the refractive index measurement of glass fragments. Application to a hit-and-run incident. <i>Analytical Methods</i> , 2013 , 5, 1178	3.2	6
73	Rapid determination of scopolamine in evidence of recreational and predatory use. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2013 , 53, 409-14	2	37
72	Diphenylamine and derivatives as predictors of gunpowder age by means of HPLC and statistical models. <i>Talanta</i> , 2013 , 103, 214-20	6.2	17
71	Study of the suitability of DUO plastic bags for the storage of dynamites. <i>Forensic Science International</i> , 2013 , 232, e33-7	2.6	1
70	Discrimination of non-explosive and explosive samples through nitrocellulose fingerprints obtained by capillary electrophoresis. <i>Journal of Chromatography A</i> , 2013 , 1302, 197-204	4.5	17
69	Anionic markers for the forensic identification of Chemical Ignition Molotov Cocktail composition. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2013 , 53, 49-54	2	12
68	Portable capillary electrophoresis instrument with automated injector and contactless conductivity detection. <i>Analytical Chemistry</i> , 2013 , 85, 2333-9	7.8	85

67	Peanut allergens: an overview. Critical Reviews in Food Science and Nutrition, 2013, 53, 722-37	11.5	9
66	Analysis of macroscopic gunshot residues by Raman spectroscopy to assess the weapon memory effect. <i>Forensic Science International</i> , 2013 , 231, 1-5	2.6	65
65	Dynamite analysis by Raman spectroscopy as a unique analytical tool. <i>Analytical Chemistry</i> , 2013 , 85, 2595-600	7.8	20
64	Forensic discrimination of blue ballpoint pens on documents by laser ablation inductively coupled plasma mass spectrometry and multivariate analysis. <i>Forensic Science International</i> , 2013 , 228, 1-7	2.6	37
63	Applications of laser-ablation-inductively-coupled plasma-mass spectrometry in chemical analysis of forensic evidence. <i>TrAC - Trends in Analytical Chemistry</i> , 2013 , 42, 1-34	14.6	46
62	Determination of nitrogen mustard degradation products in water samples using a portable capillary electrophoresis instrument. <i>Electrophoresis</i> , 2013 , 34, 2078-84	3.6	29
61	Molecular characterization of phospholipids by high-performance liquid chromatography combined with an evaporative light scattering detector, high-performance liquid chromatography combined with mass spectrometry, and gas chromatography combined with a flame ionization detector in different oat varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 10963-9	5.7	16
60	Separation of olive proteins by capillary gel electrophoresis. <i>Talanta</i> , 2012 , 97, 420-4	6.2	15
59	Comparative analysis of smokeless gunpowders by Fourier transform infrared and Raman spectroscopy. <i>Analytica Chimica Acta</i> , 2012 , 717, 92-9	6.6	26
58	Determination of nitrocellulose by capillary electrophoresis with laser-induced fluorescence detection. <i>Analytica Chimica Acta</i> , 2012 , 745, 149-55	6.6	26
57	Qualitative determination of inorganic anions in incendiary device residues by capillary electrophoresis. <i>Analytical Methods</i> , 2012 , 4, 2680	3.2	12
56	Ammunition identification by means of the organic analysis of gunshot residues using Raman spectroscopy. <i>Analytical Chemistry</i> , 2012 , 84, 3581-5	7.8	56
55	Characterization of carboxylate-terminated carbosilane dendrimers and their evaluation as nanoadditives in capillary electrophoresis for vegetable protein profiling. <i>Journal of Chromatography A</i> , 2012 , 1234, 16-21	4.5	15
54	Why is methenamine detected in Goma-2 dynamites originally methenamine free? An interpretation of relevant forensic results. <i>Forensic Science International</i> , 2012 , 216, 183-8	2.6	1
53	Noninvasive detection of concealed explosives: depth profiling through opaque plastics by time-resolved Raman spectroscopy. <i>Analytical Chemistry</i> , 2011 , 83, 8517-23	7.8	25
52	Analytical techniques in the study of highly-nitrated nitrocellulose. <i>TrAC - Trends in Analytical Chemistry</i> , 2011 , 30, 1740-1755	14.6	63
51	Study of losses of volatile compounds from dynamites. Investigation of cross-contamination between dynamites stored in polyethylene bags. <i>Forensic Science International</i> , 2011 , 211, 27-33	2.6	6
50	Determination of ethylene glycol dinitrate in dynamites using HPLC: application to the plastic explosive Goma-2 ECO. <i>Journal of Separation Science</i> , 2011 , 34, 3353-8	3.4	2

49	Determination of the nitrogen content of nitrocellulose from smokeless gunpowders and collodions by alkaline hydrolysis and ion chromatography. <i>Analytica Chimica Acta</i> , 2011 , 685, 196-203	6.6	20	
48	Modification of Resolution in Capillary Electrophoresis for Protein Profiling in Identification of Genetic Modification in Foods. <i>Croatica Chemica Acta</i> , 2011 , 84, 375-382	0.8	8	
47	Traceability markers to the botanical origin in olive oils. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 28-38	5.7	91	
46	Determination of trigonelline in seeds and vegetable oils by capillary electrophoresis as a novel marker for the detection of adulterations in olive oils. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 7489-96	5.7	19	
45	New protocol for the isolation of nitrocellulose from gunpowders: utility in their identification. <i>Talanta</i> , 2010 , 81, 1742-9	6.2	34	
44	Separation of olive proteins combining a simple extraction method and a selective capillary electrophoresis (CE) approach: application to raw and table olive samples. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 11808-13	5.7	8	
43	Sensitive determination of D-carnitine as enantiomeric impurity of levo-carnitine in pharmaceutical formulations by capillary electrophoresis-tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010 , 53, 1217-23	3.5	36	
42	Recent approaches for enhancing sensitivity in enantioseparations by CE. <i>Electrophoresis</i> , 2010 , 31, 28-	43 .6	27	
41	Separation of proteins from olive oil by CE: an approximation to the differentiation of monovarietal olive oils. <i>Electrophoresis</i> , 2010 , 31, 2218-25	3.6	18	
40	Determination of l- and d-carnitine in dietary food supplements using capillary electrophoresistandem mass spectrometry. <i>Food Chemistry</i> , 2010 , 120, 921-928	8.5	45	
39	Development of a CE-MS(2) method for the enantiomeric separation of L/D-carnitine: application to the analysis of infant formulas. <i>Electrophoresis</i> , 2009 , 30, 337-48	3.6	43	
38	Fast derivatization of the non-protein amino acid ornithine with FITC using an ultrasound probe prior to enantiomeric determination in food supplements by EKC. <i>Electrophoresis</i> , 2009 , 30, 1037-45	3.6	23	
37	Development of an in-capillary derivatization method by CE for the determination of chiral amino acids in dietary supplements and wines. <i>Electrophoresis</i> , 2009 , 30, 696-704	3.6	38	
36	Development of a CE-ESI-ITMS method for the enantiomeric determination of the non-protein amino acid ornithine. <i>Electrophoresis</i> , 2009 , 30, 1724-33	3.6	29	
35	Rapid characterisation of (glyphosate tolerant) transgenic and non-transgenic soybeans using chromatographic protein profiles. <i>Food Chemistry</i> , 2009 , 113, 1212-1217	8.5	16	
34	Sensitive chiral analysis by CE: an update. <i>Electrophoresis</i> , 2008 , 29, 237-51	3.6	51	
33	Enantiomeric separation of ornithine in complex mixtures of amino acids by EKC with off-line derivatization with 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2008 , 875, 254-9	3.2	23	
32	Enantioselective separation of azole compounds by EKC. Reversal of migration order of enantiomers with CD concentration. <i>Electrophoresis</i> , 2007 , 28, 2667-74	3.6	33	

31	Characterization and differentiation of diverse transgenic and nontransgenic soybean varieties from CE protein profiles. <i>Electrophoresis</i> , 2007 , 28, 2314-23	3.6	24
30	CE methods for the determination of non-protein amino acids in foods. <i>Electrophoresis</i> , 2007 , 28, 4031-	15 .6	22
29	Development of a capillary electrophoresis method for the determination of soybean proteins in soybean-rice gluten-free dietary products. <i>Electrophoresis</i> , 2006 , 27, 452-60	3.6	9
28	Sensitive chiral analysis by capillary electrophoresis. <i>Electrophoresis</i> , 2006 , 27, 195-212	3.6	46
27	Recent advances in the analysis of antibiotics by capillary electrophoresis. <i>Electrophoresis</i> , 2006 , 27, 266	5- 3 Ø	63
26	Reversed-phase high-performance liquid chromatography applied to the determination of soybean proteins in commercial heat-processed meat products. <i>Analytica Chimica Acta</i> , 2006 , 559, 215-220	6.6	10
25	Fractionation of chlorinated and brominated persistent organic pollutants in several food samples by pyrenyl-silica liquid chromatography prior to GCMS determination. <i>Analytica Chimica Acta</i> , 2006 , 565, 208-213	6.6	19
24	Identification and quantitation of cis-ketoconazole impurity by capillary zone electrophoresis-mass spectrometry. <i>Journal of Chromatography A</i> , 2006 , 1114, 170-7	4.5	20
23	Chiral analysis by capillary electrophoresis. Comprehensive Analytical Chemistry, 2005, 617-701	1.9	2
22	Enantioselective room temperature phosphorescence detection of non-phosphorescent analytes based on interaction with beta-cyclodextrin/1-bromonaphthalene complexes. <i>Talanta</i> , 2005 , 66, 634-40	6.2	18
21	Enantioselective detection of chiral phosphorescent analytes in cyclodextrin complexes. <i>Talanta</i> , 2005 , 66, 641-5	6.2	17
20	Enantiomeric separation of organophosphorus pesticides by capillary electrophoresis: Application to the determination of malathion in water samples after preconcentration by off-line solid-phase extraction. <i>Analytica Chimica Acta</i> , 2005 , 543, 77-83	6.6	60
19	Separation of etodolac enantiomers by capillary electrophoresis. Validation and application of the chiral method to the analysis of commercial formulations. <i>Electrophoresis</i> , 2005 , 26, 1106-13	3.6	27
18	Enantioselective separation of the sunscreen agent 3-(4-methylbenzylidene)-camphor by electrokinetic chromatography: Quantitative analysis in cosmetic formulations. <i>Electrophoresis</i> , 2005 , 26, 3952-9	3.6	7
17	Detection and quantitation of additions of soybean proteins in cured-meat products by perfusion reversed-phase high-performance liquid chromatography. <i>Journal of Separation Science</i> , 2005 , 28, 987-9	3.4	17
16	Separation and online preconcentration by multistep stacking with large-volume injection of anabolic steroids by capillary electrokinetic chromatography using charged cyclodextrins and UV-absorption detection. <i>Journal of Separation Science</i> , 2005 , 28, 2200-9	3.4	18
15	Quenched phosphorescence as a detection method in capillary electrophoretic chiral separations. Monitoring the stereoselective biodegradation of camphorquinone by yeast. <i>Analytical Chemistry</i> , 2004 , 76, 399-403	7.8	12
14	Comparison of charged cyclodextrin derivatives for the chiral separation of atropisomeric polychlorinated biphenyls by capillary electrophoresis. <i>Electrophoresis</i> , 2003 , 24, 2657-64	3.6	26

LIST OF PUBLICATIONS

13	Rapid determination of salbutamol in pharmaceutical preparations by chiral capillary electrophoresis. <i>Electrophoresis</i> , 2003 , 24, 2680-6	3.6	23	
12	Retention modeling and resolution optimization for a group of N-phenylpyrazole derivatives in micellar electrokinetic chromatography using empirical and physicochemical models. <i>Electrophoresis</i> , 2003 , 24, 325-35	3.6	10	
11	Monitoring the stereoselectivity of biodegradation of chiral polychlorinated biphenyls using electrokinetic chromatography. <i>Journal of Separation Science</i> , 2002 , 25, 17-22	3.4	14	
10	Rapid separation of tetracycline derivatives and their main degradation products by capillary zone electrophoresis. <i>Electrophoresis</i> , 2001 , 22, 2775-81	3.6	18	
9	Fast enantiomeric separation of basis drugs by electrokinetic chromatography. Application to the quantitation of terbutaline in a pharmaceutical preparation. <i>Electrophoresis</i> , 2001 , 22, 3191-7	3.6	15	
8	Enantiomeric separation of chiral phenoxy acid herbicides by electrokinetic chromatography. Application to the determination of analyte-selector apparent binding constants for enantiomers. <i>Electrophoresis</i> , 2001 , 22, 3216-25	3.6	29	
7	Laser-induced fluorescence detection at 266 nm in capillary electrophoresis. Polycyclic aromatic hydrocarbon metabolites in biota. <i>Journal of Chromatography A</i> , 2001 , 907, 291-9	4.5	35	
6	Rapid enantiomeric separation of polychlorinated biphenyls by electrokinetic chromatography using mixtures of neutral and charged cyclodextrin derivatives. <i>Journal of Chromatography A</i> , 2001 , 910, 157-64	4.5	33	
5	Enantiomeric separation of a group of chiral dihydropyridines by electrokinetic chromatography. <i>Electrophoresis</i> , 2000 , 21, 1565-73	3.6	11	
4	Separation of a group of N-phenylpyrazole derivatives by micellar electrokinetic chromatography: application to the determination of solute-micelle association constants and estimation of the hydrophobicity. <i>Electrophoresis</i> , 2000 , 21, 2424-31	3.6	8	
3	Fast enantiomeric separation of uniconazole and diniconazole by electrokinetic chromatography using an anionic cyclodextrin: application to the determination of analyte-selector apparent binding constants for enantiomers. <i>Electrophoresis</i> , 2000 , 21, 3240-8	3.6	20	
2	Analysis of bovine whey proteins in soybean dairy-like products by capillary electrophoresis. <i>Journal of Chromatography A</i> , 1999 , 859, 77-86	4.5	18	
1	Characterization and quantitation of soybean proteins in commercial soybean products by capillary electrophoresis. <i>Electrophoresis</i> , 1999 , 20, 2003-12	3.6	13	