Anna Sankiewicz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4429729/publications.pdf

Version: 2024-02-01

1040056 996975 19 233 9 15 citations h-index g-index papers 20 20 20 188 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	SPR imaging biosensor for the quantitation of fibronectin concentration in blood samples. Journal of Pharmaceutical and Biomedical Analysis, 2018, 150, 1-8.	2.8	37
2	Development of surface plasmon resonance imaging biosensors for detection of ubiquitin carboxyl-terminal hydrolase L1. Analytical Biochemistry, 2015, 469, 4-11.	2.4	33
3	Podoplanin serum and urine concentration in transitional bladder cancer. Cancer Biomarkers, 2016, 16, 343-350.	1.7	25
4	Overexpression of ubiquitin carboxyl-terminal hydrolase L1 (UCHL1) in serum of children after thermal injury. Advances in Medical Sciences, 2017, 62, 83-86.	2.1	24
5	Matrix metalloproteinase-2 and its correlation with basal membrane components laminin-5 and collagen type IV in paediatric burn patients measured with Surface Plasmon Resonance Imaging (SPRI) biosensors. Burns, 2018, 44, 931-940.	1.9	19
6	Surface plasmon resonance imaging biosensors for aromatase based on a potent inhibitor and a specific antibody: Sensor development and application for biological material. Open Chemistry, 2014, 12, 557-567.	1.9	18
7	Methods for 20S Immunoproteasome and 20S Constitutive Proteasome Determination Based on SPRI Biosensors. Cellular and Molecular Bioengineering, 2017, 10, 174-185.	2.1	14
8	An SPR imaging immunosensor for leptin determination in blood plasma. Analytical Methods, $2021, 13, 642-646$.	2.7	12
9	Application of SPR Imaging Biosensor for the Measurement of 20S Proteasomes in Blood Plasma of Children with Thermal Injury. Annals of Clinical and Laboratory Science, 2016, 46, 407-11.	0.2	11
10	Two SPRi biosensors for the determination of cathepsin S in blood plasma. Talanta, 2021, 225, 121900.	5.5	7
11	Immunoproteasome in the Plasma of Pediatric Patients With Moderate and Major Burns, and Its Correlation With Proteasome and UCHL1 Measured by SPR Imaging Biosensors. Journal of Burn Care and Research, 2018, 39, 948-953.	0.4	6
12	A New Analytical Method for Determination of Cathepsin L Based on the Surface Plasmon Resonance Imaging Biosensor. International Journal of Molecular Sciences, 2019, 20, 2166.	4.1	6
13	Levels of Selected Matrix Metalloproteinases—MMP-1, MMP-2 and Fibronectin in the Saliva of Patients Planned for Endodontic Treatment or Surgical Extraction. Journal of Clinical Medicine, 2020, 9, 3971.	2.4	5
14	Analytical applications of electrode sensitive to labetalol in pharmaceuticals. Open Chemistry, 2003, 1, 242-259.	1.9	4
15	Plasma concentration of MMP-1 and MMP-2 in boys with cryptorchidism and its lack of correlation with INSL3 and inhibin B. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 412-418.	1.2	4
16	Concentration of Proteasome in the Blood Plasma of Children with Acute Appendicitis, Before and After Surgery, and Its Correlation with CRP. World Journal of Surgery, 2018, 42, 2259-2264.	1.6	3
17	Application of SPRi Biosensors for Determination of 20S Proteasome and UCH-L1 Levels in the Serum and Urine of Transitional Bladder Cancer Patients. Applied Sciences (Switzerland), 2021, 11, 7835.	2.5	3
18	Plasma level of laminin 5 and collagen IV in cryptorchidism. Advances in Medical Sciences, 2020, 65, 176-181.	2.1	1

#	Article	IF	CITATIONS
19	Determination of the concentration of cathepsin B bySPRI biosensor in children with appendicitis, and its correlation with proteasomes. Advances in Clinical and Experimental Medicine, 2018, 27, 1529-1534.	1.4	O