

A P Di Beneditto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4430206/publications.pdf>

Version: 2024-02-01

126
papers

2,195
citations

186265
h-index

289244
g-index

127
all docs

127
docs citations

127
times ranked

1924
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic markers in the study of <i>Anisakis typica</i> (Diesing, 1860): larval identification and genetic relationships with other species of <i>Anisakis</i> Dujardin, 1845 (Nematoda: Anisakidae). <i>Systematic Parasitology</i> , 2002, 51, 159-170.	1.1	117
2	Allometric changes and shape differentiation of sagitta otoliths in sciaenid fishes. <i>Fisheries Research</i> , 2005, 74, 288-299.	1.7	93
3	An insight into the epidemiology of dolphin morbillivirus worldwide. <i>Veterinary Microbiology</i> , 2001, 81, 287-304.	1.9	86
4	Mercury and selenium biomagnification in a Brazilian coastal food web using nitrogen stable isotope analysis: A case study in an area under the influence of the Paraiba do Sul River plume. <i>Marine Pollution Bulletin</i> , 2013, 75, 283-290.	5.0	76
5	How marine debris ingestion differs among megafauna species in a tropical coastal area. <i>Marine Pollution Bulletin</i> , 2014, 88, 86-90.	5.0	74
6	Biology of the marine tucuxi dolphin (<i>Sotalia fluviatilis</i>) in south-eastern Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2004, 84, 1245-1250.	0.8	72
7	Epidemiological pattern of tattoo skin disease: a potential general health indicator for cetaceans. <i>Diseases of Aquatic Organisms</i> , 2009, 85, 225-237.	1.0	63
8	Marine debris ingestion by coastal dolphins: What drives differences between sympatric species?. <i>Marine Pollution Bulletin</i> , 2014, 83, 298-301.	5.0	59
9	Mercury and Nitrogen Isotope in a Marine Species from a Tropical Coastal Food Web. <i>Archives of Environmental Contamination and Toxicology</i> , 2012, 62, 264-271.	4.1	54
10	â€˜Human-dolphin (<i>Tursiops truncatus</i> Montagu, 1821) cooperative fisheryâ€™ and its influence on cast net fishing activities in Barra de ImbÃ©/TramandaÃ¬, Southern Brazil. <i>Ocean and Coastal Management</i> , 2011, 54, 427-432.	4.4	51
11	Ecological and biological determinants of trace elements accumulation in liver and kidney of <i>Pontoporia blainvilliei</i> . <i>Science of the Total Environment</i> , 2007, 385, 208-220.	8.0	47
12	Can the Atlantic ghost crab be a potential biomonitor of microplastic pollution of sandy beaches sediment?. <i>Marine Pollution Bulletin</i> , 2019, 145, 5-13.	5.0	45
13	Age and growth of some delphinids in south-eastern Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 293-303.	0.8	44
14	Use of multiple tools to assess the feeding preference of coastal dolphins. <i>Marine Biology</i> , 2011, 158, 2209-2217.	1.5	44
15	Selenium and mercury in widely consumed seafood from South Atlantic Ocean. <i>Ecotoxicology and Environmental Safety</i> , 2013, 93, 156-162.	6.0	43
16	Heavy metal distribution in two cetacean species from Rio de Janeiro State, south-eastern Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 1117-1120.	0.8	39
17	Fishing activity in Northern Rio de Janeiro State (Brazil) and its relation with small cetaceans. <i>Brazilian Archives of Biology and Technology</i> , 1998, 41, 296-302.	0.5	38
18	Stomach contents of the marine tucuxi dolphin (<i>Sotalia guianensis</i>) from Rio de Janeiro, south-eastern Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2007, 87, 253-254.	0.8	38

#	ARTICLE	IF	CITATIONS
19	Diet and potential feeding overlap between <i>Trichiurus lepturus</i> (Osteichthyes: Perciformes) and <i>Pontoporia blainvilliei</i> (Mammalia: Cetacea) in Northern Rio de Janeiro, Brazil. <i>Zoologia</i> , 2009, 26, 374-378.	0.5	37
20	Reassessment of the franciscana <i>Pontoporia blainvilliei</i> (Gervais & d'Orbigny, 1844) distribution and niche characteristics in Brazil. <i>Journal of Experimental Marine Biology and Ecology</i> , 2018, 508, 1-12.	1.5	36
21	Total mercury, organic mercury and selenium in liver and kidney of a South American coastal dolphin. <i>Environmental Pollution</i> , 2008, 154, 98-106.	7.5	35
22	Mercury species, selenium, metallothioneins and glutathione in two dolphins from the southeastern Brazilian coast: Mercury detoxification and physiological differences in diving capacity. <i>Environmental Pollution</i> , 2016, 213, 785-792.	7.5	34
23	Transferência trânsfica de mercúrio e selênio na costa norte do Rio de Janeiro. <i>Química Nova</i> , 2009, 32, 1822-1828.	0.3	32
24	Growth and Recruitment of the Atlantic Seabob Shrimp, <i>Xiphopenaeus kroyeri</i> (Heller, 1862) (Decapoda,) Tj ETQq0.0.0 rgBT /Overlock 1	0.3	32
25	Accidents between artisanal fisheries and cetaceans on the Brazilian coast and Central Amazon: Proposals for integrated management. <i>Ocean and Coastal Management</i> , 2013, 85, 46-57.	4.4	30
26	Sightings of <i>Pontoporia blainvilliei</i> (Gervais & D' Orbigny, 1844) and <i>Sotalia fluviatilis</i> (Gervais, 1853) (Cetacea) in South-eastern Brazil. <i>Brazilian Archives of Biology and Technology</i> , 2001, 44, 291-296.	0.5	30
27	Trace elements in different species of cetacean from Rio de Janeiro coast. <i>Journal of the Brazilian Chemical Society</i> , 2009, 20, 243-251.	0.6	29
28	Mercury, selenium and stable isotopes in four small cetaceans from the Southeastern Brazilian coast: Influence of feeding strategy. <i>Environmental Pollution</i> , 2016, 218, 1298-1307.	7.5	29
29	Hábito alimentar do peixe-espada adulto, <i>Trichiurus lepturus</i> , na costa norte do Rio de Janeiro, sudeste do Brasil. <i>Biotemas</i> , 2008, 21, .	0.1	28
30	First information about the stomach contents of juvenile green turtles, <i>Chelonia mydas</i> , in Rio de Janeiro, south-eastern Brazil. <i>Marine Biodiversity Records</i> , 2013, 6, .	1.2	28
31	The conflict between the southern right whale and coastal fisheries on the southern coast of Brazil. <i>Marine Policy</i> , 2013, 38, 428-437.	3.2	25
32	Artisanal fishery versus port activity in southern Brazil. <i>Ocean and Coastal Management</i> , 2016, 129, 49-57.	4.4	23
33	Relationship between dental morphology, sex, body length and age in <i>Pontoporia blainvilliei</i> and <i>Sotalia fluviatilis</i> (Cetacea) in Northern Rio de Janeiro, Brazil. <i>Revista Brasileira De Biologia</i> , 2000, 60, 283-290.	0.3	22
34	Essential (Se, Cu) and non-essential (Ag, Hg, Cd) elements: What are their relationships in liver of <i>Sotalia guianensis</i> (Cetacea, Delphinidae)??. <i>Marine Pollution Bulletin</i> , 2009, 58, 629-634.	5.0	22
35	Geographical variation in franciscana (<i>Pontoporia blainvilliei</i>) external morphology. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2012, 92, 1645-1656.	0.8	21
36	Morphometric variation in the shape of the cephalothorax of shrimp <i>Xiphopenaeus kroyeri</i> on the east coast of Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 683-691.	0.8	20

#	ARTICLE	IF	CITATIONS
37	Herbivory level and niche breadth of juvenile green turtles (<i>Chelonia mydas</i>) in a tropical coastal area: insights from stable isotopes. <i>Marine Biology</i> , 2017, 164, 1.	1.5	20
38	Ethnoecology, gathering techniques and traditional management of the crab <i>Ucides cordatus</i> Linnaeus, 1763 in a mangrove forest in south-eastern Brazil. <i>Ocean and Coastal Management</i> , 2014, 93, 129-138.	4.4	19
39	Feeding preference of adult females of ribbonfish <i>Trichiurus lepturus</i> through prey proximate-composition and caloric values. <i>Neotropical Ichthyology</i> , 2012, 10, 197-203.	1.0	18
40	Ingestão de resíduos sólidos por tartarugas-verdes juvenis, <i>Chelonia mydas</i> (L. 1758), na costa leste do estado do Rio de Janeiro, Brasil. <i>Biotemas</i> , 2013, 26, .	0.1	18
41	Interaction of the Atlantic ghost crab with marine debris: Evidence from an in situ experimental approach. <i>Marine Pollution Bulletin</i> , 2019, 140, 603-609.	5.0	18
42	Different Species of Mercury in the Livers of Tropical Dolphins. <i>Analytical Letters</i> , 2008, 41, 1691-1699.	1.8	17
43	Comparison between the diet of two dolphins from south-eastern Brazil: proximate-composition and caloric value of prey species. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2009, 89, 903-905.	0.8	17
44	Traditional knowledge identifies causes of bycatch on bottlenose dolphins (<i>Tursiops truncatus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 46	4.4	19
45	Percepção de pescadores do norte fluminense sobre a viabilidade da pesca artesanal com a implantação de megaempreendimento portuário. <i>Boletim Do Instituto De Pesca</i> , 2016, 42, 73-88.	0.5	17
46	Helminths of the marine tucuxi, <i>Sotalia fluviatilis</i> (Gervais, 1853) (Cetacea: Delphinidae), in northern Rio de Janeiro State, Brazil. <i>Brazilian Archives of Biology and Technology</i> , 2006, 49, 145-148.	0.5	16
47	Subcellular metal distributions and metallothionein associations in rough-toothed dolphins (<i>Steno</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 16	5.0	16
48	Magellanic penguins: stomach contents and isotopic profiles to assess the feeding demands of juveniles in a wintering area off Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2015, 95, 423-430.	0.8	15
49	Artisanal fisheries and artificial reefs on the southeast coast of Brazil: Contributions to research and management. <i>Ocean and Coastal Management</i> , 2018, 163, 372-382.	4.4	15
50	Mercury and stable isotopes ($\delta^{15}\text{N}$ and $\delta^{13}\text{C}$) as tracers during the ontogeny of <i>Trichiurus lepturus</i> . <i>Neotropical Ichthyology</i> , 2013, 11, 211-216.	1.0	14
51	Comparison of local knowledge about the bottlenose dolphin (<i>Tursiops truncatus</i> Montagu, 1821) in the Southwest Atlantic Ocean: New research needed to develop conservation management strategies. <i>Ocean and Coastal Management</i> , 2014, 98, 120-129.	4.4	14
52	Debris ingestion by carnivorous consumers: Does the position in the water column truly matter?. <i>Marine Pollution Bulletin</i> , 2019, 144, 134-139.	5.0	14
53	Trophic niche comparison between two predators in northern Rio de Janeiro State, Brazil: a stable isotopes approach. <i>Biota Neotropica</i> , 2013, 13, 29-33.	1.0	13
54	Assessment of trace elements, POPs, 210Po and stable isotopes (15N and 13C) in a rare filter-feeding shark: The megamouth. <i>Marine Pollution Bulletin</i> , 2015, 95, 402-406.	5.0	13

#	ARTICLE	IF	CITATIONS
55	Biomagnificación de mercurio en la cadena trófica del Delfín Moteado del Atlántico (<i>Stenella</i>) Tj ETQq1 1 0.784314 rgBT /Overlock, Marina Y Oceanografia, 2017, 52, 233-244.	0.2	13
56	Influences of conservation action on attitudes and knowledge of fishermen towards sea turtles along the southeastern Brazil. Marine Policy, 2018, 95, 57-68.	3.2	13
57	Feeding habits of the sea turtles <i>Caretta caretta</i> and <i>Lepidochelys olivacea</i> in south-eastern Brazil. Marine Biodiversity Records, 2015, 8, .	1.2	12
58	Caracterización preliminar de los invertebrados bentónicos capturados accidentalmente en la pesca de camarones en el norte del estado de Río de Janeiro, sudeste de Brasil. Latin American Journal of Aquatic Research, 2009, 37, 259-264.	0.6	11
59	Population structure of the crab <i>Callinectes ornatus</i> Ordway, 1863 (Brachyura: Portunidae) bycatch in shrimp fishery in northern Rio de Janeiro state, Brazil. Biota Neotropica, 2012, 12, 93-98.	1.0	11
60	Isotopic profile and mercury concentration in fish of the lower portion of the rio Paraíba do Sul watershed, southeastern Brazil. Neotropical Ichthyology, 2015, 13, 723-732.	1.0	11
61	Isotopic niche of two coastal dolphins in a tropical marine area: specific and age class comparisons. Journal of the Marine Biological Association of the United Kingdom, 2016, 96, 853-858.	0.8	11
62	Ethnoecology and socioeconomic around an artificial reef: the case of artisanal fisheries from southeastern Brazil. Biota Neotropica, 2019, 19, .	0.5	10
63	Estrutura populacional do siri-baú, <i>Hepatus pudibundus</i> (Herbst 1785) no Norte do Estado do Rio de Janeiro, Sudeste do Brasil. Biota Neotropica, 2010, 10, 463-467.	1.0	10
64	Marine debris boost in juvenile Magellanic penguins stranded in south-eastern Brazil in less than a decade: Insights into feeding habits and habitat use. Marine Pollution Bulletin, 2017, 125, 330-333.	5.0	9
65	Artisanal fishing and the franciscana (<i>Pontoporia blainvilliei</i>) in Southern Brazil: ethnoecology from the fishing practice. Journal of the Marine Biological Association of the United Kingdom, 2018, 98, 867-877.	0.8	9
66	Trace metals in two commercial shrimps from southeast Brazil: Baseline records before large port activities in coastal waters. Marine Pollution Bulletin, 2019, 146, 667-670.	5.0	9
67	Bone lesions in <i>Sotalia fluviatilis</i> (Cetacea) as a consequence of entanglement: Case report. Brazilian Journal of Veterinary Research and Animal Science, 2001, 38, 192-195.	0.2	9
68	The crab harvest in a mangrove forest in south-eastern Brazil: Insights about its maintenance in the long-term. Perspectives in Ecology and Conservation, 2018, 16, 113-118.	1.9	8
69	Ethnooceanography of tides in the artisanal fishery in Southeastern Brazil: Use of traditional knowledge on the elaboration of the strategies for artisanal fishery. Applied Geography, 2019, 110, 102044.	3.7	8
70	Traditional knowledge of Fishers versus an environmental disaster from mining waste in Central Brazil. Marine Policy, 2020, 120, 104129.	3.2	8
71	Ba/Ca ratios in teeth reveal habitat use patterns of dolphins. Marine Ecology - Progress Series, 2015, 521, 249-263.	1.9	7
72	Mercury bioaccumulation and isotopic relation between <i>Trichiurus lepturus</i> (Teleostei) and its preferred prey in coastal waters of southeastern Brazil. Anais Da Academia Brasileira De Ciencias, 2016, 88, 801-807.	0.8	7

#	ARTICLE	IF	CITATIONS
73	Ethnoclimatology of Artisanal fishermen: Interference in coastal fishing in southeastern Brazil. <i>Marine Policy</i> , 2018, 95, 69-76.	3.2	7
74	Feeding habits and behaviour of <i>Bagre bagre</i> and <i>Genidens barbus</i>, two arid catfishes (Pisces: Siluriformes) from southeastern Brazil. <i>Journal of Threatened Taxa</i> , 2017, 9, 10771.	0.3	7
75	Etnoecologia de pequenos cetÁceos: interaŚes entre a pesca artesanal e golfinhos no norte do estado do Rio de Janeiro, Brasil. <i>Biotemas</i> , 2012, 25, .	0.1	6
76	Isotopic niche of the catfishes <i>Bagre bagre</i> and <i>Genidens barbus</i> in a coastal area of south-eastern Brazil. <i>Biota Neotropica</i> , 2018, 18, .	0.5	6
77	Total and subcellular Ti distribution and detoxification processes in <i>Pontoporia blainvilliei</i> and <i>Steno bredanensis</i> dolphins from Southeastern Brazil. <i>Marine Pollution Bulletin</i> , 2020, 153, 110975.	5.0	6
78	Trace elements in green turtles (<i>Chelonia mydas</i>) from Rocas Atoll, NE Brazil: Baseline reference from a pristine nesting site. <i>Marine Pollution Bulletin</i> , 2020, 157, 111271.	5.0	6
79	New trophic link and potential feeding area of dwarf minke whale (<i>Balaenoptera acutorostrata</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 100.75	0.7	10
80	Hg and $\delta^{15}\text{N}$ in juvenile green turtles from southeastern Brazil ($\sim 23^\circ\text{S}$): Inferences about contamination levels and recruitment to coastal waters. <i>Marine Pollution Bulletin</i> , 2019, 142, 64-68.	5.0	5
81	The trophic ecology of marine catfishes in south-eastern Brazil. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2020, 100, 133-142.	0.8	5
82	Incidental capture of sea turtles in southeast Brazil: Assessment of the perceptions of artisanal fishers. <i>Ocean and Coastal Management</i> , 2021, 210, 105696.	4.4	5
83	InteraŚes entre o golfinho-nariz-de-garrafa (<i>Tursiops truncatus</i>) e a pesca artesanal no ArquipÁlago das Cagarras e Áreas adjacentes, Rio de Janeiro, Brasil. <i>Sitientibus, S&Aacute;rie Ci&Aacute;ncias Biol&Aacute;gicas</i> , 2011, 11, 24-30.	0.2	5
84	Mercury and stable carbon and nitrogen isotopes in the natal Fur of two Antarctic pinniped species. <i>Chemosphere</i> , 2022, 288, 132500.	8.2	5
85	A new approach to marine fish otoliths study: electron paramagnetic resonance. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2013, 93, 1973-1980.	0.8	4
86	Evaluation of periotic€“timpanic bone complex of <i>Sotalia guianensis</i> (Cetacea: Delphinidae) as tool in identification of geographic variations. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2014, 94, 1127-1132.	0.8	4
87	Sustainability of mangrove crab () gathering in the southeast Brazil: A MESMIS-based assessment. <i>Ocean and Coastal Management</i> , 2019, 179, 104862.	4.4	4
88	Comparisons between ethnoceanographic predictions by fishermen and official weather forecast in Brazil. <i>Ocean and Coastal Management</i> , 2020, 198, 105347.	4.4	4
89	ARTISANAL FISHING ON THE COAST OF ESPÁRITO SANTO STATE, SOUTHEASTERN BRAZIL: AN APPROACH TO SOCIOENVIRONMENTAL OCEANOGRAPHY. <i>Boletim Do Instituto De Pesca</i> , 2021, 46, .	0.5	4
90	Free radicals in the Perna perna mussel shell. <i>Radiation Physics and Chemistry</i> , 2021, 188, 109674.	2.8	4

#	ARTICLE	IF	CITATIONS
91	Percepção de pescadores do norte fluminense sobre a viabilidade da pesca artesanal com a implantação de megaempreendimento portuário. Boletim Do Instituto De Pesca, 2016, 42, 73-88.	0.5	4
92	Risk of exposure to Hg and pesticides residues in a traditional fishing community in the Amazon: a probabilistic approach based on dietary pattern. Environmental Science and Pollution Research, 2022, 29, 34164-34173.	5.3	4
93	Trace elements in commercial shrimps caught near port activities in SW Atlantic Ocean and human health risk assessment on consumption. Regional Studies in Marine Science, 2020, 39, 101449.	0.7	3
94	Individual niche trajectories in nesting green turtles on Rocas Atoll, Brazil: an isotopic tool to assess diet shifts over time. Biota Neotropica, 2021, 21, .	0.5	3
95	From Past Use to Present Effects: Total Mercury in Crustaceans and Fish in the Inner Estuary of Paraíba do Sul River, Southeast Brazil. Bulletin of Environmental Contamination and Toxicology, 2021, 107, 124-130.	2.7	3
96	On the feeding habit of the Guiana Dolphin Sotalia guianensis (van Beaufort, 1864) (Mammalia:) Tj ETQq0 0 0 rgBT /Overlooked two decades?. Journal of Threatened Taxa, 2017, 9, 9840.	0.3	3
97	Investigating food assimilation in a carnivorous teleost by stable isotopes analysis: the case of ribbonfish off south-east Brazil. Journal of the Marine Biological Association of the United Kingdom, 2020, 100, 445-451.	0.8	2
98	Can stable isotopes be applied to determine shrimp stocks origin in SE Brazil? An approach for utilization in fishery management. Ocean and Coastal Management, 2021, 205, 105500.	4.4	2
99	Stable isotopes as measure of niche breadth of nesting green turtles (<i>Chelonia mydas</i>) on Rocas Atoll, Brazil. Revista Ibero-americana De Ciências Ambientais, 2021, 12, 82-89.	0.1	2
100	Notes on the diet of adult Yellow Catfish <i>Aspistor luniscutis</i> (Pisces: Siluriformes) in northern Rio de Janeiro State, southeastern Brazil. Journal of Threatened Taxa, 2019, 11, 13920-13924.	0.3	2
101	Trophic assessment and isotopic niches of the sympatric penaeids species <i>Penaeus brasiliensis</i> and <i>P. paulensis</i> in SW Atlantic estuarine systems. Marine Biology Research, 2021, 17, 658-668.	0.7	2
102	Trace elements and stable isotopes in egg yolk of green turtles on Rocas Atoll, Brazil. Marine Pollution Bulletin, 2021, 162, 111821.	5.0	1
103	Relações peso-comprimento em camarões peneadeos de diferentes estoques no Sudeste do Brasil. Revista Ibero-americana De Ciências Ambientais, 2021, 12, 167-176.	0.1	1
104	Endangered whale sharks in southeastern Brazil: Records and management issues. Ocean and Coastal Management, 2021, 201, 105491.	4.4	1
105	Meteorological forecasting and artisanal fishing: Filling knowledge gaps for safety at sea. Environmental Science and Policy, 2021, 124, 217-225.	4.9	1
106	A solitary rough-toothed dolphin (<i>Steno bredanensis</i>) in a superport area on northern Rio de Janeiro State, SE Brazil. Biota Neotropica, 2020, 20, .	0.5	1
107	The niche of shrimp stocks (<i>Xiphopenaeus kroyeri</i> Heller, 1862) from southeastern Brazil: a stable isotope approach. Journal of Threatened Taxa, 2020, 12, 16173-16176.	0.3	1
108	Perfil isotópico da fauna associada ao estuário interno do Rio Paraíba do Sul, norte do estado do Rio de Janeiro, sudeste do Brasil. Revista Ibero-americana De Ciências Ambientais, 2020, 11, 747-753.	0.1	1

#	ARTICLE	IF	CITATIONS
109	Hábitos alimentares da toninha (<i>Pontoporia blainvilliei</i>) na costa norte do Estado do Rio de Janeiro, Brasil. <i>Revista Ibero-americana De Ciências Ambientais</i> , 2020, 12, 745-749.	0.1	1
110	Health Risk Assessment Related to As, Cd and Pb Due to the Consumption of Shrimp Species from Southeast Brazil. <i>International Journal of Environmental Research</i> , 2022, 16, 1.	2.3	1
111	Titanium in commercial shrimp from anthropized tropical bays and estimated quantities of TiO2. <i>Revista Ibero-americana De Ciências Ambientais</i> , 2022, 12, 144-156.	0.1	1
112	Composição centesimal e valor calórico de peixes Clupeiformes na costa norte do Rio de Janeiro doi: 10.5007/2175-7925.2011v24n2p57. <i>Biotemas</i> , 2011, 24, .	0.1	0
113	Mn ²⁺ concentrations in coastal fish otoliths: understanding environmental and biological influences from EPR. <i>Journal of Biological Physics</i> , 2018, 44, 471-482.	1.5	0
114	Atendimento aos alunos com necessidades especiais no Rio de Janeiro. <i>Revista Educação Em Questão</i> , 2021, 59, .	0.1	0
115	Estudos de crustáceos decapodes com isótopos estáveis: Análise bibliométrica entre 2010 e 2020. <i>Conjeturas</i> , 2021, 21, 462-479.	0.0	0
116	Real-Time Record of Entanglement of a Guiana Dolphin (<i>Sotalia guianensis</i>) in Recreational Fishing Gear. <i>Aquatic Mammals</i> , 2017, 43, 320-323.	0.7	0
117	The perceptions of high school students on the habitat of the crab <i>Ucides cordatus</i> (Linnaeus, 1763) (Crustacea: Decapoda: Ucididae) in northern Rio de Janeiro State, southeastern Brazil. <i>Journal of Threatened Taxa</i> , 2020, 12, 16043-16047.	0.3	0
118	Etnoecologia comportamental da baleia-franca-austral <i>Eubalaena australis</i> (Desmoulins, 1822) por meio do conhecimento ecológico local de pescadores artesanais na Área de Proteção Ambiental da Baleia Franca, Sul do Brasil. <i>Boletim Do Museu Paraense Emílio Goeldi Ciências Naturais</i> (Impresso), 2020, 15, 601-616.	0.2	0
119	A solitary rough-toothed dolphin (<i>Steno bredanensis</i>) in a superport area on northern Rio de Janeiro State, SE Brazil. <i>Biota Neotropica</i> , 2020, 20, .	0.5	0
120	Atlantic seabob shrimp as biomonitor of Cu and Zn near port activities: is it really a suitable choice?. <i>Brazilian Journal of Environmental Sciences (Online)</i> , 2021, 56, 665-672.	0.4	0
121	Influences of environmental variables on the weight-length relationship of the shrimp <i>Xiphopenaeus kroyeri</i> : Do variations occur along time?. <i>Anais Da Academia Brasileira De Ciencias</i> , 2022, 94, e20201050.	0.8	0
122	Previsões etno-oceanográficas: o conhecimento de pescadores artesanais interfere na segurança do embarque?. <i>Desenvolvimento E Meio Ambiente</i> , 0, 58, .	0.0	0
123	Bivalves como biomonitoras ambientais: uma revisão de literatura. <i>Conjeturas</i> , 2022, 22, 1142-1156.	0.0	0
124	A concha do mexilhão Perna Perna: presença de impurezas e espessura em diferentes condições ambientais. <i>Nature and Conservation</i> , 2022, 14, 42-51.	0.1	0
125	Marine artificial reef (MAR) interference in artisanal fisheries in Brazil: use of traditional knowledge. <i>Boletim Do Instituto De Pesca</i> , 0, 48, .	0.5	0
126	Ethnoecological approaches and fishermen perception. , 2022, , 385-402.	0	