
Margaret E Cupples

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4430223/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Secondary prevention in the clinical management of patients with cardiovascular diseases. Core components, standards and outcome measures for referral and delivery. European Journal of Preventive Cardiology, 2014, 21, 664-681.	0.8	486
2	Validity of the Global Physical Activity Questionnaire (GPAQ) in assessing levels and change in moderate-vigorous physical activity and sedentary behaviour. BMC Public Health, 2014, 14, 1255.	1.2	362
3	Psychosocial aspects in cardiac rehabilitation: From theory to practice. A position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation of the European Society of Cardiology. European Journal of Preventive Cardiology, 2015. 22. 1290-1306.	0.8	227
4	Frailty and cardiac rehabilitation: A call to action from the EAPC Cardiac Rehabilitation Section. European Journal of Preventive Cardiology, 2017, 24, 577-590.	0.8	161
5	Brisk walking, fitness, and cardiovascular risk: A randomized controlled trial in primary care. Preventive Medicine, 2005, 41, 622-628.	1.6	126
6	Challenge of culture, conscience, and contract to general practitioners' care of their own health: qualitative study. BMJ: British Medical Journal, 2001, 323, 728-731.	2.4	123
7	Challenges in secondary prevention after acute myocardial infarction: A call for action. European Journal of Preventive Cardiology, 2016, 23, 1994-2006.	0.8	117
8	The effectiveness of physical activity interventions in socio-economically disadvantaged communities: A systematic review. Preventive Medicine, 2012, 54, 371-380.	1.6	104
9	Monitoring treatment fidelity in a randomized controlled trial of a complex intervention. Journal of Advanced Nursing, 2007, 60, 343-352.	1.5	85
10	Randomised controlled trial of home-based walking programmes at and below current recommended levels of exercise in sedentary adults. Journal of Epidemiology and Community Health, 2007, 61, 778-783.	2.0	58
11	Peer-led walking programme to increase physical activity in inactive 60- to 70-year-olds: Walk with Me pilot RCT. Public Health Research, 2019, 7, 1-124.	0.5	55
12	"They should stay at their desk until the work's done― a qualitative study examining perceptions of sedentary behaviour in a desk-based occupational setting. BMC Research Notes, 2015, 8, 683.	0.6	54
13	Behaviour change techniques in home-based cardiac rehabilitation: a systematic review. British Journal of General Practice, 2016, 66, e747-e757.	0.7	52
14	Identifying strategies to maximise recruitment and retention of practices and patients in a multicentre randomised controlled trial of an intervention to optimise secondary prevention for coronary heart disease in primary care. BMC Medical Research Methodology, 2009, 9, 40.	1.4	50
15	A RCT of peer-mentoring for first-time mothers in socially disadvantaged areas (The MOMENTS Study). Archives of Disease in Childhood, 2011, 96, 252-258.	1.0	47
16	Improving healthcare access for people with visual impairment and blindness. BMJ: British Medical Journal, 2012, 344, e542-e542.	2.4	47
17	The contribution of qualitative research in designing a complex intervention for secondary prevention of coronary heart disease in two different healthcare systems. BMC Health Services Research, 2006, 6, 90.	0.9	46
18	Help needed in medication self-management for people with visual impairment: case–control study. British Journal of General Practice, 2012, 62, e530-e537.	0.7	46

MARGARET E CUPPLES

#	Article	IF	CITATIONS
19	Peer-mentoring for first-time mothers from areas of socio-economic disadvantage: A qualitative study within a randomised controlled trial. BMC Health Services Research, 2008, 8, 46.	0.9	45
20	Challenges in secondary prevention of cardiovascular diseases. International Journal of Cardiology, 2015, 180, 114-119.	0.8	43
21	Systematic Review of the Effect of Diet and Exercise Lifestyle Interventions in the Secondary Prevention of Coronary Heart Disease. Cardiology Research and Practice, 2011, 2011, 1-25.	0.5	41
22	Physical activity assessment in practice: a mixed methods study of GPPAQ use in primary care. BMC Family Practice, 2014, 15, 11.	2.9	33
23	Secondary prevention of cardiovascular disease in different primary healthcare systems with and without pay-for-performance. Heart, 2008, 94, 1594-1600.	1.2	30
24	Physical activity and the rejuvenation of Connswater (PARC study): protocol for a natural experiment investigating the impact of urban regeneration on public health. BMC Public Health, 2013, 13, 774.	1.2	29
25	Do practitioners and friends support patients with coronary heart disease in lifestyle change? a qualitative study. BMC Family Practice, 2013, 14, 126.	2.9	29
26	Modelling coronary heart disease mortality in Northern Ireland between 1987 and 2007: broader lessons for prevention. European Journal of Preventive Cardiology, 2013, 20, 310-321.	0.8	29
27	The journey to concordance for patients with hypertension: a qualitative study in primary care. International Journal of Clinical Pharmacy, 2007, 29, 534-540.	1.4	27
28	Identifying solutions to increase participation in physical activity interventions within a socio-economically disadvantaged community: a qualitative study. International Journal of Behavioral Nutrition and Physical Activity, 2014, 11, 68.	2.0	26
29	Secondary prevention lifestyle interventions initiated within 90 days after TIA or â€~minor' stroke: a systematic review and meta-analysis of rehabilitation programmes. British Journal of General Practice, 2017, 67, e57-e66.	0.7	26
30	Development of a peer support intervention to encourage dietary behaviour change towards a Mediterranean diet in adults at high cardiovascular risk. BMC Public Health, 2018, 18, 1194.	1.2	26
31	Challenges in secondary prevention after acute myocardial infarction: A call for action. European Heart Journal: Acute Cardiovascular Care, 2017, 6, 299-310.	0.4	25
32	The SPHERE Study. Secondary prevention of heart disease in general practice: protocol of a randomised controlled trial of tailored practice and patient care plans with parallel qualitative, economic and policy analyses. [ISRCTN24081411]. Current Controlled Trials in Cardiovascular Medicine, 2005, 6, 11.	1.5	23
33	Implementing a resuscitation policy for patients at the end of life in an acute hospital setting: qualitative study. Palliative Medicine, 2007, 21, 305-312.	1.3	23
34	Stroke Prevention Rehabilitation Intervention Trial of Exercise (SPRITE) - a randomised feasibility study. BMC Cardiovascular Disorders, 2017, 17, 290.	0.7	23
35	Perceptions of exercise among people who have not attended cardiac rehabilitation following myocardial infarction. Journal of Health Psychology, 2009, 14, 924-932.	1.3	22
36	The cost-effectiveness of the SPHERE intervention for the secondary prevention of coronary heart disease. International Journal of Technology Assessment in Health Care, 2010, 26, 263-271.	0.2	22

#	Article	IF	CITATIONS
37	Development of a complex intervention for secondary prevention of coronary heart disease in primary care using the UK Medical Research Council framework. American Journal of Managed Care, 2006, 12, 261-6.	0.8	22
38	UNISTEP (University Students Exercise and Physical Activity) Study: A Pilot Study of the Effects of Accumulating 10,000 Steps on Health and Fitness Among University Students. Journal of Physical Activity and Health, 2011, 8, 663-667.	1.0	21
39	Provision of first contact physiotherapy in primary care across the UK: a survey of the service. Physiotherapy, 2020, 108, 2-9.	0.2	21
40	Questionnaire survey of PHysical activITy in General Practitioners (PHIT GP Study). Ulster Medical Journal, 2007, 76, 91-7.	0.2	20
41	A randomised control trial of experiential learning to promote physical activity. Education for Primary Care, 2013, 24, 427-435.	0.2	18
42	Challenges in secondary prevention after acute myocardial infarction: A call for action. European Journal of Cardiovascular Nursing, 2017, 16, 369-380.	0.4	18
43	The effect of personal health education on the quality of life of patients with angina in general practice. Health Education Journal, 1996, 55, 75-83.	0.6	17
44	Primary care organisational interventions for secondary prevention of ischaemic heart disease: a systematic review and meta-analysis. British Journal of General Practice, 2015, 65, e460-e468.	0.7	16
45	The association between balance and free-living physical activity in an older community-dwelling adult population: a systematic review and meta-analysis. BMC Public Health, 2018, 18, 431.	1.2	16
46	Routine weighing of women during pregnancy—is it time to change current practice?. BJOC: an International Journal of Obstetrics and Gynaecology, 2016, 123, 871-874.	1.1	15
47	The effect of community-based interventions for cardiovascular disease secondary prevention on behavioural risk factors. Preventive Medicine, 2018, 114, 24-38.	1.6	15
48	A quick reference guide for rare disease: supporting rare disease management in general practice. British Journal of General Practice, 2020, 70, 260-261.	0.7	15
49	Cardiac rehabilitation uptake following myocardial infarction: cross-sectional study in primary care. British Journal of General Practice, 2010, 60, 431-435.	0.7	14
50	Steps to a better Belfast: physical activity assessment and promotion in primary care. British Journal of Sports Medicine, 2014, 48, 1558-1563.	3.1	14
51	Rehabilitation of patients after transient ischaemic attack or minor stroke: pilot feasibility randomised trial of a home-based prevention programme. British Journal of General Practice, 2019, 69, e706-e714.	0.7	14
52	A feasibility study of â€The StepSmart Challenge' to promote physical activity in adolescents. Pilot and Feasibility Studies, 2019, 5, 132.	0.5	14
53	Investigating the physical activity, health, wellbeing, social and environmental effects of a new urban greenway: a natural experiment (the PARC study). International Journal of Behavioral Nutrition and Physical Activity, 2021, 18, 142.	2.0	14
54	A Systematic Review of Measurement Tools for the Proactive Assessment of Patient Safety in General Practice. Journal of Patient Safety, 2017, Publish Ahead of Print, e406-e412.	0.7	13

#	Article	IF	CITATIONS
55	A qualitative analysis exploring preferred methods of peer support to encourage adherence to a Mediterranean diet in a Northern European population at high risk of cardiovascular disease. BMC Public Health, 2018, 18, 213.	1.2	13
56	The importance of validating the diagnosis of coronary heart disease when measuring secondary prevention: a cross-sectional study in general practice. Pharmacoepidemiology and Drug Safety, 2002, 11, 311-317.	0.9	12
57	Exploring lay views on physical activity and their implications for public health policy. A case study from East Belfast. Social Science and Medicine, 2014, 114, 73-80.	1.8	11
58	Shared decision-making (SHARE-D) for healthy behaviour change: a feasibility study in general practice. BJGP Open, 2018, 2, bjgpopen18X101517.	0.9	11
59	Trial to Encourage Adoption and Maintenance of a Mediterranean Diet (TEAM-MED): Protocol for a Randomised Feasibility Trial of a Peer Support Intervention for Dietary Behaviour Change in Adults at High Cardiovascular Disease Risk. International Journal of Environmental Research and Public Health, 2018. 15. 1130.	1.2	10
60	Promoting physical activity among community groups of older women in socio-economically disadvantaged areas: randomised feasibility study. Trials, 2019, 20, 234.	0.7	10
61	Measurement of Markers of Tobacco Smoking in Patients with Coronary Heart Disease. Annals of Clinical Biochemistry, 1995, 32, 201-207.	0.8	8
62	Relative cost effectiveness of the SPHERE intervention in selected patient subgroups with existing coronary heart disease. European Journal of Health Economics, 2012, 13, 429-443.	1.4	8
63	Statin prescription initiation and lifestyle behaviour: a primary care cohort study. BMC Family Practice, 2016, 17, 77.	2.9	8
64	Safety in primary care (SAP-C): a randomised, controlled feasibility study in two different healthcare systems. BMC Family Practice, 2019, 20, 22.	2.9	8
65	Systematic review of rehabilitation programmes initiated within 90 days of a transient ischaemic attack or 'minor' stroke: a protocol. BMJ Open, 2015, 5, e007849-e007849.	0.8	7
66	Using the opinions of coronary heart disease patients in designing a health education booklet for use in general practice consultations. Primary Health Care Research and Development, 2009, 10, 189.	0.5	6
67	Translating policy into practice: a case study in the secondary prevention of coronary heart disease. Health Expectations, 2014, 17, 291-301.	1.1	6
68	A comparison of medical records and patient questionnaires as sources for the estimation of costs within research studies and the implications for economic evaluation. Family Practice, 2016, 33, 733-739.	0.8	6
69	Walk with Me: a protocol for a pilot RCT of a peer-led walking programme to increase physical activity in inactive older adults. Pilot and Feasibility Studies, 2018, 4, 117.	0.5	6
70	Implementing community-based health promotion in socio-economically disadvantaged areas: a qualitative study. Journal of Public Health, 2020, 42, 839-847.	1.0	6
71	Long-term cost effectiveness of cardiac secondary prevention in primary care in the Republic of Ireland and Northern Ireland. European Journal of Health Economics, 2017, 18, 321-335.	1.4	5
72	The MultimorbiditY COllaborative Medication Review And DEcision Making (MyComrade) study: a protocol for a cross-border pilot cluster randomised controlled trial. Pilot and Feasibility Studies, 2022, 8, 73.	0.5	5

MARGARET E CUPPLES

#	Article	IF	CITATIONS
73	Improving Quality of Life for Patients with Angina Pectoris. Disease Management and Health Outcomes, 2001, 9, 473-481.	0.3	4
74	The Sphere Study: Using Psychological Theory to Inform the Development of Behaviour Change Training for Primary Care Staff to Increase Secondary Prevention of Coronary Heart Disease. Irish Journal of Psychology, 2005, 26, 53-64.	0.2	4
75	Built environment interventions for increasing physical activity in adults and children. The Cochrane Library, 0, , .	1.5	4
76	Usability and Acceptability of a Novel Secondary Prevention Initiative Targeting Physical Activity for Individuals after a Transient Ischaemic Attack or "Minorâ€Stroke: A Qualitative Study. International Journal of Environmental Research and Public Health, 2020, 17, 8788.	1.2	4
77	Development of a Digital Lifestyle Modification Intervention for Use after Transient Ischaemic Attack or Minor Stroke: A Person-Based Approach. International Journal of Environmental Research and Public Health, 2021, 18, 4861.	1.2	4
78	A review of the quality and content of mobile apps to support lifestyle modifications following a transient ischaemic attack or â€minor' stroke. Digital Health, 2021, 7, 205520762110652.	0.9	4
79	Evaluating a community-based walking intervention for hypertensive older people in Taiwan: a randomized controlled trial. Preventive Medicine, 2007, 44, 466.	1.6	3
80	How effective is prevention in coronary heart disease?. Heart, 2008, 94, 1370-1371.	1.2	3
81	Using postal questionnaires to evaluate physical activity and diet behaviour change: case study exploring implications of valid responder characteristics in interpreting intervention outcomes. BMC Research Notes, 2014, 7, 725.	0.6	3
82	The health profile of football/soccer players in Northern Ireland – a review of the uefa pre-participation medical screening procedure. BMC Sports Science, Medicine and Rehabilitation, 2014, 6, 5.	0.7	3
83	What to do after cardiac rehabilitation programs: the role of the general practitioner in cardiovascular prevention. Monaldi Archives for Chest Disease, 2016, 86, 755.	0.3	3
84	Patient reported health status and all-cause mortality in patients with coronary heart disease. Family Practice, 2018, 35, 172-178.	0.8	3
85	Community-based prevention centres. , 2015, , .		3
86	Physical Activity Promotion in Primary Care: Bridging the Gap Between Research and Practice. American Journal of Preventive Medicine, 2005, 29, 242.	1.6	2
87	Correlates of sport participation in adults with long-standing illness or disability. BMJ Open Sport and Exercise Medicine, 2015, 1, e000003.	1.4	2
88	Systematic review of the use of behaviour change techniques (BCTs) in home-based cardiac rehabilitation programmes for patients with cardiovascular disease—protocol. Systematic Reviews, 2015, 4, 164.	2.5	2
89	From Hippocrates to the Francis ReportReflections on empathy. Ulster Medical Journal, 2015, 84, 8-12.	0.2	2
90	The safety climate in primary care (SAP-C) study: study protocol for a randomised controlled feasibility study. Pilot and Feasibility Studies, 2016, 2, 56.	0.5	1

#	Article	IF	CITATIONS
91	Addressing the challenges of cardiovascular disease prevention. European Journal of Preventive Cardiology, 2019, 26, 603-605.	0.8	Ο
92	Infographic. Developing home-based cardiac rehabilitation for people post-transient ischaemic attack (TIA) and ischaemic stroke. British Journal of Sports Medicine, 2020, 54, 487-488.	3.1	0
93	Threads of life and healtha heritage of quality in practice. Ulster Medical Journal, 2011, 80, 91-6.	0.2	0
94	Refining a primary care shared decision-making aid for lifestyle change: mixed methods study. BJGP Open, 2021, , BJGPO.2021.0100.	0.9	0