

Margaret E Cupples

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4430223/margaret-e-cupples-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

92
papers

2,416
citations

24
h-index

47
g-index

95
ext. papers

2,901
ext. citations

3.2
avg, IF

4.74
L-index

#	Paper	IF	Citations
92	Secondary prevention in the clinical management of patients with cardiovascular diseases. Core components, standards and outcome measures for referral and delivery: a policy statement from the cardiac rehabilitation section of the European Association for Cardiovascular Prevention & Rehabilitation. Endorsed by the Committee for Practice Guidelines of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2017 , 23, 1233-1241	3.9	365
91	Validity of the global physical activity questionnaire (GPAQ) in assessing levels and change in moderate-vigorous physical activity and sedentary behaviour. <i>BMC Public Health</i> , 2014 , 14, 1255	4.1	235
90	Psychosocial aspects in cardiac rehabilitation: From theory to practice. A position paper from the Cardiac Rehabilitation Section of the European Association of Cardiovascular Prevention and Rehabilitation of the European Society of Cardiology. <i>European Journal of Preventive Cardiology</i> , 2017 , 23, 1233-1241	3.9	147
89	Brisk walking, fitness, and cardiovascular risk: a randomized controlled trial in primary care. <i>Preventive Medicine</i> , 2005 , 41, 622-8	4.3	114
88	Frailty and cardiac rehabilitation: A call to action from the EAPC Cardiac Rehabilitation Section. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 577-590	3.9	104
87	Challenge of culture, conscience, and contract to general practitioners: care of their own health: qualitative study. <i>BMJ: British Medical Journal</i> , 2001 , 323, 728-31		94
86	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1994-2006	3.9	88
85	The effectiveness of physical activity interventions in socio-economically disadvantaged communities: a systematic review. <i>Preventive Medicine</i> , 2012 , 54, 371-80	4.3	84
84	Monitoring treatment fidelity in a randomized controlled trial of a complex intervention. <i>Journal of Advanced Nursing</i> , 2007 , 60, 343-52	3.1	72
83	Randomised controlled trial of home-based walking programmes at and below current recommended levels of exercise in sedentary adults. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 778-83	5.1	51
82	Peer-led walking programme to increase physical activity in inactive 60- to 70-year-olds: Walk with Me pilot RCT. <i>Public Health Research</i> , 2019 , 7, 1-124	1.7	50
81	"They should stay at their desk until the work is done": a qualitative study examining perceptions of sedentary behaviour in a desk-based occupational setting. <i>BMC Research Notes</i> , 2015 , 8, 683	2.3	40
80	Identifying strategies to maximise recruitment and retention of practices and patients in a multicentre randomised controlled trial of an intervention to optimise secondary prevention for coronary heart disease in primary care. <i>BMC Medical Research Methodology</i> , 2009 , 9, 40	4.7	39
79	A RCT of peer-mentoring for first-time mothers in socially disadvantaged areas (the MOMENTS Study). <i>Archives of Disease in Childhood</i> , 2011 , 96, 252-8	2.2	39
78	Behaviour change techniques in home-based cardiac rehabilitation: a systematic review. <i>British Journal of General Practice</i> , 2016 , 66, e747-57	1.6	38
77	Peer-mentoring for first-time mothers from areas of socio-economic disadvantage: a qualitative study within a randomised controlled trial. <i>BMC Health Services Research</i> , 2008 , 8, 46	2.9	37
76	The contribution of qualitative research in designing a complex intervention for secondary prevention of coronary heart disease in two different healthcare systems. <i>BMC Health Services Research</i> , 2006 , 6, 90	2.9	36

75	Improving healthcare access for people with visual impairment and blindness. <i>BMJ, The</i> , 2012 , 344, e5425.9		35
74	Challenges in secondary prevention of cardiovascular diseases: a review of the current practice. <i>International Journal of Cardiology</i> , 2015 , 180, 114-9	3.2	34
73	Systematic review of the effect of diet and exercise lifestyle interventions in the secondary prevention of coronary heart disease. <i>Cardiology Research and Practice</i> , 2010 , 2011, 232351	1.9	34
72	Help needed in medication self-management for people with visual impairment: case-control study. <i>British Journal of General Practice</i> , 2012 , 62, e530-7	1.6	31
71	Physical activity assessment in practice: a mixed methods study of GPPAQ use in primary care. <i>BMC Family Practice</i> , 2014 , 15, 11	2.6	26
70	Modelling coronary heart disease mortality in Northern Ireland between 1987 and 2007: broader lessons for prevention. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 310-21	3.9	26
69	The journey to concordance for patients with hypertension: a qualitative study in primary care. <i>International Journal of Clinical Pharmacy</i> , 2007 , 29, 534-40		26
68	Physical activity and the rejuvenation of Connswater (PARC study): protocol for a natural experiment investigating the impact of urban regeneration on public health. <i>BMC Public Health</i> , 2013 , 13, 774	4.1	24
67	Do practitioners and friends support patients with coronary heart disease in lifestyle change? a qualitative study. <i>BMC Family Practice</i> , 2013 , 14, 126	2.6	24
66	The SPHERE Study. Secondary prevention of heart disease in general practice: protocol of a randomised controlled trial of tailored practice and patient care plans with parallel qualitative, economic and policy analyses. [ISRCTN24081411]. <i>Current Controlled Trials in Cardiovascular Medicine</i> , 2007 , 6, 11		22
65	Secondary prevention lifestyle interventions initiated within 90 days after TIA or minor stroke: a systematic review and meta-analysis of rehabilitation programmes. <i>British Journal of General Practice</i> , 2017 , 67, e57-e66	1.6	21
64	Secondary prevention of cardiovascular disease in different primary healthcare systems with and without pay-for-performance. <i>Heart</i> , 2008 , 94, 1594-600	5.1	21
63	Development of a complex intervention for secondary prevention of coronary heart disease in primary care using the UK Medical Research Council framework. <i>American Journal of Managed Care</i> , 2006 , 12, 261-6	2.1	21
62	Stroke Prevention Rehabilitation Intervention Trial of Exercise (SPRITE) - a randomised feasibility study. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 290	2.3	20
61	The cost-effectiveness of the SPHERE intervention for the secondary prevention of coronary heart disease. <i>International Journal of Technology Assessment in Health Care</i> , 2010 , 26, 263-71	1.8	20
60	Perceptions of exercise among people who have not attended cardiac rehabilitation following myocardial infarction. <i>Journal of Health Psychology</i> , 2009 , 14, 924-32	3.1	19
59	Identifying solutions to increase participation in physical activity interventions within a socio-economically disadvantaged community: a qualitative study. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 68	8.4	18
58	UNISTEP (university students exercise and physical activity) study: a pilot study of the effects of accumulating 10,000 steps on health and fitness among university students. <i>Journal of Physical Activity and Health</i> , 2011 , 8, 663-7	2.5	18

57	Implementing a resuscitation policy for patients at the end of life in an acute hospital setting: qualitative study. <i>Palliative Medicine</i> , 2007 , 21, 305-12	5.5	17
56	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2017 , 6, 299-310	4.3	16
55	A randomised control trial of experiential learning to promote physical activity. <i>Education for Primary Care</i> , 2013 , 24, 427-35	0.9	15
54	The effect of personal health education on the quality of life of patients with angina in general practice. <i>Health Education Journal</i> , 1996 , 55, 75-83	1.5	15
53	Questionnaire survey of PHysical activITy in General Practitioners (PHIT GP Study). <i>Ulster Medical Journal</i> , 2007 , 76, 91-7	0.4	15
52	Development of a peer support intervention to encourage dietary behaviour change towards a Mediterranean diet in adults at high cardiovascular risk. <i>BMC Public Health</i> , 2018 , 18, 1194	4.1	15
51	Primary care organisational interventions for secondary prevention of ischaemic heart disease: a systematic review and meta-analysis. <i>British Journal of General Practice</i> , 2015 , 65, e460-8	1.6	13
50	Routine weighing of women during pregnancy-is it time to change current practice?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2016 , 123, 871-4	3.7	13
49	Cardiac rehabilitation uptake following myocardial infarction: cross-sectional study in primary care. <i>British Journal of General Practice</i> , 2010 , 60, 431-5	1.6	13
48	Steps to a better Belfast: physical activity assessment and promotion in primary care. <i>British Journal of Sports Medicine</i> , 2014 , 48, 1558-63	10.3	12
47	The importance of validating the diagnosis of coronary heart disease when measuring secondary prevention: a cross-sectional study in general practice. <i>Pharmacoepidemiology and Drug Safety</i> , 2002 , 11, 311-7	2.6	11
46	The effect of community-based interventions for cardiovascular disease secondary prevention on behavioural risk factors. <i>Preventive Medicine</i> , 2018 , 114, 24-38	4.3	10
45	Challenges in secondary prevention after acute myocardial infarction: A call for action. <i>European Journal of Cardiovascular Nursing</i> , 2017 , 16, 369-380	3.3	9
44	A Systematic Review of Measurement Tools for the Proactive Assessment of Patient Safety in General Practice. <i>Journal of Patient Safety</i> , 2021 , 17, e406-e412	1.9	9
43	The association between balance and free-living physical activity in an older community-dwelling adult population: a systematic review and meta-analysis. <i>BMC Public Health</i> , 2018 , 18, 431	4.1	9
42	Exploring lay views on physical activity and their implications for public health policy. A case study from East Belfast. <i>Social Science and Medicine</i> , 2014 , 114, 73-80	5.1	9
41	Rehabilitation of patients after transient ischaemic attack or minor stroke: pilot feasibility randomised trial of a home-based prevention programme. <i>British Journal of General Practice</i> , 2019 , 69, e706-e714	1.6	9
40	Measurement of markers of tobacco smoking in patients with coronary heart disease. <i>Annals of Clinical Biochemistry</i> , 1995 , 32 (Pt 2), 201-7	2.2	8

39	Relative cost effectiveness of the SPHERE intervention in selected patient subgroups with existing coronary heart disease. <i>European Journal of Health Economics</i> , 2012 , 13, 429-43	3.6	7
38	Safety in primary care (SAP-C): a randomised, controlled feasibility study in two different healthcare systems. <i>BMC Family Practice</i> , 2019 , 20, 22	2.6	6
37	A quick reference guide for rare disease: supporting rare disease management in general practice. <i>British Journal of General Practice</i> , 2020 , 70, 260-261	1.6	6
36	A qualitative analysis exploring preferred methods of peer support to encourage adherence to a Mediterranean diet in a Northern European population at high risk of cardiovascular disease. <i>BMC Public Health</i> , 2018 , 18, 213	4.1	6
35	Systematic review of rehabilitation programmes initiated within 90 days of a transient ischaemic attack or minor stroke: a protocol. <i>BMJ Open</i> , 2015 , 5, e007849	3	6
34	Statin prescription initiation and lifestyle behaviour: a primary care cohort study. <i>BMC Family Practice</i> , 2016 , 17, 77	2.6	6
33	A comparison of medical records and patient questionnaires as sources for the estimation of costs within research studies and the implications for economic evaluation. <i>Family Practice</i> , 2016 , 33, 733-739	1.9	6
32	A feasibility study of The StepSmart Challenge to promote physical activity in adolescents. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 132	1.9	6
31	Promoting physical activity among community groups of older women in socio-economically disadvantaged areas: randomised feasibility study. <i>Trials</i> , 2019 , 20, 234	2.8	5
30	Translating policy into practice: a case study in the secondary prevention of coronary heart disease. <i>Health Expectations</i> , 2014 , 17, 291-301	3.7	5
29	Provision of first contact physiotherapy in primary care across the UK: a survey of the service. <i>Physiotherapy</i> , 2020 , 108, 2-9	3	4
28	Walk with Me: a protocol for a pilot RCT of a peer-led walking programme to increase physical activity in inactive older adults. <i>Pilot and Feasibility Studies</i> , 2018 , 4, 117	1.9	4
27	Built environment interventions for increasing physical activity in adults and children. <i>The Cochrane Library</i> , 2013 ,	5.2	4
26	Using the opinions of coronary heart disease patients in designing a health education booklet for use in general practice consultations. <i>Primary Health Care Research and Development</i> , 2009 , 10, 189	1.6	4
25	Shared decision-making (SHARE-D) for healthy behaviour change: a feasibility study in general practice. <i>BJGP Open</i> , 2018 , 2, bjgpopen18X101517	3.1	4
24	Trial to Encourage Adoption and Maintenance of a Mediterranean Diet (TEAM-MED): Protocol for a Randomised Feasibility Trial of a Peer Support Intervention for Dietary Behaviour Change in Adults at High Cardiovascular Disease Risk. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	4
23	Long-term cost effectiveness of cardiac secondary prevention in primary care in the Republic of Ireland and Northern Ireland. <i>European Journal of Health Economics</i> , 2017 , 18, 321-335	3.6	3
22	Using postal questionnaires to evaluate physical activity and diet behaviour change: case study exploring implications of valid responder characteristics in interpreting intervention outcomes. <i>BMC Research Notes</i> , 2014 , 7, 725	2.3	3

21	How effective is prevention in coronary heart disease?. <i>Heart</i> , 2008 , 94, 1370-1	5.1	3
20	Evaluating a community-based walking intervention for hypertensive older people in Taiwan: a randomized controlled trial. <i>Preventive Medicine</i> , 2007 , 44, 466	4.3	3
19	The Sphere Study: Using Psychological Theory to Inform the Development of Behaviour Change Training for Primary Care Staff to Increase Secondary Prevention of Coronary Heart Disease. <i>Irish Journal of Psychology</i> , 2005 , 26, 53-64		3
18	Improving Quality of Life for Patients with Angina Pectoris. <i>Disease Management and Health Outcomes</i> , 2001 , 9, 473-481		3
17	Community-based prevention centres 2015 ,		3
16	Implementing community-based health promotion in socio-economically disadvantaged areas: a qualitative study. <i>Journal of Public Health</i> , 2020 , 42, 839-847	3.5	3
15	Patient reported health status and all-cause mortality in patients with coronary heart disease. <i>Family Practice</i> , 2018 , 35, 172-178	1.9	3
14	Correlates of sport participation in adults with long-standing illness or disability. <i>BMJ Open Sport and Exercise Medicine</i> , 2015 , 1, e000003	3.4	2
13	Systematic review of the use of behaviour change techniques (BCTs) in home-based cardiac rehabilitation programmes for patients with cardiovascular disease--protocol. <i>Systematic Reviews</i> , 2015 , 4, 164	3	2
12	The health profile of football/soccer players in Northern Ireland - a review of the uefa pre-participation medical screening procedure. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2014 , 6, 5	2.4	2
11	Physical activity promotion in primary care: bridging the gap between research and practice. <i>American Journal of Preventive Medicine</i> , 2005 , 29, 242	6.1	2
10	From Hippocrates to the Francis Report--Reflections on empathy. <i>Ulster Medical Journal</i> , 2015 , 84, 8-12	0.4	2
9	Usability and Acceptability of a Novel Secondary Prevention Initiative Targeting Physical Activity for Individuals after a Transient Ischaemic Attack or "Minor" Stroke: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	2
8	The safety climate in primary care (SAP-C) study: study protocol for a randomised controlled feasibility study. <i>Pilot and Feasibility Studies</i> , 2016 , 2, 56	1.9	1
7	Development of a Digital Lifestyle Modification Intervention for Use after Transient Ischaemic Attack or Minor Stroke: A Person-Based Approach. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
6	What to do after cardiac rehabilitation programs: the role of the general practitioner in cardiovascular prevention. <i>Monaldi Archives for Chest Disease</i> , 2016 , 86, 755	2.7	1
5	A review of the quality and content of mobile apps to support lifestyle modifications following a transient ischaemic attack or minor stroke.. <i>Digital Health</i> , 2021 , 7, 20552076211065271	4	0
4	Investigating the physical activity, health, wellbeing, social and environmental effects of a new urban greenway: a natural experiment (the PARC study). <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2021 , 18, 142	8.4	0

3	The Multimorbidity Collaborative Medication Review And Decision Making (MyComrade) study: a protocol for a cross-border pilot cluster randomised controlled trial.. <i>Pilot and Feasibility Studies</i> , 2022 , 8, 73	1.9	0
2	Threads of life and health--a heritage of quality in practice. <i>Ulster Medical Journal</i> , 2011 , 80, 91-6	0.4	
1	Infographic. Developing home-based cardiac rehabilitation for people post-transient ischaemic attack (TIA) and ischaemic stroke. <i>British Journal of Sports Medicine</i> , 2020 , 54, 487-488	10.3	