

UGur Canpolat

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4430800/ugur-canpolat-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

311
papers

3,073
citations

29
h-index

43
g-index

437
ext. papers

3,708
ext. citations

2.7
avg, IF

5.11
L-index

#	Paper	IF	Citations
311	Management of Arrhythmias in COVID-19. <i>Eurasian Journal of Emergency Medicine</i> , 2022 , 21, 1-7	1.4	
310	Genetic variants associated with atrial fibrillation and long-term recurrence after catheter ablation for atrial fibrillation in Turkish patients. <i>Anatolian Journal of Cardiology</i> , 2021 , 25, 129-138	0.8	1
309	Long-term follow-up outcomes in a real-world study cohort after percutaneous patent foramen ovale closure. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2021 , 49, 29-39	0.3	0
308	Contemporary Management of Severe Symptomatic Aortic Stenosis. <i>Journal of the American College of Cardiology</i> , 2021 , 78, 2131-2143	15.1	1
307	Impact of clinical phenotypes on management and outcomes in European atrial fibrillation patients: a report from the ESC-EHRA EURObservational Research Programme in AF (EORP-AF) General Long-Term Registry. <i>BMC Medicine</i> , 2021 , 19, 256	11.4	4
306	Donor Nephrectomy May Compromise the Cardiovascular System: A Retrospective, Single-Center Study. <i>Experimental and Clinical Transplantation</i> , 2021 , 19, 237-243	0.8	1
305	Comparison of acute and long-term outcomes of Evolution and TightRail™ mechanical dilator sheaths during transvenous lead extraction. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 1395-1404	2.7	1
304	Real-life data of major and minor bleeding events with direct oral anticoagulants in the one-year follow-up period: The NOAC-TURK study. <i>Anatolian Journal of Cardiology</i> , 2021 , 25, 196-204	0.8	0
303	The prognostic role of cardiac troponin in hospitalized COVID-19 patients. <i>Atherosclerosis</i> , 2021 , 325, 83-88	3.1	8
302	Coronary (peri)-arteritis in patients with IgG4-related disease: A case series from the Central Anatolia Region of Turkey. <i>International Journal of Rheumatic Diseases</i> , 2021 , 24, 1004-1013	2.3	0
301	Long-Term Prognostic Value of Coronary Atherosclerotic Plaque Characteristics Assessed by Computerized Tomographic Angiography. <i>Angiology</i> , 2021 , 72, 252-259	2.1	1
300	Transseptal access through atrial flow regulator device during ventricular tachycardia ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021 , 44, 378-379	1.6	
299	Common ostium of inferior pulmonary veins: An extremely rare variant described by preprocedural computerized tomography angiography. <i>Journal of Arrhythmia</i> , 2021 , 37, 450-451	1.5	0
298	Development and validation of clinical prediction model to estimate the probability of death in hospitalized patients with COVID-19: Insights from a nationwide database. <i>Journal of Medical Virology</i> , 2021 , 93, 3015-3022	19.7	11
297	Real-world applicability and impact of early rhythm control for European patients with atrial fibrillation: a report from the ESC-EHRA EORP-AF Long-Term General Registry. <i>Clinical Research in Cardiology</i> , 2021 , 1	6.1	4
296	Comparison of HAS-BLED and ORBIT Bleeding Risk Scores in AF Patients treated with NOACs: A Report from the ESC-EHRA EORP-AF General Long-Term Registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021 ,	4.6	5
295	Premature ventricular contraction-induced cardiomyopathy entails more than only systolic left ventricular dysfunction. <i>Heart</i> , 2020 , 106, 164	5.1	1

294	A simple method to detect leaks after left atrial appendage occlusion with Watchman. <i>Journal of Cardiovascular Electrophysiology</i> , 2020 , 31, 2338-2343	2.7	2
293	State of Fluoroless Procedures in Cardiac Electrophysiology Practice. <i>Journal of Innovations in Cardiac Rhythm Management</i> , 2020 , 11, 4018-4029	1.1	7
292	Long-term Outcome of Pulmonary Vein Isolation Versus Amiodarone Therapy in Patients with Coexistent Persistent AF and Congestive Heart Failure. <i>Cardiac Failure Review</i> , 2020 , 6, e04	4.2	
291	Wide Complex Tachycardia. <i>Contemporary Cardiology</i> , 2020 , 189-203	0.1	
290	Acute and long-term outcomes of left-sided atrioventricular node ablation in patients with atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020 , 59, 527-533	2.4	0
289	Immediate and long-term outcomes of cryoballoon catheter ablation in patients with atrial fibrillation and left common pulmonary vein anatomy. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020 , 59, 57-65	2.4	2
288	The role of Frailty on Adverse Outcomes Among Older Patients with COVID-19. <i>Journal of Infection</i> , 2020 , 81, 944-951	18.9	38
287	Epicardial Ablation Complications. <i>Cardiac Electrophysiology Clinics</i> , 2020 , 12, 409-418	1.4	5
286	Transapical Left Ventricular Access for Ventricular Tachycardia Ablation in Patients With Mechanical Aortic and Mitral Valve Prosthesis. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2020 , 13, e008893	6.4	4
285	Role of Endothelial Dysfunction and Endocan in Atherosclerosis: Point of Origin or End Point?. <i>Angiology</i> , 2020 , 71, 477	2.1	13
284	Association of fragmented QRS with left atrial scarring in patients with persistent atrial fibrillation undergoing radiofrequency catheter ablation. <i>Heart Rhythm</i> , 2020 , 17, 203-210	6.7	6
283	Simple electrocardiographic criteria for rapid identification of wide QRS complex tachycardia: The new limb lead algorithm. <i>Heart Rhythm</i> , 2020 , 17, 431-438	6.7	18
282	Long-term outcomes of cryoballoon-based left atrial appendage isolation in addition to pulmonary vein isolation in persistent atrial fibrillation. <i>Europace</i> , 2019 , 21, 1653-1662	3.9	13
281	Clinical presentation, aetiology and outcome of infective endocarditis. Results of the ESC-EORP EURO-ENDO (European infective endocarditis) registry: a prospective cohort study. <i>European Heart Journal</i> , 2019 , 40, 3222-3232	9.5	169
280	Radial Artery Coronary Bypass Grafting in Heart Failure Patients and Calcium-Channel Blockers. <i>Journal of the American College of Cardiology</i> , 2019 , 74, 1422-1423	15.1	
279	Long-term outcomes of pulmonary vein isolation using second-generation cryoballoon during atrial fibrillation ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 910-921	1.6	10
278	Cryoballoon ablation of focal atrial tachycardia originating from right atrial appendage: Case report and review of the literature. <i>Indian Pacing and Electrophysiology Journal</i> , 2019 , 19, 164-166	1.5	2
277	Aware of the evils of life-saving antidote of heparin: clues from 12-lead electrocardiogram during protamine-mediated adverse events. <i>Europace</i> , 2019 , 21, 991	3.9	2

276	Tips and tricks of durable cryoballoon based left atrial appendage isolation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1280	2.7	0
275	Declaration of the known facts in myopathy: Pacing in order to capture future occurrence of PVC-induced myopathy?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 486	1.6	
274	The ESC-EORP EURO-ENDO (European Infective Endocarditis) registry. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2019 , 5, 202-207	4.6	26
273	Mechanoelectric abnormality of "myocardial-valvular syndrome": More than a leaflet prolapse. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 566	1.6	
272	Ergonomics in cryoballoon based catheter ablation for atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 1280-1281	1.6	
271	Association between prolonged P wave duration and left atrial scarring in patients with paroxysmal atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 1811-1818	2.7	7
270	Treatment of Sinus Node Artery Occlusion During Anterior Left Atrial Tachycardia Ablation Using Intracoronary Tirofiban. <i>JACC: Clinical Electrophysiology</i> , 2019 , 5, 870-871	4.6	
269	Selection of appropriate patients for figure-of-eight suturing during removal of large bore transfemoral sheaths. <i>Journal of Cardiovascular Electrophysiology</i> , 2019 , 30, 2181	2.7	1
268	Comparison of standard vs modified "figure-of-eight" suture to achieve femoral venous hemostasis after cryoballoon based atrial fibrillation ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 1175-1182	1.6	5
267	Serum galectin-3 level predicts early recurrence following successful direct-current cardioversion in persistent atrial fibrillation patients. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2019 , 47, 564-571	0.3	2
266	Secondary prevention of coronary heart disease in elderly population of Turkey: A subgroup analysis of ELDERTURK study. <i>Cardiology Journal</i> , 2019 , 26, 13-19	1.4	8
265	A rare and overlooked mechanical complication of partial nephrectomy: Accelerated hypertension due to renal artery stenosis. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2019 , 47, 235-238	0.3	
264	Demographics of patients with heart failure who were over 80 years old and were admitted to the cardiology clinics in Turkey. <i>Anatolian Journal of Cardiology</i> , 2019 , 21, 196-205	0.8	
263	Differences in atrial fibrillation management strategies among physicians: A survey based study. <i>International Journal of the Cardiovascular Academy</i> , 2019 , 5, 58	0.1	
262	Cardiac metastasis mimicking acute STElevation myocardial infarction. <i>Anatolian Journal of Cardiology</i> , 2019 , 22, E1-E2	0.8	1
261	The Effect of Effort Test on the Levels of Ischemia Modified Albumin, 7-ketocholesterol and Cholestan-3 β 5 α 6 β triol and their Role in the Diagnosis of Coronary Artery Disease. <i>Journal of Medical Biochemistry</i> , 2019 , 38, 249-255	1.9	3
260	Impact of successful catheter ablation for AF on the "dynamic nature" of stroke risk to give up anticoagulation: Fact or fiction?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 485	1.6	
259	Tailored antibiotic prophylaxis in patients undergoing CIED implantation: One size does not fit all the principle. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 483	1.6	

258	Radiofrequency Balloon Devices for Atrial Fibrillation Ablation. <i>Cardiac Electrophysiology Clinics</i> , 2019 , 11, 487-493	1.4	5
257	Toward a Uniform Ablation Protocol for Paroxysmal, Persistent, and Permanent Atrial Fibrillation. <i>Cardiac Electrophysiology Clinics</i> , 2019 , 11, 731-738	1.4	2
256	Impact of anatomical features of the left atrial appendage on outcomes after cryoablation for atrial fibrillation. <i>Journal of Cardiovascular Computed Tomography</i> , 2019 , 13, 105-112	2.8	3
255	Pulmonary vein orientation is independently associated with outcomes following cryoballoon-based atrial fibrillation ablation. <i>Journal of Cardiovascular Computed Tomography</i> , 2018 , 12, 281-285	2.8	8
254	Age, sex and the quantity of atrial fibrosis before AF ablation: what about systematic bias and confounding factors?. <i>Europace</i> , 2018 , 20, 1230	3.9	
253	Contemporary stroke prevention strategies in 11 096 European patients with atrial fibrillation: a report from the EURObservational Research Programme on Atrial Fibrillation (EORP-AF) Long-Term General Registry. <i>Europace</i> , 2018 , 20, 747-757	3.9	81
252	Platelet Toll-like receptor and its ligand HMGB-1 expression is increased in the left atrium of atrial fibrillation patients. <i>Cytokine</i> , 2018 , 103, 50-56	4	5
251	Echocardiographic assessment of regional right ventricular systolic function using two-dimensional strain echocardiography and evaluation of the predictive ability of longitudinal 2D-strain imaging for pulmonary arterial hypertension in systemic sclerosis patients. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 883-892	2.5	8
250	Left atrial low-voltage area as a novel indicator of cerebrovascular events in atrial fibrillation. <i>Europace</i> , 2018 , 20, f459	3.9	0
249	Association between circulating irisin levels and epicardial fat in patients with treatment-naïve overt hyperthyroidism. <i>Biomarkers</i> , 2018 , 23, 742-747	2.6	8
248	Association between reverse electrical remodeling and cardiac fibrosis markers in patients with cardiac resynchronization therapy. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2018 , 46, 84-91	0.3	1
247	Assessment of subclinical atherosclerosis in psoriatic arthritis patients without clinically overt cardiovascular disease or traditional atherosclerosis risk factors. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2018 , 46, 358-365	0.3	2
246	Evaluating the effects of cardiac resynchronization therapy on pathophysiological pathways of heart failure using surrogate biomarkers. <i>Cardiology Journal</i> , 2018 , 25, 42-51	1.4	3
245	The prevalence of cardiovascular diseases, risk factors, and cardiovascular drug therapy in very elderly Turkish patients admitted to cardiology clinics: A subgroup analysis of the ELDER-TURK study. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2018 , 46, 283-295	0.3	3
244	Left atrial appendage closure using Amulet device in a patient with prior percutaneous atrial septal defect closure. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2018 , 46, 306-308	0.3	1
243	Neutrophil-to-lymphocyte ratio predicts functionally significant coronary artery stenosis in patients with stable coronary artery disease. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2018 , 46, 129-135	0.3	2
242	Septal reduction therapy using nonalcohol agent in hypertrophic obstructive cardiomyopathy: Single center experience. <i>Catheterization and Cardiovascular Interventions</i> , 2018 , 92, 557-565	2.7	0
241	Prognostic significance of myocardial energy expenditure and myocardial efficiency in patients with heart failure with reduced ejection fraction. <i>International Journal of Cardiovascular Imaging</i> , 2018 , 34, 211-222	2.5	7

240	Epicardial Fat As an Indicator of the Metabolic Syndrome Promoting Atrial Fibrillation Recurrence. <i>American Journal of Cardiology</i> , 2018 , 122, 2168-2169	3	1
239	Brugada Syndrome Unmasked by Heat Exhaustion. <i>Annals of Noninvasive Electrocardiology</i> , 2017 , 22,	1.5	10
238	Uric Acid and Contrast-Induced Nephropathy: Diagnostic Marker, Therapeutic Target, or Innocent Bystander?. <i>Angiology</i> , 2017 , 68, 648-649	2.1	1
237	Usefulness of Procalcitonin While Comparing Apples With Oranges. <i>Angiology</i> , 2017 , 68, 81-82	2.1	
236	Brugada syndrome and calcium channel mutation in a patient with congenital deaf mutism. <i>Indian Pacing and Electrophysiology Journal</i> , 2017 , 17, 16-17	1.5	
235	Left atrial appendage isolation in addition to pulmonary vein isolation in persistent atrial fibrillation: one-year clinical outcome after cryoballoon-based ablation. <i>Europace</i> , 2017 , 19, 758-768	3.9	69
234	Monocyte-to-HDL-cholesterol ratio and left atrial remodelling in atrial fibrillation. <i>Europace</i> , 2017 , 19, 1409	3.9	3
233	Serum galectin-3 level as a marker of thrombogenicity in atrial fibrillation. <i>Journal of Clinical Laboratory Analysis</i> , 2017 , 31,	3	9
232	Platelet-to-lymphocyte ratio as a novel marker of in-hospital and long-term adverse outcomes among patients with acute pulmonary embolism: A single center large-scale study. <i>Thrombosis Research</i> , 2017 , 150, 33-40	8.2	16
231	Impact of free thyroxine levels and other clinical factors on bare metal stent restenosis. <i>Archives of Endocrinology and Metabolism</i> , 2017 , 61, 130-136	2.2	2
230	Complications of Atrial Fibrillation Cryoablation. <i>Journal of Atrial Fibrillation</i> , 2017 , 10, 1620	0.8	9
229	Ghostbusters should come back to lead extraction arena in order to fight with ghosts. <i>Europace</i> , 2017 , 19, 1585	3.9	1
228	What makes pulmonary vein anatomy important and preprocedural imaging useful during catheter ablation for atrial fibrillation?. <i>Europace</i> , 2017 , 19, 1754	3.9	2
227	Cryoballoon-based isolation of left atrial appendage: Is it reasonable?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017 , 40, 1328-1329	1.6	
226	Association between ACE and AGT polymorphism and cardiovascular risk in acromegalic patients. <i>Pituitary</i> , 2017 , 20, 569-577	4.3	6
225	Entrapment of focal atrial tachycardia using cryoballoon ablation; Sinus rhythm in the left atrium and ongoing atrial tachycardia in the left atrial appendage. <i>Indian Pacing and Electrophysiology Journal</i> , 2017 , 17, 189-191	1.5	5
224	Relationship between vitamin D level and left atrial fibrosis in patients with lone paroxysmal atrial fibrillation undergoing cryoballoon-based catheter ablation. <i>Journal of Cardiology</i> , 2017 , 69, 16-23	3	14
223	Coronary Vasospasm After Isolation of Left Atrial Appendage Using a Second-Generation Cryoballoon. <i>JACC: Clinical Electrophysiology</i> , 2017 , 3, 417-419	4.6	4

222	Blood Viscosity Is a Fingerprint or a Modifiable Identity Card in Younger Patients With Myocardial Infarction. <i>Angiology</i> , 2017 , 68, 652	2.1	
221	Pulmonary vein anatomy and its variations in a Turkish atrial fibrillation cohort undergoing cryoballoon-based catheter ablation. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 42-48	0.3	2
220	A Novel Marker of Impaired Aortic Elasticity in Never Treated Hypertensive Patients: Monocyte/High-Density Lipoprotein Cholesterol Ratio. <i>Acta Cardiologica Sinica</i> , 2017 , 33, 41-49	1.1	18
219	Case images: Electrical isolation of superior vena cava as well as pulmonary vein isolation with cryoballoon technique in a young patient with persistent atrial fibrillation. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 208	0.3	2
218	Case Images: Successful ablation of paroxysmal atrial fibrillation originating in left atrial appendage with single shot cryoballoon technique. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 297	0.3	
217	Interesting presentation of Kounis syndrome secondary to amoxicillin/ clavulanate use: Coronary vasospasm and simultaneous appropriate implantable defibrillator shock. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 466-469	0.3	3
216	Case Image: Delayed therapy and syncope due to excessive charging time in a patient with implantable defibrillator during a fast ventricular tachycardia episode. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 673	0.3	
215	A rare cause of cyanosis and hypoxia that should not be forgotten after implantable cardioverter defibrillator implantation. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 560-562	0.3	3
214	Case Image: Rare cause of recurrent pericardial tamponade: Cardiac angiosarcoma. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 771	0.3	
213	New oral anticoagulants-TURKey (NOAC-TURK): Multicenter cross-sectional study. <i>Anatolian Journal of Cardiology</i> , 2017 , 17, 353-361	0.8	10
212	Case series of three different scenarios with drug-induced Brugada patterns: fact or fiction?. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 650-654	0.3	3
211	Case Image: Occurrence of atrial fibrillation while isolating the left atrial appendage due to vasospasm at the sinoatrial node artery. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 572	0.3	
210	Initial experience with the TightRail Rotating Mechanical Dilator Sheath for transvenous lead extraction. <i>Europace</i> , 2016 , 18, 1043-8	3.9	29
209	Association of Monocyte-to-HDL Cholesterol Ratio with Slow Coronary Flow is Linked to Systemic Inflammation. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2016 , 22, 476-82	3.3	103
208	Platelet to lymphocyte ratio as a novel indicator of inflammation is correlated with the severity of metabolic syndrome: A single center large-scale study. <i>Platelets</i> , 2016 , 27, 178-83	3.6	40
207	Association Between Platelet to Lymphocyte Ratio and Saphenous Vein Graft Disease. <i>Angiology</i> , 2016 , 67, 133-8	2.1	23
206	Association of Platelet to Lymphocyte Ratio With Inflammation and Severity of Coronary Atherosclerosis in Patients With Stable Coronary Artery Disease. <i>Angiology</i> , 2016 , 67, 89-95	2.1	79
205	Evaluation of Tp-E Interval and Tp-E/QT Ratio in Patients with Aortic Stenosis. <i>Annals of Noninvasive Electrocardiology</i> , 2016 , 21, 287-93	1.5	26

204	Increased Platelet to Lymphocyte Ratio is Related to Slow Coronary Flow. <i>Angiology</i> , 2016 , 67, 21-6	2.1	31
203	Reply to Letter by Uslu et al Entitled "The Assessment of Platelet-Lymphocyte Ratio Based on EDTA-Dependent Pseudothrombocytopenia". <i>Angiology</i> , 2016 , 67, 98	2.1	
202	The association between platelet-to-lymphocyte ratio and inflammatory markers with the severity of aortic stenosis. <i>Biomarkers in Medicine</i> , 2016 , 10, 367-73	2.3	6
201	Usefulness of Fragmented QRS Complex to Predict Arrhythmic Events and Cardiovascular Mortality in Patients With Noncompaction Cardiomyopathy. <i>American Journal of Cardiology</i> , 2016 , 117, 1516-23	3	23
200	Usefulness of Figure-of-eight suture to achieve haemostasis after removal of 15-French calibre femoral venous sheath in patients undergoing cryoablation. <i>Europace</i> , 2016 , 18, 1545-1550	3.9	54
199	Comparison of health-related quality of life among patients using novel oral anticoagulants or warfarin for non-valvular atrial fibrillation. <i>Anatolian Journal of Cardiology</i> , 2016 , 16, 474-481	0.8	17
198	Author's Reply. <i>Anatolian Journal of Cardiology</i> , 2016 , 16, 219	0.8	
197	Chemerin is not associated with subclinical atherosclerosis markers in prediabetes and diabetes. <i>Anatolian Journal of Cardiology</i> , 2016 , 16, 749-755	0.8	9
196	Vitamin D levels predict the response to cardiac resynchronization therapy in patients with systolic heart failure. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2016 , 44, 670-676	0.3	2
195	The role of baseline indirect inflammatory markers in prediction of response to cardiac resynchronisation therapy. <i>Kardiologia Polska</i> , 2016 , 74, 119-26	0.9	17
194	Profibrotic pathways and atrial cardiomyopathy in persistent atrial fibrillation. <i>Clinics</i> , 2016 , 71, 626	2.3	1
193	Association of Neutrophil-to-Lymphocyte Ratio with the Severity and Morphology of Coronary Atherosclerotic Plaques Detected by Multidetector Computerized Tomography. <i>Acta Cardiologica Sinica</i> , 2016 , 32, 676-683	1.1	13
192	Catheter ablation of drug refractory electrical storm in patients with ischemic cardiomyopathy: A single center experience. <i>Anatolian Journal of Cardiology</i> , 2016 , 16, 159-64	0.8	4
191	What about the role of cryoablation for isolation of non-pulmonary vein triggers in long-standing persistent atrial fibrillation?. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2016 , 44, 454	0.3	
190	Whole Blood Viscosity and Cardiovascular Diseases: A Forgotten Old Player of the Game. <i>Medical Principles and Practice</i> , 2016 , 25, 499-500	2.1	11
189	Evaluating the Efficacy and Safety of Internal Cardioversion with Implantable Cardioverter Defibrillator Device for Atrial Fibrillation in Systolic Heart Failure Patients. <i>Annals of Noninvasive Electrocardiology</i> , 2016 , 21, 181-8	1.5	6
188	The Impact of Echocardiographic Epicardial Fat Thickness on Outcomes of Cryoballoon-Based Atrial Fibrillation Ablation. <i>Echocardiography</i> , 2016 , 33, 821-9	1.5	15
187	Transcatheter aortic valve implantation in patients with a mitral prosthesis; single center experience and review of literature. <i>International Journal of Cardiology</i> , 2016 , 221, 390-5	3.2	8

186	Chicken or Egg Causality Paradox Between Insulin Resistance and Epicardial Fat. <i>Angiology</i> , 2016 , 67, 970-971	2.1	2
185	Prognostic significance of whole blood viscosity estimated by de Simone's formula in ST-elevation myocardial infarction. <i>Biomarkers in Medicine</i> , 2016 , 10, 495-511	2.3	13
184	Massive Myocardial Staining and Thebesian Venous Opacification during Complicated Coronary Angiography. <i>International Journal of Angiology</i> , 2016 , 25, e19-e20	1.1	
183	Nonsustained Atrial Fibrillation in Ischemic Stroke Patients and Stroke-Free Controls From the Perspective of Stroke Pathophysiology. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	5
182	Role of Adjuvant Renal Sympathetic Denervation in the Treatment of Ventricular Arrhythmias. <i>American Journal of Cardiology</i> , 2016 , 118, 1207-1210	3	14
181	The effect of statin treatment on the prevention of stent mediated flow limited edge dissections during PCI in patients with stable angina. <i>International Journal of Cardiology</i> , 2016 , 220, 365-70	3.2	
180	First case of percutaneous left atrial appendage closure by amulet device in a patient with left atrial appendage thrombus. <i>International Journal of Cardiology</i> , 2016 , 223, 28-30	3.2	9
179	Association of serum total bilirubin level with severity of coronary atherosclerosis is linked to systemic inflammation. <i>Atherosclerosis</i> , 2015 , 240, 110-4	3.1	87
178	Temporal trend might be better than instant occurrence of fQRS as a noninvasive prognostic marker in STEMI patients undergoing primary PCI. <i>Annals of Noninvasive Electrocardiology</i> , 2015 , 20, 198-195		2
177	Platelet to Lymphocyte Ratio Can be a Predictor of Infarct-Related Artery Patency in Patients With ST-Segment Elevation Myocardial Infarction. <i>Angiology</i> , 2015 , 66, 831-6	2.1	32
176	New insights into the mechanisms of diastolic dysfunction in patients with type 2 diabetes. <i>Scandinavian Cardiovascular Journal</i> , 2015 , 49, 142-8	2	3
175	The impact of cryoballoon-based catheter ablation on left atrial structural and potential electrical remodeling in patients with paroxysmal atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2015 , 44, 131-9	2.4	5
174	Comparison of three diuretic treatment strategies for patients with acute decompensated heart failure. <i>Herz</i> , 2015 , 40, 1115-20	2.6	13
173	Noninvasive cardiac imaging for the diagnosis of coronary artery disease in women. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 435-7	0.8	
172	Familial occurrence of peripartum cardiomyopathy: Genetic origin, unrecognized dilated cardiomyopathy or chance effect?. <i>Journal of Cardiology Cases</i> , 2015 , 12, 101-103	0.6	1
171	Human Umbilical Cord Mesenchymal Stromal Cell Transplantation in Myocardial Ischemia (HUC-HEART Trial). A Study Protocol of a Phase 1/2, Controlled and Randomized Trial in Combination with Coronary Artery Bypass Grafting. <i>Stem Cell Reviews and Reports</i> , 2015 , 11, 752-60	6.4	27
170	Association of mean platelet volume level with in-hospital major adverse events in infective endocarditis. <i>Wiener Klinische Wochenschrift</i> , 2015 , 127, 197-202	2.3	7
169	An Overlooked Cardiac Adverse Effect of Letrozol Therapy: Myocardial Infarction due to Coronary Thrombus Formation. <i>Breast Journal</i> , 2015 , 21, 440-1	1.2	1

168	Treatment of mechanical valve thrombosis in the right heart: overview of the requirements for the new thrombolytic protocols. <i>Blood Coagulation and Fibrinolysis</i> , 2015 , 26, 220-2	1	2
167	Fragmented QRS complex as an emerging risk indicator in severe aortic stenosis. <i>Medical Principles and Practice</i> , 2015 , 24, 200	2.1	2
166	Monocyte/HDL-cholesterol ratio predicts the definite stent thrombosis after primary percutaneous coronary intervention for ST-segment elevation myocardial infarction. <i>Biomarkers in Medicine</i> , 2015 , 9, 967-77	2.3	52
165	The Assessment of Atrial Electromechanical Delay in Patients With Acromegaly. <i>Canadian Journal of Cardiology</i> , 2015 , 31, 1012-8	3.8	5
164	Association of Serum Uric Acid Level With Blood Pressure Variability in Newly Diagnosed Essential Hypertension. <i>Journal of Clinical Hypertension</i> , 2015 , 17, 929-35	2.3	22
163	M2-muscarinic acetylcholine receptor autoantibody levels predict left atrial fibrosis severity in paroxysmal lone atrial fibrillation patients undergoing cryoablation. <i>Europace</i> , 2015 , 17, 239-46	3.9	17
162	Association of epicardial and peri-atrial adiposity with the presence and severity of non-valvular atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 649-57	2.5	31
161	Diagnostic dilemma in pulmonary arterial hypertension: idiopathic or chronic thromboembolic hypertension?. <i>Herz</i> , 2015 , 40, 338-9	2.6	
160	Blood cyst of the mitral valve in an adult. <i>Herz</i> , 2015 , 40, 329-31	2.6	3
159	Phase-4 paroxysmal atrioventricular block in sarcoidosis. <i>Herz</i> , 2015 , 40, 321-4	2.6	1
158	Postexercise recovery phase T-wave notching in concealed long QT syndrome. <i>Herz</i> , 2015 , 40, 153-6	2.6	13
157	A prospective DE-MRI study evaluating the role of TGF- β in left atrial fibrosis and implications for outcomes of cryoballoon-based catheter ablation: new insights into primary fibrotic atriacardiomyopathy. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 251-9	2.7	35
156	Impaired cardiac autonomic functions in apparently healthy subjects with vitamin D deficiency. <i>Annals of Noninvasive Electrocardiology</i> , 2015 , 20, 378-85	1.5	12
155	The clinical and cardiometabolic effects of d3-growth hormone receptor polymorphism in acromegaly. <i>Pituitary</i> , 2015 , 18, 116-25	4.3	9
154	Association of neutrophil-lymphocyte ratio with impaired aortic elasticity in newly diagnosed and never-treated hypertensive patients. <i>Blood Pressure Monitoring</i> , 2015 , 20, 127-31	1.3	12
153	Re-imagining malaria--a platform for reflections to widen horizons in malaria control. <i>Malaria Journal</i> , 2015 , 14, 180	3.6	6
152	fQRS as a noninvasive marker for an overgrowing epidemic affecting both aortic valve and myocardium in the era of aging population. <i>Annals of Noninvasive Electrocardiology</i> , 2015 , 20, 98-9	1.5	3
151	Unpredictable coupling: thrombophilia in a patient with Marfan syndrome. <i>Blood Coagulation and Fibrinolysis</i> , 2015 , 26, 713-4	1	1

150	Serum YKL-40 as a Marker of Left Atrial Fibrosis Assessed by Delayed Enhancement MRI in Lone Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 1386-95	1.6	7
149	Effect of Vitamin D Replacement on Atrial Electromechanical Delay in Subjects with Vitamin D Deficiency. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 649-55	2.7	12
148	Diabetic Cardiomyopathy; Summary of 41 Years. <i>Korean Circulation Journal</i> , 2015 , 45, 266-72	2.2	50
147	The role of preprocedural monocyte-to-high-density lipoprotein ratio in prediction of atrial fibrillation recurrence after cryoballoon-based catheter ablation. <i>Europace</i> , 2015 , 17, 1807-15	3.9	72
146	Predictive Value of Gamma-Glutamyl Transferase Levels for Contrast-Induced Nephropathy in Patients With ST-Segment Elevation Myocardial Infarction Who Underwent Primary Percutaneous Coronary Intervention. <i>American Journal of Cardiology</i> , 2015 , 116, 711-6	3	13
145	Relationship between the epicardial fat thickness and total atrial conduction time in patients with lone paroxysmal atrial fibrillation. <i>International Journal of Cardiology</i> , 2015 , 185, 106-8	3.2	2
144	Isolation of the Pandorra [®] box and end of the evils in left atrium. <i>International Journal of Cardiology</i> , 2015 , 185, 7-8	3.2	
143	An overlooked parameter in coronary slow flow phenomenon: whole blood viscosity. <i>Biomarkers in Medicine</i> , 2015 , 9, 1311-21	2.3	20
142	The Forgotten Variable of Shear Stress in Mitral Annular Calcification: Whole Blood Viscosity. <i>Medical Principles and Practice</i> , 2015 , 24, 444-50	2.1	21
141	Programming implantable cardioverter-defibrillator therapy zones to high ranges to prevent delivery of inappropriate device therapies in patients with primary prevention: results from the RISSY-ICD (Reduction of Inappropriate ShockS bY InCreasedD zones) trial. <i>American Journal of Cardiology</i> , 2015 , 115, 1235-43	3	9
140	The Association of Serum Galectin-3 Levels with Atrial Electrical and Structural Remodeling. <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 635-40	2.7	40
139	The association of the platelet-to-lymphocyte ratio with mitral annular calcification. <i>Scandinavian Cardiovascular Journal</i> , 2015 , 49, 351-6	2	5
138	Who Needs Catheter Ablation And Which Approach?. <i>Journal of Atrial Fibrillation</i> , 2015 , 8, 1335	0.8	1
137	Author [®] Reply. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 436-7	0.8	
136	Platelet to lymphocyte ratio: a novel and simple predictor of slow coronary flow. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 679	0.8	1
135	Prevention of recurrent cryptogenic stroke with percutaneous closure of patent foramen ovale; one year follow-up study with magnetic resonance imaging and Holter monitoring. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2015 , 43, 38-46		2
134	Does occupation refer to an advantage or obstacle before transradial cardiac catheterization?. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2015 , 43, 584-5		
133	Letter to the Editor: What about pleiotropic modifiers of the pre-procedural pro-inflammatory and pro-oxidant milieu in patients undergoing drug eluting stent implantation?. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2015 , 43, 663-4		

132	Is balloon sizing still necessary in the era of real-time 3D transesophageal echocardiography?. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2015 , 43, 583-4		
131	Relation between QRS duration and atrial synchronicity in patients with systolic heart failure. <i>Echocardiography</i> , 2014 , 31, 972-9	1.5	5
130	Usefulness of preprocedural serum uric acid level to predict restenosis of bare metal stents. <i>American Journal of Cardiology</i> , 2014 , 113, 197-202	3	15
129	Usefulness of serum uric acid level to predict atrial fibrillation recurrence after cryoballoon-based catheter ablation. <i>Europace</i> , 2014 , 16, 1731-7	3.9	22
128	Imaging before cryoablation of atrial fibrillation: is phrenic nerve palsy predictable?. <i>Europace</i> , 2014 , 16, 505-10	3.9	13
127	Atrial dissection-like appearance caused by an inferior sinus venosus atrial septal defect with an unroofed defect. <i>Echocardiography</i> , 2014 , 31, E101-2	1.5	
126	The effect of different circadian blood pressure rhythms on left ventricular systolic dyssynchrony in patients with newly diagnosed essential hypertension. <i>Echocardiography</i> , 2014 , 31, 260	1.5	
125	Myocardial tissue perfusion predicts the evolution of fragmented QRS in patients with ST-segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. <i>Annals of Noninvasive Electrocardiology</i> , 2014 , 19, 454-61	1.5	13
124	The association of serum uric acid level with coronary collateral circulation should be interpreted together with renal function and cardiovascular medications in stable coronary artery disease. <i>Angiology</i> , 2014 , 65, 236-7	2.1	2
123	The prognostic role of serum total bilirubin in non-ST segment elevation myocardial infarction: what about on-admission cardiovascular medications?. <i>Angiology</i> , 2014 , 65, 250	2.1	2
122	Predictors of blood pressure reduction with nocturnal continuous positive airway pressure therapy in patients with obstructive sleep apnea and prehypertension. <i>Angiology</i> , 2014 , 65, 98-103	2.1	15
121	Migraine and coronary microvascular dysfunction: what about the insulting factor for both cerebral and coronary endothelia?. <i>American Journal of Cardiology</i> , 2014 , 113, 570	3	1
120	Additional benefit of cryoballoon-based atrial fibrillation ablation beyond pulmonary vein isolation: modification of ganglionated plexi. <i>Europace</i> , 2014 , 16, 645-51	3.9	47
119	Successful catheter ablation of para-hisian premature ventricular depolarization with a distinctive electrocardiographic manifestation. <i>International Journal of Cardiology</i> , 2014 , 171, 285-7	3.2	2
118	D-dimer level predicts in-hospital mortality in patients with infective endocarditis: a prospective single-centre study. <i>Thrombosis Research</i> , 2014 , 134, 587-92	8.2	19
117	Fragmented QRS predicts the arrhythmic events in patients with heart failure undergoing ICD implantation for primary prophylaxis: more fragments more appropriate ICD shocks. <i>Annals of Noninvasive Electrocardiology</i> , 2014 , 19, 351-7	1.5	15
116	Diagnostic dilemmas for underlying pathophysiology of arrhythmias originating from the right ventricle. <i>Indian Pacing and Electrophysiology Journal</i> , 2014 , 14, 99-100	1.5	
115	An Alternative Way to Reach the Epicardial Focus of the Left Ventricular Tachycardia in a Patient with Non-ischemic Cardiomyopathy. <i>Indian Pacing and Electrophysiology Journal</i> , 2014 , 14, 94-8	1.5	

114	Effect of antihypertensive therapy on endothelial markers in newly diagnosed stage 1 hypertension: a randomized single-centre study. <i>Anatolian Journal of Cardiology</i> , 2014 , 14, 363-9		3
113	Evaluation of the valvular and biventricular functions in Parkinson patients using ergotamine-derived dopamine agonist: an observational study. <i>Anatolian Journal of Cardiology</i> , 2014 , 14, 121-7		3
112	Noninvasive cardiac imaging for the diagnosis of coronary artery disease in women. <i>Anatolian Journal of Cardiology</i> , 2014 , 14, 741-6		5
111	Is heart failure a debatable end-point for bisphosphonate treatment in older osteoporotic population?. <i>Journal of Internal Medicine</i> , 2014 , 275, 199-200	10.8	
110	Relationship between elevated morning blood pressure surge, uric acid, and cardiovascular outcomes in hypertensive patients. <i>Journal of Clinical Hypertension</i> , 2014 , 16, 530-5	2.3	32
109	Acute coronary syndrome due to dilated coronaropathy in a young patient with gouty arthritis. <i>Netherlands Heart Journal</i> , 2014 , 22, 528-9	2.2	
108	The Relationship Between Inflammatory Markers and Coronary Collateral Circulation Should be Evaluated Together With Cardiovascular Medications in Stable Coronary Artery Disease. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2014 , 20, 654-5	3.3	2
107	Killing two birds with one stone: screening of coronary artery disease and cardiac autonomic dysfunction in psoriasis. <i>Medical Principles and Practice</i> , 2014 , 23, 193	2.1	1
106	Pentraxin-3 as a marker of both the presence and the severity of metabolic syndrome. <i>Medical Principles and Practice</i> , 2014 , 23, 390	2.1	
105	Clinical outcomes and inflammatory markers should be kept in mind when assessing the mean platelet volume in patients with infective endocarditis. <i>Medical Principles and Practice</i> , 2014 , 23, 391	2.1	
104	Transvenous lead implantation in a patient with mechanical prosthesis in the tricuspid position: transvenous route should be the first choice. <i>International Journal of Cardiology</i> , 2014 , 171, e39	3.2	2
103	Assessment of cardiac autonomic functions by heart rate recovery, heart rate variability and QT dynamicity parameters in patients with acromegaly. <i>Pituitary</i> , 2014 , 17, 163-70	4.3	13
102	Association of epicardial fat thickness with TIMI risk score in NSTEMI/USAP patients. <i>Herz</i> , 2014 , 39, 755-60		17
101	Embolic stroke due to left atrial thrombus 2 years after PFO closure. <i>Herz</i> , 2014 , 39, 161-2	2.6	1
100	Association of epicardial fat thickness with TIMI risk score. <i>Herz</i> , 2014 , 39, 718	2.6	
99	Effect of age and plaque morphology on diagnostic accuracy of dual source multidetector computed tomography coronary angiography. <i>Journal of Geriatric Cardiology</i> , 2014 , 11, 106-12	1.7	
98	Nightmare of a Breastfeeding Mother: Aortic Valve Endocarditis due to <i>Streptococcus salivarius</i> after Breast Engorgement. <i>West Indian Medical Journal</i> , 2014 , 63, 389-90		1
97	Ampullary pseudotumour: an endoscopic clue to autoimmune pancreatitis. <i>West Indian Medical Journal</i> , 2014 , 63, 390-1		

96	Prognostic value of dual-source multidetector computed tomography coronary angiography in patients with stent implantation. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 1603-11	2.5	3
95	Misdiagnosis of gossypiboma as Meigs syndrome. <i>Indian Journal of Gastroenterology</i> , 2013 , 32, 67	1.9	
94	Severe bradycardia and syncope due to topical ophthalmic timolol. <i>Herz</i> , 2013 , 38, 556-7	2.6	4
93	Unexpected cause of acute coronary syndrome in a patient with idiopathic pulmonary arterial hypertension. <i>Herz</i> , 2013 , 38, 393-4	2.6	
92	Ventricular tachycardia induced by pseudoephedrine tablets for common cold. <i>International Journal of Cardiology</i> , 2013 , 164, e1-2	3.2	4
91	Association of serum total bilirubin levels with the severity, extent and subtypes of coronary atherosclerotic plaques detected by coronary CT angiography. <i>International Journal of Cardiovascular Imaging</i> , 2013 , 29, 1371-9	2.5	14
90	Immediate and medium-term outcomes of cryoballoon-based pulmonary vein isolation in patients with paroxysmal and persistent atrial fibrillation: single-centre experience. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2013 , 38, 187-95	2.4	34
89	Usefulness of screening left atrioventricular groove epicardial adipose tissue thickness. <i>American Journal of Cardiology</i> , 2013 , 112, 1054-5	3	1
88	Increased epicardial fat tissue is a marker of metabolic syndrome in adult patients. <i>International Journal of Cardiology</i> , 2013 , 165, 308-13	3.2	43
87	Role of preablation neutrophil/lymphocyte ratio on outcomes of cryoballoon-based atrial fibrillation ablation. <i>American Journal of Cardiology</i> , 2013 , 112, 513-9	3	38
86	A proposal for a new scoring system in the prediction of catheter ablation outcomes: promising results from the Turkish Cryoablation Registry. <i>International Journal of Cardiology</i> , 2013 , 169, 201-6	3.2	47
85	Prognosis of patients with mild-moderate coronary artery stenosis detected by coronary computed tomography angiography. <i>International Journal of Cardiology</i> , 2013 , 168, 1195-200	3.2	14
84	Association between family history of premature coronary artery disease and coronary atherosclerotic plaques shown by multidetector computed tomography coronary angiography. <i>International Journal of Cardiology</i> , 2013 , 164, 355-8	3.2	15
83	Worsened diastology after radiofrequency catheter ablation in AF patients: more touches more stiff left atrium. <i>International Journal of Cardiology</i> , 2013 , 168, 4801-2	3.2	5
82	High dose statins should be used in all patients undergoing percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2013 , 168, 5103-4	3.2	
81	Mapping and ablation of focal arrhythmia: should we use three-dimensional mapping systems?. <i>International Journal of Cardiology</i> , 2013 , 168, 5073	3.2	
80	Risk estimation scores do not mean everything: what about plaque burden and prognosis?. <i>American Journal of Cardiology</i> , 2013 , 111, 1374-5	3	
79	The cardiovascular effects of premature ovarian failure. <i>International Journal of Cardiology</i> , 2013 , 168, 506-10	3.2	28

78	Fragmented QRS complex predicts the arrhythmic events in patients with arrhythmogenic right ventricular cardiomyopathy/dysplasia. <i>Journal of Cardiovascular Electrophysiology</i> , 2013 , 24, 1260-6	2.7	46
77	Transcatheter interatrial septal defect closure in a large cohort: midterm follow-up results. <i>Congenital Heart Disease</i> , 2013 , 8, 418-27	3.1	21
76	Acute mitral regurgitation due to flail mitral leaflet mimicking: a diagnosis of pneumonia. <i>Internal and Emergency Medicine</i> , 2013 , 8, 165-7	3.7	
75	Impaired aortic elastic properties in patients with adult-onset hypogonadism. <i>Blood Pressure</i> , 2013 , 22, 114-9	1.7	4
74	Frequency and predictors of renal artery stenosis in hypertensive patients undergoing coronary angiography. <i>Angiology</i> , 2013 , 64, 385-90	2.1	5
73	The association of premature ovarian failure with ventricular repolarization dynamics evaluated by QT dynamicity. <i>Europace</i> , 2013 , 15, 1657-63	3.9	6
72	Is lone AF lonely yet? What about the atrial fibrosis in lone AF and implications on the cryoablation success?. <i>European Heart Journal</i> , 2013 , 34, P497-P497	9.5	
71	Ganglionated plexi ablation during cryoballoon ablation prevents recurrence of atrial fibrillation. <i>European Heart Journal</i> , 2013 , 34, P2317-P2317	9.5	
70	Prevention of recurrent cryptogenic stroke with percutaneous closure of patent foramen ovale; a follow-up study with magnetic resonance imaging. <i>European Heart Journal</i> , 2013 , 34, P5460-P5460	9.5	
69	AB0589 Subclinical atherosclerosis found both in psoriatic arthritis and rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A970.1-A970	2.4	1
68	Toothache uncovered the biatrial masses. Carney syndrome. <i>Anatolian Journal of Cardiology</i> , 2013 , 13, 819, 823		
67	Increased echocardiographic epicardial fat thickness and high-sensitivity CRP level indicate diastolic dysfunction in patients with newly diagnosed essential hypertension. <i>Blood Pressure Monitoring</i> , 2013 , 18, 259-64	1.3	22
66	The influence of cardiac resynchronization therapy on molecular pathways in pathophysiology of heart failure. <i>European Heart Journal</i> , 2013 , 34, P3184-P3184	9.5	
65	Obese heart syndrome: Epicardial adiposity in subtypes of atrial fibrillation. <i>European Heart Journal</i> , 2013 , 34, P4096-P4096	9.5	
64	Prognosis of patients with non-significant coronary artery stenosis detected by dual-source MDCT coronary angiography. <i>European Heart Journal</i> , 2013 , 34, P4698-P4698	9.5	
63	Porcelain thoracic aorta in a patient with rheumatoid arthritis. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2013 , 41, 179		0
62	Cryoballoon pulmonary vein isolation prior to percutaneous atrial septal defect closure: a case report. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2013 , 41, 728-31		2
61	The Yin and Yang of dyspnea in the emergency department: heart failure or COPD?. <i>Clinics</i> , 2013 , 68, 1290-1	2.3	

60	Electrocardiographic data should be coupled with tissue-Doppler imaging and clinical follow-up evaluation to determine cardiac involvement in lichen planus. <i>Clinics</i> , 2013 , 68, 1380-1	2.3	
59	Unexpected cause of acute right heart failure: renal cell carcinoma and tumour thrombus. <i>Kardiologia Polska</i> , 2013 , 71, 1327	0.9	
58	Evolution in transvenous extraction of pacemaker and implantable cardioverter defibrillator leads using a mechanical dilator sheath. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012 , 35, 834-40	1.6	34
57	Early-mid term follow-up results of percutaneous closure of the interatrial septal defects with occlutech figulla devices: a single center experience. <i>Journal of Interventional Cardiology</i> , 2012 , 25, 375-81 ⁸	1.8	20
56	Diagnostic accuracy of dual-source 64-slice multidetector computed tomography in evaluation of coronary artery bypass grafts. <i>Journal of Investigative Medicine</i> , 2012 , 60, 1180-5	2.9	9
55	The effect of antithyroid treatment on atrial conduction times in patients with subclinical hyperthyroidism. <i>Echocardiography</i> , 2012 , 29, 950-5	1.5	11
54	Vasospastic angina in a patient with hyperthyroidism. <i>Herz</i> , 2012 , 37, 570-2	2.6	4
53	Severe limb pain suppresses chest pain in a patient with anterior myocardial infarction. <i>Herz</i> , 2012 , 37, 706-8	2.6	
52	Huge mediastinal mass surrounding the heart. <i>Herz</i> , 2012 , 37, 770-2	2.6	
51	Myocardial infarction due to coronary thrombosis in a patient with Henoch-Schleulin purpura. <i>Herz</i> , 2012 , 37, 801-3	2.6	5
50	Evaluation of cardiac autonomic function by various indices in patients with primary premature ovarian failure. <i>Clinical Research in Cardiology</i> , 2012 , 101, 753-9	6.1	4
49	Use of fenofibrate during the first trimester of unplanned pregnancy in a patient with hypertriglyceridemia. <i>Annals of Pharmacotherapy</i> , 2012 , 46, e5	2.9	6
48	Evaluation of cardiac autonomic functions in patients with systemic lupus erythematosus. <i>Lupus</i> , 2012 , 21, 373-9	2.6	15
47	Familial Brugada syndrome unmasked by carbon monoxide intoxication. <i>International Journal of Cardiology</i> , 2012 , 156, e18-9	3.2	2
46	Allergic reaction to proton pump inhibitor: pantoprazole induced Kounis syndrome. <i>International Journal of Cardiology</i> , 2012 , 159, e27-8	3.2	3
45	Myocardial infarction due to coronary thrombus formation in a postmenopausal woman with breast cancer after initiation of letrozol therapy. <i>International Journal of Cardiology</i> , 2012 , 160, e1-2	3.2	6
44	Recovery of atrioventricular block with teophylline and methylprednisolone occurring few days after slow pathway radiofrequency ablation. <i>International Journal of Cardiology</i> , 2012 , 160, e33-4	3.2	2
43	Evaluation of various cardiac autonomic indices in patients with familial Mediterranean fever on colchicine treatment. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2012 , 167, 70-4	2.4	21

42	Percutaneous coronary sinus interventions to facilitate implantation of left ventricular lead: a case series and review of literature. <i>Journal of Cardiac Failure</i> , 2012 , 18, 321-9	3.3	12
41	Acute stent thrombosis during percutaneous coronary intervention. Treatment with tirofiban. <i>Herz</i> , 2012 , 37, 333-5	2.6	
40	Acute inferior myocardial infarction in a young female patient with polyarteritis nodosa. <i>Herz</i> , 2012 , 37, 461-3	2.6	14
39	Epicardial adipose tissue thickness predicts descending thoracic aorta atherosclerosis shown by multidetector computed tomography. <i>International Journal of Cardiovascular Imaging</i> , 2012 , 28, 911-9	2.5	14
38	Diagnostic accuracy of 16- versus 64-slice multidetector computed tomography angiography in the evaluation of coronary artery bypass grafts: a comparative study. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2012 , 15, 847-53	1.8	5
37	Heart block: Neither sweet nor bitter. <i>Anatolian Journal of Cardiology</i> , 2012 , 12, 698-9		1
36	Pericardial cyst: a rare cause of recurrent palpitation episodes. <i>Anatolian Journal of Cardiology</i> , 2012 , 12, E17-8		1
35	Chest X-ray in a hypertensive patient with stage 2 diastolic dysfunction. <i>Anatolian Journal of Cardiology</i> , 2012 , 12, 446, 455		
34	Complete heart block and permanent pacemaker implantation in a patient with systemic sclerosis. <i>Anatolian Journal of Cardiology</i> , 2012 , 12, 609-10		1
33	Melting heart: dilated phase of hypertrophic cardiomyopathy. <i>Anatolian Journal of Cardiology</i> , 2012 , 12, E36-7		
32	Hydatid cyst of the interventricular septum presenting as supraventricular tachycardia. <i>Anatolian Journal of Cardiology</i> , 2012 , 12, E30-1		2
31	The importance of Himalayan P-wave in differentiation of cardiomyopathies. <i>Anatolian Journal of Cardiology</i> , 2012 , 12, 368-9		1
30	Paroxysmal supraventricular arrhythmias during hypokalemic episodes in a patient with hypokalemic periodic paralysis. <i>Anatolian Journal of Cardiology</i> , 2012 , 12, 528-9		1
29	Emergency polytetrafluoroethylene-covered stent implantation to treat right coronary artery perforation during percutaneous coronary intervention. <i>Cardiology Journal</i> , 2012 , 19, 639-42	1.4	5
28	Prevalence of coronary artery disease before valvular surgery in patients with rheumatic valvular disease. <i>Coronary Artery Disease</i> , 2012 , 23, 533-7	1.4	5
27	Association of type 2 diabetes mellitus with coronary atherosclerotic plaque burden and morphology measured by multidetector computed tomography coronary angiography. <i>Acta Cardiologica</i> , 2012 , 67, 71-7	0.9	5
26	Cardiovascular risk and coronary atherosclerotic plaques detected by multidetector computed tomography: Framingham and SCORE risk models underestimate coronary atherosclerosis in the symptomatic low-risk Turkish population. <i>Coronary Artery Disease</i> , 2012 , 23, 195-200	1.4	12
25	Successful treatment of intracardiac and pulmonary thrombi in Behçet's disease with oral anticoagulant and immunosuppressive therapy. <i>Acta Medica (Hradec Kralove)</i> , 2012 , 55, 186-8	0.8	7

24	Case images: atrial fibrillation due to right atrial compression in a patient with pectus excavatum. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2012 , 40, 392		5
23	The use of Amplatzer Vascular Plug(II) to treat coronary steal due to unligated thoracic side branch of left internal mammary artery: four year follow-up results. <i>Cardiology Journal</i> , 2012 , 19, 197-200	1.4	4
22	Simultaneous subacute thrombosis of bare metal coronary stents in two different arteries early after clopidogrel cessation. <i>Cardiology Journal</i> , 2012 , 19, 309-13	1.4	4
21	Case images: left ventricular outflow tract to left atrial fistula after aortic valve replacement. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2012 , 40, 283		
20	Case images: Budd-Chiari syndrome and multiple coronary fistulae in a patient with Behçet disease. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2012 , 40, 559		
19	Delayed therapy for Wellens syndrome resulted in acute myocardial infarction. <i>Kardiologia Polska</i> , 2012 , 70, 1316	0.9	1
18	Case Images: Asymptomatic giant left ventricular pseudoaneurysm in a true aneurysm following anterior myocardial infarction. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2012 , 40, 470		
17	The association between circulating endothelial progenitor cells and coronary collateral formation. <i>Atherosclerosis</i> , 2011 , 219, 851-4	3.1	18
16	Transthoracic echocardiography guidance during percutaneous closure of patent foramen ovale. <i>Echocardiography</i> , 2011 , 28, 1074-80	1.5	10
15	Percutaneous closure of coronary artery fistulae in adults with intermediate term follow-up results. <i>Journal of Interventional Cardiology</i> , 2011 , 24, 216-22	1.8	10
14	Figulla PFO occluder versus Amplatzer PFO occluder for percutaneous closure of patent foramen ovale. <i>Catheterization and Cardiovascular Interventions</i> , 2011 , 77, 709-14	2.7	16
13	Successful pregnancy by in vitro fertilization after Mustard operation for transposition of the great arteries. <i>Journal of Cardiology Cases</i> , 2011 , 3, e50-e52	0.6	
12	Pulmonary embolism presenting with evolving electrocardiographic abnormalities mimicking anteroseptal myocardial infarction: a case report. <i>Medical Principles and Practice</i> , 2011 , 20, 577-80	2.1	11
11	Shamrock aorta: unruptured sinus of Valsalva aneurysms in a patient with a prosthetic heart valve. <i>European Heart Journal</i> , 2011 , 32, 2572	9.5	
10	Percutaneous extraction of cardiac pacemaker and implantable cardioverter defibrillator leads with evolution mechanical dilator sheath: a single-centre experience. <i>Europace</i> , 2011 , 13, 543-7	3.9	33
9	Thrombus formation during percutaneous closure of an atrial septal defect with an Amplatzer septal occluder. <i>Texas Heart Institute Journal</i> , 2011 , 38, 427-30	0.8	10
8	Cardiac hydatid cyst mimicking left ventricular aneurysm and diagnosed by magnetic resonance imaging. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2011 , 39, 47-51		18
7	Total white blood cell count is associated with the presence, severity and extent of coronary atherosclerosis detected by dual-source multislice computed tomographic coronary angiography. <i>Cardiology Journal</i> , 2011 , 18, 371-7	1.4	31

6	The relationship between microalbuminuria and the presence and extent of coronary atherosclerosis. <i>Angiology</i> , 2010 , 61, 184-91	2.1	9
5	Aortic atherosclerosis predicts the extent and severity of coronary atherosclerosis detected by multidetector computed tomography coronary angiography. <i>Angiology</i> , 2010 , 61, 627-32	2.1	5
4	Serum uric acid levels predict the severity and morphology of coronary atherosclerosis detected by multidetector computed tomography. <i>Atherosclerosis</i> , 2010 , 213, 178-83	3.1	41
3	Prevalence of incidental pulmonary findings and early follow-up results in patients undergoing dual-source 64-slice computed tomography coronary angiography. <i>Journal of Computer Assisted Tomography</i> , 2010 , 34, 296-301	2.2	6
2	Heart-rate recovery index is impaired in Behçet's disease. <i>Texas Heart Institute Journal</i> , 2009 , 36, 282-6	0.8	21
1	Postextubation adverse events in children undergoing general anesthesia. <i>Paediatric Anaesthesia</i> , 2007 , 17, 192; author reply 193	1.8	6