

Jae-Hun Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4431757/jae-hun-kim-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

111
papers

7,046
citations

39
h-index

83
g-index

119
ext. papers

7,693
ext. citations

6.6
avg, IF

6.01
L-index

#	Paper	IF	Citations
111	Nano-spatially stable Si ₂ O composite and its balanced electrochemical performance for Li rechargeable batteries. <i>Journal of Power Sources</i> , 2022 , 519, 230777	8.9	2
110	Surfactant-derived porous Sn ₂ Nb ₂ O ₇ -graphene oxide composite as Li- and Na-ion storage materials. <i>Journal of Alloys and Compounds</i> , 2022 , 164943	5.7	0
109	Synthesis of Si-Zn ₂ SiO ₄ composite as Li-ion battery anodes and its electrochemical mechanism analysis. <i>Electrochemistry Communications</i> , 2022 , 138, 107284	5.1	
108	SnS nanosheets on carbon foam as a flexible anode platform for rechargeable Li- and Na-ion batteries. <i>Applied Surface Science</i> , 2021 , 544, 148837	6.7	7
107	Novel synthesis of porous Si-TiO ₂ composite as a high-capacity anode material for Li secondary batteries. <i>Journal of Alloys and Compounds</i> , 2021 , 872, 159640	5.7	6
106	Scalable Synthesis and Electrochemical Properties of Porous Si-CoSi-C Composites as an Anode for Li-ion Batteries. <i>Materials</i> , 2021 , 14,	3.5	1
105	Synthesis and electrochemical analysis of Sn ₂ Fe-TiO _x -C composite as a high-performance anode material for Li-ion batteries. <i>Ceramics International</i> , 2021 , 48, 597-597	5.1	
104	Controlling a lithium surface with an alkyl halide nucleophile exchange. <i>Journal of Energy Chemistry</i> , 2021 , 62, 617-626	12	2
103	Synthesis of a High-Capacity NiO/Ni Foam Anode for Advanced Lithium-Ion Batteries. <i>Advanced Engineering Materials</i> , 2020 , 22, 2000351	3.5	4
102	Spherical Sb Core/Nb ₂ O ₅ -C Double-Shell Structured Composite as an Anode Material for Li Secondary Batteries. <i>Energies</i> , 2020 , 13, 1999	3.1	4
101	Integrated porous cobalt oxide/cobalt anode with micro- and nano-pores for lithium ion battery. <i>Applied Surface Science</i> , 2020 , 525, 146592	6.7	10
100	Effect of Powder Morphology and Chemical Distribution on Properties of Multicomponent Alloys Produced Via Powder Metallurgy. <i>Metals and Materials International</i> , 2020 , 26, 1385-1393	2.4	6
99	Three-dimensional Ge/GeO ₂ shell-encapsulated Nb ₂ O ₅ nanoparticle assemblies for high-performance lithium-ion battery anodes. <i>Electrochimica Acta</i> , 2020 , 340, 135952	6.7	12
98	Galvanically Replaced, Single-Bodied Lithium-Ion Battery Fabric Electrodes. <i>Advanced Functional Materials</i> , 2020 , 30, 1908633	15.6	4
97	Electrochemical investigation on high-rate properties of graphene nanoplatelet-carbon nanotube hybrids for Li-ion capacitors. <i>Journal of Electroanalytical Chemistry</i> , 2020 , 863, 114060	4.1	7
96	Microstructure Design of Carbon-Coated Nb ₂ O ₅ /Bi Composites as Reversible Li Storage Materials. <i>Electronic Materials Letters</i> , 2020 , 16, 376-384	2.9	5
95	NbMoTaW refractory high entropy alloy composites strengthened by in-situ metal-non-metal compounds. <i>Journal of Alloys and Compounds</i> , 2020 , 822, 153423	5.7	15

94	Manganese oxide on fluorine-doped SnO ₂ inverse opal frame as pseudocapacitor electrodes. <i>Ceramics International</i> , 2020 , 46, 22557-22563	5.1	2
93	Porous SiO composite tailored by scalable mechanochemical oxidation of Si for Li-ion anodes. <i>Electrochimica Acta</i> , 2020 , 357, 136862	6.7	5
92	Deformation behavior of nanocrystalline and ultrafine-grained CoCrCuFeNi high-entropy alloys. <i>Journal of Materials Research</i> , 2019 , 34, 720-731	2.5	4
91	Zn-induced synthesis of porous SiO _x materials as negative electrodes for Li secondary batteries. <i>Journal of Alloys and Compounds</i> , 2019 , 803, 325-331	5.7	10
90	Mechanical and electrical properties of NbMoTaW refractory high-entropy alloy thin films. <i>International Journal of Refractory Metals and Hard Materials</i> , 2019 , 80, 286-291	4.1	47
89	Facile and scalable synthesis of SiO _x materials for Li-ion negative electrodes. <i>Journal of Power Sources</i> , 2019 , 436, 226883	8.9	24
88	Magnesium silicide-derived porous Sb-Si-C composite for stable lithium storage. <i>Journal of Alloys and Compounds</i> , 2019 , 782, 525-532	5.7	16
87	Impact of magnesium substitution in nickel ferrite: Optical and electrochemical studies. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2019 , 108, 100-104	3	10
86	Three-dimensional monolithic corrugated graphene/Ni foam for highly stable and efficient Li metal electrode. <i>Journal of Power Sources</i> , 2019 , 413, 467-475	8.9	21
85	Surface-controlled Nb ₂ O ₅ nanoparticle networks for fast Li transport and storage. <i>Journal of Materials Science</i> , 2019 , 54, 2493-2500	4.3	12
84	Surface-oxidized, freeze-cast cobalt foams: Microstructure, mechanical properties and electrochemical performance. <i>Acta Materialia</i> , 2018 , 142, 213-225	8.4	17
83	Effects of Chlorine Contents on Perovskite Solar Cell Structure Formed on CdS Electron Transport Layer Probed by Rutherford Backscattering. <i>Electronic Materials Letters</i> , 2018 , 14, 700-711	2.9	4
82	Facile synthesis and electrochemical properties of carbon-coated ZnO nanotubes for high-rate lithium storage. <i>Ceramics International</i> , 2018 , 44, 18222-18226	5.1	10
81	Bottom-up self-assembly of nano-netting cluster microspheres as high-performance lithium storage materials. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 13321-13330	13	14
80	Effect of Lithiation on the Microstructure of a Cobalt Foam Processed by Freeze Casting. <i>Advanced Engineering Materials</i> , 2018 , 20, 1800343	3.5	3
79	Self-assembled monolayer modified MoO ₃ /Au/MoO ₃ multilayer anodes for high performance OLEDs. <i>Electronic Materials Letters</i> , 2017 , 13, 16-24	2.9	10
78	Nano Si embedded SiO _x -Nb ₂ O ₅ -C composite as reversible lithium storage materials. <i>Journal of Alloys and Compounds</i> , 2017 , 699, 351-357	5.7	13
77	Si/iron silicide nanocomposite anodes with furfuryl-alcohol-derived carbon coating for Li-ion batteries. <i>Journal of Materials Science</i> , 2017 , 52, 5027-5037	4.3	13

76	Reduced graphene oxide as a protection layer for Al. <i>Applied Surface Science</i> , 2017 , 407, 1-7	6.7	19
75	Si-SiO _x -Al ₂ O ₃ nanocomposites as high-capacity anode materials for Li-ion batteries. <i>Electronic Materials Letters</i> , 2017 , 13, 152-159	2.9	16
74	Nanostructured silicon/silicide/carbon composite anodes with controllable voids for Li-ion batteries. <i>Materials and Design</i> , 2017 , 120, 230-237	8.1	13
73	Effect of carbon coating on nano-Si embedded SiO _x -Al ₂ O ₃ composites as lithium storage materials. <i>Applied Surface Science</i> , 2017 , 416, 527-535	6.7	20
72	Anode Design Based on Microscale Porous Scaffolds for Advanced Lithium Ion Batteries. <i>Journal of Electronic Materials</i> , 2017 , 46, 3789-3795	1.9	12
71	Niobium oxide nanoparticle core/morphous carbon shell structure for fast reversible lithium storage. <i>Electrochimica Acta</i> , 2017 , 240, 316-322	6.7	32
70	Synthesis and Electrochemical Reaction Mechanism of Zn-TiO _x -C Nanocomposite Anode Materials for Li Secondary Batteries. <i>Journal of the Electrochemical Society</i> , 2017 , 164, A2683-A2688	3.9	7
69	Synthesis of highly conductive cobalt thin films by LCVD at atmospheric pressure. <i>Materials Science in Semiconductor Processing</i> , 2017 , 68, 245-251	4.3	2
68	Failure mechanism analysis of LiNi _{0.88} Co _{0.09} Mn _{0.03} O ₂ cathodes in Li-ion full cells. <i>Journal of Electroanalytical Chemistry</i> , 2017 , 799, 315-320	4.1	17
67	Partially reversible Li ₂ O formation in ZnO: A critical finding supporting realization of highly reversible metal oxide electrodes. <i>Journal of Power Sources</i> , 2016 , 328, 607-614	8.9	30
66	Few-Layer Graphene Island Seeding for Dendrite-Free Li Metal Electrodes. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 26895-26901	9.5	54
65	Hydrogen Treated Niobium Oxide Nanotube Arrays for Photoelectrochemical Water Oxidation. <i>Journal of the Electrochemical Society</i> , 2016 , 163, H1165-H1170	3.9	11
64	Capacity fading behavior of Ni-rich layered cathode materials in Li-ion full cells. <i>Journal of Electroanalytical Chemistry</i> , 2016 , 782, 168-173	4.1	58
63	Microstructural Tuning of Si/TiFeSi ₂ Nanocomposite as Lithium Storage Materials by Mechanical Deformation. <i>Electrochimica Acta</i> , 2016 , 210, 301-307	6.7	9
62	Porous Silicon/Carbon Composite Materials Engineered by Simultaneous Alkaline Etching for High-Capacity Lithium Storage Anodes. <i>Electrochimica Acta</i> , 2016 , 196, 197-205	6.7	30
61	Structural Modification of Self-Organized Nanoporous Niobium Oxide via Hydrogen Treatment. <i>Chemistry of Materials</i> , 2016 , 28, 1453-1461	9.6	43
60	Atomic-Level Understanding toward a High-Capacity and High-Power Silicon Oxide (SiO) Material. <i>Journal of Physical Chemistry C</i> , 2016 , 120, 886-892	3.8	66
59	Electrochemical lithium storage kinetics of self-organized nanochannel niobium oxide electrodes. <i>Journal of Electroanalytical Chemistry</i> , 2015 , 746, 45-50	4.1	17

58	Size-Controlled Synthesis of Copper Oxide Particles on Reduced Graphene Oxide for Lithium-Ion Battery Anode Applications. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 9039-44	1.3	2
57	Electrochemical behavior of manganese oxides on flexible substrates for thin film supercapacitors. <i>Electrochimica Acta</i> , 2015 , 153, 184-189	6.7	18
56	Surface modification by sulfated zirconia on high-capacity nickel-based cathode materials for Li-ion batteries. <i>Electrochimica Acta</i> , 2015 , 153, 115-121	6.7	26
55	Mechanochemically Reduced SiO ₂ by Ti Incorporation as Lithium Storage Materials. <i>ChemSusChem</i> , 2015 , 8, 3111-7	8.3	17
54	Size Effect of Chevrel Mg _x Mo ₆ S ₈ as Cathode Material for Magnesium Rechargeable Batteries. <i>Bulletin of the Korean Chemical Society</i> , 2015 , 36, 1209-1214	1.2	10
53	Conductive porous carbon film as a lithium metal storage medium. <i>Electrochimica Acta</i> , 2015 , 176, 172-178	1.8	58
52	Facile synthesis of Si nanoparticles using magnesium silicide reduction and its carbon composite as a high-performance anode for Li ion batteries. <i>Journal of Power Sources</i> , 2014 , 252, 144-149	8.9	40
51	Facile synthesis of Si/TiO ₂ (anatase) core-shell nanostructured anodes for rechargeable Li-ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2014 , 712, 202-206	4.1	29
50	Copper incorporated C _x Mo ₆ S ₈ (x = 1) Chevrel-phase cathode materials synthesized by chemical intercalation process for rechargeable magnesium batteries. <i>RSC Advances</i> , 2014 , 4, 59048-59055	3.7	25
49	CoxP compounds: electrochemical conversion/partial recombination reaction and partially disproportionated nanocomposite for Li-ion battery anodes. <i>RSC Advances</i> , 2014 , 4, 43227-43234	3.7	38
48	Carbon coating for Si nanomaterials as high-capacity lithium battery electrodes. <i>Electrochemistry Communications</i> , 2014 , 46, 144-147	5.1	35
47	1-D structured flexible supercapacitor electrodes with prominent electronic/ionic transport capabilities. <i>ACS Applied Materials & Interfaces</i> , 2014 , 6, 268-74	9.5	29
46	Oriented TiO ₂ nanotubes as a lithium metal storage medium. <i>Journal of Electroanalytical Chemistry</i> , 2014 , 726, 51-54	4.1	21
45	Effect of acid scavengers on electrochemical performance of lithium-sulfur batteries: Functional additives for utilization of LiPF ₆ . <i>Japanese Journal of Applied Physics</i> , 2014 , 53, 08NK01	1.4	9
44	Characterizations and electrochemical behaviors of milled Si with a degree of amorphization and its composite for Li-ion batteries. <i>Journal of Power Sources</i> , 2014 , 260, 174-179	8.9	19
43	A New Approach to Synthesis of Porous SiO _x Anode for Li-ion Batteries via Chemical Etching of Si Crystallites. <i>Electrochimica Acta</i> , 2014 , 117, 426-430	6.7	86
42	Metallic anodes for next generation secondary batteries. <i>Chemical Society Reviews</i> , 2013 , 42, 9011-34	58.5	728
41	Effect of chemical reactivity of polysulfide toward carbonate-based electrolyte on the electrochemical performance of LiS batteries. <i>Electrochimica Acta</i> , 2013 , 107, 454-460	6.7	225

40	Porous carbon spheres as a functional conducting framework for use in lithium-sulfur batteries. <i>RSC Advances</i> , 2013 , 3, 11774	3.7	44
39	Effect of oxide layer thickness to nano-Si anode for Li-ion batteries. <i>RSC Advances</i> , 2013 , 3, 9408	3.7	31
38	Tailoring oriented TiO ₂ nanotube morphology for improved Li storage kinetics. <i>Electrochimica Acta</i> , 2013 , 88, 123-128	6.7	40
37	Capacity fading mechanism of LiFePO ₄ -based lithium secondary batteries for stationary energy storage. <i>Journal of Power Sources</i> , 2013 , 229, 190-197	8.9	96
36	Morphological modification of alpha-MnO ₂ catalyst for use in Li/air batteries. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 3611-6	1.3	10
35	Post oxygen treatment characteristics of coke as an anode material for Li-ion batteries. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 3298-302	1.3	
34	Physical, electrochemical, and thermal properties of granulated natural graphite as anodes for Li-ion batteries. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 3731-6	1.3	1
33	Interfacial reaction between electrode and electrolyte for a ramsdellite type Li _{2+x} Ti ₃ O ₇ anode material during lithium insertion. <i>Electrochimica Acta</i> , 2012 , 63, 263-268	6.7	5
32	Enhancement of electrochemical and thermal properties of polyethylene separators coated with polyvinylidene fluoride-hexafluoropropylene co-polymer for Li-ion batteries. <i>Journal of Power Sources</i> , 2012 , 198, 298-302	8.9	93
31	Quartz (SiO ₂): a new energy storage anode material for Li-ion batteries. <i>Energy and Environmental Science</i> , 2012 , 5, 6895	35.4	308
30	Electrochemical characteristics of nano-sized MoO ₂ /C composite anode materials for lithium-ion batteries. <i>Journal of Applied Electrochemistry</i> , 2012 , 42, 909-915	2.6	22
29	Multifunctional TiO ₂ coating for a SiO anode in Li-ion batteries. <i>Journal of Materials Chemistry</i> , 2012 , 22, 7999		91
28	One-step synthesis of a sulfur-impregnated graphene cathode for lithium-sulfur batteries. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 6796-804	3.6	164
27	Novel catalytic effects of Mn ₃ O ₄ for all vanadium redox flow batteries. <i>Chemical Communications</i> , 2012 , 48, 5455-7	5.8	221
26	Pseudocapacitive Lithium-Ion Storage in Oriented Anatase TiO ₂ Nanotube Arrays. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 11895-11899	3.8	124
25	Development of Carbon Composite Bipolar Plates for Vanadium Redox Flow Batteries. <i>Bulletin of the Korean Chemical Society</i> , 2012 , 33, 3589-3592	1.2	20
24	Effect of Electrolytes on Electrochemical Properties of Magnesium Electrodes. <i>Journal of Electrochemical Science and Technology</i> , 2012 , 3, 159-164	3.2	
23	Ni-NiO core-shell inverse opal electrodes for supercapacitors. <i>Chemical Communications</i> , 2011 , 47, 5214-5.8	6.8	193

22	Electrochemical behavior of SiO anode for Li secondary batteries. <i>Journal of Electroanalytical Chemistry</i> , 2011 , 661, 245-249	4.1	93
21	Effect of carbon types on the electrochemical properties of negative electrodes for Li-ion capacitors. <i>Journal of Power Sources</i> , 2011 , 196, 10490-10495	8.9	142
20	The effects of surface modification on carbon felt electrodes for use in vanadium redox flow batteries. <i>Materials Chemistry and Physics</i> , 2011 , 131, 547-553	4.4	209
19	Development of metal-based electrodes for non-aqueous redox flow batteries. <i>Electrochemistry Communications</i> , 2011 , 13, 997-1000	5.1	72
18	Incorporation of phosphorus into the surface of natural graphite anode for lithium ion batteries. <i>Journal of Materials Chemistry</i> , 2011 , 21, 17960		31
17	Microstructure and pseudocapacitive properties of electrodes constructed of oriented NiO-TiO ₂ nanotube arrays. <i>Nano Letters</i> , 2010 , 10, 4099-104	11.5	387
16	Characterizations and electrochemical behaviors of disproportionated SiO and its composite for rechargeable Li-ion batteries. <i>Journal of Materials Chemistry</i> , 2010 , 20, 4854		195
15	Li-alloy based anode materials for Li secondary batteries. <i>Chemical Society Reviews</i> , 2010 , 39, 3115-41	58.5	1308
14	Reaction Behavior of Li ₄ +xTi ₅ O ₁₂ Anode Material as Depth of Discharge. <i>Journal of Electrochemical Science and Technology</i> , 2010 , 1, 85-91	3.2	8
13	Nanostructured Sn/TiO ₂ /C composite as a high-performance anode for Li-ion batteries. <i>Electrochemistry Communications</i> , 2009 , 11, 2165-2168	5.1	57
12	Reversible hydrogen storage in calcium borohydride Ca(BH ₄) ₂ . <i>Scripta Materialia</i> , 2008 , 58, 481-483	5.6	93
11	Mechanochemical synthesis and characterization of TiB ₂ and VB ₂ nanopowders. <i>Materials Letters</i> , 2008 , 62, 2461-2464	3.3	52
10	Thermal decomposition behavior of calcium borohydride Ca(BH ₄) ₂ . <i>Journal of Alloys and Compounds</i> , 2008 , 461, L20-L22	5.7	102
9	Hyperthermia with magnetic nanowires for inactivating living cells. <i>Journal of Nanoscience and Nanotechnology</i> , 2008 , 8, 2323-7	1.3	45
8	On the reversibility of hydrogen storage in Ti- and Nb-catalyzed Ca(BH ₄) ₂ . <i>Journal of Power Sources</i> , 2008 , 181, 140-143	8.9	90
7	Fabrication and electrochemical characterization of a vertical array of MnO ₂ nanowires grown on silicon substrates as a cathode material for lithium rechargeable batteries. <i>Journal of Power Sources</i> , 2008 , 183, 366-369	8.9	43
6	Electrochemical characterization of vertical arrays of tin nanowires grown on silicon substrates as anode materials for lithium rechargeable microbatteries. <i>Electrochemistry Communications</i> , 2008 , 10, 1688-1690	5.1	38
5	Enhanced cycle performance of SiO-C composite anode for lithium-ion batteries. <i>Journal of Power Sources</i> , 2007 , 170, 456-459	8.9	156

4	High-Rate Capability and Enhanced Cyclability of Antimony-Based Composites for Lithium Rechargeable Batteries. <i>Journal of the Electrochemical Society</i> , 2007 , 154, A917	3.9	80
3	Addition of Cu for carbon coated Si-based composites as anode materials for lithium-ion batteries. <i>Electrochemistry Communications</i> , 2005 , 7, 557-561	5.1	93
2	Tin-Based Oxides as Anode Materials for Lithium Secondary Batteries. <i>Journal of the Electrochemical Society</i> , 2003 , 150, A1544	3.9	46
1	Characterizations of a new lithium ion conducting $\text{Li}_2\text{OBeO}_2\text{B}_2\text{O}_3$ glass electrolyte. <i>Solid State Ionics</i> , 2002 , 149, 59-65	3.3	50