

# Ivone Rezende Diniz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4432049/publications.pdf>

Version: 2024-02-01

28  
papers

784  
citations

567281  
15  
h-index

526287  
27  
g-index

29  
all docs

29  
docs citations

29  
times ranked

816  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Abundance of Insect Herbivore Species in the Tropics: The High Local Richness of Rare Species. <i>Biotropica</i> , 1995, 27, 468.	1.6	108
2	Patterns and correlates of interspecific variation in foliar insect herbivory and pathogen attack in Brazilian cerrado. <i>Journal of Tropical Ecology</i> , 2001, 17, 127-148.	1.1	98
3	Volatiles Mediating a Plant-Herbivore-Natural Enemy Interaction in Resistant and Susceptible Soybean Cultivars. <i>Journal of Chemical Ecology</i> , 2011, 37, 273-285.	1.8	92
4	A critical review on some closely related species of <i>Tetranychus</i> sensu stricto (Acar: Tetranychidae) in the public DNA sequences databases. <i>Experimental and Applied Acarology</i> , 2011, 55, 1-23.	1.6	66
5	Lepidopteran caterpillar fauna of cerrado host plants. <i>Biodiversity and Conservation</i> , 1997, 6, 817-836.	2.6	50
6	Técnicas de coleta de besouros copronecráfagos no Cerrado. <i>Pesquisa Agropecuaria Brasileira</i> , 2003, 38, 1249-1256.	0.9	46
7	Alternative food sources and overwintering feeding behavior of the boll weevil, <i>Anthrenus grandis bohemani</i> (coleoptera: curculionidae) under the tropical conditions of central Brazil. <i>Neotropical Entomology</i> , 2010, 39, 28-34.	1.2	29
8	Influence of volatile compounds from herbivore-damaged soybean plants on searching behavior of the egg parasitoid <i>Telenomus podisi</i> . <i>Entomologia Experimentalis Et Applicata</i> , 2013, 147, 9-17.	1.4	28
9	Seasonal variation in diet breadth of folivorous Lepidoptera in the Brazilian cerrado. <i>Biotropica</i> , 2016, 48, 491-498.	1.6	26
10	Host Plant Specialization and Species Turnover of Caterpillars Among Hosts in the Brazilian Cerrado. <i>Biotropica</i> , 2011, 43, 467-472.	1.6	25
11	Composição de espécies de Arctiidae (Insecta, Lepidoptera) em áreas de Cerrado. <i>Revista Brasileira De Zoologia</i> , 2007, 24, 635-646.	0.5	23
12	South American Spider Mites: New Hosts and Localities. <i>Journal of Insect Science</i> , 2011, 11, 1-18.	1.5	22
13	Host plants of Lycaenidae on inflorescences in the central Brazilian cerrado. <i>The Journal of Research on the Lepidoptera</i> , 2011, 44, 95-105.	0.1	21
14	Richness of tiger moths (Lepidoptera: Arctiidae) in the Brazilian Cerrado: how much do we know?. <i>Zoologia</i> , 2010, 27, 725-731.	0.5	18
15	Shelter-building caterpillars in the cerrado: seasonal variation in relative abundance, parasitism, and the influence of extra-floral nectaries. <i>Arthropod-Plant Interactions</i> , 2012, 6, 583-589.	1.1	18
16	Species composition and temporal activity of Arctiinae (Lepidoptera: Erebidae) in two cerrado vegetation types. <i>Zoologia</i> , 2013, 30, 200-210.	0.5	18
17	Abundance and temporal distribution of <i>Gonioptera exquisita</i> Duckworth (Lepidoptera, Elachistidae). <i>Tijdschrift voor Entomologie</i> , 2008, 147, 1-12. <i>Brasileira De Entomologia</i> , 2008, 52, 62-67.	0.4	12
18	Biological attributes affect the data of description of tiger moths (Arctiidae) in the Brazilian Cerrado. <i>Diversity and Distributions</i> , 2008, 14, 472-482.	4.1	11

#	ARTICLE	IF	CITATIONS
19	Accidental Fire in the Cerrado: Its Impact on Communities of Caterpillars on Two Species of <i>Erythroxylum</i> . <i>Psyche: Journal of Entomology</i> , 2012, 2012, 1-7.	0.9	11
20	Changing interactions among persistent species as the major driver of seasonal turnover in plant-caterpillar interactions. <i>PLoS ONE</i> , 2018, 13, e0203164.	2.5	11
21	Brazilian Cerrado Folivore and Florivore Caterpillars: How Different are They?. <i>Biotropica</i> , 2009, 41, 401-405.	1.6	8
22	Temporal Occurrence of TwoMorphoButterflies (Lepidoptera: Nymphalidae): Influence of Weather and Food Resources. <i>Environmental Entomology</i> , 2014, 43, 274-282.	1.4	7
23	<i>Eloria subapicalis</i> (Lepidoptera: Noctuidae: Lymantriinae): rare and specialist species on <i>Erythroxylum</i> (Erythroxylaceae) in the cerrado. <i>Zoologia</i> , 2011, 28, 58-62.	0.5	6
24	Temporal and spatial variation of <i>Stenoma cathosiota</i> Meyrick (Lepidoptera: Elachistidae) caterpillar abundance in the cerrado of Brasília, Brazil. <i>Neotropical Entomology</i> , 2007, 36, 843-847.	1.2	5
25	Defesas induzidas por herbivoria e interaÃ§Ãµes especÃ¢ficas no sistema tritrÃ³fico soja-percevejos-parasitoides de ovos. <i>Pesquisa Agropecuaria Brasileira</i> , 2012, 47, 875-878.	0.9	5
26	HistÃ³ria natural da mariposa <i>Chlamydastis smodicopa</i> (Meyrick) (Lepidoptera, Elachistidae,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 10.5		
27	Tritrophic interaction diversity in gallery forests: A biologically rich and understudied component of the Brazilian cerrado. <i>Arthropod-Plant Interactions</i> , 2021, 15, 773-785.	1.1	3
28	On the immature stages and natural history of <i>Goniopterma exquisita</i> Duckworth (Lepidoptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 10.4		