

# Yu Konishi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4432321/publications.pdf>

Version: 2024-02-01

21  
papers

698  
citations

759233

12  
h-index

713466

21  
g-index

21  
all docs

21  
docs citations

21  
times ranked

543  
citing authors

#	ARTICLE	IF	CITATIONS
1	Gamma Loop Dysfunction as a Possible Neurophysiological Mechanism of Arthrogenic Muscle Inhibition: A Narrative Review of the Literature. <i>Journal of Sport Rehabilitation</i> , 2022, 31, 736-741.	1.0	10
2	Stretch reflex changes in ACL-deficient individuals and healthy controls during normal and surprise landings. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 2342-2351.	2.9	8
3	Effect of Subcutaneous Tissue on Changes in Thigh Circumference Following Anterior Cruciate Ligament Reconstruction. <i>International Journal of Sports Medicine</i> , 2019, 40, 544-550.	1.7	3
4	Asymmetry of force generation and neuromuscular activity during multi-joint isometric exercise. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2019, 8, 37-44.	0.3	4
5	Anterior cruciate ligament reconstruction does not induce further gamma loop abnormalities on the intact side of the quadriceps femoris: A longitudinal study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 196-202.	2.9	3
6	Force generation and neuromuscular activity in multi-joint isometric exercises: comparison between unilateral and bilateral stance. <i>The Journal of Physical Fitness and Sports Medicine</i> , 2018, 7, 289-296.	0.3	5
7	TENS Alleviates Muscle Weakness Attributable to Attenuation of Ia Afferents. <i>International Journal of Sports Medicine</i> , 2017, 38, 253-257.	1.7	10
8	Tactile stimulation with Kinesiology tape alleviates muscle weakness attributable to attenuation of Ia afferents. <i>Journal of Science and Medicine in Sport</i> , 2013, 16, 45-48.	1.3	97
9	Relationship between muscle volume and muscle torque of the hamstrings after anterior cruciate ligament lesion. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 2270-2274.	4.2	16
10	Relationship between quadriceps femoris muscle volume and muscle torque at least 18 months after anterior cruciate ligament reconstruction. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 791-796.	2.9	28
11	Relationship between quadriceps femoris muscle volume and muscle torque after anterior cruciate ligament rupture. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2011, 19, 641-645.	4.2	30
12	ACL Repair Might Induce Further Abnormality of Gamma Loop in the Intact Side of the Quadriceps Femoris. <i>International Journal of Sports Medicine</i> , 2011, 32, 292-296.	1.7	23
13	Relationship between muscle volume and muscle torque of the hamstrings after anterior cruciate ligament reconstruction. <i>Journal of Science and Medicine in Sport</i> , 2010, 13, 101-105.	1.3	37
14	Effects of prolonged tendon vibration stimulation on eccentric and concentric maximal torque and emgs of the knee extensors. <i>Journal of Sports Science and Medicine</i> , 2009, 8, 548-52.	1.6	11
15	Gamma Loop Dysfunction of the Quadriceps Femoris of Elderly Patients Hospitalized after Fall Injury. <i>Journal of Geriatric Physical Therapy</i> , 2007, 30, 54-59.	1.1	10
16	Relationship between quadriceps femoris muscle volume and muscle torque after anterior cruciate ligament repair. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2007, 17, 656-661.	2.9	61
17	Gamma loop dysfunction in the quadriceps femoris of patients who underwent anterior cruciate ligament reconstruction remains bilaterally. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2006, 17, 061120070736027-???	2.9	50
18	Effects of Lidocaine into Knee on QF Strength and EMG in Patients with ACL Lesion. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 1805-1808.	0.4	14

#	ARTICLE	IF	CITATIONS
19	Gamma Loop Dysfunction in Quadriceps on the Contralateral Side in Patients with Ruptured ACL. <i>Medicine and Science in Sports and Exercise</i> , 2003, 35, 897-900.	0.4	67
20	Possible mechanism of quadriceps femoris weakness in patients with ruptured anterior cruciate ligament. <i>Medicine and Science in Sports and Exercise</i> , 2002, 34, 1414-1418.	0.4	113
21	Mechanism of quadriceps femoris muscle weakness in patients with anterior cruciate ligament reconstruction. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2002, 12, 371-375.	2.9	98