

# Louis B Nabors

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/443248/publications.pdf>

Version: 2024-02-01

170  
papers

11,924  
citations

28190

55  
h-index

29081

104  
g-index

175  
all docs

175  
docs citations

175  
times ranked

14231  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cilengitide combined with standard treatment for patients with newly diagnosed glioblastoma with methylated MGMT promoter (CENTRIC EORTC 26071-22072 study): a multicentre, randomised, open-label, phase 3 trial. <i>Lancet Oncology</i> , The, 2014, 15, 1100-1108.	5.1	800
2	Rindopepimut with temozolomide for patients with newly diagnosed, EGFRvIII-expressing glioblastoma (ACT IV): a randomised, double-blind, international phase 3 trial. <i>Lancet Oncology</i> , The, 2017, 18, 1373-1385.	5.1	776
3	Human cytomegalovirus infection and expression in human malignant glioma. <i>Cancer Research</i> , 2002, 62, 3347-50.	0.4	518
4	Phase III Randomized Trial Comparing the Efficacy of Cediranib As Monotherapy, and in Combination With Lomustine, Versus Lomustine Alone in Patients With Recurrent Glioblastoma. <i>Journal of Clinical Oncology</i> , 2013, 31, 3212-3218.	0.8	489
5	Randomized Phase II Study of Cilengitide, an Integrin-Targeting Arginine-Glycine-Aspartic Acid Peptide, in Recurrent Glioblastoma Multiforme. <i>Journal of Clinical Oncology</i> , 2008, 26, 5610-5617.	0.8	448
6	A Phase I Open-Label, Dose-Escalation, Multi-Institutional Trial of Injection with an E1B-Attenuated Adenovirus, ONYX-015, into the Peritumoral Region of Recurrent Malignant Gliomas, in the Adjuvant Setting. <i>Molecular Therapy</i> , 2004, 10, 958-966.	3.7	401
7	Survival of Patients with Newly Diagnosed Glioblastoma Treated with Radiation and Temozolomide in Research Studies in the United States. <i>Clinical Cancer Research</i> , 2010, 16, 2443-2449.	3.2	392
8	Altered expression of the mRNA stability factor HuR promotes cyclooxygenase-2 expression in colon cancer cells. <i>Journal of Clinical Investigation</i> , 2001, 108, 1657-1665.	3.9	386
9	Phase Ib Trial of Mutant Herpes Simplex Virus G207 Inoculated Pre-and Post-tumor Resection for Recurrent GBM. <i>Molecular Therapy</i> , 2009, 17, 199-207.	3.7	346
10	Phase I and Correlative Biology Study of Cilengitide in Patients With Recurrent Malignant Glioma. <i>Journal of Clinical Oncology</i> , 2007, 25, 1651-1657.	0.8	276
11	A Phase 1 Trial of Oncolytic HSV-1, G207, Given in Combination With Radiation for Recurrent GBM Demonstrates Safety and Radiographic Responses. <i>Molecular Therapy</i> , 2014, 22, 1048-1055.	3.7	233
12	SLC7A11 expression is associated with seizures and predicts poor survival in patients with malignant glioma. <i>Science Translational Medicine</i> , 2015, 7, 289ra86.	5.8	207
13	Treatment of Relapsed Central Nervous System Lymphoma with High-Dose Methotrexate. <i>Clinical Cancer Research</i> , 2004, 10, 5643-5646.	3.2	196
14	Phase I Single-Dose Study of Intracavitary-Administered Iodine-131-TM-601 in Adults With Recurrent High-Grade Glioma. <i>Journal of Clinical Oncology</i> , 2006, 24, 3644-3650.	0.8	194
15	Two cilengitide regimens in combination with standard treatment for patients with newly diagnosed glioblastoma and unmethylated MGMT gene promoter: results of the open-label, controlled, randomized phase II CORE study. <i>Neuro-Oncology</i> , 2015, 17, 708-717.	0.6	191
16	Cilengitide: an integrin-targeting arginine-glycine-aspartic acid peptide with promising activity for glioblastoma multiforme. <i>Expert Opinion on Investigational Drugs</i> , 2008, 17, 1225-1235.	1.9	174
17	Loss of Protein Inhibitors of Activated STAT-3 Expression in Glioblastoma Multiforme Tumors: Implications for STAT-3 Activation and Gene Expression. <i>Clinical Cancer Research</i> , 2008, 14, 4694-4704.	3.2	163
18	NCCN Guidelines Insights: Central Nervous System Cancers, Version 1.2017. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017, 15, 1331-1345.	2.3	160

#	ARTICLE	IF	CITATIONS
19	Does Valproic Acid or Levetiracetam Improve Survival in Glioblastoma? A Pooled Analysis of Prospective Clinical Trials in Newly Diagnosed Glioblastoma. <i>Journal of Clinical Oncology</i> , 2016, 34, 731-739.	0.8	159
20	The RNA-Binding Protein HuR Promotes Glioma Growth and Treatment Resistance. <i>Molecular Cancer Research</i> , 2011, 9, 648-659.	1.5	132
21	Activation of the Receptor Tyrosine Kinase AXL Regulates the Immune Microenvironment in Glioblastoma. <i>Cancer Research</i> , 2018, 78, 3002-3013.	0.4	122
22	Design of a Phase I Clinical Trial to Evaluate M032, a Genetically Engineered HSV-1 Expressing IL-12, in Patients with Recurrent/Progressive Glioblastoma Multiforme, Anaplastic Astrocytoma, or Gliosarcoma. <i>Human Gene Therapy Clinical Development</i> , 2016, 27, 69-78.	3.2	113
23	A safety run-in and randomized phase 2 study of cilengitide combined with chemoradiation for newly diagnosed glioblastoma (NABTT 0306). <i>Cancer</i> , 2012, 118, 5601-5607.	2.0	112
24	A Phase I/II Trial of Pazopanib in Combination with Lapatinib in Adult Patients with Relapsed Malignant Glioma. <i>Clinical Cancer Research</i> , 2013, 19, 900-908.	3.2	112
25	Quantitative immunocytochemistry using an image analyzer. I. Hardware evaluation, image processing, and data analysis. <i>Journal of Neuroscience Methods</i> , 1988, 26, 1-23.	1.3	111
26	Phase I/randomized phase II study of afatinib, an irreversible ErbB family blocker, with or without protracted temozolomide in adults with recurrent glioblastoma. <i>Neuro-Oncology</i> , 2014, 17, 430-9.	0.6	108
27	Efficacy of depatuxizumab mafodotin (ABT-414) monotherapy in patients with EGFR-amplified, recurrent glioblastoma: results from a multi-center, international study. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 80, 1209-1217.	1.1	108
28	Is more better? The impact of extended adjuvant temozolomide in newly diagnosed glioblastoma: a secondary analysis of EORTC and NRG Oncology/RTOG. <i>Neuro-Oncology</i> , 2017, 19, 1119-1126.	0.6	107
29	Tumor necrosis factor alpha induces angiogenic factor up-regulation in malignant glioma cells: a role for RNA stabilization and HuR. <i>Cancer Research</i> , 2003, 63, 4181-7.	0.4	105
30	The ELAV RNA-stability factor HuR binds the 5'-untranslated region of the human IGF-1R transcript and differentially represses cap-dependent and IRES-mediated translation. <i>Nucleic Acids Research</i> , 2005, 33, 2962-2979.	6.5	104
31	Rindopepimut with Bevacizumab for Patients with Relapsed EGFRvIII-Expressing Glioblastoma (ReACT): Results of a Double-Blind Randomized Phase II Trial. <i>Clinical Cancer Research</i> , 2020, 26, 1586-1594.	3.2	103
32	Medical decision-making capacity in patients with malignant glioma. <i>Neurology</i> , 2009, 73, 2086-2092.	1.5	101
33	The ING4 Tumor Suppressor Attenuates NF- $\kappa$ B Activity at the Promoters of Target Genes. <i>Molecular and Cellular Biology</i> , 2008, 28, 6632-6645.	1.1	100
34	Phase 2 study of weekly irinotecan in adults with recurrent malignant glioma: Final report of NABTT 97-11. <i>Neuro-Oncology</i> , 2004, 6, 21-27.	0.6	98
35	Cilengitide: an RGD pentapeptide $\alpha$ 3 and $\alpha$ 5 integrin inhibitor in development for glioblastoma and other malignancies. <i>Future Oncology</i> , 2011, 7, 339-354.	1.1	98
36	Lyn Kinase Activity Is the Predominant Cellular Src Kinase Activity in Glioblastoma Tumor Cells. <i>Cancer Research</i> , 2005, 65, 5535-5543.	0.4	97

#	ARTICLE	IF	CITATIONS
37	<i>MGMT</i> Promoter Methylation Cutoff with Safety Margin for Selecting Glioblastoma Patients into Trials Omitting Temozolomide: A Pooled Analysis of Four Clinical Trials. <i>Clinical Cancer Research</i> , 2019, 25, 1809-1816.	3.2	94
38	IL-1 $\gamma$ induces stabilization of IL-8 mRNA in malignant breast cancer cells via the 3' untranslated region: Involvement of divergent RNA-binding factors HuR, KSRP and TIAR. <i>International Journal of Cancer</i> , 2005, 113, 911-919.	2.3	93
39	Phase I trial of erlotinib with radiation therapy in patients with glioblastoma multiforme: Results of North Central Cancer Treatment Group protocol N0177. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 65, 1192-1199.	0.4	88
40	Safety and efficacy of depatuxizumab mafodotin + temozolomide in patients with <i>EGFR</i> -amplified, recurrent glioblastoma: results from an international phase I multicenter trial. <i>Neuro-Oncology</i> , 2019, 21, 106-114.	0.6	84
41	Expression of PRMT5 correlates with malignant grade in gliomas and plays a pivotal role in tumor growth in vitro. <i>Journal of Neuro-Oncology</i> , 2014, 118, 61-72.	1.4	82
42	Assessment of brain tumor angiogenesis inhibitors using perfusion magnetic resonance imaging: Quality and analysis results of a phase I trial. <i>Journal of Magnetic Resonance Imaging</i> , 2004, 20, 913-922.	1.9	80
43	Patterns of failure for glioblastoma multiforme following concurrent radiation and temozolomide. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2011, 55, 77-81.	0.9	80
44	Glioma-initiating cells at tumor edge gain signals from tumor core cells to promote their malignancy. <i>Nature Communications</i> , 2020, 11, 4660.	5.8	80
45	NABTT 0502: a phase II and pharmacokinetic study of erlotinib and sorafenib for patients with progressive or recurrent glioblastoma multiforme. <i>Neuro-Oncology</i> , 2013, 15, 490-496.	0.6	79
46	Cancer susceptibility variants and the risk of adult glioma in a US case-control study. <i>Journal of Neuro-Oncology</i> , 2011, 104, 535-542.	1.4	77
47	Phase 1 clinical trial of bortezomib in adults with recurrent malignant glioma. <i>Journal of Neuro-Oncology</i> , 2010, 100, 95-103.	1.4	73
48	Distress and quality of life in primary high-grade brain tumor patients. <i>Supportive Care in Cancer</i> , 2009, 17, 793-799.	1.0	71
49	Characterization and immunotherapeutic potential of $\gamma\delta$ T-cells in patients with glioblastoma. <i>Neuro-Oncology</i> , 2009, 11, 357-367.	0.6	69
50	Glioblastoma Clinical Trials: Current Landscape and Opportunities for Improvement. <i>Clinical Cancer Research</i> , 2022, 28, 594-602.	3.2	67
51	Implementation and utilization of the molecular tumor board to guide precision medicine. <i>Oncotarget</i> , 2017, 8, 57845-57854.	0.8	67
52	A functional polymorphism in the pre-miR-146a gene is associated with risk and prognosis in adult glioma. <i>Journal of Neuro-Oncology</i> , 2011, 105, 639-646.	1.4	66
53	Hu Antigen Specificities of ANNA-1 Autoantibodies in Paraneoplastic Neurological Disease. <i>Journal of Autoimmunity</i> , 1999, 13, 435-443.	3.0	65
54	Cilengitide in newly diagnosed glioblastoma: biomarker expression and outcome. <i>Oncotarget</i> , 2016, 7, 15018-15032.	0.8	62

#	ARTICLE	IF	CITATIONS
55	Circadian pathway genes in relation to glioma risk and outcome. <i>Cancer Causes and Control</i> , 2014, 25, 25-32.	0.8	57
56	Ipilimumab-Induced Encephalopathy with a Reversible Splenic Lesion. <i>Cancer Immunology Research</i> , 2015, 3, 598-601.	1.6	57
57	ReACT: Overall survival from a randomized phase II study of rindopepimut (CDX-110) plus bevacizumab in relapsed glioblastoma. <i>Journal of Clinical Oncology</i> , 2015, 33, 2009-2009.	0.8	56
58	Amyotrophic Lateral Sclerosis-linked Mutant SOD1 Sequesters Hu Antigen R (HuR) and TIA-1-related Protein (TIAR). <i>Journal of Biological Chemistry</i> , 2009, 284, 33989-33998.	1.6	55
59	A Phase 1 Trial of ABT-510 Concurrent With Standard Chemoradiation for Patients With Newly Diagnosed Glioblastoma. <i>Archives of Neurology</i> , 2010, 67, 313-9.	4.9	53
60	Increased Expression of Thymidylate Synthetase (TS), Ubiquitin Specific Protease 10 (USP10) and Survivin is Associated with Poor Survival in Glioblastoma Multiforme (GBM). <i>Journal of Neuro-Oncology</i> , 2006, 80, 261-274.	1.4	51
61	Cognition in patients with newly diagnosed brain metastasis: profiles and implications. <i>Journal of Neuro-Oncology</i> , 2014, 120, 179-185.	1.4	51
62	An Update on Neurofibromatosis Type 1-Associated Gliomas. <i>Cancers</i> , 2020, 12, 114.	1.7	50
63	The role of Src family kinases in growth and migration of glioma stem cells. <i>International Journal of Oncology</i> , 2014, 45, 302-310.	1.4	49
64	The medical necessity of advanced molecular testing in the diagnosis and treatment of brain tumor patients. <i>Neuro-Oncology</i> , 2019, 21, 1498-1508.	0.6	49
65	Reproductive factors and risk of primary brain tumors in women. <i>Journal of Neuro-Oncology</i> , 2014, 118, 297-304.	1.4	47
66	Individualized Screening Trial of Innovative Glioblastoma Therapy (INSIGHt): A Bayesian Adaptive Platform Trial to Develop Precision Medicines for Patients With Glioblastoma. <i>JCO Precision Oncology</i> , 2019, 3, 1-13.	1.5	46
67	High-resolution longitudinal assessment of flow and permeability in mouse glioma vasculature: Sequential small molecule and SPIO dynamic contrast agent MRI. <i>Magnetic Resonance in Medicine</i> , 2009, 61, 615-625.	1.9	45
68	Phosphoregulation of the RNA-binding Protein Hu Antigen R (HuR) by Cdk5 Affects Centrosome Function. <i>Journal of Biological Chemistry</i> , 2012, 287, 32277-32287.	1.6	45
69	Quantitative immunocytochemistry using an image analyzer. II. Concentration standards for transmitter immunocytochemistry. <i>Journal of Neuroscience Methods</i> , 1988, 26, 25-34.	1.3	43
70	Hu antigen R (HuR) multimerization contributes to glioma disease progression. <i>Journal of Biological Chemistry</i> , 2017, 292, 16999-17010.	1.6	43
71	Anti-cancer effects of the HuR inhibitor, MS-444, in malignant glioma cells. <i>Cancer Biology and Therapy</i> , 2019, 20, 979-988.	1.5	43
72	Rare TP53 genetic variant associated with glioma risk and outcome. <i>Journal of Medical Genetics</i> , 2012, 49, 420-421.	1.5	42

#	ARTICLE	IF	CITATIONS
73	Phase I trial of sorafenib in patients with recurrent or progressive malignant glioma. <i>Neuro-Oncology</i> , 2011, 13, 1324-1330.	0.6	39
74	Timed sequential therapy of the selective T-type calcium channel blocker mibefradil and temozolomide in patients with recurrent high-grade gliomas. <i>Neuro-Oncology</i> , 2017, 19, 845-852.	0.6	39
75	An exploratory analysis of common genetic variants in the vitamin D pathway including genome-wide associated variants in relation to glioma risk and outcome. <i>Cancer Causes and Control</i> , 2012, 23, 1443-1449.	0.8	38
76	Anthropometric factors in relation to risk of glioma. <i>Cancer Causes and Control</i> , 2013, 24, 1025-1031.	0.8	38
77	HuR, a novel target of anti-Hu antibodies, is expressed in non-neural tissues. <i>Journal of Neuroimmunology</i> , 1998, 92, 152-159.	1.1	37
78	Isolated Central Nervous System Posttransplant Lymphoproliferative Disorder Treated with High-Dose Intravenous Methotrexate. <i>American Journal of Transplantation</i> , 2009, 9, 1243-1248.	2.6	36
79	Capacity to Consent to Research Participation in Adults With Malignant Glioma. <i>Journal of Clinical Oncology</i> , 2010, 28, 3844-3850.	0.8	35
80	Phase I and pharmacokinetic study of karenitecin in patients with recurrent malignant gliomas. <i>Neuro-Oncology</i> , 2008, 10, 608-616.	0.6	32
81	Prediagnostic body weight and survival in high grade glioma. <i>Journal of Neuro-Oncology</i> , 2013, 114, 79-84.	1.4	30
82	Rationally Designed Pharmacogenomic Treatment Using Concurrent Capecitabine and Radiotherapy for Glioblastoma; Gene Expression Profiles Associated with Outcome. <i>Clinical Cancer Research</i> , 2010, 16, 2890-2898.	3.2	29
83	Induction of thymidine phosphorylase in both irradiated and shielded, contralateral human U87MG glioma xenografts: implications for a dual modality treatment using capecitabine and irradiation. <i>Molecular Cancer Therapeutics</i> , 2002, 1, 1139-45.	1.9	29
84	Do statins, ACE inhibitors or sartans improve outcome in primary glioblastoma?. <i>Journal of Neuro-Oncology</i> , 2018, 138, 163-171.	1.4	28
85	Repeatability of <sup>18</sup> F-FLT PET in a Multicenter Study of Patients with High-Grade Glioma. <i>Journal of Nuclear Medicine</i> , 2017, 58, 393-398.	2.8	27
86	1p/19q chromosome deletions in metastatic oligodendroglioma. <i>Journal of Neuro-Oncology</i> , 2006, 80, 203-207.	1.4	25
87	Complementary therapy and survival in glioblastoma. <i>Neuro-Oncology Practice</i> , 2015, 2, 122-126.	1.0	25
88	Temporal Muscle Thickness as a Prognostic Marker in Patients with Newly Diagnosed Glioblastoma: Translational Imaging Analysis of the CENTRIC EORTC 26071 and CORE Trials. <i>Clinical Cancer Research</i> , 2022, 28, 129-136.	3.2	25
89	Capacity of patients with brain metastases to make treatment decisions. <i>Psycho-Oncology</i> , 2015, 24, 1448-1455.	1.0	24
90	<i>SSBP2</i> Variants Are Associated with Survival in Glioblastoma Patients. <i>Clinical Cancer Research</i> , 2012, 18, 3154-3162.	3.2	23

#	ARTICLE	IF	CITATIONS
91	Mutant tristetraprolin: a potent inhibitor of malignant glioma cell growth. <i>Journal of Neuro-Oncology</i> , 2013, 113, 195-205.	1.4	23
92	Impairment of medical decisional capacity in relation to Karnofsky Performance Status in adults with malignant brain tumor. <i>Neuro-Oncology Practice</i> , 2015, 2, 13-19.	1.0	23
93	Glioma risk associated with extent of estimated European genetic ancestry in African Americans and Hispanics. <i>International Journal of Cancer</i> , 2020, 146, 739-748.	2.3	23
94	Optimizing eligibility criteria and clinical trial conduct to enhance clinical trial participation for primary brain tumor patients. <i>Neuro-Oncology</i> , 2020, 22, 601-612.	0.6	23
95	Brain tumor risk according to germ-line variation in the MLLT10 locus. <i>European Journal of Human Genetics</i> , 2015, 23, 132-134.	1.4	22
96	Baseline requirements for novel agents being considered for phase II/III brain cancer efficacy trials: conclusions from the Adult Brain Tumor Consortium's first workshop on CNS drug delivery. <i>Neuro-Oncology</i> , 2020, 22, 1422-1424.	0.6	22
97	Role of MRI in Primary Brain Tumor Evaluation. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2014, 12, 1561-1568.	2.3	20
98	IMCT-08ReACT: LONG-TERM SURVIVAL FROM A RANDOMIZED PHASE II STUDY OF RINDOPEPIMUT (CDX-110) PLUS BEVACIZUMAB IN RELAPSED GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2015, 17, v109.1-v109.	0.6	20
99	The use of cannabidiol for seizure management in patients with brain tumor-related epilepsy. <i>Neurocase</i> , 2017, 23, 287-291.	0.2	20
100	Letter: When Less is More: Dexamethasone Dosing for Brain Tumors. <i>Neurosurgery</i> , 2019, 85, E607-E608.	0.6	20
101	Blocking PD1/PDL1 Interactions Together with MLN4924 Therapy is a Potential Strategy for Glioma Treatment. <i>Journal of Cancer Science &amp; Therapy</i> , 2018, 10, 190-197.	1.7	19
102	Targeting the HuR Oncogenic Role with a New Class of Cytoplasmic Dimerization Inhibitors. <i>Cancer Research</i> , 2021, 81, 2220-2233.	0.4	19
103	Phase I and pharmacokinetic study of COL-3 in patients with recurrent high-grade gliomas. <i>Journal of Neuro-Oncology</i> , 2011, 105, 375-381.	1.4	18
104	Primary central nervous system angiosarcoma: two case reports. <i>Journal of Medical Case Reports</i> , 2012, 6, 251.	0.4	18
105	Survival analysis in patients with newly diagnosed primary glioblastoma multiforme using pre- and post-treatment peritumoral perfusion imaging parameters. <i>Journal of Neuro-Oncology</i> , 2014, 120, 361-370.	1.4	18
106	Analysis of the 5' end of the mouse <i>Elavl1</i> (mHuA) gene reveals a transcriptional regulatory element and evidence for conserved genomic organization. <i>Gene</i> , 2000, 242, 125-131.	1.0	17
107	ELAVL1 Role in Cell Fusion and Tunneling Membrane Nanotube Formations with Implication to Treat Glioma Heterogeneity. <i>Cancers</i> , 2020, 12, 3069.	1.7	17
108	Treatment of primary CNS lymphoma with high-dose methotrexate in immunocompetent pediatric patients. <i>Pediatric Blood and Cancer</i> , 2010, 55, 1227-1230.	0.8	16



#	ARTICLE	IF	CITATIONS
109	Treatment of adults with recurrent malignant glioma. Expert Review of Neurotherapeutics, 2005, 5, 509-514.	1.4	15
110	Growth Factor Dependent Regulation of Centrosome Function and Genomic Instability by HuR. Biomolecules, 2015, 5, 263-281.	1.8	14
111	Individualized screening trial of innovative glioblastoma therapy (INSIGHt).. Journal of Clinical Oncology, 2017, 35, TPS2079-TPS2079.	0.8	14
112	Safety and activity of a first-in-class oral HIF2-alpha inhibitor, PT2385, in patients with first recurrent glioblastoma (GBM).. Journal of Clinical Oncology, 2019, 37, 2027-2027.	0.8	14
113	The versatile role of HuR in Glioblastoma and its potential as a therapeutic target for a multi-pronged attack. Advanced Drug Delivery Reviews, 2022, 181, 114082.	6.6	14
114	Hypofractionated stereotactic radiosurgery with concurrent bevacizumab for recurrent malignant gliomas: the University of Alabama at Birmingham experience. Neuro-Oncology Practice, 2014, 1, 172-177.	1.0	13
115	Evaluation of the Safety and Benefit of Phase I Oncology Trials for Patients With Primary CNS Tumors. Journal of Clinical Oncology, 2015, 33, 3186-3192.	0.8	13
116	Diagnosing growth in low-grade gliomas with and without longitudinal volume measurements: A retrospective observational study. PLoS Medicine, 2019, 16, e1002810.	3.9	13
117	Sex hormone-dependent attenuation of EAE in a transgenic mouse with astrocytic expression of the RNA regulator HuR. Journal of Neuroimmunology, 2012, 246, 34-37.	1.1	12
118	Early life exposures and the risk of adult glioma. European Journal of Epidemiology, 2013, 28, 753-758.	2.5	12
119	SWI/SNF gene variants and glioma risk and outcome. Cancer Epidemiology, 2013, 37, 162-165.	0.8	12
120	Prolonged treatment with bevacizumab is associated with brain atrophy: a pilot study in patients with high-grade gliomas. Journal of Neuro-Oncology, 2015, 122, 585-593.	1.4	12
121	Phase II Study of Iniparib with Concurrent Chemoradiation in Patients with Newly Diagnosed Glioblastoma. Clinical Cancer Research, 2019, 25, 73-79.	3.2	12
122	Cognitive Predictors of Reasoning through Treatment Decisions in Patients with Newly Diagnosed Brain Metastases. Journal of the International Neuropsychological Society, 2015, 21, 412-418.	1.2	11
123	Associations of anticoagulant use with outcome in newly diagnosed glioblastoma. European Journal of Cancer, 2018, 101, 95-104.	1.3	11
124	Phase 2 trial of SL-701 in relapsed/refractory (r/r) glioblastoma (GBM): Correlation of immune response with longer-term survival.. Journal of Clinical Oncology, 2018, 36, 2058-2058.	0.8	11
125	<sc>SRI</sc>â€42127, a novel small molecule inhibitor of the <sc>RNA</sc> regulator <sc>HuR</sc>, potently attenuates glial activation in a model of lipopolysaccharideâ€induced neuroinflammation. Glia, 2022, 70, 155-172.	2.5	10
126	Updated phase I trial of anti-LAG-3 or anti-CD137 alone and in combination with anti-PD-1 in patients with recurrent GBM.. Journal of Clinical Oncology, 2019, 37, 2017-2017.	0.8	10



#	ARTICLE	IF	CITATIONS
127	Analgesic use and the risk of primary adult brain tumor. <i>European Journal of Epidemiology</i> , 2016, 31, 917-925.	2.5	9
128	Methylmercury exposure, genetic variation in metabolic enzymes, and the risk of glioma. <i>Scientific Reports</i> , 2019, 9, 10861.	1.6	9
129	An early feasibility study of the Nativis Voyager® device in patients with recurrent glioblastoma: first cohort in US. <i>CNS Oncology</i> , 2019, 8, CNS30.	1.2	9
130	Efficacy analysis of ABT-414 with or without temozolomide (TMZ) in patients (pts) with EGFR-amplified, recurrent glioblastoma (rGBM) from a multicenter, international phase I clinical trial.. <i>Journal of Clinical Oncology</i> , 2017, 35, 2003-2003.	0.8	9
131	Toenail iron, genetic determinants of iron status, and the risk of glioma. <i>Cancer Causes and Control</i> , 2013, 24, 2051-2058.	0.8	8
132	Phase I study of iniparib concurrent with monthly or continuous temozolomide dosing schedules in patients with newly diagnosed malignant gliomas. <i>Journal of Neuro-Oncology</i> , 2015, 125, 123-131.	1.4	8
133	Primary Sellar Rhabdomyosarcoma Arising in Association With a Pituitary Adenoma. <i>International Journal of Surgical Pathology</i> , 2016, 24, 753-756.	0.4	6
134	ACTR-14. PHASE I STUDY OF AZD1775 WITH RADIATION THERAPY (RT) AND TEMOZOLOMIDE (TMZ) IN PATIENTS WITH NEWLY DIAGNOSED GLIOBLASTOMA (GBM) AND EVALUATION OF INTRATUMORAL DRUG DISTRIBUTION (IDD) IN PATIENTS WITH RECURRENT GBM. <i>Neuro-Oncology</i> , 2018, 20, vi13-vi14.	0.6	6
135	Efficacy of a novel antibody-drug conjugate (ADC), ABT-414, as monotherapy in epidermal growth factor receptor (EGFR) amplified, recurrent glioblastoma (GBM).. <i>Journal of Clinical Oncology</i> , 2016, 34, 2542-2542.	0.8	5
136	A novel technique to quantify glioma tumor invasion using serial microscopy sections. <i>Journal of Neuroscience Methods</i> , 2006, 153, 183-189.	1.3	4
137	Complications from pharmacotherapy. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2016, 134, 235-250.	1.0	4
138	Older age at the completion of linear growth is associated with an increased risk of adult glioma. <i>Cancer Causes and Control</i> , 2017, 28, 709-716.	0.8	4
139	ACTR-15. SAFETY AND PRELIMINARY ACTIVITY OF PT2385, A FIRST-IN-CLASS HIF2-ALPHA INHIBITOR, PLANNED INTERIM ANALYSIS OF AN OPEN LABEL, SINGLE-ARM PHASE II STUDY IN PATIENTS WITH RECURRENT GLIOBLASTOMA. <i>Neuro-Oncology</i> , 2018, 20, vi14-vi14.	0.6	3
140	Phase 1/2 trial of bevacizumab plus TPI 287, a brain penetrable anti-microtubule agent, in patients with recurrent glioblastoma.. <i>Journal of Clinical Oncology</i> , 2016, 34, 2055-2055.	0.8	3
141	Catheter placement selection for convection-enhanced delivery of therapeutic agents to brain tumors. <i>F1000Research</i> , 0, 9, 1415.	0.8	3
142	Magnetic Resonance Cisternography in the Diagnosis of Delayed Iatrogenic Cerebrospinal Fistula: A Case Report. <i>Journal of Neuroimaging</i> , 1997, 7, 244-247.	1.0	2
143	The Role of Bevacizumab in Glioblastoma. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2014, 12, 1201-1202.	2.3	2
144	Reply to F. Felix et al and M.F. Fay et al. <i>Journal of Clinical Oncology</i> , 2016, 34, 3107-3108.	0.8	2

#	ARTICLE	IF	CITATIONS
145	Data Matching to Support Analysis of Cancer Epidemiology Among Veterans Compared With Non-Veteran Populations—An Exemplar in Brain Tumors. <i>JCO Clinical Cancer Informatics</i> , 2021, 5, 985-994.	1.0	2
146	Phase I study of AZD1775 with radiation therapy (RT) and temozolomide (TMZ) in patients with newly diagnosed glioblastoma (GBM) and evaluation of intratumoral drug distribution (IDD) in patients with recurrent GBM. <i>Journal of Clinical Oncology</i> , 2017, 35, 2005-2005.	0.8	2
147	Management of Central Nervous System Tumors. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019, 17, 579-582.	2.3	2
148	Mitochondrial DNA sequence variation and risk of glioma. <i>Mitochondrion</i> , 2022, 63, 32-36.	1.6	2
149	Pilot Study to Explore the Accuracy of Current Prediction Equations in Assessing Energy Needs of Patients with Newly Diagnosed Glioblastoma Multiforme. <i>Nutrition and Cancer</i> , 2016, 68, 926-934.	0.9	1
150	ACTR-18. PHASE II TRIAL OF TEMOZOLOMIDE AND TRC 102, BASE EXCISION REPAIR INHIBITOR, IN BEVACIZUMAB NAÏVE GLIOBLASTOMA AT FIRST RECURRENCE. <i>Neuro-Oncology</i> , 2018, 20, vi15-vi15.	0.6	1
151	A troublesome burden, the amplification of EGFR in glioblastoma!. <i>Neuro-Oncology</i> , 2020, 22, 594-595.	0.6	1
152	Final results from the dose-escalation stage of a phase 1/2 trial of TPI 287, a brain penetrable microtubule inhibitor, plus bevacizumab in patients with recurrent glioblastoma. <i>Journal of Clinical Oncology</i> , 2017, 35, 2021-2021.	0.8	1
153	Abstract CT314: Interim results from a phase I/III trial of TPI 287, a novel brain penetrable antimicrotubule agent, in combination with bevacizumab for the treatment of recurrent glioblastoma. <i>Cancer Research</i> , 2015, 75, CT314-CT314.	0.4	1
154	ALLELE: A consortium for prospective genomics and functional diagnostics to guide patient care and trial analysis in newly-diagnosed glioblastoma. <i>Journal of Clinical Oncology</i> , 2018, 36, 2003-2003.	0.8	1
155	Abstract 2262: Chemotherapy, checkpoint inhibition, and MGMT-modified adoptive gamma-delta ( $\gamma\delta$ ) T cell-based therapy to treat post-resection, primary glioblastomas. , 2019, , .		1
156	Mitochondrial DNA sequence variation and risk of meningioma. <i>Journal of Neuro-Oncology</i> , 2021, 155, 319-324.	1.4	1
157	Prospective biomarker study in newly diagnosed glioblastoma: Cyto-C clinical trial. <i>Neuro-Oncology Advances</i> , 2022, 4, v186.	0.4	1
158	Sellar Sarcoma Arising in Association With a Pituitary Adenoma. <i>American Journal of Clinical Pathology</i> , 2015, 144, A011-A011.	0.4	0
159	When less is better: care of the elderly with glioblastoma. <i>Neuro-Oncology</i> , 2017, 19, 879-879.	0.6	0
160	ATIM-21. UPDATED RESULTS OF A PHASE I TRIAL OF ANTI-LAG-3 OR ANTI-CD137 ALONE AND IN COMBINATION WITH ANTI-PD-1 IN PATIENTS WITH RECURRENT GBM. <i>Neuro-Oncology</i> , 2018, 20, vi5-vi5.	0.6	0
161	NIMG-13. SEGMENTATION AND VOLUMETRIC ANALYSIS IMPROVES DETECTION OF PROGRESSION IN LOW GRADE GLIOMAS. <i>Neuro-Oncology</i> , 2018, 20, vi178-vi178.	0.6	0
162	ACTR-20. A SMALL MOLECULE AXL INHIBITOR, BGB324 — FIRST-IN-HUMAN GBM SURGICAL PK TRIAL FOR RECURRENT TUMORS. <i>Neuro-Oncology</i> , 2018, 20, vi15-vi15.	0.6	0

#	ARTICLE	IF	CITATIONS
163	Highlights of the inaugural ten “ the launch of Neuro-Oncology Advances. Neuro-Oncology Advances, 2019, 1, vdz016.	0.4	0
164	Mapping uncharted territory: a gene expression signature for precision glioblastoma therapeutics. Neuro-Oncology, 2020, 22, 1713-1714.	0.6	0
165	Digital measurement of functional status of patients with glioblastoma.. Journal of Clinical Oncology, 2021, 39, 2016-2016.	0.8	0
166	Abstract 877: Genetic variation in podoplanin in relation to glioma risk and outcome. , 2011, , .		0
167	Timed-sequential therapy with mibefradil and temozolomide in patients with recurrent high-grade gliomas: A phase I Adult Brain Tumor Consortium study.. Journal of Clinical Oncology, 2015, 33, 2033-2033.	0.8	0
168	Abstract 233: Evaluating glioma risk associated with extent of European admixture in African-Americans and Latinos. , 2018, , .		0
169	Abstract 3335: Characterization and analysis of the complement immune system in glioblastoma (GBM). , 2020, , .		0
170	High-dose methotrexate and rituximab induction regimen in immunocompetent patients with primary CNS lymphoma: a retrospective single-center study of survival predictors. Journal of Neuro-Oncology, 2022, 158, 33-40.	1.4	0