

# Nuri Basusta

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4435698/publications.pdf>

Version: 2024-02-01

25  
papers

245  
citations

1040056

9  
h-index

996975

15  
g-index

25  
all docs

25  
docs citations

25  
times ranked

315  
citing authors

#	ARTICLE	IF	CITATIONS
1	NUTRITIONAL QUALITY OF RAINBOW TROUT ( <i>ONCORHYNCHUS MYKISS</i> ) CAUGHT FROM THE ATATÜRK DAM LAKE IN TURKEY. <i>Journal of Muscle Foods</i> , 2008, 19, 50-61.	0.5	39
2	New Mediterranean Biodiversity Records (April, 2014). <i>Mediterranean Marine Science</i> , 2013, 15, 198.	1.6	34
3	Length-weight relationships for nine species of batoids from the Iskenderun Bay, Turkey. <i>Journal of Applied Ichthyology</i> , 2012, 28, 850-851.	0.7	27
4	Sea surface temperature change in the Black Sea under climate change: A simulation of the sea surface temperature up to 2100. <i>International Journal of Climatology</i> , 2018, 38, 4687-4698.	3.5	25
5	Age and growth of the common guitarfish, <i>Rhinobatos rhinobatos</i> , in Iskenderun Bay (north-eastern Mediterranean, Turkey). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 837-842.	0.8	22
6	Sexual dimorphism in the otolith shape of shi drum, <i>Umbrina cirrosa</i> (L.), in the eastern Mediterranean Sea: Fish size-otolith size relationships. <i>Journal of Fish Biology</i> , 2021, 99, 164-174.	1.6	15
7	New records of neonate and juvenile sharks ( <i>Heptranchias perlo</i> , <i>Squatina aculeata</i> , <i>Etmopterus</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj 5	1.0	10
8	Biological observations on the common guitarfish <i>Rhinobatos rhinobatos</i> from Iskenderun Bay (Turkey, Eastern Mediterranean). <i>Animal Biology</i> , 2009, 59, 211-230.	1.0	9
9	First record of a gravid female and neonate of the Lusitanian cownose ray, <i>Rhinoptera marginata</i> , from the eastern Mediterranean Sea. <i>Journal of Applied Ichthyology</i> , 2012, 28, 643-644.	0.7	9
10	Title is missing!. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2013, 13, .	0.9	9
11	Length-weight relationships for some teleost fishes caught in Ataturk dam lake on southeastern Anatolia, Turkey. <i>Journal of Applied Ichthyology</i> , 2006, 22, 279-280.	0.7	8
12	Testing staining techniques to determine age and growth of <i>Dasyatis pastinaca</i> (Linnaeus, 1758) captured in Iskenderun Bay, northeastern Mediterranean. <i>Journal of Applied Ichthyology</i> , 2016, 32, 595-601.	0.7	8
13	Title is missing!. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2017, 17, .	0.9	7
14	The oldest estimated age for roughtail stingray [ <i>Dasyatis centroura</i> (Mitchill, 1815)] from the Mediterranean Sea. <i>Journal of Applied Ichthyology</i> , 2012, 28, 641-642.	0.7	6
15	Preliminary study on age, growth and reproduction of <i>Mustelus mustelus</i> (Elasmobranchii): Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj 5 <i>Acta Ichthyologica Et Piscatoria</i> , 2018, 48, 27-36.	0.7	6
16	Near-term embryos and gravid females of Lusitanian cownose ray ( <i>Rhinoptera marginata</i> ) in Mersin Bay, eastern Mediterranean Sea. <i>Marine and Freshwater Research</i> , 2018, 69, 1365.	1.3	3
17	Title is missing!. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2011, 11, .	0.9	2
18	Some marine leeches and first record of <i>Branchellion torpedinis</i> Savigny, 1822 (Annelida, Hirudinea.) Tj ETQq0 0 0 rgBT /Overlock 10 Tj 5 2016, 46, 713-716.	1.0	2

#	ARTICLE	IF	CITATIONS
19	A study on age and growth characteristics of spiny gurnard ( <i>Lepidotrigla dieuzeidei</i> Blanc) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 707	0.7	1
20	Age and growth of the phaeton dragonet, <i>Synchiropus phaeton</i> (Actinopterygii: Perciformes:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Et Piscatoria, 2020, 50, 63-70.	0.7	1
21	KUZEYDOĞLU AKDENİZDE YAKALANAN BIYIKLI MEZGÖTÜ (Phycis blennoides (Brännich, 1768)) BOY-AĞIRLIK İLAKAZKALANAN E-Journal of New World Sciences Academy, 2021, 16, 151-156.	0.2	1
22	First Estimates of Age and Growth of the Lusitanian Cownose Ray ( <i>Rhinoptera marginata</i> ) from the Mediterranean Sea. Journal of Marine Science and Engineering, 2022, 10, 685.	2.6	1
23	Growth characteristics of <i>Uranoscopus scaber</i> Linnaeus 1758, inhabiting the Iskenderun Bay (Northeastern Mediterranean). Journal of Applied Ichthyology, 2020, 36, 875-879.	0.7	0
24	The relationships between fish size and otolith dimensions in the common sole ( <i>Solea solea</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 547 888-892.	0.7	0
25	Age and growth of the blackchin guitarfish <i>Glaucostegus cemiculus</i> (Geoffroy Saint-Hilaire, 1817) from Iskenderun Bay (Northeastern Mediterranean). Journal of Applied Ichthyology, 2020, 36, 880-887.	0.7	0