

Nuri Basusta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4435698/publications.pdf>

Version: 2024-02-01

25
papers

245
citations

1040056

9
h-index

996975

15
g-index

25
all docs

25
docs citations

25
times ranked

315
citing authors

#	ARTICLE	IF	CITATIONS
1	First Estimates of Age and Growth of the Lusitanian Cownose Ray (<i>Rhinoptera marginata</i>) from the Mediterranean Sea. <i>Journal of Marine Science and Engineering</i> , 2022, 10, 685.	2.6	1
2	Sexual dimorphism in the otolith shape of shi drum, <i>Umbrina cirrosa</i> (L.), in the eastern Mediterranean Sea: Fish size-otolith size relationships. <i>Journal of Fish Biology</i> , 2021, 99, 164-174.	1.6	15
3	KUZEYDOĞU AKDENİZDE YAKALANAN BIYIKLI MEZGÂTÂN (<i>Phycis blennoides</i> (Brännich, 1768)) BOY-AĞIRLIK İLİŞKİLERİ. <i>E-Journal of New World Sciences Academy</i> , 2021, 16, 151-156.	0.2	1
4	Growth characteristics of <i>Uranoscopus scaber</i> Linnaeus 1758, inhabiting the Iskenderun Bay (Northeastern Mediterranean). <i>Journal of Applied Ichthyology</i> , 2020, 36, 875-879.	0.7	0
5	The relationships between fish size and otolith dimensions in the common sole (<i>Solea solea</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 387 To 888-892.	0.7	0
6	Age and growth of the blackchin guitarfish <i>Glaucostegus cemiculus</i> (Geoffroy Saint-Hilaire, 1817) from Iskenderun Bay (Northeastern Mediterranean). <i>Journal of Applied Ichthyology</i> , 2020, 36, 880-887.	0.7	0
7	Age and growth of the phaeton dragonet, <i>Synchiropus phaeton</i> (Actinopterygii: Perciformes) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 387 To Et Piscatoria, 2020, 50, 63-70.	0.7	1
8	Sea surface temperature change in the Black Sea under climate change: A simulation of the sea surface temperature up to 2100. <i>International Journal of Climatology</i> , 2018, 38, 4687-4698.	3.5	25
9	Near-term embryos and gravid females of Lusitanian cownose ray (<i>Rhinoptera marginata</i>) in Mersin Bay, eastern Mediterranean Sea. <i>Marine and Freshwater Research</i> , 2018, 69, 1365.	1.3	3
10	Preliminary study on age, growth and reproduction of <i>Mustelus mustelus</i> (Elasmobranchii) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 To Acta Ichthyologica Et Piscatoria, 2018, 48, 27-36.	0.7	6
11	A study on age and growth characteristics of spiny gurnard (<i>Lepidotrigla dieuzeidei</i> Blanc) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 387 To	0.7	1
12	Title is missing!. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2017, 17, .	0.9	7
13	Testing staining techniques to determine age and growth of <i>Dasyatis pastinaca</i> (Linnaeus, 1758) captured in Iskenderun Bay, northeastern Mediterranean. <i>Journal of Applied Ichthyology</i> , 2016, 32, 595-601.	0.7	8
14	Some marine leeches and first record of <i>Branchellion torpedinis</i> Savigny, 1822 (Annelida, Hirudinea,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 To 2016, 46, 713-716.	1.0	2
15	New records of neonate and juvenile sharks (<i>Heptranchias perlo</i> , <i>Squatina aculeata</i> , <i>Etmopterus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 387 To	1.0	10
16	New Mediterranean Biodiversity Records (April, 2014). <i>Mediterranean Marine Science</i> , 2013, 15, 198.	1.6	34
17	Title is missing!. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2013, 13, .	0.9	9
18	The oldest estimated age for roughtail stingray [<i>Dasyatis centroura</i> (Mitchill, 1815)] from the Mediterranean Sea. <i>Journal of Applied Ichthyology</i> , 2012, 28, 641-642.	0.7	6

#	ARTICLE	IF	CITATIONS
19	First record of a gravid female and neonate of the Lusitanian cownose ray, <i>Rhinoptera marginata</i> , from the eastern Mediterranean Sea. <i>Journal of Applied Ichthyology</i> , 2012, 28, 643-644.	0.7	9
20	Length-weight relationships for nine species of batoids from the Iskenderun Bay, Turkey. <i>Journal of Applied Ichthyology</i> , 2012, 28, 850-851.	0.7	27
21	Title is missing!. <i>Turkish Journal of Fisheries and Aquatic Sciences</i> , 2011, 11, .	0.9	2
22	Biological observations on the common guitarfish <i>Rhinobatos rhinobatos</i> from İskenderun Bay (Turkey, Eastern Mediterranean). <i>Animal Biology</i> , 2009, 59, 211-230.	1.0	9
23	NUTRITIONAL QUALITY OF RAINBOW TROUT (<i>ONCORHYNCHUS MYKISS</i>) CAUGHT FROM THE ATATÜRK DAM LAKE IN TURKEY. <i>Journal of Muscle Foods</i> , 2008, 19, 50-61.	0.5	39
24	Age and growth of the common guitarfish, <i>Rhinobatos rhinobatos</i> , in Iskenderun Bay (north-eastern Mediterranean, Turkey). <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2008, 88, 837-842.	0.8	22
25	Length-weight relationships for some teleost fishes caught in Ataturk dam lake on southeastern Anatolia, Turkey. <i>Journal of Applied Ichthyology</i> , 2006, 22, 279-280.	0.7	8