Maria Ines Isla

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4436136/publications.pdf Version: 2024-02-01



MADIA INFO LOLA

#	Article	IF	CITATIONS
1	Antioxidant activities of Sechium edule (Jacq.) Swartz extracts. Food Chemistry, 2006, 97, 452-458.	4.2	746
2	Standard methods for <i>Apis mellifera</i> propolis research. Journal of Apicultural Research, 2019, 58, 1-49.	0.7	173
3	Screening of antibacterial activity of Amaicha del Valle (Tucumán, Argentina) propolis. Journal of Ethnopharmacology, 1999, 68, 97-102.	2.0	151
4	Antioxidant activity of Argentine propolis extracts. Journal of Ethnopharmacology, 2001, 76, 165-170.	2.0	143
5	Physico chemical and bioactive properties of honeys from Northwestern Argentina. LWT - Food Science and Technology, 2011, 44, 1922-1930.	2.5	104
6	Antimicrobial activity of selected plant species from "the Argentine Puna―against sensitive and multi-resistant bacteria. Journal of Ethnopharmacology, 2009, 124, 499-505.	2.0	102
7	Polyphenols rich fraction from Geoffroea decorticans fruits flour affects key enzymes involved in metabolic syndrome, oxidative stress and inflammatory process. Food Chemistry, 2016, 190, 392-402.	4.2	98
8	Antibacterial activity of ethanolic and aqueous extracts of Acacia aroma Gill. ex Hook et Arn. Life Sciences, 2004, 75, 191-202.	2.0	97
9	Crosslinked electrospun zein-based food packaging coatings containing bioactive chilto fruit extracts. Food Hydrocolloids, 2019, 95, 496-505.	5.6	96
10	An overview of plant-autochthonous microorganisms and fermented vegetable foods. Food Science and Human Wellness, 2020, 9, 112-123.	2.2	85
11	Antibacterial activity of Zuccagnia punctata Cav. ethanolic extracts. Journal of Ethnopharmacology, 2005, 102, 450-456.	2.0	77
12	Some Chemical Composition and Biological Activity of Northern Argentine Propolis. Journal of Agricultural and Food Chemistry, 2005, 53, 1166-1172.	2.4	76
13	Antifungal edible coatings containing Argentinian propolis extract and their application in raspberries. Food Hydrocolloids, 2020, 107, 105973.	5.6	65
14	Evaluation of antioxidant capacity, genotoxicity and polyphenol content of non conventional foods: Prosopis flour. Food Research International, 2010, 43, 1505-1510.	2.9	61
15	Plant growth inhibitors isolated from sugarcane (Saccharum officinarum) straw. Journal of Plant Physiology, 2006, 163, 837-846.	1.6	60
16	Isolation and selection of potential probiotic lactic acid bacteria from Opuntia ficus-indica fruits that grow in Northwest Argentina. LWT - Food Science and Technology, 2017, 84, 231-240.	2.5	54
17	Cactus pear (<i>Opuntia ficus-indica</i>) juice fermented with autochthonous <i>Lactobacillus plantarum</i> S-811. Food and Function, 2019, 10, 1085-1097.	2.1	53
18	Evaluation of the Cytotoxicity, Genotoxicity, Mutagenicity, and Antimutagenicity of Propolis from Tucuman, Argentina. Journal of Agricultural and Food Chemistry, 2005, 53, 8957-8962.	2.4	51

#	Article	IF	CITATIONS
19	Chemical and functional characterization of seed, pulp and skin powder from chilto (Solanum) Tj ETQq1 1 0.7843	14 rgBT /0	Overlock 10
	syndrome and oxidative stress. Food Chemistry, 2017, 216, 70-79.		
20	Flour from Prosopis alba cotyledons: A natural source of nutrient and bioactive phytochemicals. Food Chemistry, 2016, 208, 89-96.	4.2	48
21	Polyphenolic compounds and anthocyanin content of Prosopis nigra and Prosopis alba pods flour and their antioxidant and anti-inflammatory capacities. Food Research International, 2014, 64, 762-771.	2.9	46
22	Anti-inflammatory and antioxidant activities, functional properties and mutagenicity studies of protein and protein hydrolysate obtained from Prosopis alba seed flour. Food Chemistry, 2014, 161, 391-399.	4.2	44
23	Microencapsulated chañar phenolics: A potential ingredient for functional foods development. Journal of Functional Foods, 2017, 37, 523-530.	1.6	44
24	Singlet oxygen quenching and radical scavenging capacities of structurally-related flavonoids present in Zuccagnia punctata Cav Free Radical Research, 2009, 43, 553-564.	1.5	42
25	Biological activities of polyphenols-enriched propolis from Argentina arid regions. Phytomedicine, 2016, 23, 27-31.	2.3	41
26	Active properties of edible marine polysaccharide-based coatings containing Larrea nitida polyphenols enriched extract. Food Hydrocolloids, 2020, 102, 105595.	5.6	41
27	Evaluation of Antioxidant Activity and Genotoxicity of Alcoholic and Aqueous Beverages and Pomace Derived from Ripe Fruits of Cyphomandra betacea Sendt Journal of Agricultural and Food Chemistry, 2010, 58, 331-337.	2.4	39
28	Electrosprayed chitosan microcapsules as delivery vehicles for vaginal phytoformulations. Carbohydrate Polymers, 2018, 201, 425-437.	5.1	39
29	Nutritional and antioxidant properties of Geoffroea decorticans, an Argentinean fruit, and derived products (flour, arrope, decoction and hydroalcoholic beverage). Food Research International, 2013, 54, 160-168.	2.9	38
30	Antifungal activity of extracts of extremophile plants from the Argentine Puna to control citrus postharvest pathogens and green mold. Postharvest Biology and Technology, 2012, 67, 19-24.	2.9	35
31	Evaluation of antioxidant and antimutagenic activity of herbal teas from native plants used in traditional medicine in Argentina. South African Journal of Botany, 2017, 110, 258-265.	1.2	34
32	Effect of Seasonal Variations and Collection Form on Antioxidant Activity of Propolis from San Juan, Argentina. Journal of Medicinal Food, 2009, 12, 1334-1342.	0.8	33
33	Antioxidant and anti-inflammatory activity characterization and genotoxicity evaluation of Ziziphus mistol ripe berries, exotic Argentinean fruit. Food Research International, 2011, 44, 2063-2071.	2.9	33
34	Physicoâ€chemical and toxicological assessment of liquid wastes from olive processingâ€related industries. Journal of the Science of Food and Agriculture, 2012, 92, 216-223.	1.7	33
35	Evaluation of genotoxic and antigenotoxic effects of hydroalcoholic extracts of Zuccagnia punctata Cav Journal of Ethnopharmacology, 2008, 115, 330-335.	2.0	32
36	Anti-inflammatory properties of hydroalcoholic extracts of Argentine Puna plants. Food Research International, 2015, 67, 230-237.	2.9	30

#	Article	IF	CITATIONS
37	Hydrolysis of sucrose within isolated vacuoles from Solanum tuberosum L. tubers. Planta, 1998, 205, 601-605.	1.6	29
38	Autographic Assay for the Rapid Detection of Antioxidant Capacity of Liquid and Semi-solid Pharmaceutical Formulations Using ABTS•+ Immobilized by Gel Entrapment. AAPS PharmSciTech, 2010, 11, 1159-1163.	1.5	29
39	A colorimetric method to quantify endo-polygalacturonase activity. Enzyme and Microbial Technology, 2011, 48, 123-128.	1.6	29
40	Antioxidant activity and chemical composition of essential oils of three aromatic plants from La Rioja province. Pharmaceutical Biology, 2016, 54, 168-173.	1.3	29
41	Inhibition of pro-inflammatory enzymes by medicinal plants from the Argentinean highlands (Puna). Journal of Ethnopharmacology, 2017, 205, 57-68.	2.0	29
42	Modulation of potato invertase activity by fructose. Phytochemistry, 1991, 30, 423-426.	1.4	28
43	Antimicrobial activity of glycosidase inhibitory protein isolated from Cyphomandra betacea Sendt. fruit. Peptides, 2006, 27, 1187-1191.	1.2	28
44	Potentiality of standardized extract and isolated flavonoids from Zuccagnia punctata for the treatment of respiratory infections by Streptococcus pneumoniae: In vitro and in vivo studies. Journal of Ethnopharmacology, 2012, 140, 287-292.	2.0	28
45	Nutrients in fruits as determinants of resource tracking by birds. Ibis, 2015, 157, 480-495.	1.0	27
46	Chilean Prosopis Mesocarp Flour: Phenolic Profiling and Antioxidant Activity. Molecules, 2015, 20, 7017-7033.	1.7	27
47	Chemical and functional characterization of skin, pulp and seed powder from the Argentine native fruit mistol (Ziziphus mistol). Effects of phenolic fractions on key enzymes involved in metabolic syndrome and oxidative stress. Journal of Functional Foods, 2017, 37, 531-540.	1.6	27
48	Cellular localization of the invertase, proteinaceous inhibitor and lectin from potato tubers. Phytochemistry, 1992, 31, 1115-1118.	1.4	26
49	Industrial effluents and surface waters genotoxicity and mutagenicity evaluation of a river of Tucuman, Argentina. Journal of Hazardous Materials, 2008, 155, 403-406.	6.5	26
50	Design and quality control of a pharmaceutical formulation containing natural products with antibacterial, antifungal and antioxidant properties. International Journal of Pharmaceutics, 2009, 378, 51-58.	2.6	26
51	Potential application of Northern Argentine propolis to control some phytopathogenic bacteria. Microbiological Research, 2011, 166, 578-584.	2.5	26
52	Purification and properties of the soluble acid invertase from Oryza sativa. Phytochemistry, 1995, 38, 321-325.	1.4	25
53	Inhibition of cyclooxygenase activity by standardized hydroalcoholic extracts of four Asteraceae species from the Argentine Puna. Brazilian Journal of Medical and Biological Research, 2009, 42, 787-790.	0.7	25
54	Chemical Composition of Argentinean Propolis Collected in Extreme Regions and its Relation with Antimicrobial and Antioxidant Activities. Natural Product Communications, 2011, 6, 1934578X1100600.	0.2	24

#	Article	IF	CITATIONS
55	Effects of Zuccagnia punctata extracts and their flavonoids on the function and expression of ABCB1/P-glycoprotein multidrug transporter. Journal of Ethnopharmacology, 2012, 144, 797-801.	2.0	24
56	Inhibition of arachidonic acid metabolism by the Andean crude drug Parastrephia lucida (Meyen) Cabrera. Journal of Ethnopharmacology, 2013, 150, 1080-1086.	2.0	24
57	<i>Prosopis nigra</i> Mesocarp Fine Flour, A Source of Phytochemicals with Potential Effect on Enzymes Linked to Metabolic Syndrome, Oxidative Stress, and Inflammatory Process. Journal of Food Science, 2018, 83, 1454-1462.	1.5	24
58	Integral use of Argentinean Solanum betaceum red fruits as functional food ingredient to prevent metabolic syndrome: effect of in vitro simulated gastroduodenal digestion. Heliyon, 2020, 6, e03387.	1.4	23
59	Essential groups at the active site of Trapaeolum invertase. Phytochemistry, 1998, 47, 1189-1193.	1.4	22
60	The Native Fruit Geoffroea decorticans from Arid Northern Chile: Phenolic Composition, Antioxidant Activities and In Vitro Inhibition of Pro-Inflammatory and Metabolic Syndrome-Associated Enzymes. Molecules, 2017, 22, 1565.	1.7	22
61	Analytical methodology optimization to estimate the content of non-flavonoid phenolic compounds in Argentine propolis extracts. Pharmaceutical Biology, 2014, 52, 835-840.	1.3	21
62	Experimental and DFT studies on 2′,4′-dihydroxychalcone, a product isolated from Zuccagnia punctata Cav. (Fabaceae) medicinal plant. Journal of Molecular Structure, 2020, 1201, 127221.	1.8	21
63	Antimicrobial phenylpropanoids from the Argentinean highland plant Parastrephia lucida (Meyen) Cabrera. Journal of Ethnopharmacology, 2012, 142, 407-414.	2.0	19
64	Morphological, histological, chemical and functional characterization of Prosopis alba flours of different particle sizes. Food Chemistry, 2019, 274, 583-591.	4.2	19
65	Acid invertase from Tropaeolum leaves. Phytochemistry, 1988, 27, 1993-1998.	1.4	18
66	UV-B radiation on lemons enhances antifungal activity of flavedo extracts against Penicillium digitatum. LWT - Food Science and Technology, 2017, 85, 96-103.	2.5	18
67	Changes in carbohydrate content and related enzyme activity during Cyphomandra betacea (Cav.) Sendtn. fruit maturation. Postharvest Biology and Technology, 2005, 35, 293-301.	2.9	17
68	ANTIMICROBIAL AND ANTIOXIDANT COMPOUNDS FROM THE INFUSION AND METHANOLIC EXTRACT OF Baccharis incarum (WEDD.) PERKINS. Journal of the Chilean Chemical Society, 2009, 54, .	0.5	17
69	Antifungal, anti-inflammatory and antioxidant activity of bi-herbal mixtures with medicinal plants from Argentinean highlands. Journal of Ethnopharmacology, 2020, 253, 112642.	2.0	17
70	Comparative study of antioxidant and anti-inflammatory activities and genotoxicity of alcoholic and aqueous extracts of four Fabiana species that grow in mountainous area of Argentina. Journal of Ethnopharmacology, 2011, 137, 512-522.	2.0	16
71	Activity and mode of action of Parastrephia lepidophylla ethanolic extracts on phytopathogenic fungus strains of lemon fruit from Argentine Northwest. Postharvest Biology and Technology, 2016, 114, 62-68.	2.9	16
72	Chemical composition of Argentinean propolis collected in extreme regions and its relation with antimicrobial and antioxidant activities. Natural Product Communications, 2011, 6, 823-7.	0.2	16

#	Article	IF	CITATIONS
73	Proteinaceous inhibitor from Solanum tuberosum invertase. Phytochemistry, 1991, 30, 739-743.	1.4	15
74	Nutraceutical properties and toxicity studies of fruits from four Cactaceae species grown in Argentine Northwestern. Food Research International, 2011, 44, 2345-2351.	2.9	14
75	Nutritional and Functional Properties of Aqueous and Hydroalcoholic Extracts from Argentinean Propolis. Natural Product Communications, 2014, 9, 1934578X1400900.	0.2	14
76	Antioxidant and anti-inflammatory activities of Frankenia triandra (J. Rémy) extracts. South African Journal of Botany, 2016, 104, 208-214.	1.2	14
77	Effect of Zuccagnia punctata Cav. (Fabaceae) extract on pro-inflammatory enzymes and on planktonic cells and biofilm from Staphylococcus aureus. Toxicity studies. Saudi Journal of Biological Sciences, 2018, 25, 1713-1719.	1.8	14
78	Physicochemical, microbiological, functional and sensory properties of frozen pulp of orange and orange-red chilto (Solanum betaceum Cav.) fruits. Scientia Horticulturae, 2021, 276, 109736.	1.7	14
79	A combination of rules govern fruit trait preference by frugivorous bat and bird species: nutrients, defence and size. Animal Behaviour, 2021, 176, 111-123.	0.8	14
80	Radical Scavenging Capacity and Antimutagenic Properties of Purified Proteins from Solanum betaceum Fruits and Solanum tuberosum Tubers. Journal of Agricultural and Food Chemistry, 2011, 59, 8655-8660.	2.4	12
81	Antioxidant/Antibacterial Activities of a Topical Phytopharmaceutical Formulation Containing a Standardized Extract of <i>Baccharis incarum</i> , an Extremophile Plant Species from Argentine Puna. Phytotherapy Research, 2012, 26, 1759-1767.	2.8	12
82	Antibacterial synergism of extracts from climbers belonging to Bignoniaceae family and commercial antibiotics against multi-resistant bacteria. Journal of Herbal Medicine, 2017, 8, 24-30.	1.0	12
83	Interest of black carob extract for the development of active biopolymer films for cheese preservation. Food Hydrocolloids, 2021, 113, 106436.	5.6	12
84	Fleshy fruit traits and seed dispersers: which traits define syndromes?. Annals of Botany, 2022, 129, 831-838.	1.4	12
85	Oral administration of Zuccagnia punctata extract improves lipid profile, reduces oxidative stress and prevents vascular dysfunction in hypercholesterolemic rabbits. Phytomedicine, 2018, 48, 104-111.	2.3	11
86	The use of jarilla native plants in a Diaguita-CalchaquÃ-indigenous community from northwestern Argentina: An ethnobotanical, phytochemical and biological approach. Journal of Ethnopharmacology, 2020, 247, 112258.	2.0	11
87	Feasibility of active biobased films produced using red chilto wastes to improve the protection of fresh salmon fillets via a circular economy approach. Food Hydrocolloids, 2022, 133, 107888.	5.6	11
88	Chalcones in Bioactive Argentine Propolis Collected in Arid Environments. Natural Product Communications, 2012, 7, 1934578X1200700.	0.2	10
89	Beneficial effects of hydroalcoholic extract and flavonoids from Zuccagnia punctata in a rabbit model of vascular dysfunction induced by high cholesterol diet. Medicinal Chemistry Research, 2017, 26, 2336-2344.	1.1	10
90	Antifungal activity of phytotherapeutic preparation of Baccharis species from argentine Puna against clinically relevant fungi Journal of Ethnopharmacology, 2020, 251, 112553.	2.0	10

#	Article	IF	CITATIONS
91	Flower beverages of native medicinal plants from Argentina (Acacia caven, Geoffroea decorticans and) Tj ETQq1 1 114490.	0.784314 2.0	rgBT /Over 10
92	Phytochemical Composition and Antioxidant Capacity of <i>Psidium guajava</i> Fresh Fruits and Flour. Food and Nutrition Sciences (Print), 2014, 05, 725-732.	0.2	10
93	Effect of seasonality on chemical composition and antibacterial and anticandida activities of Argentine propolis. Design of a topical formulation. Natural Product Communications, 2012, 7, 1315-8.	0.2	10
94	Inhibition of Hydrolytic Enzyme Activities and Plant Pathogen Growth by Invertase Inhibitors. Journal of Enzyme Inhibition and Medicinal Chemistry, 2002, 17, 37-43.	2.5	9
95	Effect of Seasonality on Chemical Composition and Antibacterial and Anticandida Activities of Argentine Propolis. Design of a Topical Formulation. Natural Product Communications, 2012, 7, 1934578X1200701.	0.2	9
96	Histochemical localization and characterization of chalcones on the foliar surface of Zuccagnia punctata Cav. Insights into their physiological role. Phytochemistry Letters, 2015, 13, 134-140.	0.6	9
97	Anti-Inflammatory Activity of Copao (Eulychnia Acida Phil., Cactaceae) Fruits. Plant Foods for Human Nutrition, 2015, 70, 135-140.	1.4	9
98	Prosopis alba seed flour improves vascular function in a rabbit model of high fat diet-induced metabolic syndrome. Heliyon, 2019, 5, e01967.	1.4	9
99	Argentinean Puna Plants with <i>In Vitro</i> Antioxidant and Antiâ€Inflammatory Activities as a Potential Nutraceutical. Journal of Food Science, 2019, 84, 3352-3363.	1.5	9
100	Differentiation of argentine propolis from different species of bees and geographical origins by UV spectroscopy and chemometric analysis. Journal of the Saudi Society of Agricultural Sciences, 2020, 19, 185-191.	1.0	9
101	Influence of in vitro gastro-duodenal digestion on the antioxidant activity of single and mixed three "Jarilla―species infusions. Journal of Herbal Medicine, 2020, 19, 100296.	1.0	9
102	<i>In vitro</i> antimicrobial activity of 20 selected climber species from the Bignoniaceae family. Natural Product Research, 2013, 27, 2144-2148.	1.0	8
103	Tetraglochin andina Ciald.: A medicinal plant from the Argentinean highlands with potential use in vaginal candidiasis. Journal of Ethnopharmacology, 2018, 216, 283-294.	2.0	8
104	Effect of Wine Wastes Extracts on the Viability and Biofilm Formation of <i> Pseudomonas aeruginosa</i> and <i> Staphylococcus aureus</i> Strains. Evidence-based Complementary and Alternative Medicine, 2018, 2018, 1-9.	0.5	8
105	Aloja and añapa, two traditional beverages obtained from Prosopis alba pods: Nutritional and functional characterization. Food Bioscience, 2020, 35, 100546.	2.0	8
106	Determination of Botanical Origin of Propolis from Monte Region of Argentina by Histological and Chemical Methods. Natural Product Communications, 2016, 11, 1934578X1601100.	0.2	7
107	Being popular or freak: how alien plants integrate into native plant-frugivore networks. Biological Invasions, 2019, 21, 2589-2598.	1.2	7
108	Prosopis nigra fruits waste characterization, a potential source of functional ingredients for food formulations. LWT - Food Science and Technology, 2020, 132, 109828.	2.5	7

#	Article	IF	CITATIONS
109	Propolis from the Monte Region in Argentina: A Potential Phytotherapic and Food Functional Ingredient. Metabolites, 2021, 11, 76.	1.3	7
110	Nutritional, Antioxidant and Anti-Inflammatory Properties of <i>Cyclanthera pedata</i> , an Andinean Fruit and Products Derived from Them. Food and Nutrition Sciences (Print), 2013, 04, 55-61.	0.2	7
111	Chalcones in bioactive Argentine propolis collected in arid environments. Natural Product Communications, 2012, 7, 879-82.	0.2	7
112	Inhibition of arachidonic acid metabolism by the Andean crude drug Parastrephia lucida (Meyen) Cabrera. Journal of Ethnopharmacology, 2013, 150, 1080-6.	2.0	7
113	Effect of structurally related flavonoids from Zuccagnia punctata Cav. on Caenorhabditis elegans. Acta Parasitologica, 2014, 60, 164-72.	0.4	6
114	<i>Zuccagnia punctata</i> : A Review of its Traditional Uses, Phytochemistry, Pharmacology and Toxicology. Natural Product Communications, 2016, 11, 1934578X1601101.	0.2	6
115	Inhibition of key enzymes in the inflammatory pathway by hybrid molecules of terpenes and synthetic drugs: In vitro and in silico studies. Chemical Biology and Drug Design, 2019, 93, 290-299.	1.5	5
116	Zuccagnia â€ŧype Propolis from Argentina: A potential functional ingredient in food to pathologies associated to metabolic syndrome and oxidative stress. Journal of Food Science, 2020, 85, 2578-2588.	1.5	5
117	Flourensia fiebrigii S.F. blake: A medicinal plant from the Argentinean highlands with potential use as anti-rheumatic and anti-inflammatory. Journal of Ethnopharmacology, 2021, 264, 113296.	2.0	5
118	Anti-inflammatory, Antioxidant and Antimicrobial Activity Characterization and Toxicity Studies of Flowers of "Jarillaâ€, a Medicinal Shrub from Argentina. Natural Product Communications, 2015, 10, 1934578X1501000.	0.2	4
119	Development of a Bioproduct for Medicinal Use with Extracts of Zuccagnia-type Propolis. Natural Product Communications, 2018, 13, 1934578X1801300.	0.2	4
120	Argentinean Larrea Dry Extracts with Potential Use in Vaginal Candidiasis. Natural Product Communications, 2018, 13, 1934578X1801300.	0.2	4
121	Morphoanatomical and histochemical characterization of Larrea species from Northwestern of Argentina. Revista Brasileira De Farmacognosia, 2018, 28, 393-401.	0.6	4
122	Zuccagnia punctata: A Review of its Traditional Uses; Phytochemistry, Pharmacology and Toxicology. Natural Product Communications, 2016, 11, 1749-1755.	0.2	4
123	Proteinaceous Inhibitor Versus Fructose as Modulators of Pteris deflexa Invertase Activity. Journal of Enzyme Inhibition and Medicinal Chemistry, 2002, 17, 123-130.	2.5	3
124	Bioactivities of <i>Chuquiraga Straminea</i> Sandwith. Natural Product Communications, 2011, 6, 1934578X1100600.	0.2	3
125	Potential use of medicinal plants from Argentinean highland as agent antiâ€photoaging. Journal of Cosmetic Dermatology, 2021, 20, 1188-1196.	0.8	3
126	Nutraceutical Properties and Toxicity Studies of Flour Obtained from <i>Capsicum pubescens</i> Fruits and Its Comparison with "Locoto―Commercial Powder. Food and Nutrition Sciences (Print), 2014, 05, 715-724.	0.2	3

#	Article	IF	CITATIONS
127	Cytotoxic Compounds from Aerial Organs of <i>Xanthium Strumarium</i> . Natural Product Communications, 2016, 11, 1934578X1601100.	0.2	2
128	Flavonoid-enriched fractions from Parastrephia lucida: Phytochemical, anti-inflammatory, antioxidant characterizations, and analysis of their toxicity. South African Journal of Botany, 2020, 135, 465-475.	1.2	2
129	Antigenotoxic, antiproliferative and antimetastatic properties of a combination of native medicinal plants from Argentina. Journal of Ethnopharmacology, 2021, 267, 113479.	2.0	2
130	Hydroalcoholic gel with Argentine propolis: the potential for antimicrobial and antioxidant activities, stability evaluation, and inÂvitro phenolic release. Journal of Apicultural Research, 2020, 59, 735-743.	0.7	1
131	Potential Application of Native Fruit Wastes from Argentina as Nonconventional Sources of Functional Ingredients. Applied Environmental Science and Engineering for A Sustainable Future, 2020, , 173-190.	0.2	1
132	Editorial: Functional Foods and Bioactive Food Ingredients in Prevention and Alleviation of Metabolic Syndrome. Frontiers in Nutrition, 2021, 8, 788941.	1.6	1
133	Anti-inflammatory, Antioxidant and Antimicrobial Activity Characterization and Toxicity Studies of Flowers of "Jarilla", a Medicinal Shrub from Argentina. Natural Product Communications, 2015, 10, 991-4.	0.2	1
134	Potential use of Native Fruits Waste from Argentina as Nonconventional Sources of Cosmetic Ingredients. Journal of Cosmetic Dermatology, 2022, , .	0.8	1
135	In Vitro Hypoglycemic and Anti-Inflammatory Potential and Toxicity of Powders from Pulp and by-Products of Ziziphus mistol from Argentina. Foods, 2022, 11, 2125.	1.9	1
136	Fabiana punensis S.C. Arroyo, F. bryoides Phil., F. densa Remy, F. patagonica Speg Medicinal and Aromatic Plants of the World, 2021, , 225-234.	0.1	0
137	Baccharis tola Phil., B. boliviensis (Wedd.) Cabrera. Medicinal and Aromatic Plants of the World, 2021, , 107-118.	0.1	0
138	Parastrephia lucida (Meyen) Cabrera. Medicinal and Aromatic Plants of the World, 2021, , 399-409.	0.1	0
139	Zuccagnia punctata Cav Medicinal and Aromatic Plants of the World, 2021, , 537-551.	0.1	0
140	Some plants of the Monte region from Argentina: Phytochemistry and its use in health care. Studies in Natural Products Chemistry, 2021, 69, 349-369.	0.8	0
141	Advances in production and properties validation of multifunctional ingredients from Argentine food fruits to modulate oxidative stress and inflammation. , 2022, , 365-377.		0
142	Prospects of dairy and vegetables-based food products in human health: Current status and future directions. , 2022, , 243-267.		0
143	Prosopis alba seed flour: A source of bioactive phenolic and proteins. , 2022, , 287-295.		0
144	Prosopis alba mesocarp flour: A source of functional ingredients. , 2022, , 275-286.		0