
Pablo Najt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4437084/publications.pdf Version: 2024-02-01



<u> Ραβιο Ναιτ</u>

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Cortical abnormalities in bipolar disorder: an MRI analysis of 6503 individuals from the ENIGMA Bipolar Disorder Working Group. Molecular Psychiatry, 2018, 23, 932-942. | 7.9 | 558 |
| 2 | The genetic architecture of the human cerebral cortex. Science, 2020, 367, . | 12.6 | 450 |
| 3 | Prefrontal hyperactivation during working memory task in untreated individuals with major depressive disorder. Molecular Psychiatry, 2007, 12, 158-166. | 7.9 | 211 |
| 4 | Co-occurring mental and substance abuse disorders: A review on the potential predictors and clinical outcomes. Psychiatry Research, 2011, 186, 159-164. | 3.3 | 177 |
| 5 | Trait impulsivity in patients with mood disorders. Journal of Affective Disorders, 2007, 100, 227-231. | 4.1 | 172 |
| 6 | Impulsivity and bipolar disorder. European Neuropsychopharmacology, 2007, 17, 313-320. | 0.7 | 157 |
| 7 | Differential working memory impairment in bipolar disorder and schizophrenia: effects of lifetime history of psychosis. Bipolar Disorders, 2006, 8, 117-123. | 1.9 | 154 |
| 8 | Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3–90 years. Human Brain Mapping, 2022, 43, 431-451. | 3.6 | 143 |
| 9 | Patterns of memory impairment in bipolar disorder and unipolar major depression. Psychiatry Research, 2006, 142, 139-150. | 3.3 | 140 |
| 10 | Cortex and amygdala morphology in psychopathy. Psychiatry Research - Neuroimaging, 2011, 193, 85-92. | 1.8 | 118 |
| 11 | Amygdala hyperactivation in untreated depressed individuals. Psychiatry Research - Neuroimaging, 2009, 173, 158-161. | 1.8 | 112 |
| 12 | Temperament and character traits in major depressive disorder: influence of mood state and recurrence of episodes. Depression and Anxiety, 2009, 26, 382-388. | 4.1 | 78 |
| 13 | Subcortical volumes across the lifespan: Data from 18,605 healthy individuals aged 3–90 years. Human Brain Mapping, 2022, 43, 452-469. | 3.6 | 72 |
| 14 | Temperament and character traits in patients with bipolar disorder and associations with comorbid alcoholism or anxiety disorders. Journal of Psychiatric Research, 2008, 42, 569-577. | 3.1 | 71 |
| 15 | Sources of declarative memory impairment in bipolar disorder: Mnemonic processes and clinical features. Journal of Psychiatric Research, 2006, 40, 47-58. | 3.1 | 70 |
| 16 | The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. Biological Psychiatry, 2019, 86, 545-556. | 1.3 | 67 |
| 17 | Anatomical measurements of the orbitofrontal cortex in child and adolescent patients with bipolar disorder. Neuroscience Letters, 2007, 413, 183-186. | 2.1 | 65 |
| 18 | Normal metabolite levels in the left dorsolateral prefrontal cortex of unmedicated major depressive disorder patients: A single voxel 1H spectroscopy study. Psychiatry Research - Neuroimaging, 2009, 174, 177-183. | 1.8 | 62 |

Pablo Najt

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Models of hemispheric specialization in facial emotion perception—a reevaluation Emotion, 2013, 13, 159-167. | 1.8 | 62 |
| 20 | Genetic correlations and genome-wide associations of cortical structure in general population samples of 22,824 adults. Nature Communications, 2020, 11, 4796. | 12.8 | 61 |
| 21 | Abnormal resting state corticolimbic blood flow in depressed unmedicated patients with major depression: A ¹⁵ Oâ€H ₂ O PET study. Human Brain Mapping, 2012, 33, 272-279. | 3.6 | 58 |
| 22 | Declarative memory impairment in pediatric bipolar disorder. Bipolar Disorders, 2005, 7, 546-554. | 1.9 | 57 |
| 23 | Evidence for disruption in prefrontal cortical functions in juvenile bipolar disorder. Bipolar Disorders, 2007, 9, 145-159. | 1.9 | 45 |
| 24 | Brain imaging in patients with COVID-19: A systematic review. Brain, Behavior, & Immunity - Health, 2021, 16, 100290. | 2.5 | 45 |
| 25 | Association of psychosis with suicidality in pediatric bipolar I, II and bipolar NOS patients. Journal of Affective Disorders, 2006, 91, 33-37. | 4.1 | 42 |
| 26 | Anterior Cortical Development During Adolescence in Bipolar Disorder. Biological Psychiatry, 2016, 79, 303-310. | 1.3 | 41 |
| 27 | Attention deficits in bipolar disorder: a comparison based on the Continuous Performance Test. Neuroscience Letters, 2005, 379, 122-126. | 2.1 | 39 |
| 28 | Dissociable mechanisms for memory impairment in bipolar disorder and schizophrenia. Psychological Medicine, 2006, 36, 1085-1095. | 4.5 | 30 |
| 29 | Right fronto-parietal dysfunction underlying spatial attention in bipolar disorder. Psychiatry Research, 2013, 210, 479-484. | 3.3 | 18 |
| 30 | 10Kin1day: A Bottom-Up Neuroimaging Initiative. Frontiers in Neurology, 2019, 10, 425. | 2.4 | 15 |
| 31 | Atypical right hemispheric functioning in the euthymic state of bipolar affective disorder. Psychiatry Research, 2014, 220, 315-321. | 3.3 | 14 |
| 32 | Bipolar Disorder and Gender Are Associated with Frontolimbic and Basal Ganglia Dysconnectivity: A Study of Topological Variance Using Network Analysis. Brain Connectivity, 2019, 9, 745-759. | 1.7 | 12 |
| 33 | Atypical lateralisation in emotional prosody in men with schizotypy. Laterality, 2012, 17, 533-548. | 1.0 | 11 |
| 34 | Normalization of impaired emotion inhibition in bipolar disorder mediated by cholinergic neurotransmission in the cingulate cortex. Neuropsychopharmacology, 2022, 47, 1643-1651. | 5.4 | 9 |
| 35 | Neuroanatomical Dysconnectivity Underlying Cognitive Deficits in Bipolar Disorder. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, 5, 152-162. | 1.5 | 5 |
| 36 | The arcuate fasciculus network and verbal deficits in psychosis. Translational Neuroscience, 2017, 8, 117-126. | 1.4 | 4 |