

# Christophe Nicot

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/443771/christophe-nicot-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58

papers

2,983

citations

34

h-index

54

g-index

64

ext. papers

3,365

ext. citations

13.3

avg, IF

5.45

L-index

#	Paper	IF	Citations
58	NCAPG promotes the oncogenesis and progression of non-small cell lung cancer cells through upregulating LGALS1 expression.. <i>Molecular Cancer</i> , <b>2022</b> , 21, 55	42.1	1
57	Clinical significance of FBXW7 loss of function in human cancers.. <i>Molecular Cancer</i> , <b>2022</b> , 21, 87	42.1	3
56	Feedback Loop Regulation Between Pim Kinases and Tax Keeps HTLV-I Viral Replication in Check. <i>Journal of Virology</i> , <b>2021</b> , JVI0196021	6.6	1
55	Germinal epimutation of Fragile Histidine Triad (FHIT) gene is associated with progression to acute and chronic adult T-cell leukemia diseases. <i>Molecular Cancer</i> , <b>2021</b> , 20, 86	42.1	3
54	Loss of FBXW7-mediated degradation of BRAF elicits resistance to BET inhibitors in adult T cell leukemia cells. <i>Molecular Cancer</i> , <b>2020</b> , 19, 139	42.1	7
53	FBXW7: a critical tumor suppressor of human cancers. <i>Molecular Cancer</i> , <b>2018</b> , 17, 115	42.1	200
52	JAG1 overexpression contributes to Notch1 signaling and the migration of HTLV-1-transformed ATL cells. <i>Journal of Hematology and Oncology</i> , <b>2018</b> , 11, 119	22.4	9
51	Telomere Dynamics in Immune Senescence and Exhaustion Triggered by Chronic Viral Infection. <i>Viruses</i> , <b>2017</b> , 9,	6.2	68
50	Constitutive activation of Pim1 kinase is a therapeutic target for adult T-cell leukemia. <i>Blood</i> , <b>2016</b> , 127, 2439-50	2.2	34
49	Oncogenic mutations in the FBXW7 gene of adult T-cell leukemia patients. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2016</b> , 113, 6731-6	11.5	53
48	Mutation of epigenetic regulators TET2 and MLL3 in patients with HTLV-I-induced acute adult T-cell leukemia. <i>Molecular Cancer</i> , <b>2016</b> , 15, 15	42.1	19
47	Clinical significance of microRNAs in chronic and acute human leukemia. <i>Molecular Cancer</i> , <b>2016</b> , 15, 37	42.1	97
46	STAT1: A Novel Target of miR-150 and miR-223 Is Involved in the Proliferation of HTLV-I-Transformed and ATL Cells. <i>Neoplasia</i> , <b>2015</b> , 17, 449-62	6.4	41
45	miR-28-3p is a cellular restriction factor that inhibits human T cell leukemia virus, type 1 (HTLV-1) replication and virus infection. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 5381-90	5.4	37
44	Small PARP inhibitor PJ-34 induces cell cycle arrest and apoptosis of adult T-cell leukemia cells. <i>Journal of Hematology and Oncology</i> , <b>2015</b> , 8, 117	22.4	23
43	The Emerging Role of miRNAs in HTLV-1 Infection and ATLL Pathogenesis. <i>Viruses</i> , <b>2015</b> , 7, 4047-74	6.2	22
42	Tumor Suppressor Inactivation in the Pathogenesis of Adult T-Cell Leukemia. <i>Journal of Oncology</i> , <b>2015</b> , 2015, 183590	4.5	10

41	HTLV-I Tax-Mediated Inactivation of Cell Cycle Checkpoints and DNA Repair Pathways Contribute to Cellular Transformation: "A Random Mutagenesis Model" <b>2015</b> , 2,		16
40	Multiple Pathways Control the Reactivation of Telomerase in HTLV-I-Associated Leukemia. <i>International Journal of Cancer and Oncology</i> , <b>2015</b> , 2,	0	8
39	Tax impairs DNA replication forks and increases DNA breaks in specific oncogenic genome regions. <i>Molecular Cancer</i> , <b>2014</b> , 13, 205	42.1	21
38	Adult T-cell leukemia cells overexpress Wnt5a and promote osteoclast differentiation. <i>Blood</i> , <b>2013</b> , 121, 5045-54	2.2	30
37	PA28 $\beta$ is a novel corepressor of HTLV-1 replication and controls viral latency. <i>Blood</i> , <b>2013</b> , 121, 791-800	2.2	15
36	HTLV-I tax increases genetic instability by inducing DNA double strand breaks during DNA replication and switching repair to NHEJ. <i>PLoS ONE</i> , <b>2012</b> , 7, e42226	3.7	42
35	Overview on HTLV-1 p12, p8, p30, p13: accomplices in persistent infection and viral pathogenesis. <i>Frontiers in Microbiology</i> , <b>2012</b> , 3, 400	5.7	29
34	Suppression of HTLV-1 replication by Tax-mediated rerouting of the p13 viral protein to nuclear speckles. <i>Blood</i> , <b>2011</b> , 118, 1549-59	2.2	43
33	Current views on the role of Notch signaling and the pathogenesis of human leukemia. <i>BMC Cancer</i> , <b>2011</b> , 11, 502	4.8	40
32	Notch signaling contributes to proliferation and tumor formation of human T-cell leukemia virus type 1-associated adult T-cell leukemia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 16619-24	11.5	71
31	HTLV-I p30 inhibits multiple S phase entry checkpoints, decreases cyclin E-CDK2 interactions and delays cell cycle progression. <i>Molecular Cancer</i> , <b>2010</b> , 9, 302	42.1	27
30	HTLV-I Tax-dependent and -independent events associated with immortalization of human primary T lymphocytes. <i>Blood</i> , <b>2010</b> , 115, 2441-8	2.2	57
29	Genome wide analysis of human genes transcriptionally and post-transcriptionally regulated by the HTLV-I protein p30. <i>BMC Genomics</i> , <b>2009</b> , 10, 311	4.5	22
28	Deregulation of microRNA involved in hematopoiesis and the immune response in HTLV-I adult T-cell leukemia. <i>Blood</i> , <b>2009</b> , 113, 4914-7	2.2	123
27	The Combination of Arsenic Trioxide and Interferon-Alpha Eradicates Leukemia Initiating Cells in TAX-Driven Murine Adult T Cell Leukemia/Lymphoma.. <i>Blood</i> , <b>2009</b> , 114, 2714-2714	2.2	
26	Regulation of telomerase and telomeres: human tumor viruses take control. <i>Journal of the National Cancer Institute</i> , <b>2008</b> , 100, 98-108	9.7	83
25	Central role of PI3K in transcriptional activation of hTERT in HTLV-I-infected cells. <i>Blood</i> , <b>2008</b> , 112, 2946-55	6.55	41
24	Celecoxib disrupts the canonical apoptotic network in HTLV-I cells through activation of Bax and inhibition of PKB/Akt. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , <b>2008</b> , 13, 33-40	5.4	18

23	HTLV-1 and apoptosis: role in cellular transformation and recent advances in therapeutic approaches. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , <b>2008</b> , 13, 733-47	5.4	50
22	HTLV-1 Yin and Yang: Rex and p30 master regulators of viral mRNA trafficking. <i>AIDS Reviews</i> , <b>2008</b> , 10, 195-204	1.5	27
21	Human T-cell lymphotropic virus type I rex and p30 interactions govern the switch between virus latency and replication. <i>Journal of Biological Chemistry</i> , <b>2007</b> , 282, 14608-15	5.4	36
20	Emodin and DHA potentially increase arsenic trioxide interferon-alpha-induced cell death of HTLV-I-transformed cells by generation of reactive oxygen species and inhibition of Akt and AP-1. <i>Blood</i> , <b>2007</b> , 109, 1653-9	2.2	73
19	Increased expression of telomere length regulating factors TRF1, TRF2 and TIN2 in patients with adult T-cell leukemia. <i>International Journal of Cancer</i> , <b>2006</b> , 119, 2090-7	7.5	61
18	The HTLV-I p30 interferes with TLR4 signaling and modulates the release of pro- and anti-inflammatory cytokines from human macrophages. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 23414-24	5.4	45
17	Human T-cell leukemia virus type I p30 nuclear/nucleolar retention is mediated through interactions with RNA and a constituent of the 60 S ribosomal subunit. <i>Journal of Biological Chemistry</i> , <b>2006</b> , 281, 37150-8	5.4	30
16	Persistent inhibition of telomerase reprograms adult T-cell leukemia to p53-dependent senescence. <i>Blood</i> , <b>2006</b> , 108, 1021-9	2.2	118
15	Human T-cell leukemia/lymphoma virus type 1 nonstructural genes and their functions. <i>Oncogene</i> , <b>2005</b> , 24, 6026-34	9.2	87
14	Current views in HTLV-I-associated adult T-cell leukemia/lymphoma. <i>American Journal of Hematology</i> , <b>2005</b> , 78, 232-9	7.1	94
13	HTLV-1-encoded p30II is a post-transcriptional negative regulator of viral replication. <i>Nature Medicine</i> , <b>2004</b> , 10, 197-201	50.5	144
12	Transcriptional activation of hTERT through the NF-kappaB pathway in HTLV-I-transformed cells. <i>Blood</i> , <b>2004</b> , 104, 2523-31	2.2	108
11	Seizing of T cells by human T-cell leukemia/lymphoma virus type 1. <i>Advances in Cancer Research</i> , <b>2003</b> , 89, 69-132	5.9	63
10	Arsenic trioxide induces apoptosis in human T-cell leukemia virus type 1- and type 2-infected cells by a caspase-3-dependent mechanism involving Bcl-2 cleavage. <i>Blood</i> , <b>2001</b> , 98, 3762-9	2.2	85
9	HTLV-1 p12(I) protein enhances STAT5 activation and decreases the interleukin-2 requirement for proliferation of primary human peripheral blood mononuclear cells. <i>Blood</i> , <b>2001</b> , 98, 823-9	2.2	92
8	Free major histocompatibility complex class I heavy chain is preferentially targeted for degradation by human T-cell leukemia/lymphotropic virus type 1 p12(I) protein. <i>Journal of Virology</i> , <b>2001</b> , 75, 6086-94	6.6	105
7	HTLV-I Tax transrepresses the human c-Myb promoter independently of its interaction with CBP or p300. <i>Oncogene</i> , <b>2000</b> , 19, 2155-64	9.2	37
6	Bcl-XL is up-regulated by HTLV-I and HTLV-II in vitro and in ex vivo ATLL samples. <i>Blood</i> , <b>2000</b> , 96, 275-281	2.2	94

5	p53 stabilization and functional impairment in the absence of genetic mutation or the alteration of the p14ARF/MDM2 loop in ex vivo and cultured adult T-cell leukemia/lymphoma cells. <i>Blood</i> , <b>2000</b> , 95, 3939-3944	2.2	54
4	Distinct p300-responsive mechanisms promote caspase-dependent apoptosis by human T-cell lymphotropic virus type 1 Tax protein. <i>Molecular and Cellular Biology</i> , <b>2000</b> , 20, 8580-9	4.8	46
3	p53 stabilization and functional impairment in the absence of genetic mutation or the alteration of the p14ARF/MDM2 loop in ex vivo and cultured adult T-cell leukemia/lymphoma cells. <i>Blood</i> , <b>2000</b> , 95, 3939-3944	2.2	22
2	Bcl-XL is up-regulated by HTLV-I and HTLV-II in vitro and in ex vivo ATLL samples. <i>Blood</i> , <b>2000</b> , 96, 275-281.	2.2	29
1	An exposed KID-like domain in human T-cell lymphotropic virus type 1 Tax is responsible for the recruitment of coactivators CBP/p300. <i>Molecular and Cellular Biology</i> , <b>1998</b> , 18, 5052-61	4.8	159