

Bennard van Ravenzwaay

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4437812/publications.pdf>

Version: 2024-02-01

58
papers

1,386
citations

394421

19
h-index

361022

35
g-index

61
all docs

61
docs citations

61
times ranked

1778
citing authors

#	ARTICLE	IF	CITATIONS
1	Inhalation Toxicity of Multiwall Carbon Nanotubes in Rats Exposed for 3 Months. Toxicological Sciences, 2009, 112, 468-481.	3.1	398
2	Vinclozolinâ€”The lack of a transgenerational effect after oral maternal exposure during organogenesis. Reproductive Toxicology, 2008, 25, 352-360.	2.9	100
3	In vitro-to-in vivo extrapolation (IVIVE) by PBTK modeling for animal-free risk assessment approaches of potential endocrine-disrupting compounds. Archives of Toxicology, 2019, 93, 401-416.	4.2	59
4	Applicability of rat precision-cut lung slices in evaluating nanomaterial cytotoxicity, apoptosis, oxidative stress, and inflammation. Toxicology and Applied Pharmacology, 2014, 276, 1-20.	2.8	56
5	Innovative selection approach for a new antifungal agent mefentrifluconazole (RevysolÂ®) and the impact upon its toxicity profile. Regulatory Toxicology and Pharmacology, 2019, 106, 152-168.	2.7	41
6	A framework for chemical safety assessment incorporating new approach methodologies within REACH. Archives of Toxicology, 2022, 96, 743-766.	4.2	39
7	Intra- and inter-laboratory reproducibility and accuracy of the LuSens assay: A reporter gene-cell line to detect keratinocyte activation by skin sensitizers. Toxicology in Vitro, 2016, 32, 278-286.	2.4	35
8	Vinclozolinâ€”No transgenerational inheritance of anti-androgenic effects after maternal exposure during organogenesis via the intraperitoneal route. Reproductive Toxicology, 2013, 37, 6-14.	2.9	34
9	Use of physiologically based kinetic modeling-facilitated reverse dosimetry of in vitro toxicity data for prediction of in vivo developmental toxicity of tebuconazole in rats. Toxicology Letters, 2017, 266, 85-93.	0.8	33
10	Vinclozolin: A feasibility and sensitivity study of the ILSI-HESI F1-extended one-generation rat reproduction protocol. Regulatory Toxicology and Pharmacology, 2011, 59, 91-100.	2.7	29
11	A testing strategy for the identification of mammalian, systemic endocrine disruptors with particular focus on steroids. Regulatory Toxicology and Pharmacology, 2012, 63, 259-278.	2.7	28
12	Vinclozolin: A case study on the identification of endocrine active substances in the past and a future perspective. Toxicology Letters, 2013, 223, 271-279.	0.8	28
13	Additional Histopathologic Examination of the Lungs from a 3-Month Inhalation Toxicity Study with Multiwall Carbon Nanotubes in Rats. Toxicological Sciences, 2013, 134, 103-110.	3.1	26
14	Use of the ES-D3 cell differentiation assay, combined with the BeWo transport model, to predict relative in vivo developmental toxicity of antifungal compounds. Toxicology in Vitro, 2015, 29, 320-328.	2.4	26
15	Prenatal toxicity of synthetic amorphous silica nanomaterial in rats. Reproductive Toxicology, 2015, 56, 141-146.	2.9	24
16	Intrinsic Xenobiotic Metabolizing Enzyme Activities in Early Life Stages of Zebrafish (Danio rerio). Toxicological Sciences, 2017, 159, 86-93.	3.1	22
17	A comparison of the embryonic stem cell test and whole embryo culture assay combined with the BeWo placental passage model for predicting the embryotoxicity of azoles. Toxicology Letters, 2018, 286, 10-21.	0.8	22
18	Epoxiconazoleâ€”Induced Degeneration in Rat Placenta and the Effects of Estradiol Supplementation. Birth Defects Research Part B: Developmental and Reproductive Toxicology, 2013, 98, 208-221.	1.4	20

#	ARTICLE	IF	CITATIONS
19	Embryotoxic and pharmacologic potency ranking of six azoles in the rat whole embryo culture by morphological and transcriptomic analysis. <i>Toxicology and Applied Pharmacology</i> , 2017, 322, 15-26.	2.8	20
20	Key read across framework components and biology based improvements. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2020, 853, 503172.	1.7	19
21	Ethylbenzene: 4- and 13-week rat oral toxicity. <i>Archives of Toxicology</i> , 2007, 81, 361-370.	4.2	18
22	Investigations of putative reproductive toxicity of low-dose exposures to flutamide in Wistar rats. <i>Archives of Toxicology</i> , 2015, 89, 2385-2402.	4.2	17
23	Comparing effect levels of regulatory studies with endpoints derived in targeted anti-androgenic studies: example prochloraz. <i>Archives of Toxicology</i> , 2017, 91, 143-162.	4.2	16
24	A protocol to determine dermal absorption of xenobiotica through human skin in vitro. <i>Archives of Toxicology</i> , 2017, 91, 1497-1511.	4.2	16
25	Effects of Estrogen Coadministration on Epoxiconazole Toxicity in Rats. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2013, 98, 247-259.	1.4	15
26	Effect of estrogenic binary mixtures in the yeast estrogen screen (YES). <i>Regulatory Toxicology and Pharmacology</i> , 2014, 70, 286-296.	2.7	14
27	Investigations on the dose-response relationship of combined exposure to low doses of three anti-androgens in Wistar rats. <i>Archives of Toxicology</i> , 2017, 91, 3961-3989.	4.2	14
28	Assessment of combinations of antiandrogenic compounds vinclozolin and flutamide in a yeast based reporter assay. <i>Regulatory Toxicology and Pharmacology</i> , 2011, 60, 373-380.	2.7	13
29	Flusilazole induces spatio-temporal expression patterns of retinoic acid-, differentiation- and sterol biosynthesis-related genes in the rat Whole Embryo Culture. <i>Reproductive Toxicology</i> , 2016, 64, 77-85.	2.9	13
30	Gut microbiome and plasma metabolome changes in rats after oral gavage of nanoparticles: sensitive indicators of possible adverse health effects. <i>Particle and Fibre Toxicology</i> , 2022, 19, 21.	6.2	13
31	Reduction of Acute Inhalation Toxicity Testing in Rats: The Contact Angle of Organic Pigments Predicts Their Suffocation Potential. <i>Applied in Vitro Toxicology</i> , 2018, 4, 220-228.	1.1	12
32	Species Differences in Developmental Toxicity of Epoxiconazole and Its Relevance to Humans. <i>Birth Defects Research Part B: Developmental and Reproductive Toxicology</i> , 2013, 98, 230-246.	1.4	11
33	Anti-androgenicity can only be evaluated using a weight of evidence approach. <i>Regulatory Toxicology and Pharmacology</i> , 2014, 68, 175-192.	2.7	11
34	A developmental toxicity study of 3S, 3'-Astaxanthin in New Zealand white rabbits. <i>Food and Chemical Toxicology</i> , 2016, 90, 95-101.	3.6	11
35	A transcriptomic approach for evaluating the relative potency and mechanism of action of azoles in the rat Whole Embryo Culture. <i>Toxicology</i> , 2017, 392, 96-105.	4.2	11
36	Investigations of putative reproductive toxicity of low-dose exposures to vinclozolin in Wistar rats. <i>Archives of Toxicology</i> , 2017, 91, 1941-1956.	4.2	11

#	ARTICLE	IF	CITATIONS
37	Towards a science-based testing strategy to identify maternal thyroid hormone imbalance and neurodevelopmental effects in the progeny – part II: how can key events of relevant adverse outcome pathways be addressed in toxicological assessments?. <i>Critical Reviews in Toxicology</i> , 2021, 51, 328-358.	3.9	11
38	Acetylcholinesterase measurement in various brain regions and muscles of juvenile, adolescent, and adult rats. <i>Toxicology Mechanisms and Methods</i> , 2017, 27, 666-676.	2.7	10
39	Toxicological overview of a novel strobilurin fungicide, orysastrobin. <i>Journal of Pesticide Sciences</i> , 2007, 32, 270-277.	1.4	9
40	A Wistar Rat Strain Prone to Spontaneous Liver Tumor Development: Implications for Carcinogenic Risk Assessment. <i>Regulatory Toxicology and Pharmacology</i> , 2002, 36, 86-95.	2.7	8
41	Activities of xenobiotic metabolizing enzymes in rat placenta and liver in vitro. <i>Toxicology in Vitro</i> , 2016, 33, 174-179.	2.4	7
42	Toward a science-based testing strategy to identify maternal thyroid hormone imbalance and neurodevelopmental effects in the progeny – part I: which parameters from human studies are most relevant for toxicological assessments?. <i>Critical Reviews in Toxicology</i> , 2020, 50, 740-763.	3.9	7
43	Antibiotic-Induced Changes in Microbiome-Related Metabolites and Bile Acids in Rat Plasma. <i>Metabolites</i> , 2020, 10, 242.	2.9	7
44	Incorporating renal excretion via the OCT2 transporter in physiologically based kinetic modelling to predict in vivo kinetics of mepiquat in rat. <i>Toxicology Letters</i> , 2021, 343, 34-43.	0.8	7
45	Predictive Performance of Next Generation Physiologically Based Kinetic (PBK) Model Predictions in Rats Based on <i>In Vitro</i> and <i>In Silico</i> Input Data. <i>Toxicological Sciences</i> , 2022, 186, 18-28.	3.1	7
46	Occurrence of Pineal Gland Tumors in Combined Chronic Toxicity/Carcinogenicity Studies in Wistar Rats. <i>Toxicologic Pathology</i> , 2015, 43, 838-843.	1.8	5
47	Postnatal fate of prenatal-induced fetal alterations in laboratory animals. <i>Reproductive Toxicology</i> , 2016, 61, 177-185.	2.9	5
48	Use of in vitro metabolomics in NRK cells to help predicting nephrotoxicity and differentiating the MoA of nephrotoxicants. <i>Toxicology Letters</i> , 2021, 353, 43-59.	0.8	5
49	Variance of body and organ weights in 28-day studies in mice. <i>Regulatory Toxicology and Pharmacology</i> , 2019, 108, 104472.	2.7	4
50	Assessment of skin sensitization under REACH: A case report on vehicle choice in the LLNA and its crucial role preventing false positive results. <i>Regulatory Toxicology and Pharmacology</i> , 2017, 85, 25-32.	2.7	3
51	The thyroid hormone converting enzyme human deiodinase 1 is inhibited by gold ions from inorganic salts, organic substances, and by small-size nanoparticles. <i>Chemico-Biological Interactions</i> , 2022, 351, 109709.	4.0	3
52	Immunophenotyping does not improve predictivity of the local lymph node assay in mice. <i>Journal of Applied Toxicology</i> , 2015, 35, 434-445.	2.8	2
53	Conclusions and outlook. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2012, 746, 171-172.	1.7	1
54	Epigenetics and chemical safety – Concluding remarks. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2014, 764-765, 72-73.	1.7	1

#	ARTICLE	IF	CITATIONS
55	Xenobiotica-metabolizing enzyme induction potential of chemicals in animal studies: NanoString nCounter gene expression and peptide group-specific immunoaffinity as accelerated and economical substitutions for enzyme activity determinations?. Archives of Toxicology, 2020, 94, 2663-2682.	4.2	1
56	Novel testing strategy for prediction of rat biliary excretion of intravenously administered estradiol-17 β glucuronide. Archives of Toxicology, 2021, 95, 91-102.	4.2	1
57	Ontogeny of renal, hepatic, and placental expression of ATP-binding cassette and solute carrier transporters in the rat and the rabbit. Reproductive Toxicology, 2021, 107, 1-9.	2.9	1
58	Initiatives to decrease redundancy in animal testing of pesticides. ALTEX: Alternatives To Animal Experimentation, 2010, 27, 112-114.	1.5	1