

# Amos Gilhar

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4438928/publications.pdf>

Version: 2024-02-01

79  
papers

3,885  
citations

186265

28  
h-index

123424

61  
g-index

83  
all docs

83  
docs citations

83  
times ranked

3371  
citing authors

#	ARTICLE	IF	CITATIONS
1	Alopecia Areata. <i>New England Journal of Medicine</i> , 2012, 366, 1515-1525.	27.0	456
2	Apremilast, a cAMP phosphodiesterase $\epsilon$ 4 inhibitor, demonstrates anti-inflammatory activity <i>in vitro</i> and in a model of psoriasis. <i>British Journal of Pharmacology</i> , 2010, 159, 842-855.	5.4	344
3	Transfer of alopecia areata in the human scalp graft/Prkdcscid (SCID) mouse system is characterized by a TH1 response. <i>Clinical Immunology</i> , 2003, 106, 181-187.	3.2	309
4	Lymphocytes, neuropeptides, and genes involved in alopecia areata. <i>Journal of Clinical Investigation</i> , 2007, 117, 2019-2027.	8.2	243
5	Autoimmune hair loss (alopecia areata) transferred by T lymphocytes to human scalp explants on SCID mice.. <i>Journal of Clinical Investigation</i> , 1998, 101, 62-67.	8.2	215
6	Alopecia Areata: A tissue specific autoimmune disease of the hair follicle. <i>Autoimmunity Reviews</i> , 2006, 5, 64-69.	5.8	180
7	What causes alopecia areata?. <i>Experimental Dermatology</i> , 2013, 22, 609-626.	2.9	137
8	Melanocyte-Associated T Cell Epitopes Can Function as Autoantigens for Transfer of Alopecia Areata to Human Scalp Explants on Prkdcscid Mice. <i>Journal of Investigative Dermatology</i> , 2001, 117, 1357-1362.	0.7	130
9	Hair follicle immune privilege and its collapse in alopecia areata. <i>Experimental Dermatology</i> , 2020, 29, 703-725.	2.9	120
10	Abnormal Interactions between Perifollicular Mast Cells and CD8+ T-Cells May Contribute to the Pathogenesis of Alopecia Areata. <i>PLoS ONE</i> , 2014, 9, e94260.	2.5	114
11	Mediation of Alopecia Areata by Cooperation Between CD4+ and CD8+ T Lymphocytes. <i>Archives of Dermatology</i> , 2002, 138, 916-22.	1.4	93
12	Alopecia areata: Animal models illuminate autoimmune pathogenesis and novel immunotherapeutic strategies. <i>Autoimmunity Reviews</i> , 2016, 15, 726-735.	5.8	84
13	Psoriasis is Mediated by a Cutaneous Defect Triggered by Activated Immunocytes: Induction of Psoriasis by Cells with Natural Killer Receptors. <i>Journal of Investigative Dermatology</i> , 2002, 119, 384-391.	0.7	75
14	Alopecia Areata Induced in C3H/HeJ Mice by Interferon-Gamma: Evidence for Loss of Immune Privilege. <i>Journal of Investigative Dermatology</i> , 2005, 124, 288-289.	0.7	73
15	Identifying novel strategies for treating human hair loss disorders: Cyclosporine A suppresses the Wnt inhibitor, SFRP1, in the dermal papilla of human scalp hair follicles. <i>PLoS Biology</i> , 2018, 16, e2003705.	5.6	68
16	Autoimmune Disease Induction in a Healthy Human Organ: A Humanized Mouse Model of Alopecia Areata. <i>Journal of Investigative Dermatology</i> , 2013, 133, 844-847.	0.7	65
17	Failure of passive transfer of serum from patients with alopecia areata and alopecia universalis to inhibit hair growth in transplants of human scalp skin grafted on to nude mice. <i>British Journal of Dermatology</i> , 1992, 126, 166-171.	1.5	61
18	Ageing of human epidermis: the role of apoptosis, Fas and telomerase. <i>British Journal of Dermatology</i> , 2004, 150, 56-63.	1.5	60

#	ARTICLE	IF	CITATIONS
19	JAK inhibitors and alopecia areata. <i>Lancet, The</i> , 2019, 393, 318-319.	13.7	56
20	Frontiers in alopecia areata pathobiology research. <i>Journal of Allergy and Clinical Immunology</i> , 2019, 144, 1478-1489.	2.9	52
21	The PDE4 inhibitor, apremilast, suppresses experimentally induced alopecia areata in human skin in vivo. <i>Journal of Dermatological Science</i> , 2015, 77, 74-76.	1.9	50
22	Collapse of Immune Privilege in Alopecia Areata: Coincidental or Substantial?. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2535-2537.	0.7	44
23	The Beneficial Effect of Blocking Kv1.3 in the Psoriasiform SCID Mouse Model. <i>Journal of Investigative Dermatology</i> , 2011, 131, 118-124.	0.7	44
24	Smoking effect on skin wrinkling in the aged population. <i>International Journal of Dermatology</i> , 2001, 40, 431-433.	1.0	43
25	Aging of Human Epidermis: Reversal of Aging Changes Correlates With Reversal of Keratinocyte Fas Expression and Apoptosis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2004, 59, B411-B415.	3.6	39
26	Hybrid wound dressings with controlled release of antibiotics: Structure-release profile effects and in vivo study in a guinea pig burn model. <i>Acta Biomaterialia</i> , 2015, 22, 155-163.	8.3	36
27	Capsaicin - an effective topical treatment in pain. <i>International Journal of Dermatology</i> , 1997, 36, 401-404.	1.0	33
28	Mouse models of atopic dermatitis: a critical reappraisal. <i>Experimental Dermatology</i> , 2021, 30, 319-336.	2.9	30
29	Innate lymphoid cells 3 induce psoriasis in xenotransplanted healthy human skin. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 305-308.e6.	2.9	29
30	New topical antiandrogenic formulations can stimulate hair growth in human bald scalp grafted onto mice. <i>International Journal of Pharmaceutics</i> , 2000, 194, 125-134.	5.2	28
31	Blocking Potassium Channels (Kv1.3): A New Treatment Option for Alopecia Areata?. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2088-2091.	0.7	27
32	Vitiligo and idiopathic guttate hypomelanosis. Repigmentation of skin following engraftment onto nude mice. <i>Archives of Dermatology</i> , 1989, 125, 1363-1366.	1.4	27
33	The pathogenesis of lichen planus. <i>British Journal of Dermatology</i> , 1989, 120, 541-544.	1.5	26
34	iNKT cells ameliorate human autoimmunity: Lessons from alopecia areata. <i>Journal of Autoimmunity</i> , 2018, 91, 61-72.	6.5	26
35	An unexpected twist in alopecia areata pathogenesis: are NK cells protective and CD49b+ T cells pathogenic?. <i>Experimental Dermatology</i> , 2010, 19, e347-9.	2.9	25
36	Biodegradable soy wound dressings with controlled release of antibiotics: Results from a guinea pig burn model. <i>Burns</i> , 2015, 41, 1459-1467.	1.9	25

#	ARTICLE	IF	CITATIONS
37	Oncogenic role of microRNAâ€155 in mycosis fungoides: an <i>in vitro</i> and xenograft mouse model study. <i>British Journal of Dermatology</i> , 2017, 177, 791-800.	1.5	25
38	The effect of topical cyclosporin on the immediate shedding of human scalp hair grafted onto nude mice. <i>British Journal of Dermatology</i> , 1988, 119, 767-770.	1.5	23
39	Response of Grafts from Patients with Alopecia Areata Transplanted onto Nude Mice, to Administration of Interferon-Î³. <i>Clinical Immunology and Immunopathology</i> , 1993, 66, 120-126.	2.0	23
40	A New Humanized Mouse Model for Alopecia Areata. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 2013, 16, S37-S38.	0.8	23
41	Pro-inflammatory VÎ¹1+T-cells infiltrates are present in and around the hair bulbs of non-lesional and lesional alopecia areata hair follicles. <i>Journal of Dermatological Science</i> , 2020, 100, 129-138.	1.9	23
42	Resident human dermal Î³Î²T-cells operate as stress-sentinels: Lessons from the hair follicle. <i>Journal of Autoimmunity</i> , 2021, 124, 102711.	6.5	22
43	Effect of antiinsulin-like growth factor 1 on epidermal proliferation of human skin transplanted onto nude mice treated with growth hormone.. <i>Endocrinology</i> , 1994, 134, 229-232.	2.8	19
44	Toxic Epidermal Necrolysis After Excretory Pyelography.. <i>International Journal of Dermatology</i> , 1988, 27, 346-347.	1.0	17
45	IGFBP7 as a Potential Therapeutic Target in Psoriasis. <i>Journal of Investigative Dermatology</i> , 2011, 131, 1767-1770.	0.7	14
46	Antiproliferative effect of pentoxifylline on psoriatic and normal epidermis. In vitro and in vivo studies.. <i>Acta Dermato-Venereologica</i> , 1996, 76, 437-441.	1.3	14
47	Human organ rejuvenation by VEGF-A: Lessons from the skin. <i>Science Advances</i> , 2022, 8, .	10.3	14
48	In vivo effects of cytokines on psoriatic skin grafted on nude mice: involvement of the tumour necrosis factor (TNF) receptor. <i>Clinical and Experimental Immunology</i> , 1996, 106, 134-142.	2.6	13
49	Instantaneous depolarization of T cells via dopamine receptors, and inhibition of activated T cells of Psoriasis patients and inflamed human skin, by D1â€like receptor agonist: Fenoldopam. <i>Immunology</i> , 2019, 158, 171-193.	4.4	13
50	The Nude Mouse Model for the Study of Human Skin Disorders. <i>Dermatology</i> , 1994, 189, 5-8.	2.1	12
51	Favourable melanoma prognosis associated with the expression of the tumour necrosis factor receptor and the Î²1Î²1 integrin: a preliminary report. <i>Melanoma Research</i> , 1997, 7, 486-495.	1.2	12
52	An osteopontinâ€derived peptide inhibits human hair growth at least in part by decreasing fibroblast growth factorâ€7 production in outer root sheath keratinocytes. <i>British Journal of Dermatology</i> , 2020, 182, 1404-1414.	1.5	12
53	Coexistence of Kaposi's Sarcoma and Angioimmunoblastic Lymphadenopathy. <i>The Journal of Dermatologic Surgery and Oncology</i> , 1985, 11, 76-79.	0.8	10
54	Aged versus young skin before and after transplantation onto nude mice. <i>British Journal of Dermatology</i> , 1991, 124, 168-171.	1.5	10

#	ARTICLE	IF	CITATIONS
55	Dopa reaction of fetal melanocytes before and after skin transplantation on to nude mice. <i>British Journal of Dermatology</i> , 1995, 133, 884-889.	1.5	10
56	Hair Growth in Human Split-Thickness Skin Grafts Transplanted onto Nude Rats: The Role of Cyclosporin. <i>Dermatology</i> , 1990, 181, 117-121.	2.1	9
57	T-cell induced-self-MHC class I/peptide complexes may enable <i>de novo</i> tolerance induction to neo-antigens occurring outside of the thymus. <i>Experimental Dermatology</i> , 2017, 26, 529-531.	2.9	8
58	Serum selenium in melanoma and epidermotropic cutaneous T-cell lymphoma.. <i>Acta Dermato-Venereologica</i> , 1994, 74, 90-92.	1.3	8
59	Vorinostat, a histone deacetylase inhibitor, as a potential novel treatment for psoriasis. <i>Experimental Dermatology</i> , 2022, 31, 567-576.	2.9	7
60	The hair follicle-psoriasis axis: Shared regulatory mechanisms and therapeutic targets. <i>Experimental Dermatology</i> , 2022, 31, 266-279.	2.9	6
61	Apremilast and tofacitinib exert differential effects in the humanized mouse model of alopecia areata. <i>British Journal of Dermatology</i> , 2020, 182, 227-229.	1.5	5
62	Mouse Models of Alopecia Areata: C3H/HeJ Mice Versus the Humanized AA Mouse Model. <i>Journal of Investigative Dermatology Symposium Proceedings</i> , 2020, 20, S11-S15.	0.8	5
63	Effect of antiinsulin-like growth factor 1 on epidermal proliferation of human skin transplanted onto nude mice treated with growth hormone. <i>Endocrinology</i> , 1994, 134, 229-232.	2.8	5
64	Cyclosporin in Dermatologic Disorders. <i>International Journal of Dermatology</i> , 1989, 28, 423-425.	1.0	4
65	Evidence from a humanized mouse model of androgenetic alopecia that platelet-rich plasma stimulates hair regrowth, hair shaft diameter and vellus terminal hair reconversion <i>in vivo</i> . <i>British Journal of Dermatology</i> , 2021, 185, 644-646.	1.5	4
66	Topical cyclosporin A in alopecia areata. <i>Acta Dermato-Venereologica</i> , 1989, 69, 252-3.	1.3	4
67	EPIDERMAL LANGERHANS' CELLS IN GRANULOMA ANNULARE. <i>Journal of Dermatology</i> , 1985, 12, 232-236.	1.2	3
68	516 Possible role of ILC1 in the pathogenesis of alopecia areata (AA). <i>Journal of Investigative Dermatology</i> , 2019, 139, S88.	0.7	3
69	Effect of minoxidil formulations on human scalp skin xenotransplants on SCID mice: A novel preclinical <i>in vivo</i> assay for androgenetic alopecia research. <i>Experimental Dermatology</i> , 2022, 31, 980-982.	2.9	3
70	Possible role of cytokines in cellular proliferation of the skin transplanted onto nude mice. <i>Archives of Dermatology</i> , 1995, 131, 38-42.	1.4	2
71	Dual composite bioadhesives for wound closure applications: An <i>in vitro</i> and <i>in vivo</i> study. <i>Polymers for Advanced Technologies</i> , 2022, 33, 3862-3877.	3.2	2
72	la Expression in Keratinocytes Following Ultraviolet Radiation. <i>Scandinavian Journal of Immunology</i> , 1992, 35, 321-325.	2.7	1

#	ARTICLE	IF	CITATIONS
73	Effect of Donor Age on Response of Skin Grafts to Gamma-interferon. <i>Dermatology</i> , 1995, 191, 99-103.	2.1	1
74	Cytokine mRNA expression in normal skin of various age populations before and after engraftment onto nude mice. <i>Acta Dermato-Venereologica</i> , 1998, 78, 36-39.	1.3	1
75	CD51 <sup>hi</sup> T cells as novel players in alopecia areata pathobiology: CD1 + T lymphocytes may recognize "stressed" hair follicle keratinocytes, leading to IFN $\gamma$ -dependent hair follicle dystrophy and immune privilege collapse. <i>Journal of Investigative Dermatology</i> , 2016, 136, S9.	0.7	1
76	Topical cyclosporin induces hair growth in human split skin grafted onto nude mice. <i>Acta Dermato-Venereologica</i> , 1991, 71, 327-30.	1.3	1
77	Vitiliginous vs pigmented skin response to intradermal administration of interferon gamma. <i>Archives of Dermatology</i> , 1993, 129, 600-4.	1.4	0
78	The role of cyclosporine on Ia antigen expression on gut epithelium in nude mice. <i>Israel Journal of Medical Sciences</i> , 1993, 29, 609-12.	0.1	0
79	Ia induction by gut and epidermal cells of nude mice following administration of human lymphocytes. <i>Revista Medico-chirurgicala A Societatii De Medici Si Naturalisti Din Iasi</i> , 1995, 99, 163-70.	0.1	0