Yasuhisa Yamamura

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4439141/publications.pdf

Version: 2024-02-01

331670 454955 1,223 77 21 30 h-index citations g-index papers 78 78 78 934 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Heat capacity measurements and phase transition of crystalline 4,4″-difluoro-p-terphenyl. Journal of Physics and Chemistry of Solids, 1995, 56, 107-115.	4.0	59
2	Low-temperature heat capacities and Raman spectra of negative thermal expansion compoundsZrW2O8andHfW2O8. Physical Review B, 2002, 66, .	3.2	58
3	Calorimetric and Spectroscopic Evidence of Chain-Melting in Smectic E and Smectic A Phases of 4-Alkyl-4′-isothiocyanatobiphenyl (<i>n</i> TCB). Journal of Physical Chemistry B, 2012, 116, 9255-9260.	2.6	56
4	Coexistence of Two Aggregation Modes in Exotic Liquid-Crystalline Superstructure: Systematic Maximum Entropy Analysis for Cubic Mesogen, 1,2-Bis(4′-⟨i⟩n⟨ i⟩-alkoxybenzoyl)hydrazine [BABH(⟨i⟩n⟨ i⟩]. Journal of Physical Chemistry B, 2008, 112, 12179-12181.	2.6	51
5	Characteristic Phonon Spectrum of Negative Thermal Expansion Materials with Framework Structure through Calorimetric Study of $Sc < sub > 2 < sub > M < sub > 3 < sub > O < sub > 12 < sub > (M = W and Mo)$. Chemistry of Materials, 2009, 21, 3008-3016.	6.7	50
6	Molecular Mechanism Responsible for Reentrance to <i>la3d</i> Gyroid Phase in Cubic Mesogen BABH(<i>n</i>). Journal of the Physical Society of Japan, 2012, 81, 094601.	1.6	42
7	Negative thermal expansion emerging upon structural phase transition in ZrV2O7 and HfV2O7. Dalton Transactions, 2011, 40, 2242.	3.3	40
8	Universality of Molten State of Alkyl Chain in Liquid-Crystalline Mesophases: Smectic E Phase of 6-Alkyl-2-phenylazulene. Bulletin of the Chemical Society of Japan, 2013, 86, 1022-1027.	3.2	34
9	A structural model of the chiral "lm3m―cubic phase. Physical Chemistry Chemical Physics, 2016, 18, 3280-3284.	2.8	34
10	Experimental assessment of quasi-binary picture of thermotropics: Induced smectic A phase in 7CBâ€" <i>n</i> heptane system. Journal of Chemical Physics, 2011, 135, 044705.	3.0	31
11	Study of Polymorphism of 4-Hexyl-4′-isothiocyanatobiphenyl by Complementary Methods. Journal of Physical Chemistry B, 2011, 115, 12327-12335.	2.6	30
12	Cold Crystallization in Schiff-Base Nickel(II) Complexes Derived from Three Toluidine Isomers. Journal of Physical Chemistry C, 2014, 118, 27664-27671.	3.1	30
13	Phase Transition of Zr1-xHfxV2O7 Solid Solutions Having Negative Thermal Expansion. Journal of the Ceramic Society of Japan, 2006, 114, 607-611.	1.3	29
14	Reentrant nematic phase in 4-alkyl-4′-cyanobiphenyl (<i>n</i> CB) binary mixtures. Liquid Crystals, 2014, 41, 927-932.	2.2	29
15	Cooperativity between Water and Lipids in Lamellar to Inverted-Hexagonal Phase Transition. Journal of the Physical Society of Japan, 2014, 83, 044801.	1.6	25
16	Odd–Even Effect on Nematic SmA _d Phase Boundary and SmA _d Structure in Homologous Binary Systems of Cyanobiphenyl Mesogens: 4-Alkyl-4′-cyanobiphenyl (<i>n</i> CB) and 4-Alkoxy-4′-cyanobiphenyl (<i>n</i> OCB). Journal of Physical Chemistry B, 2017, 121, 1438-1447.	2.6	25
17	Calorimetric and dielectric study of organic ferroelectrics, phenazine-chloranilic acid, and its bromo analog. Journal of Chemical Physics, 2009, 130, 034503.	3.0	24
18	Phase transition in crystalline p-polyphenyls: Heat capacity of 4,4‴-difluoro-p-quaterphenyl. Solid State Communications, 1994, 92, 495-499.	1.9	23

#	Article	IF	CITATIONS
19	Calorimetric Study of Glass Transition in Molecular Liquids Consisting of Globular Associates: Dicyclorohexylmethanol and Tricyclohexylmethanol. Journal of Physical Chemistry B, 2012, 116, 3938-3943.	2.6	22
20	Possible Formation of Multicontinuous Structures by Rodlike Particles. Journal of the Physical Society of Japan, 2008, 77, 093601.	1.6	21
21	Thermodynamic properties of saponite, nontronite, and vermiculite derived from calorimetric measurements. American Mineralogist, 2013, 98, 1834-1847.	1.9	21
22	Mirror symmetry breaking by mixing of equimolar amounts of two gyroid phase-forming achiral molecules. Physical Chemistry Chemical Physics, 2016, 18, 17341-17344.	2.8	20
23	Phase transition associated with molecular twisting in crystalline 4,4″-difluoro-p-terphenyl displacive or order-disorder transition?. Solid State Communications, 1993, 87, 903-906.	1.9	19
24	Low-Temperature Phase Transitions of an Organic Ferroelectrics, Phenazine–Chloranilic Acid. Journal of the Physical Society of Japan, 2006, 75, 033601.	1.6	19
25	Communication: Salt-induced water orientation at a surface of non-ionic surfactant in relation to a mechanism of Hofmeister effect. Journal of Chemical Physics, 2015, 142, 171101.	3.0	17
26	Electrostatic double-layer interaction between stacked charged bilayers. Physical Review E, 2017, 96, 040601.	2.1	17
27	Rich polymorphism in 4â€propylâ€4′â€thiocyanatoâ€1,1′â€biphenyl (3TCB) revealed by adiabatic calorimet Crystals, 2008, 35, 179-186.	ry, Liquid	16
28	Thermal Conductivity of YBCO Coated Conductors Reinforced by Metal Tape. IEEE Transactions on Applied Superconductivity, 2011, 21, 3037-3040.	1.7	16
29	Molecular packing in two bicontinuous <i>la</i> d gyroid phases of calamitic cubic mesogens BABH(<i>n</i>): roles in structural stability and reentrant behavior. Physical Chemistry Chemical Physics, 2019, 21, 23705-23712.	2.8	16
30	Effect of n-alkanes on lipid bilayers depending on headgroups. Chemistry and Physics of Lipids, 2015, 188, 61-67.	3.2	15
31	One-dimensional correlation in the dipolar Ising crystal tricyclohexylmethanol: crystal structure revisited and heat capacity. Journal of Physics Condensed Matter, 2007, 19, 176219.	1.8	14
32	Polarization reversal by intramolecular disordering in organic ferroelectrics: trichloroacetamide. CrystEngComm, 2011, 13, 2693.	2.6	14
33	New Organic Ferroelectrics: Cocrystal of 5,5′-Dimethyl-2,2′-bipyridine and Bromanilic Acid. Chemistry Letters, 2012, 41, 119-121.	1.3	14
34	Examination of molecular packing in orthogonal smectic liquid crystal phases: a guide for molecular design of functional smectic phases. Physical Chemistry Chemical Physics, 2017, 19, 25518-25526.	2.8	14
35	Structure and molecular packing in smectic B _{Cr} and A _d phases of Schiff base liquid crystal compounds through the analyses of layer spacing, entropy and crystal structure. Physical Chemistry Chemical Physics, 2017, 19, 19434-19441.	2.8	14
36	Interleaflet coupling of <i>n</i> -alkane incorporated bilayers. Physical Chemistry Chemical Physics, 2020, 22, 5418-5426.	2.8	14

#	Article	IF	CITATIONS
37	Designing the disorder: the kinetics of nonisothermal crystallization of the orientationally disordered crystalline phase in a nematic mesogen. Physical Chemistry Chemical Physics, 2020, 22, 24236-24248.	2.8	14
38	Disappearance of a Displacive Phase Transition in Crystalline Biphenyl by a Small Amount of Impurity*. Journal of the Physical Society of Japan, 1998, 67, 1649-1654.	1.6	13
39	Communication: Rigidification of a lipid bilayer by an incorporated <i>n</i> -alkane. Journal of Chemical Physics, 2016, 144, 041103.	3.0	13
40	Various Stacking Patterns of Twoâ€Dimensional Molecular Assemblies in Hydrogenâ€Bonded Cocrystals: Insight into Competitive Intermolecular Interactions and Control of Stacking Patterns. Angewandte Chemie - International Edition, 2021, 60, 22839-22848.	13.8	13
41	Comprehensive characterisation of the E phase of 6-octyl-2-phenylazulene. Liquid Crystals, 2012, 39, 1340-1344.	2.2	12
42	Structural Isomerization and Cold Crystallization of Bis[1-(2-propyl)iminomethylnaphthalen-2-olato]nickel(II) by Thermal Analysis, X-ray Diffraction, and FT-IR. Bulletin of the Chemical Society of Japan, 2015, 88, 989-995.	3.2	12
43	Stabilization of the bicontinuous cubic phase in siloxane-terminated mesogens, 1,2-bis[4′-(n-(oligodimethylsiloxyl)alkoxy)benzoyl]hydrazine. Physical Chemistry Chemical Physics, 2016, 18, 9013-9020.	2.8	12
44	Comprehensive Interpretation of a Substitution Effect on an Orderâ Disorder Phase Transition in A1-xMxW2O8-y (A = Zr, Hf; M = Trivalent Cations) and Other ZrW2O8-Based Solid Solutions. Journal of Physical Chemistry B, 2007, 111, 10118-10122.	2.6	10
45	Calorimetric Study of Correlated Disordering in [Hdamel] ₂]·2THF Crystal. Journal of Physical Chemistry A, 2008, 112, 4465-4469.	2.5	10
46	Interplay between Melt and Cold Crystallization in a Smectic Liquid Crystal, 4-Pentylphenyl 4-(<i>trans</i> -4-Pentylcyclohexyl)benzoate. Crystal Growth and Design, 2021, 21, 2777-2785.	3.0	10
47	Entropic evidence of the order-disorder nature of the phase transition inp-terphenyl crystal. Journal of Physics Condensed Matter, 1998, 10, 3359-3366.	1.8	9
48	Cold Crystallization in Bis[1-(3-methylphenyl)iminomethylnaphthalen-2-olato]nickel(II) Studied by Thermal Analysis and X-ray Diffraction. Chemistry Letters, 2013, 42, 1040-1042.	1.3	9
49	Orders Exhibited by Ensemble of Headless Spins Preferring Twisted Alignment: Phase Diagram of Extended Maier–Saupe Model on Simple Cubic Lattice. Journal of the Physical Society of Japan, 2017, 86, 084602.	1.6	9
50	Identification of Hydrogen-Bonded Oligomers in Associating Liquid by 1H NMR: 1-Phenyl-1-cyclohexanol. Bulletin of the Chemical Society of Japan, 2013, 86, 569-576.	3.2	8
51	Optical Switching between Liquid-Crystalline Assemblies with Different Structural Symmetries and Molecular Orders. Bulletin of the Chemical Society of Japan, 2018, 91, 1652-1659.	3.2	8
52	Interplay between Phase Transition of DPPC Bilayer and Photoisomerization of Doped Stilbene Molecules. Chemistry Letters, 2014, 43, 1352-1354.	1.3	7
53	Contrasting Effects of a Rigid Core and an Alkyl Chain in nCB on the Phase Behavior of Lipid Bilayers. Langmuir, 2016, 32, 5966-5972.	3.5	7
54	Heat capacity and standard thermodynamic functions of three ketohexoses in monosaccharides including rare sugars: D-fructose, D-psicose, and D-tagatose. Journal of Chemical Thermodynamics, 2019, 131, 420-430.	2.0	7

#	Article	IF	CITATIONS
55	Photoinduced Bilayer-to-Nonbilayer Phase Transition of POPE by Photoisomerization of Added Stilbene Molecules. Langmuir, 2016, 32, 7647-7653.	3.5	6
56	Three Gel States of Colloidal Composites Consisting of Polymer-Brush-Afforded Silica Particles and a Nematic Liquid Crystal with Distinct Viscoelastic and Optical Properties. ACS Applied Materials & Samp; Interfaces, 2016, 8, 29649-29657.	8.0	6
57	Common Effects of Incorporated <i>n</i> -Alkane Derivatives on Molecular Packing and Phase Behavior of DPPC Bilayers. Chemistry Letters, 2018, 47, 1512-1514.	1.3	6
58	Vibrational dynamics of glass forming: 2-phenylbutan-1-ol (BEP), 2-(trifluoromethyl)phenethyl alcohol (2TFMP) and 4-(trifluoromethyl)phenethyl alcohol (4TFMP) in their thermodynamic phases. Phase Transitions, 2018, 91, 170-185.	1.3	5
59	Phase separation of a ternary lipid vesicle including $\langle i \rangle n \langle j \rangle$ -alkane: Rugged vesicle and bilayer flakes formed by separation between highly rigid and flexible domains. Journal of Chemical Physics, 2019, 150, 064904.	3.0	4
60	Ordering Phase Transition with Symmetry-Breaking from Disorder over Non-Equivalent Sites: Calorimetric and Crystallographic Study of Crystalline d-Sorbose. Crystals, 2020, 10, 361.	2.2	4
61	Possible Phonon Density of States of High-Temperature Phase Structure of the Negative Thermal Expansion Compound ZrW2O8. Journal of the Physical Society of Japan, 2007, 76, 123603.	1.6	3
62	Cell Gap Dependence of Nematic Backflow around Annihilating Disclination Pair. Journal of the Physical Society of Japan, 2012, 81, 074603.	1.6	3
63	Phase behaviour of a thermotropic cubic mesogen of 1,2-bis(4′-n-hexyloxybenzoyl)hydrazine under pressure. Liquid Crystals, 2014, 41, 731-737.	2.2	3
64	A possible critical point for nematic order on the basis of Landau free energy having dual instabilities for nano-segregated smectic liquid crystals. Soft Matter, 2015, 11, 8493-8498.	2.7	3
65	Salt Effects on Lamellar Structure of Nonionic Surfactants. Journal of Solution Chemistry, 2016, 45, 1612-1619.	1.2	3
66	Cell-quintupling: Structural phase transition in a molecular crystal, bis(<i>trans</i> -4â€"butylcyclohexyl)methanol. Journal of Chemical Physics, 2017, 146, 074503.	3.0	3
67	Dimensional Crossover and Its Interplay with In-Plane Anisotropy of Upper Critical Field in β-(BDA-TTP) ₂ SbF ₆ . Journal of the Physical Society of Japan, 2017, 86, 084704.	1.6	3
68	Reduction of Shear Viscosity in Phospholipid Vesicle Dispersions by Self-organized Ripple Structures of Vesicle Surfaces. Chemistry Letters, 2018, 47, 240-242.	1.3	3
69	Two-Dimensional Spin Model Possibly Undergoing a Phase Transition: Heisenberg Model of Headless Spins Preferring Twist on Triangular Lattice. Journal of the Physical Society of Japan, 2021, 90, .	1.6	3
70	Headless Heisenberg Spin Models Preferring Twist on Triangular Lattice: Phase Transition under External Field. Journal of the Physical Society of Japan, 2022, 91, .	1.6	3
71	Phase Transition from the Interdigitated to Bilayer Membrane of a Cationic Surfactant Induced by Addition of Hydrophobic Molecules. Langmuir, 2020, 36, 14699-14709.	3.5	2
72	Stabilization of Bicontinuous Cubic Phase and Its Twoâ€Sided Nature Produced by Use of Siloxane Tails and Introduction of Molecular Nonsymmetry. Chemistry - A European Journal, 2021, 27, 10293-10302.	3.3	2

#	Article	IF	CITATIONS
73	Effect ofCisandTransDouble Bonds on Conformational Disordering of the Hydrocarbon Chain of Lipid, Unsaturated Monoacylglycerols, in the Lamellar Phase of a Binary System with Water. Journal of Physical Chemistry B, 2011, 115, 14963-14968.	2.6	1
74	Various Stacking Patterns of Twoâ€Dimensional Molecular Assemblies in Hydrogenâ€Bonded Cocrystals: Insight into Competitive Intermolecular Interactions and Control of Stacking Patterns. Angewandte Chemie, 2021, 133, 23021.	2.0	1
75	Deduction of channel-length distribution from isothermal thermogravimetry. Journal of Thermal Analysis and Calorimetry, 2008, 92, 391-394.	3.6	O
76	Ultraslow Oscillation of Nematic Disclination after Abrupt Switching of DC Voltage. Journal of the Physical Society of Japan, 2015, 84, 033601.	1.6	0
77	Heat Capacity and Phase Transition of Rare Sugar Crystals. Seibutsu Butsuri, 2021, 61, 308-311.	0.1	0