

# Tze Ping Loh

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4441110/tze-ping-loh-publications-by-year.pdf>

**Version:** 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

152  
papers

1,696  
citations

21  
h-index

34  
g-index

166  
ext. papers

2,221  
ext. citations

4.7  
avg, IF

5.08  
L-index

#	Paper	IF	Citations
152	An exploration of the political, social, economic and cultural factors affecting how different global regions initially reacted to the COVID-19 pandemic.. <i>Interface Focus</i> , <b>2022</b> , 12, 20210079	3.9	6
151	Current and emerging technologies for the timely screening and diagnosis of neonatal jaundice.. <i>Critical Reviews in Clinical Laboratory Sciences</i> , <b>2022</b> , 1-21	9.4	0
150	Lot-to-lot reagent verification: challenges and possible solutions.. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2022</b> ,	5.9	4
149	Letter to the Editor: On moving average and internal quality control.. <i>Clinical Biochemistry</i> , <b>2022</b> , 103, 32-32	3.5	0
148	An Objective Approach to Deriving the Clinical Performance of Autoverification Limits.. <i>Annals of Laboratory Medicine</i> , <b>2022</b> , 42, 597-601	3.1	1
147	Space travel and early childhood gut microbiome: is space dirty enough to raise a child?. <i>Future Microbiology</i> , <b>2022</b> , 17, 717-721	2.9	
146	Falsely low serum creatinine caused by immunoglobulin M paraprotein interference with enzymatic method.. <i>Pathology</i> , <b>2022</b> ,	1.6	
145	Measurement of urine albumin by liquid chromatography-isotope dilution tandem mass spectrometry and its application to value assignment of external quality assessment samples and certification of reference materials. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2021</b> , 59, 711-720	5.9	1
144	Emerging technologies in paediatric laboratory medicine. <i>Journal of Laboratory Medicine</i> , <b>2021</b> , 45, 245-248		
143	Dynamic assessment of insulin secretion and insulin resistance in Asians with prediabetes.. <i>Metabolism: Clinical and Experimental</i> , <b>2021</b> , 154957	12.7	3
142	Setting analytical performance specifications using HbA1c as a model measurand. <i>Clinica Chimica Acta</i> , <b>2021</b> , 523, 407-414	6.2	3
141	Benefits, limitations, and controversies on patient-based real-time quality control (PBRTQC) and the evidence behind the practice. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2021</b> ,	5.9	5
140	Calcium, Vitamin D, and Bone Derangement in Nephrotic Syndrome. <i>Journal of the ASEAN Federation of Endocrine Societies</i> , <b>2021</b> , 36, 50-55	0.5	0
139	Precision Verification: Effect of Experiment Design on False Acceptance and False Rejection Rates. <i>American Journal of Clinical Pathology</i> , <b>2021</b> , 156, 1058-1067	1.9	1
138	Impact of combining data from multiple instruments on performance of patient-based real-time quality control. <i>Biochemia Medica</i> , <b>2021</b> , 31, 020705	2.5	2
137	Can we do better? A guide to pandemics - some Dos and Don'ts for the next one. <i>Journal of Infection</i> , <b>2021</b> , 83, 119-145	18.9	2
136	Setting minimum clinical performance specifications for tests based on disease prevalence and minimum acceptable positive and negative predictive values: Practical considerations applied to COVID-19 testing. <i>Clinical Biochemistry</i> , <b>2021</b> , 88, 18-22	3.5	2

135	Evidence-based approach to setting delta check rules. <i>Critical Reviews in Clinical Laboratory Sciences</i> , <b>2021</b> , 58, 49-59	9.4	6
134	Mechanism of bilirubin elimination in urine: insights and prospects for neonatal jaundice. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2021</b> , 59, 1025-1033	5.9	3
133	Functional reference limits: a case study of serum ferritin. <i>Journal of Laboratory Medicine</i> , <b>2021</b> , 45, 69-70.9	7.9	1
132	Interpretative commenting in clinical chemistry with worked examples for thyroid function test reports. <i>Practical Laboratory Medicine</i> , <b>2021</b> , 26, e00243	1.7	0
131	SMOFlipid causing spuriously high serum total bilirubin in an extremely premature neonate. <i>Pathology</i> , <b>2021</b> , 53, 685-687	1.6	2
130	Internal quality control: Moving average algorithms outperform Westgard rules. <i>Clinical Biochemistry</i> , <b>2021</b> , 98, 63-69	3.5	2
129	Microbes and space travel - hope and hazards. <i>Future Microbiology</i> , <b>2021</b> , 16, 1023-1028	2.9	1
128	Staff rostering, split team arrangement, social distancing (physical distancing) and use of personal protective equipment to minimize risk of workplace transmission during the COVID-19 pandemic: A simulation study. <i>Clinical Biochemistry</i> , <b>2020</b> , 86, 15-22	3.5	9
127	Implementation of patient-based real-time quality control. <i>Critical Reviews in Clinical Laboratory Sciences</i> , <b>2020</b> , 57, 532-547	9.4	9
126	On the Use of Accuracy in Optimized Delta Check Rules for Detecting Misidentified Specimens in Children. <i>American Journal of Clinical Pathology</i> , <b>2020</b> , 154, 572-574	1.9	
125	An approach to optimize delta checks in test panels - The effect of the number of rules included. <i>Annals of Clinical Biochemistry</i> , <b>2020</b> , 57, 215-222	2.2	7
124	Recommendation for performance verification of patient-based real-time quality control. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2020</b> , 58, 1205-1213	5.9	15
123	Operational considerations and challenges of biochemistry laboratories during the COVID-19 outbreak: an IFCC global survey. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2020</b> , 58, 1441-1449	5.9	15
122	Laboratory practices to mitigate biohazard risks during the COVID-19 outbreak: an IFCC global survey. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2020</b> , 58, 1433-1440	5.9	14
121	Bone turnover marker monitoring in osteoporosis treatment response. <i>European Journal of Endocrinology</i> , <b>2020</b> , 183, C5-C7	6.5	7
120	Influence of isotopically labeled internal standards on quantification of serum/plasma 17 $\alpha$ -hydroxyprogesterone (17OHP) by liquid chromatography mass spectrometry. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2020</b> , 58, 1731-1739	5.9	2
119	Patient-based quality control for glucometers: using the moving sum of positive patient results and moving average. <i>Biochemia Medica</i> , <b>2020</b> , 30, 020709	2.5	3
118	Impact of delta check time intervals on error detection capability. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2020</b> , 58, 384-389	5.9	9

117	Optimized Delta Check Rules for Detecting Misidentified Specimens in Children. <i>American Journal of Clinical Pathology</i> , <b>2020</b> , 153, 605-612	1.9	9
116	Next generation sequencing identifies multi-drug resistant herpes simplex virus- associated scrotal ulceration. <i>Journal of Infection</i> , <b>2020</b> , 80, 232-254	18.9	2
115	Molecular phenotyping of oxidative stress in diabetes mellitus with point-of-care NMR system. <i>Npj Aging and Mechanisms of Disease</i> , <b>2020</b> , 6, 11	5.5	6
114	Validation of "Outcome-Based" Pediatric Critical Value Threshold for Plasma Glucose in an Infant and Maternity Hospital Setting. <i>American Journal of Clinical Pathology</i> , <b>2020</b> , 154, 721-723	1.9	
113	Clinical thresholds for diagnosing iron deficiency: comparison of functional assessment of serum ferritin to population based centiles. <i>Scientific Reports</i> , <b>2020</b> , 10, 18233	4.9	6
112	Machine learning assistive rapid, label-free molecular phenotyping of blood with two-dimensional NMR correlational spectroscopy. <i>Communications Biology</i> , <b>2020</b> , 3, 535	6.7	12
111	Understanding Patient-Based Real-Time Quality Control Using Simulation Modeling. <i>Clinical Chemistry</i> , <b>2020</b> , 66, 1072-1083	5.5	11
110	Relationship between biological variation and delta check rules performance. <i>Clinical Biochemistry</i> , <b>2020</b> , 80, 42-47	3.5	4
109	Genes Involved in Oxidative Stress Pathways Are Differentially Expressed in Circulating Mononuclear Cells Derived From Obese Insulin-Resistant and Lean Insulin-Sensitive Individuals Following a Single Mixed-Meal Challenge. <i>Frontiers in Endocrinology</i> , <b>2019</b> , 10, 256	5.7	1
108	Key questions about the future of laboratory medicine in the next decade of the 21st century: A report from the IFCC-Emerging Technologies Division. <i>Clinica Chimica Acta</i> , <b>2019</b> , 495, 570-589	6.2	32
107	Recommendations for laboratory informatics specifications needed for the application of patient-based real time quality control. <i>Clinica Chimica Acta</i> , <b>2019</b> , 495, 625-629	6.2	17
106	Outcome-Based Critical Result Thresholds in the Adult Patient Population. <i>American Journal of Clinical Pathology</i> , <b>2019</b> , 152, 177-184	1.9	4
105	Plasma Protein and MicroRNA Biomarkers of Insulin Resistance: A Network-Based Integrative -Omics Analysis. <i>Frontiers in Physiology</i> , <b>2019</b> , 10, 379	4.6	19
104	Indirect derivation of biological variation data and analytical performance specifications for therapeutic drug monitoring activities. <i>Pathology</i> , <b>2019</b> , 51, 281-285	1.6	0
103	Subtyping of circulating exosome-bound amyloid $\beta$ reflects brain plaque deposition. <i>Nature Communications</i> , <b>2019</b> , 10, 1144	17.4	84
102	Barcoded DNA nanostructures for the multiplexed profiling of subcellular protein distribution. <i>Nature Biomedical Engineering</i> , <b>2019</b> , 3, 684-694	19	33
101	Patient-Based Real-Time Quality Control: Review and Recommendations. <i>Clinical Chemistry</i> , <b>2019</b> , 65, 962-971	5.5	30
100	Simple and accurate candidate reference measurement procedure for total testosterone in human serum by one-step liquid-liquid extraction coupled with isotope dilution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , <b>2019</b> , 411, 7519-7528	4.4	3

99	Detecting reagent lot shifts using proficiency testing data. <i>Pathology</i> , <b>2019</b> , 51, 711-717	1.6	1
98	Two-Hour Postprandial Lipoprotein Particle Concentration Differs Between Lean and Obese Individuals. <i>Frontiers in Physiology</i> , <b>2019</b> , 10, 856	4.6	2
97	Routine free thyroxine reference intervals are suboptimal for monitoring children on thyroxine replacement therapy and target intervals need to be assay-specific. <i>Scientific Reports</i> , <b>2019</b> , 9, 19080	4.9	4
96	Commutable whole blood reference materials for hemoglobin A1c validated on multiple clinical analyzers. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2019</b> , 57, 648-658	5.9	4
95	Hemoglobin A1c Levels Are Slightly but Significantly Lower in Normoglycemic Subjects With the Hemoglobin E Phenotype. <i>Annals of Laboratory Medicine</i> , <b>2019</b> , 39, 209-213	3.1	2
94	Relative criticalness of common laboratory tests for critical value reporting. <i>Journal of Clinical Pathology</i> , <b>2019</b> , 72, 325-328	3.9	3
93	A primer on patient-based quality control techniques. <i>Clinical Biochemistry</i> , <b>2019</b> , 64, 1-5	3.5	12
92	Derivation of Outcome-Based Pediatric Critical Values. <i>American Journal of Clinical Pathology</i> , <b>2018</b> , 149, 324-331	1.9	8
91	Indirect methods for reference interval determination - review and recommendations. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2018</b> , 57, 20-29	5.9	101
90	Current state and recommendations for harmonization of serum/plasma 17-hydroxyprogesterone mass spectrometry methods. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2018</b> , 56, 1685-1697	5.9	7
89	A diagnostic curiosity of isolated androstenedione elevation due to autoantibodies against horseradish peroxidase label of the immunoassay. <i>Clinica Chimica Acta</i> , <b>2018</b> , 476, 103-106	6.2	3
88	Moving standard deviation and moving sum of outliers as quality tools for monitoring analytical precision. <i>Clinical Biochemistry</i> , <b>2018</b> , 52, 112-116	3.5	23
87	Cost-benefit analysis of introducing next-generation sequencing (metagenomic) pathogen testing in the setting of pyrexia of unknown origin. <i>PLoS ONE</i> , <b>2018</b> , 13, e0194648	3.7	6
86	Evaluation of the Luminex ARIES HSV 1&2 Assay and Comparison with the FTD Neuro 9 and In-house Real-Time PCR Assays for Detecting Herpes Simplex Viruses. <i>Annals of Laboratory Medicine</i> , <b>2018</b> , 38, 440-445	3.1	4
85	MS-based lipidomics of human blood plasma: a community-initiated position paper to develop accepted guidelines. <i>Journal of Lipid Research</i> , <b>2018</b> , 59, 2001-2017	6.3	146
84	Visual and modular detection of pathogen nucleic acids with enzyme-DNA molecular complexes. <i>Nature Communications</i> , <b>2018</b> , 9, 3238	17.4	35
83	Screening for diabetes with HbA1c: Test performance of HbA1c compared to fasting plasma glucose among Chinese, Malay and Indian community residents in Singapore. <i>Scientific Reports</i> , <b>2018</b> , 8, 12419	4.9	21
82	A high carbohydrate, but not fat or protein meal attenuates postprandial ghrelin, PYY and GLP-1 responses in Chinese men. <i>PLoS ONE</i> , <b>2018</b> , 13, e0191609	3.7	27

81	Missed detection of significant positive and negative shifts in gentamicin assay: implications for routine laboratory quality practices. <i>Biochemia Medica</i> , <b>2018</b> , 28, 010705	2.5	11
80	False negative results caused by erroneous automated result interpretation algorithm on the FilmArray 2.0 instrument. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2018</b> , 56, e43-e45	5.9	9
79	A knowledge, attitude, and practice survey on mediation among clinicians in a tertiary-care hospital in Singapore. <i>PLoS ONE</i> , <b>2018</b> , 13, e0199885	3.7	0
78	Time needed to resolve patient complaints and factors influencing it: a cohort study. <i>International Journal for Quality in Health Care</i> , <b>2018</b> , 30, 571-575	1.9	
77	Missed detection of an avian influenza A (H7N9) virus by the Luminex xTAG respiratory viral panel FAST version 2. <i>Pathology</i> , <b>2017</b> , 49, 330-332	1.6	1
76	Moving sum of number of positive patient result as a quality control tool. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2017</b> , 55, 1709-1714	5.9	25
75	Impact of analytical and biological variations on classification of diabetes using fasting plasma glucose, oral glucose tolerance test and HbA1c. <i>Scientific Reports</i> , <b>2017</b> , 7, 13721	4.9	18
74	Comparison of Luminex NxTAG Respiratory Pathogen Panel and xTAG Respiratory Viral Panel FAST Version 2 for the Detection of Respiratory Viruses. <i>Annals of Laboratory Medicine</i> , <b>2017</b> , 37, 267-271	3.1	10
73	A simple means to differentiate labile HbA1c from haemoglobin variant on Bio-Rad Variant II Turbo 2.0 cation-exchange HPLC method. <i>Pathology</i> , <b>2017</b> , 49, 817-818	1.6	1
72	Extremely low high-density lipoprotein cholesterol (HDL) in a patient with diffuse B-cell lymphoma. <i>Pathology</i> , <b>2017</b> , 49, 550-551	1.6	3
71	Comparison of three routine insulin immunoassays: implications for assessment of insulin sensitivity and response. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2017</b> , 55, e72-e75	5.9	3
70	Development of a clinical decision support system for diabetes care: A pilot study. <i>PLoS ONE</i> , <b>2017</b> , 12, e0173021	3.7	21
69	HbG-Honolulu interferes with some cation-exchange HPLC HbA1c assays. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2016</b> , 54, e77-9	5.9	2
68	Verification of out-of-control situations detected by "average of normal" approach. <i>Clinical Biochemistry</i> , <b>2016</b> , 49, 1248-1253	3.5	16
67	Contamination-controlled high-throughput whole genome sequencing for influenza A viruses using the MiSeq sequencer. <i>Scientific Reports</i> , <b>2016</b> , 6, 33318	4.9	17
66	A point mutation in the thiopurine S-methyltransferase gene that led to exon 5 deletion in the transcribed mRNA. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2016</b> , 54, e301-3	5.9	2
65	Metabolic gene expression profile in circulating mononuclear cells reflects obesity-associated metabolic inflexibility. <i>Nutrition and Metabolism</i> , <b>2016</b> , 13, 74	4.6	7
64	Insulin adsorption by infusion sets in the setting of treatment of hyperkalaemia. <i>Wiener Klinische Wochenschrift</i> , <b>2016</b> , 128, 460-1	2.3	1

63	Association between thyroid function tests and anti-thyroid peroxidase (TPO) antibodies in pregnancy. <i>Endocrine</i> , <b>2016</b> , 53, 865-7	4	9
62	Recovery of spiked troponin I in four routine assays. <i>Biochemia Medica</i> , <b>2016</b> , 26, 233-9	2.5	1
61	An Infertile Patient with Abnormal Thyroid-Stimulating Hormone. <i>Clinical Chemistry</i> , <b>2016</b> , 62, 1312-5	5.5	
60	Molecular epidemiology of rhinovirus among hospitalised patients, Singapore. <i>Microbiologia Medica</i> , <b>2016</b> , 31,	0.3	1
59	Age-Related Changes in the Cardiometabolic Profiles in Singapore Resident Adult Population: Findings from the National Health Survey 2010. <i>PLoS ONE</i> , <b>2016</b> , 11, e0162102	3.7	10
58	Meal rich in carbohydrate, but not protein or fat, reveals adverse immunometabolic responses associated with obesity. <i>Nutrition Journal</i> , <b>2016</b> , 15, 100	4.3	9
57	Biological variation of glucose, insulin and lipids in lean, insulin-sensitive and obese, insulin-resistant Chinese males without diabetes. <i>Pathology</i> , <b>2016</b> , 48, 510-2	1.6	3
56	An automated and objective method for age partitioning of reference intervals based on continuous centile curves. <i>Pathology</i> , <b>2016</b> , 48, 581-5	1.6	8
55	Influenza Seasonality. <i>Current Treatment Options in Infectious Diseases</i> , <b>2016</b> , 8, 343-367	1	6
54	Predicting clinical severity based on substitutions near epitope A of influenza A/H3N2. <i>Infection, Genetics and Evolution</i> , <b>2015</b> , 34, 292-7	4.5	8
53	Paediatric reference interval and biological variation trends of thyrotropin (TSH) and free thyroxine (T4) in an Asian population. <i>Journal of Clinical Pathology</i> , <b>2015</b> , 68, 642-7	3.9	15
52	Relationship between measured average glucose by continuous glucose monitor and HbA1c measured by three different routine laboratory methods. <i>Clinical Biochemistry</i> , <b>2015</b> , 48, 514-8	3.5	6
51	Detecting long-term drift in reagent lots. <i>Clinical Chemistry</i> , <b>2015</b> , 61, 1292-8	5.5	18
50	Trends and physiology of common serum biochemistries in children aged 0-18 years. <i>Pathology</i> , <b>2015</b> , 47, 452-61	1.6	32
49	A multidisciplinary approach to reducing spurious hyperkalemia in hospital outpatient clinics. <i>Journal of Clinical Nursing</i> , <b>2015</b> , 24, 2900-6	3.2	5
48	A simple approach to derive Z-score of reference change value involving more than two serial results. <i>Annals of Clinical Biochemistry</i> , <b>2015</b> , 52, 717-9	2.2	1
47	Indirect estimation of pediatric between-individual biological variation data for 22 common serum biochemistries. <i>American Journal of Clinical Pathology</i> , <b>2015</b> , 143, 683-93	1.9	22
46	Molecular surveillance of antiviral drug resistance of influenza A/H3N2 virus in Singapore, 2009-2013. <i>PLoS ONE</i> , <b>2015</b> , 10, e0117822	3.7	7

45	Emergence of G186D mutation in the presence of R292K mutation in an immunocompromised child infected with influenza A/H3N2 virus, treated with oseltamivir. <i>Journal of Clinical Microbiology</i> , <b>2014</b> , 52, 1749-50	9.7	4
44	Bayesian approach to guide termination of retrospective retesting after detection of a systematic quality control failure. <i>Clinica Chimica Acta</i> , <b>2014</b> , 437, 52-7	6.2	3
43	Epidemiology of GB virus type C among patients infected with HIV in Singapore. <i>Journal of Medical Virology</i> , <b>2014</b> , 86, 737-44	19.7	8
42	Effects of haemoglobin E traits on HbA1c measurement by two cation-exchange HPLC and two immunoturbidimetric methods. <i>Pathology</i> , <b>2014</b> , 46, 265-6	1.6	7
41	Spuriously elevated free thyroxine associated with autoantibodies, a result of laboratory methodology: case report and literature review. <i>Endocrine Practice</i> , <b>2014</b> , 20, e134-9	3.2	1
40	Recurrent nocturnal hypoglycemia in a patient with type 1 diabetes mellitus. <i>Clinical Chemistry</i> , <b>2014</b> , 60, 1267-70	5.5	3
39	Application of smoothed continuous labile haemoglobin A1c reference intervals for identification of potentially spurious HbA1c results. <i>Journal of Clinical Pathology</i> , <b>2014</b> , 67, 712-6	3.9	11
38	Correlations between climate factors and incidence--a contributor to RSV seasonality. <i>Reviews in Medical Virology</i> , <b>2014</b> , 24, 15-34	11.7	59
37	Derivation of pediatric within-individual biological variation by indirect sampling method: an LMS approach. <i>American Journal of Clinical Pathology</i> , <b>2014</b> , 142, 657-63	1.9	25
36	Development of paediatric biochemistry centile charts as a complement to laboratory reference intervals. <i>Pathology</i> , <b>2014</b> , 46, 336-43	1.6	32
35	Thyroglobulin and thyroglobulin autoantibodies: interpret with care. <i>Endocrine</i> , <b>2014</b> , 46, 360-1	4	1
34	Lack of standardized description of TRAb assays. <i>Endocrine</i> , <b>2013</b> , 43, 732-3	4	4
33	Identification of hemoglobin variants in samples received for glycosylated hemoglobin testing. <i>Clinica Chimica Acta</i> , <b>2013</b> , 415, 173-5	6.2	12
32	High pleural ammonia negatively interferes with the measurement of adenosine deaminase activity. <i>BMJ Case Reports</i> , <b>2013</b> , 2013,	0.9	4
31	Extremely high (>20 %) glycosylated haemoglobin A1c in patients with normal haemoglobin and erythrocyte parameters. <i>Endocrine</i> , <b>2013</b> , 44, 542-3	4	1
30	Relationship between atypical T- and B-cell size predicts survival in peripheral T-cell lymphomas with large B-cells. <i>Pathology</i> , <b>2013</b> , 45, 28-37	1.6	2
29	Application of a high-sensitivity cardiac troponin I assay to a health screen cohort of young Asian women and association with cardiovascular risk factors. <i>Clinical Chemistry</i> , <b>2013</b> , 59, 853-4	5.5	4
28	Clinical consequences of erroneous laboratory results that went unnoticed for 10 days. <i>Journal of Clinical Pathology</i> , <b>2013</b> , 66, 260-1	3.9	11



27	High concentration of IgM-paraprotein causes over-estimation of serum total protein by certain biuret method. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2013</b> , 51, e205-7	5.9	3
26	Racial differences and relationships between gestational thyrotropin and free thyroxine in a multiracial Asian population. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2013</b> , 51, e265-7	5.9	
25	Non-ionic radiologic contrast (iohexol) interferes with laboratory measurements of endocrine hormones. <i>Pathology</i> , <b>2013</b> , 45, 527-9	1.6	1
24	Comparison of mutation patterns in full-genome A/H3N2 influenza sequences obtained directly from clinical samples and the same samples after a single MDCK passage. <i>PLoS ONE</i> , <b>2013</b> , 8, e79252	3.7	42
23	Lack of oseltamivir-resistance in A/H1N1p-infected patients, Singapore. <i>Journal of Infection</i> , <b>2012</b> , 65, 93-5	18.9	
22	An in-house HIV genotyping assay for the detection of drug resistance mutations in Southeast Asian patients infected with HIV-1. <i>Journal of Medical Virology</i> , <b>2012</b> , 84, 394-401	19.7	4
21	Immunoglobulin-associated creatine kinase masquerading as macro-creatine kinase type 2 in a statin user. <i>Internal Medicine</i> , <b>2012</b> , 51, 1061-4	1.1	2
20	A universal influenza A and B duplex real-time RT-PCR assay. <i>Journal of Medical Virology</i> , <b>2012</b> , 84, 1646-51	5.7	19
19	Critical Result Reporting: Don't Miss the Forest for the Trees. <i>American Journal of Clinical Pathology</i> , <b>2012</b> , 138, 484-484	1.9	
18	Clinical Value of Add-on Chemistry Testing in a Large Tertiary-Care Teaching Hospital. <i>Laboratory Medicine</i> , <b>2012</b> , 43, 82-85	1.6	2
17	Macro-thyrotropin: a case report and review of literature. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 1823-8	5.6	51
16	Influenza outbreaks in Singapore: epidemiology, diagnosis, treatment and prevention. <i>Expert Review of Anti-Infective Therapy</i> , <b>2012</b> , 10, 751-60	5.5	1
15	Detection of a novel single nucleotide polymorphism of the human thiopurine s-methyltransferase gene in a Chinese individual. <i>Drug Metabolism and Pharmacokinetics</i> , <b>2012</b> , 27, 559-61	2.2	6
14	Impact of phlebotomy decision support application on sample collection errors and laboratory efficiency. <i>Clinica Chimica Acta</i> , <b>2011</b> , 412, 393-5	6.2	8
13	Glycated haemoglobin: what is the diagnostic yield at shortened testing intervals?. <i>Diabetes Research and Clinical Practice</i> , <b>2011</b> , 94, e40-2	7.4	7
12	Myositis ossificans. <i>Western Journal of Emergency Medicine</i> , <b>2011</b> , 12, 371	3.3	5
11	High-resolution melting approach to efficient identification and quantification of H275Y mutant influenza H1N1/2009 virus in mixed-virus-population samples. <i>Journal of Clinical Microbiology</i> , <b>2011</b> , 49, 3555-9	9.7	17
10	Meeting regulatory requirements by the use of cell phone text message notification with autoescalation and loop closure for reporting of critical laboratory results. <i>American Journal of Clinical Pathology</i> , <b>2011</b> , 136, 30-4	1.9	28

9	Hyperphosphatemia in a 56-year-old man with hypochondrial pain. <i>Clinical Chemistry</i> , <b>2010</b> , 56, 892-5	5.5	16
8	Diagnostic testing for pandemic influenza in Singapore: a novel dual-gene quantitative real-time RT-PCR for the detection of influenza A/H1N1/2009. <i>Journal of Molecular Diagnostics</i> , <b>2010</b> , 12, 636-43	5.1	26
7	Extra blood tubes - An affordable excess?. <i>Clinica Chimica Acta</i> , <b>2010</b> , 411, 1544-5	6.2	5
6	Comparison of the incidence of influenza in relation to climate factors during 2000-2007 in five countries. <i>Journal of Medical Virology</i> , <b>2010</b> , 82, 1958-65	19.7	57
5	Differing symptom patterns in early pandemic vs seasonal influenza infections. <i>Archives of Internal Medicine</i> , <b>2010</b> , 170, 861-7		41
4	Using next generation electronic medical records for laboratory quality monitoring. <i>Journal of Laboratory and Precision Medicine</i> , <b>2010</b> , 2, 61-61	1.1	3
3	Machine learning assistive rapid, label-free molecular phenotyping of blood with two-dimensional NMR correlational spectroscopy		2
2	Molecular Phenotyping of Oxidative Stress in Diabetes Mellitus with Point-of-care NMR system		5
1	Impact of heterozygous hemoglobin E on six commercial methods for hemoglobin A1c measurement		1