

Hatice Aygun

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4441138/hatice-aygun-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

30 papers	198 citations	7 h-index	13 g-index
32 ext. papers	274 ext. citations	3.6 avg, IF	5.02 L-index

#	Paper	IF	Citations
30	Vitamin D can prevent COVID-19 infection-induced multiple organ damage. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020 , 393, 1157-1160	3.4	60
29	Vitamin D deficiency is associated with COVID-19 positivity and severity of the disease. <i>Journal of Medical Virology</i> , 2021 , 93, 2992-2999	19.7	34
28	Protective effect of melatonin on adriamycin-induced cardiotoxicity in rats. <i>Türk Kardiyoloji Dernegi Arsivi</i> , 2014 , 42, 265-73		17
27	The effects of agomelatine and melatonin on ECoG activity of absenceepilepsy model in WAG/Rij rats. <i>Turkish Journal of Biology</i> , 2015 , 39, 904-910	3.1	14
26	The effect of fluoxetine on penicillin-induced epileptiform activity. <i>Epilepsy and Behavior</i> , 2019 , 95, 79-86	5.2	11
25	Beneficial effects of edaravone in experimental model of amitriptyline-induced cardiotoxicity in rats. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2019 , 392, 1447-1453	3.4	7
24	The Role of NMDA Receptors in the Effect of Purinergic P2X7 Receptor on Spontaneous Seizure Activity in WAG/Rij Rats With Genetic Absence Epilepsy. <i>Frontiers in Neuroscience</i> , 2020 , 14, 414	5.1	7
23	Swimming exercise decreases the absence-like epileptic activity in WAG/Rij rats. <i>Behavioural Brain Research</i> , 2019 , 363, 145-148	3.4	6
22	Cardioprotective effect of vitamin D and melatonin on doxorubicin-induced cardiotoxicity in rat model: an electrocardiographic, scintigraphic and biochemical study. <i>The European Research Journal</i> ,	0	5
21	Trazodone increases seizures in a genetic WAG/Rij rat model of absence epilepsy while decreasing them in penicillin-evoked focal seizure model. <i>Epilepsy and Behavior</i> , 2020 , 103, 106847	3.2	5
20	Effects of vitamin D and paricalcitol on epileptogenesis and behavioral properties of WAG/Rij rats with absence epilepsy. <i>Epilepsy Research</i> , 2019 , 157, 106208	3	4
19	Effects of melatonin and agomelatine on doxorubicin induced anxiety and depression-like behaviors in rats. <i>Medical Science and Discovery</i> , 2018 , 5, 253-259	1.7	3
18	The effect of vitamin D and paricalcitol on penicillin-induced epileptiform activity in rats. <i>Epilepsy Research</i> , 2020 , 159, 106262	3	3
17	Evaluation of the protective effect of paricalcitol and vitamin D at doxorubicin nephrotoxicity in rats with Technetium-dimercaptosuccinic acid renal scintigraphy and biochemical methods. <i>Human and Experimental Toxicology</i> , 2021 , 40, 274-283	3.4	3
16	Vortioxetine increases absence-like seizures in WAG/Rij rats but decreases penicillin- and pentylenetetrazole-induced seizures in Wistar rats. <i>Epilepsy and Behavior</i> , 2021 , 116, 107797	3.2	3
15	Evaluation of the protective effect of edaravone on doxorubicin nephrotoxicity by [Tc]DMSA renal scintigraphy and biochemical methods. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020 , 393, 1383-1390	3.4	2
14	Probiotic supplementation alleviates absence seizures and anxiety- and depression-like behavior in WAG/Rij rat by increasing neurotrophic factors and decreasing proinflammatory cytokines.. <i>Epilepsy and Behavior</i> , 2022 , 128, 108588	3.2	2

13	Effect of tadalafil and nitric oxide agonist sodium nitroprusside on penicillin-induced epileptiform activity. <i>Neurological Research</i> , 2020 , 42, 39-46	2.7	2
12	Chronic effects of different quercetin doses in penicillin-induced focal seizure model. <i>Neuroscience Letters</i> , 2021 , 753, 135848	3.3	2
11	The effect of duloxetine on penicillin-induced epileptiform activity in rats. <i>Neurological Research</i> , 2019 , 41, 298-305	2.7	2
10	The effect of dexketoprofen trometamol on WAG/Rij rats with absence epilepsy (dexketoprofen in absence epilepsy). <i>Neurological Research</i> , 2021 , 43, 1116-1125	2.7	2
9	Exendin-4 increases absence-like seizures and anxiety-depression-like behaviors in WAG/Rij rats. <i>Epilepsy and Behavior</i> , 2021 , 123, 108246	3.2	2
8	Protective effect of edaravone on adriamycin-induced cardiotoxicity in rats. <i>Cumhuriyet Medical Journal</i> ,	0	1
7	Anticonvulsive effects of edaravone on penicillin-induced focal onset seizure model in the conscious rats. <i>Fundamental and Clinical Pharmacology</i> , 2021 , 35, 861-869	3.1	1
6	The Beneficial Effect of Probiotics Supplementation on Penicillin-Induced Focal Seizure in Rats.. <i>Neurochemical Research</i> , 2022 , 47, 1395	4.6	0
5	Electrocorticographic and electrocardiographic evaluation of lacosamide in a penicillin-induced status epilepticus model.. <i>Epilepsy Research</i> , 2022 , 180, 106866	3	0
4	Cardioprotective Effect of Paricalcitol on Amitriptyline-Induced Cardiotoxicity in Rats: Comparison of [Tc]PYP Cardiac Scintigraphy with Electrocardiographic and Biochemical Findings. <i>Cardiovascular Toxicology</i> , 2020 , 20, 427-436	3.4	
3	Vitamin D may prevent COVID-19 induced pregnancy complication. <i>Medical Hypotheses</i> , 2021 , 158, 110733	3.3	
2	Acute treatment with dexketoprofen reduces penicillin induced epileptiform activity in wistar albino rats (dexketoprofen in penicillin induced seizure model). <i>Epilepsy Research</i> , 2021 , 178, 106827	3	
1	The effect of Madopar on absence-like seizures in WAG/Rij rats.. <i>Acta Neurobiologiae Experimentalis</i> , 2022 , 82, 88-95	1	