

Qingsheng Gao

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4441975/qingsheng-gao-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97 papers	5,701 citations	36 h-index	75 g-index
106 ext. papers	6,657 ext. citations	9 avg, IF	6.13 L-index

#	Paper	IF	Citations
97	MoS ₂ /Ni ₃ S ₂ Heteronanorods as Efficient and Stable Bifunctional Electrocatalysts for Overall Water Splitting. <i>ACS Catalysis</i> , 2017 , 7, 2357-2366	13.1	705
96	Hierarchical MoS ₂ /polyaniline nanowires with excellent electrochemical performance for lithium-ion batteries. <i>Advanced Materials</i> , 2013 , 25, 1180-4	24	529
95	Heteronanowires of MoC-MoC as efficient electrocatalysts for hydrogen evolution reaction. <i>Chemical Science</i> , 2016 , 7, 3399-3405	9.4	412
94	Cobalt-Doping in Molybdenum-Carbide Nanowires Toward Efficient Electrocatalytic Hydrogen Evolution. <i>Advanced Functional Materials</i> , 2016 , 26, 5590-5598	15.6	311
93	Phosphorus-Mo ₂ C@carbon nanowires toward efficient electrochemical hydrogen evolution: composition, structural and electronic regulation. <i>Energy and Environmental Science</i> , 2017 , 10, 1262-1271	15.4	295
92	Structural Design and Electronic Modulation of Transition-Metal-Carbide Electrocatalysts toward Efficient Hydrogen Evolution. <i>Advanced Materials</i> , 2019 , 31, e1802880	24	267
91	Porous nanoMoC@graphite shell derived from a MOFs-directed strategy: an efficient electrocatalyst for the hydrogen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 6006-6013	13	158
90	Tremella-like molybdenum dioxide consisting of nanosheets as an anode material for lithium ion battery. <i>Electrochemistry Communications</i> , 2008 , 10, 118-122	5.1	151
89	CoNiSe ₂ heteronanorods decorated with layered-double-hydroxides for efficient hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2019 , 242, 132-139	21.8	132
88	Synthesis, characterization and lithium-storage performance of MoO ₂ /carbon hybrid nanowires. <i>Journal of Materials Chemistry</i> , 2010 , 20, 2807		129
87	MoO ₂ synthesized by reduction of MoO ₃ with ethanol vapor as an anode material with good rate capability for the lithium ion battery. <i>Journal of Power Sources</i> , 2008 , 179, 357-360	8.9	124
86	Mesoporous Mo ₂ C/N-doped carbon heteronanowires as high-rate and long-life anode materials for Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 10842-10849	13	119
85	Synthesis of Nanoporous Molybdenum Carbide Nanowires Based on Organic-Inorganic Hybrid Nanocomposites with Sub-Nanometer Periodic Structures. <i>Chemistry of Materials</i> , 2009 , 21, 5560-5562	9.6	115
84	Mesoporous germanium as anode material of high capacity and good cycling prepared by a mechanochemical reaction. <i>Electrochemistry Communications</i> , 2010 , 12, 418-421	5.1	111
83	Ultrathin MoS ₂ nanosheets growing within an in-situ-formed template as efficient electrocatalysts for hydrogen evolution. <i>Journal of Power Sources</i> , 2015 , 275, 588-594	8.9	97
82	Hierarchical MoO ₂ /N-doped carbon heteronanowires with high rate and improved long-term performance for lithium-ion batteries. <i>Journal of Power Sources</i> , 2016 , 306, 78-84	8.9	92
81	Molybdenum Carbide-Oxide Heterostructures: In Situ Surface Reconfiguration toward Efficient Electrocatalytic Hydrogen Evolution. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 3544-3548	16.4	92

80	One-dimensional growth of MoOx-based organic/inorganic hybrid nanowires with tunable photochromic properties. <i>Journal of Materials Chemistry</i> , 2012 , 22, 4709		89
79	Microwave-Assisted Reactant-Protecting Strategy toward Efficient MoS ₂ Electrocatalysts in Hydrogen Evolution Reaction. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 23741-9	9.5	88
78	Bimetallic Ni ₂ -xCoxP/N-doped carbon nanofibers: Solid-solution-alloy engineering toward efficient hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2019 , 244, 620-627	21.8	83
77	Electrospinning Hetero-Nanofibers of Fe C-Mo C/Nitrogen-Doped-Carbon as Efficient Electrocatalysts for Hydrogen Evolution. <i>ChemSusChem</i> , 2017 , 10, 2597-2604	8.3	82
76	Hierarchical MoO ₂ /Mo ₂ C/C Hybrid Nanowires as High-Rate and Long-Life Anodes for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 19987-93	9.5	78
75	High-Concentration Preparation of Silver Nanowires: Restraining in Situ Nitric Acidic Etching by Steel-Assisted Polyol Method. <i>Chemistry of Materials</i> , 2008 , 20, 1699-1704	9.6	71
74	Biomimetic oxygen activation by MoS ₂ /Ta ₃ N ₅ nanocomposites for selective aerobic oxidation. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 11740-4	16.4	56
73	Synthesis and Characterization of Organic/Inorganic Hybrid GeOx/Ethylenediamine Nanowires. <i>Advanced Materials</i> , 2008 , 20, 1837-1842	24	54
72	Metallic Cobalt@Nitrogen-Doped Carbon Nanocomposites: Carbon-Shell Regulation toward Efficient Bi-Functional Electrocatalysis. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 37721-37730	9.5	48
71	SiO ₂ -surface-assisted controllable synthesis of TaON and Ta ₃ N ₅ nanoparticles for alkene epoxidation. <i>Angewandte Chemie - International Edition</i> , 2012 , 51, 961-5	16.4	47
70	Controlled synthesis of tantalum oxynitride and nitride nanoparticles. <i>Small</i> , 2011 , 7, 3334-40	11	46
69	MoS ₂ Nanosheets with Conformal Carbon Coating as Stable Anode Materials for Sodium-Ion Batteries. <i>Electrochimica Acta</i> , 2017 , 254, 172-180	6.7	44
68	Controllable synthesis of organic-inorganic hybrid MoOx/polyaniline nanowires and nanotubes. <i>Chemistry - A European Journal</i> , 2011 , 17, 1465-72	4.8	43
67	Metal non-oxide nanostructures developed from organic-inorganic hybrids and their catalytic application. <i>Nanoscale</i> , 2014 , 6, 14106-20	7.7	42
66	Preparation of organic-inorganic hybrid Fe-MoO(x)/polyaniline nanorods as efficient catalysts for alkene epoxidation. <i>Chemical Communications</i> , 2012 , 48, 260-2	5.8	39
65	Plasma-Engineered MoP with nitrogen doping: Electron localization toward efficient alkaline hydrogen evolution. <i>Applied Catalysis B: Environmental</i> , 2020 , 268, 118441	21.8	39
64	Core-shell nanostructured electrocatalysts for water splitting. <i>Nanoscale</i> , 2020 , 12, 15944-15969	7.7	38
63	Pd-Ag Alloy Electrocatalysts for CO Reduction: Composition Tuning to Break the Scaling Relationship. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 33074-33081	9.5	36

62	Preparation of supported Mo(2)C-based catalysts from organic-inorganic hybrid precursor for hydrogen production from methanol decomposition. <i>Chemical Communications</i> , 2010 , 46, 6494-6	5.8	36
61	Efficient electrochemical detection of cancer cells on in situ surface-functionalized MoS ₂ nanosheets. <i>Journal of Materials Chemistry B</i> , 2017 , 5, 5532-5538	7.3	34
60	Chemoselective hydrogenation of μ -unsaturated aldehydes on hydrogenated MoO _x nanorods supported iridium nanoparticles. <i>Journal of Molecular Catalysis A</i> , 2016 , 425, 248-254		33
59	Expanding the interlayers of molybdenum disulfide toward the highly sensitive sensing of hydrogen peroxide. <i>Nanoscale</i> , 2019 , 11, 6644-6653	7.7	32
58	Enhancing Metal-Support Interactions by Molybdenum Carbide: An Efficient Strategy toward the Chemoselective Hydrogenation of μ -Unsaturated Aldehydes. <i>Chemistry - A European Journal</i> , 2016 , 22, 5698-704	4.8	31
57	Heterostructured MoC-MoP/N-doped carbon nanofibers as efficient electrocatalysts for hydrogen evolution reaction. <i>Electrochimica Acta</i> , 2019 , 299, 708-716	6.7	31
56	Hierarchical Mo ₂ C@MoS ₂ nanorods as electrochemical sensors for highly sensitive detection of hydrogen peroxide and cancer cells. <i>Sensors and Actuators B: Chemical</i> , 2020 , 311, 127863	8.5	30
55	Popcorn derived carbon enhances the cyclic stability of MoS ₂ as an anode material for sodium-ion batteries. <i>Electrochimica Acta</i> , 2019 , 309, 25-33	6.7	29
54	N-doped carbon encapsulated CoMoO nanorods as long-cycle life anode for sodium-ion batteries. <i>Journal of Colloid and Interface Science</i> , 2020 , 576, 176-185	9.3	29
53	Ni/Mo ₂ C nanowires and their carbon-coated composites as efficient catalysts for nitroarenes hydrogenation. <i>Applied Surface Science</i> , 2017 , 396, 339-346	6.7	27
52	Molybdenum disulfide nanoflowers mediated anti-inflammation macrophage modulation for spinal cord injury treatment. <i>Journal of Colloid and Interface Science</i> , 2019 , 549, 50-62	9.3	25
51	The production of carbon nanospheres by the pyrolysis of polyacrylonitrile. <i>Carbon</i> , 2008 , 46, 1816-1818	10.4	25
50	Mo ₂ C/Reduced-Graphene-Oxide Nanocomposite: An Efficient Electrocatalyst for the Hydrogen Evolution Reaction. <i>ChemElectroChem</i> , 2016 , 3, 2110-2115	4.3	25
49	Mesoporous and Skeletal Molybdenum Carbide for Hydrogen Evolution Reaction: Diatomite-Type Structure and Formation Mechanism. <i>ChemElectroChem</i> , 2017 , 4, 2169-2177	4.3	23
48	MoC/C nanowires as high-rate and long cyclic life anode for lithium ion batteries. <i>Electrochimica Acta</i> , 2018 , 277, 205-210	6.7	22
47	MoS nanosheets with peroxidase mimicking activity as viable dual-mode optical probes for determination and imaging of intracellular hydrogen peroxide. <i>Mikrochimica Acta</i> , 2018 , 185, 287	5.8	21
46	Organic-Inorganic-Hybrid-Derived Molybdenum Carbide Nanoladders: Impacts of Surface Oxidation for Hydrogen Evolution Reaction. <i>ChemNanoMat</i> , 2018 , 4, 194-202	3.5	19
45	Mo ₂ C/N-doped carbon nanowires as anode materials for sodium-ion batteries. <i>Materials Letters</i> , 2017 , 194, 30-33	3.3	18

44	Construction of Single-Phase Nickel Disulfide Microflowers as High-Performance Electrodes for Hybrid Supercapacitors. <i>Energy & Fuels</i> , 2020 , 34, 10178-10187	4.1	18
43	Bimetallic Platinum-Tin Nanoparticles on Hydrogenated Molybdenum Oxide for the Selective Hydrogenation of Functionalized Nitroarenes. <i>ChemCatChem</i> , 2017 , 9, 4199-4205	5.2	18
42	Molybdenum carbide supported by N-doped carbon: Controlled synthesis and application in electrocatalytic hydrogen evolution reaction. <i>Materials Letters</i> , 2016 , 176, 101-105	3.3	17
41	Biomimetic Oxygen Activation by MoS ₂ /Ta ₃ N ₅ Nanocomposites for Selective Aerobic Oxidation. <i>Angewandte Chemie</i> , 2012 , 124, 11910-11914	3.6	16
40	CoxNi _{1-x} nanoalloys on N-doped carbon nanofibers: Electronic regulation toward efficient electrochemical CO ₂ reduction. <i>Journal of Catalysis</i> , 2019 , 372, 277-286	7.3	15
39	Hydrogen Doping into MoO ₃ Supports toward Modulated Metal-Support Interactions and Efficient Furfural Hydrogenation on Iridium Nanocatalysts. <i>Chemistry - an Asian Journal</i> , 2018 , 13, 641-647	4.5	15
38	Carbon-Based Nanomaterials as Sustainable Noble-Metal-Free Electrocatalysts. <i>Frontiers in Chemistry</i> , 2019 , 7, 759	5	15
37	Efficient electrochemical biosensing of hydrogen peroxide on bimetallic MoWS nanoflowers. <i>Journal of Colloid and Interface Science</i> , 2020 , 566, 248-256	9.3	14
36	Molybdenum Carbide-Oxide Heterostructures: In Situ Surface Reconfiguration toward Efficient Electrocatalytic Hydrogen Evolution. <i>Angewandte Chemie</i> , 2020 , 132, 3572-3576	3.6	13
35	Inherent Oxygen Vacancies Boost Surface Reconstruction of Ultrathin Ni-Fe Layered-Double-Hydroxides toward Efficient Electrocatalytic Oxygen Evolution. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 7390-7399	8.3	12
34	Interlayer engineering of molybdenum disulfide toward efficient electrocatalytic hydrogenation. <i>Science Bulletin</i> , 2021 , 66, 1003-1012	10.6	11
33	Reduced-graphene-oxide supported tantalum-based electrocatalysts: Controlled nitrogen doping and oxygen reduction reaction. <i>Applied Surface Science</i> , 2018 , 434, 243-250	6.7	11
32	Chemoselective Hydrogenation of Cinnamaldehyde on Iron-Oxide Modified Pt/MoO ₃ Catalysts. <i>Chemistry - an Asian Journal</i> , 2018 , 13, 3737-3744	4.5	11
31	Controlled nitridation of tantalum (oxy)nitride nanoparticles towards optimized metal-support interactions with gold nanocatalysts. <i>RSC Advances</i> , 2015 , 5, 89282-89289	3.7	10
30	SiO ₂ -Surface-Assisted Controllable Synthesis of TaON and Ta ₃ N ₅ Nanoparticles for Alkene Epoxidation. <i>Angewandte Chemie</i> , 2012 , 124, 985-989	3.6	10
29	Molybdenum-Incorporated Mesoporous Silica: Surface Engineering toward Enhanced Metal-Support Interactions and Efficient Hydrogenation. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 42475-42483	9.5	10
28	Isolated Cobalt Atoms on N-Doped Carbon as Nanozymes for Hydrogen Peroxide and Dopamine Detection. <i>ACS Applied Nano Materials</i> , 2021 , 4, 7954-7962	5.6	10
27	Revealing Facet Effects of Palladium Nanocrystals on Electrochemical Biosensing. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 15622-15630	9.5	9

26	Noble-Metal-Free Electrocatalysts: Structural Design and Electronic Modulation of Transition-Metal-Carbide Electrocatalysts toward Efficient Hydrogen Evolution (Adv. Mater. 2/2019). <i>Advanced Materials</i> , 2019 , 31, 1970009	24	8
25	Cathodic corrosion activated Fe-based nanoglass as a highly active and stable oxygen evolution catalyst for water splitting. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 12152-12160	13	8
24	Nickel-doped Co ₄ N nanowire bundles as efficient electrocatalysts for oxygen evolution reaction. <i>Science China Materials</i> , 2021 , 64, 1889-1899	7.1	8
23	Enhancing formaldehyde oxidation on iridium catalysts using hydrogenated TiO ₂ supports. <i>New Journal of Chemistry</i> , 2018 , 42, 18381-18387	3.6	8
22	Converting surface-oxidized cobalt phosphides into Co(PO)-CoP heterostructures for efficient electrocatalytic hydrogen evolution. <i>Nanotechnology</i> , 2019 , 30, 394001	3.4	7
21	Design of N-graphene-NbO _x hybrid nanosheets with sandwich-like structure and electrocatalytic performance towards oxygen reduction reaction. <i>Electrochimica Acta</i> , 2015 , 158, 42-48	6.7	7
20	MoC nanodots toward efficient electrocatalytic hydrogen evolution: an interlayer-confined strategy with a 2D-zeolite precursor. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 4724-4733	13	7
19	Self-supporting composited electrocatalysts of ultrafine Mo ₂ C on 3D-hierarchical porous carbon monoliths for efficient hydrogen evolution. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 23265-23273	13	6
18	Interlayer engineering of two-dimensional transition-metal disulfides for electrochemical and optical sensing applications. <i>FlatChem</i> , 2021 , 27, 100242	5.1	6
17	Bromine anion mediated epitaxial growth of core-shell Pd@Ag towards efficient electrochemical CO ₂ reduction. <i>Materials Chemistry Frontiers</i> ,	7.8	5
16	Chinese ink-promoted co-assembly synthesis of 3D hierarchically structured and porous MoC _x /C nanocomposites for highly efficient hydrogen evolution reaction. <i>Carbon</i> , 2020 , 170, 558-566	10.4	4
15	Single-layer CoFe hydroxides for efficient electrocatalytic oxygen evolution. <i>Chemical Communications</i> , 2021 , 57, 7653-7656	5.8	3
14	In-situ reconstruction of catalysts in cathodic electrocatalysis: New insights into active-site structures and working mechanisms. <i>Journal of Energy Chemistry</i> , 2022 , 70, 414-436	12	3
13	Nickel sulfide-oxide heterostructured electrocatalysts: Bi-functionality for overall water splitting and in-situ reconstruction.. <i>Journal of Colloid and Interface Science</i> , 2022 , 622, 728-737	9.3	3
12	Making Use of the Electrons in KMo(SO) for Visible-Light-Induced Photocatalytic Hydrogen Production. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 24006-24017	9.5	2
11	Phase Engineering of CoMoO ₄ Anode Materials toward Improved Cycle Life for Li ⁺ Storage Chinese Journal of Chemistry, 2021 , 39, 1121-1128	4.9	2
10	Co-tuning composition and channel-rich structure of Ag-Pd alloys toward sensitive electrochemical biosensing. <i>Chemical Engineering Journal</i> , 2021 , 425, 131858	14.7	2
9	Intercalation-Driven Defect-Engineering of MoS ₂ for Catalytic Transfer Hydrogenation. <i>Advanced Materials Interfaces</i> , 2020 , 3, 200505	4.6	2

8	Electrospinning Hetero-Nanofibers of Fe ₃ C-Mo ₂ C/Nitrogen-Doped-Carbon as Efficient Electrocatalysts for Hydrogen Evolution. <i>ChemSusChem</i> , 2017 , 10, 2546-2546	8.3	1
7	A 2H-MoS/carbon cloth composite for high-performance all-solid-state supercapacitors derived from a molybdenum dithiocarbamate complex. <i>Dalton Transactions</i> , 2021 , 50, 11954-11964	4.3	1
6	N-Doped Molybdenum Carbides Embedded in Porous Carbon for Efficient Hydrogen Evolution. <i>Materials Today Energy</i> , 2022 , 100992	7	1
5	Mesoporous and Skeletal Molybdenum Carbide for Hydrogen Evolution Reaction: Diatomite-type Structure and Formation Mechanism. <i>ChemElectroChem</i> , 2017 , 4, 2129-2129	4.3	
4	Bimetallic Platinum-Tin Nanoparticles on Hydrogenated Molybdenum Oxide for the Selective Hydrogenation of Functionalized Nitroarenes. <i>ChemCatChem</i> , 2017 , 9, 4158-4158	5.2	
3	Conjugated-Polymer/Inorganic Nanocomposites as Electrode Materials for Li-Ion Batteries 2015 , 379-418		
2	Inside Cover: Controllable Synthesis of Organic/Inorganic Hybrid MoO _x /Polyaniline Nanowires and Nanotubes (Chem. Eur. J. 5/2011). <i>Chemistry - A European Journal</i> , 2011 , 17, 1370-1370	4.8	
1	Polymer-Derived Carbon/Inorganic Nanohybrids for Electrochemical Energy Storage and Conversion. <i>Engineering Materials and Processes</i> , 2017 , 419-480		