

Eric Hunter

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4441983/eric-hunter-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

158
papers

8,668
citations

45
h-index

91
g-index

186
ext. papers

9,846
ext. citations

8.4
avg. IF

5.3
L-index

#	Paper	IF	Citations
158	Sensitivity of human immunodeficiency virus type 1 to the fusion inhibitor T-20 is modulated by coreceptor specificity defined by the V3 loop of gp120. <i>Journal of Virology</i> , 2000 , 74, 8358-67	6.6	644
157	Genetic identity, biological phenotype, and evolutionary pathways of transmitted/founder viruses in acute and early HIV-1 infection. <i>Journal of Experimental Medicine</i> , 2009 , 206, 1273-89	16.6	600
156	Envelope-constrained neutralization-sensitive HIV-1 after heterosexual transmission. <i>Science</i> , 2004 , 303, 2019-22	33.3	509
155	Deciphering human immunodeficiency virus type 1 transmission and early envelope diversification by single-genome amplification and sequencing. <i>Journal of Virology</i> , 2008 , 82, 3952-70	6.6	487
154	Adaptation of HIV-1 to human leukocyte antigen class I. <i>Nature</i> , 2009 , 458, 641-5	50.4	361
153	Genetic and neutralization properties of subtype C human immunodeficiency virus type 1 molecular env clones from acute and early heterosexually acquired infections in Southern Africa. <i>Journal of Virology</i> , 2006 , 80, 11776-90	6.6	311
152	Antigenic conservation and immunogenicity of the HIV coreceptor binding site. <i>Journal of Experimental Medicine</i> , 2005 , 201, 1407-19	16.6	264
151	Inflammatory genital infections mitigate a severe genetic bottleneck in heterosexual transmission of subtype A and C HIV-1. <i>PLoS Pathogens</i> , 2009 , 5, e1000274	7.6	253
150	Escape and compensation from early HLA-B*57-mediated cytotoxic T-lymphocyte pressure on human immunodeficiency virus type 1 Gag alter capsid interactions with cyclophilin A. <i>Journal of Virology</i> , 2007 , 81, 12608-18	6.6	224
149	CXCL13 is a plasma biomarker of germinal center activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 2702-7	11.5	204
148	HIV transmission. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2012 , 2,	5.4	197
147	Transmission of HIV-1 Gag immune escape mutations is associated with reduced viral load in linked recipients. <i>Journal of Experimental Medicine</i> , 2008 , 205, 1009-17	16.6	187
146	Compensatory mutation partially restores fitness and delays reversion of escape mutation within the immunodominant HLA-B*5703-restricted Gag epitope in chronic human immunodeficiency virus type 1 infection. <i>Journal of Virology</i> , 2007 , 81, 8346-51	6.6	186
145	HIV transmission. Selection bias at the heterosexual HIV-1 transmission bottleneck. <i>Science</i> , 2014 , 345, 1254031	33.3	177
144	Escape from autologous neutralizing antibodies in acute/early subtype C HIV-1 infection requires multiple pathways. <i>PLoS Pathogens</i> , 2009 , 5, e1000594	7.6	154
143	A single amino acid substitution within the matrix protein of a type D retrovirus converts its morphogenesis to that of a type C retrovirus. <i>Cell</i> , 1990 , 63, 77-86	56.2	152
142	Evolution of HLA-B*5703 HIV-1 escape mutations in HLA-B*5703-positive individuals and their transmission recipients. <i>Journal of Experimental Medicine</i> , 2009 , 206, 909-21	16.6	149

141	Evidence for potent autologous neutralizing antibody titers and compact envelopes in early infection with subtype C human immunodeficiency virus type 1. <i>Journal of Virology</i> , 2006 , 80, 5211-8	6.6	144
140	Molecular epidemiology of human immunodeficiency virus type 1 transmission in a heterosexual cohort of discordant couples in Zambia. <i>Journal of Virology</i> , 2002 , 76, 397-405	6.6	142
139	Whole-body immunoPET reveals active SIV dynamics in viremic and antiretroviral therapy-treated macaques. <i>Nature Methods</i> , 2015 , 12, 427-32	21.6	113
138	Early Antibody Lineage Diversification and Independent Limb Maturation Lead to Broad HIV-1 Neutralization Targeting the Env High-Mannose Patch. <i>Immunity</i> , 2016 , 44, 1215-26	32.3	102
137	Transmitted HIV type 1 drug resistance among individuals with recent HIV infection in East and Southern Africa. <i>AIDS Research and Human Retroviruses</i> , 2011 , 27, 5-12	1.6	99
136	M-PMV capsid transport is mediated by Env/Gag interactions at the pericentriolar recycling endosome. <i>Traffic</i> , 2003 , 4, 671-80	5.7	96
135	The M-PMV cytoplasmic targeting-retention signal directs nascent Gag polypeptides to a pericentriolar region of the cell. <i>Traffic</i> , 2003 , 4, 660-70	5.7	94
134	Heterosexual transmission of human immunodeficiency virus type 1 subtype C: Macrophage tropism, alternative coreceptor use, and the molecular anatomy of CCR5 utilization. <i>Journal of Virology</i> , 2009 , 83, 8208-20	6.6	93
133	Investigating the utility of the HIV-1 BED capture enzyme immunoassay using cross-sectional and longitudinal seroconverter specimens from Africa. <i>Aids</i> , 2007 , 21, 403-8	3.5	93
132	Role of donor genital tract HIV-1 diversity in the transmission bottleneck. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, E1156-63	11.5	88
131	Unique mutational patterns in the envelope alpha 2 amphipathic helix and acquisition of length in gp120 hypervariable domains are associated with resistance to autologous neutralization of subtype C human immunodeficiency virus type 1. <i>Journal of Virology</i> , 2007 , 81, 5658-68	6.6	82
130	422. Pooling Strategy for Chlamydia trachomatis and Neisseria gonorrhoeae Reduces Cost of GeneXpert Molecular STI Screening in Two Limited-Resource Clinics in Zambia. <i>Open Forum Infectious Diseases</i> , 2019 , 6, S212-S212	1	78
129	Role of transmitted Gag CTL polymorphisms in defining replicative capacity and early HIV-1 pathogenesis. <i>PLoS Pathogens</i> , 2012 , 8, e1003041	7.6	70
128	Impact of pre-adapted HIV transmission. <i>Nature Medicine</i> , 2016 , 22, 606-13	50.5	66
127	Replicative fitness of transmitted HIV-1 drives acute immune activation, proviral load in memory CD4+ T cells, and disease progression. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, E1480-9	11.5	63
126	Immunology. Immune activation with HIV vaccines. <i>Science</i> , 2014 , 344, 49-51	33.3	63
125	T cell-inducing vaccine durably prevents mucosal SHIV infection even with lower neutralizing antibody titers. <i>Nature Medicine</i> , 2020 , 26, 932-940	50.5	60
124	CD8 T cell response and evolutionary pressure to HIV-1 cryptic epitopes derived from antisense transcription. <i>Journal of Experimental Medicine</i> , 2010 , 207, 51-9	16.6	60

123	Adjuvanting a Simian Immunodeficiency Virus Vaccine with Toll-Like Receptor Ligands Encapsulated in Nanoparticles Induces Persistent Antibody Responses and Enhanced Protection in TRIM5 ^Δ Restrictive Macaques. <i>Journal of Virology</i> , 2017 , 91,	6.6	58
122	Heterosexual Transmission of Subtype C HIV-1 Selects Consensus-Like Variants without Increased Replicative Capacity or Interferon- β Resistance. <i>PLoS Pathogens</i> , 2015 , 11, e1005154	7.6	58
121	The three-dimensional solution structure of the matrix protein from the type D retrovirus, the Mason-Pfizer monkey virus, and implications for the morphology of retroviral assembly. <i>EMBO Journal</i> , 1997 , 16, 5819-26	13	54
120	Donor and recipient envs from heterosexual human immunodeficiency virus subtype C transmission pairs require high receptor levels for entry. <i>Journal of Virology</i> , 2010 , 84, 4100-4	6.6	52
119	Basic residues in the Mason-Pfizer monkey virus gag matrix domain regulate intracellular trafficking and capsid-membrane interactions. <i>Journal of Virology</i> , 2007 , 81, 8977-88	6.6	52
118	Type D retrovirus Gag polyprotein interacts with the cytosolic chaperonin TRiC. <i>Journal of Virology</i> , 2001 , 75, 2526-34	6.6	52
117	Molecular identification, cloning and characterization of transmitted/founder HIV-1 subtype A, D and A/D infectious molecular clones. <i>Virology</i> , 2013 , 436, 33-48	3.6	50
116	Identification of a cytoplasmic targeting/retention signal in a retroviral Gag polyprotein. <i>Journal of Virology</i> , 1999 , 73, 5431-7	6.6	50
115	Impact of HLA-B*81-associated mutations in HIV-1 Gag on viral replication capacity. <i>Journal of Virology</i> , 2012 , 86, 3193-9	6.6	46
114	Mutation of the dominant endocytosis motif in human immunodeficiency virus type 1 gp41 can complement matrix mutations without increasing Env incorporation. <i>Journal of Virology</i> , 2002 , 76, 3338-49	6.6	45
113	Identification of HIV transmitting CD11c human epidermal dendritic cells. <i>Nature Communications</i> , 2019 , 10, 2759	17.4	44
112	Cumulative impact of host and viral factors on HIV-1 viral-load control during early infection. <i>Journal of Virology</i> , 2013 , 87, 708-15	6.6	44
111	Impact of a functional KIR2DS4 allele on heterosexual HIV-1 transmission among discordant Zambian couples. <i>Journal of Infectious Diseases</i> , 2011 , 203, 487-95	7	43
110	Viral escape from neutralizing antibodies in early subtype A HIV-1 infection drives an increase in autologous neutralization breadth. <i>PLoS Pathogens</i> , 2013 , 9, e1003173	7.6	42
109	Differential clade-specific HLA-B*3501 association with HIV-1 disease outcome is linked to immunogenicity of a single Gag epitope. <i>Journal of Virology</i> , 2012 , 86, 12643-54	6.6	42
108	Human leukocyte antigen class I genotypes in relation to heterosexual HIV type 1 transmission within discordant couples. <i>Journal of Immunology</i> , 2008 , 181, 2626-35	5.3	41
107	Transmitted virus fitness and host T cell responses collectively define divergent infection outcomes in two HIV-1 recipients. <i>PLoS Pathogens</i> , 2015 , 11, e1004565	7.6	39
106	Indeterminate and discrepant rapid HIV test results in couples-HIV testing and counselling centres in Africa. <i>Journal of the International AIDS Society</i> , 2011 , 14, 18	5.4	39

105	D-retrovirus morphogenetic switch driven by the targeting signal accessibility to Tctex-1 of dynein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 10565-70	11.5	39
104	ROCK1 and LIM kinase modulate retrovirus particle release and cell-cell transmission events. <i>Journal of Virology</i> , 2014 , 88, 6906-21	6.6	37
103	Creating an African HIV clinical research and prevention trials network: HIV prevalence, incidence and transmission. <i>PLoS ONE</i> , 2015 , 10, e0116100	3.7	37
102	Separate assembly and transport domains within the Gag precursor of Mason-Pfizer monkey virus. <i>Journal of Virology</i> , 1999 , 73, 8073-82	6.6	35
101	Multiplexed highly-accurate DNA sequencing of closely-related HIV-1 variants using continuous long reads from single molecule, real-time sequencing. <i>Nucleic Acids Research</i> , 2015 , 43, e129	20.1	34
100	Mutagenesis of tyrosine and di-leucine motifs in the HIV-1 envelope cytoplasmic domain results in a loss of Env-mediated fusion and infectivity. <i>Retrovirology</i> , 2011 , 8, 37	3.6	33
99	Distinct roles for nucleic acid in in vitro assembly of purified Mason-Pfizer monkey virus CANC proteins. <i>Journal of Virology</i> , 2006 , 80, 7089-99	6.6	33
98	Human leukocyte antigens and HIV type 1 viral load in early and chronic infection: predominance of evolving relationships. <i>PLoS ONE</i> , 2010 , 5, e9629	3.7	31
97	Vaccine induction of antibodies and tissue-resident CD8+ T cells enhances protection against mucosal SHIV-infection in young macaques. <i>JCI Insight</i> , 2019 , 4,	9.9	31
96	The structure of myristoylated Mason-Pfizer monkey virus matrix protein and the role of phosphatidylinositol-(4,5)-bisphosphate in its membrane binding. <i>Journal of Molecular Biology</i> , 2012 , 423, 427-38	6.5	30
95	Failure of a novel, rapid antigen and antibody combination test to detect antigen-positive HIV infection in African adults with early HIV infection. <i>PLoS ONE</i> , 2012 , 7, e37154	3.7	30
94	A tyrosine-based motif in the HIV-1 envelope glycoprotein tail mediates cell-type- and Rab11-FIP1C-dependent incorporation into virions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 7575-80	11.5	27
93	Balance between transmitted HLA preadapted and nonassociated polymorphisms is a major determinant of HIV-1 disease progression. <i>Journal of Experimental Medicine</i> , 2016 , 213, 2049-63	16.6	27
92	HIV-1 subtype C superinfected individuals mount low autologous neutralizing antibody responses prior to intrasubtype superinfection. <i>Retrovirology</i> , 2012 , 9, 76	3.6	27
91	Breakthrough of SIV strain smE660 challenge in SIV strain mac239-vaccinated rhesus macaques despite potent autologous neutralizing antibody responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 10780-5	11.5	24
90	HLA-B signal peptide polymorphism influences the rate of HIV-1 acquisition but not viral load. <i>Journal of Infectious Diseases</i> , 2012 , 205, 1797-805	7	24
89	Timing and source of subtype-C HIV-1 superinfection in the newly infected partner of Zambian couples with disparate viruses. <i>Retrovirology</i> , 2012 , 9, 22	3.6	23
88	A tyrosine motif in the cytoplasmic domain of mason-pfizer monkey virus is essential for the incorporation of glycoprotein into virions. <i>Journal of Virology</i> , 2003 , 77, 5192-200	6.6	23

87	Diversification in the HIV-1 Envelope Hyper-variable Domains V2, V4, and V5 and Higher Probability of Transmitted/Founder Envelope Glycosylation Favor the Development of Heterologous Neutralization Breadth. <i>PLoS Pathogens</i> , 2016 , 12, e1005989	7.6	23
86	The hypervariable HIV-1 capsid protein residues comprise HLA-driven CD8+ T-cell escape mutations and covarying HLA-independent polymorphisms. <i>Journal of Virology</i> , 2011 , 85, 1384-90	6.6	22
85	Human leukocyte antigen variants B*44 and B*57 are consistently favorable during two distinct phases of primary HIV-1 infection in sub-Saharan Africans with several viral subtypes. <i>Journal of Virology</i> , 2011 , 85, 8894-902	6.6	22
84	African-led health research and capacity building- is it working?. <i>BMC Public Health</i> , 2020 , 20, 1104	4.1	21
83	Characterization and Implementation of a Diverse Simian Immunodeficiency Virus SIVsm Envelope Panel in the Assessment of Neutralizing Antibody Breadth Elicited in Rhesus Macaques by Multimodal Vaccines Expressing the SIVmac239 Envelope. <i>Journal of Virology</i> , 2015 , 89, 8130-51	6.6	20
82	HLA-B*57 versus HLA-B*81 in HIV-1 infection: slow and steady wins the race?. <i>Journal of Virology</i> , 2013 , 87, 4043-51	6.6	20
81	Association of chemokine receptor gene (CCR2-CCR5) haplotypes with acquisition and control of HIV-1 infection in Zambians. <i>Retrovirology</i> , 2011 , 8, 22	3.6	20
80	Prevalence of seroconversion symptoms and relationship to set-point viral load: findings from a subtype C epidemic, 1995-2009. <i>Aids</i> , 2012 , 26, 175-84	3.5	20
79	HIV-1-Specific CD8 T Cells Exhibit Limited Cross-Reactivity during Acute Infection. <i>Journal of Immunology</i> , 2016 , 196, 3276-86	5.3	20
78	Risk of heterosexual HIV transmission attributable to sexually transmitted infections and non-specific genital inflammation in Zambian discordant couples, 1994-2012. <i>International Journal of Epidemiology</i> , 2017 , 46, 1593-1606	7.8	19
77	Disparate associations of HLA class I markers with HIV-1 acquisition and control of viremia in an African population. <i>PLoS ONE</i> , 2011 , 6, e23469	3.7	19
76	Particle infectivity of HIV-1 full-length genome infectious molecular clones in a subtype C heterosexual transmission pair following high fidelity amplification and unbiased cloning. <i>Virology</i> , 2014 , 468-470, 454-461	3.6	17
75	Lack of detectable HIV-1-specific CD8(+) T cell responses in Zambian HIV-1-exposed seronegative partners of HIV-1-positive individuals. <i>Journal of Infectious Diseases</i> , 2011 , 203, 258-62	7	16
74	Signatures in Simian Immunodeficiency Virus SIVsmE660 Envelope gp120 Are Associated with Mucosal Transmission but Not Vaccination Breakthrough in Rhesus Macaques. <i>Journal of Virology</i> , 2016 , 90, 1880-7	6.6	14
73	Direct evidence for intracellular anterograde co-transport of M-PMV Gag and Env on microtubules. <i>Virology</i> , 2014 , 449, 109-19	3.6	14
72	An early stage of Mason-Pfizer monkey virus budding is regulated by the hydrophobicity of the Gag matrix domain core. <i>Journal of Virology</i> , 2004 , 78, 5023-31	6.6	14
71	Enhanced fusion and virion incorporation for HIV-1 subtype C envelope glycoproteins with compact V1/V2 domains. <i>Journal of Virology</i> , 2014 , 88, 2083-94	6.6	13
70	Role of matrix protein in the type D retrovirus replication cycle: importance of the arginine residue at position 55. <i>Virology</i> , 2000 , 268, 533-8	3.6	13

69	CD8 T cells targeting adapted epitopes in chronic HIV infection promote dendritic cell maturation and CD4 T cell trans-infection. <i>PLoS Pathogens</i> , 2019 , 15, e1007970	7.6	12
68	CD4:CD8 lymphocyte ratio as a quantitative measure of immunologic health in HIV-1 infection: findings from an African cohort with prospective data. <i>Frontiers in Microbiology</i> , 2015 , 6, 670	5.7	12
67	HLA Class-II Associated HIV Polymorphisms Predict Escape from CD4+ T Cell Responses. <i>PLoS Pathogens</i> , 2015 , 11, e1005111	7.6	12
66	HIV testing and counselling couples together for affordable HIV prevention in Africa. <i>International Journal of Epidemiology</i> , 2019 , 48, 217-227	7.8	12
65	Dynamics of viremia in primary HIV-1 infection in Africans: insights from analyses of host and viral correlates. <i>Virology</i> , 2014 , 449, 254-62	3.6	11
64	HIV-1 variants are archived throughout infection and persist in the reservoir. <i>PLoS Pathogens</i> , 2020 , 16, e1008378	7.6	10
63	Host genetics and viral load in primary HIV-1 infection: clear evidence for gene by sex interactions. <i>Human Genetics</i> , 2014 , 133, 1187-97	6.3	10
62	Clade C HIV-1 Envelope Vaccination Regimens Differ in Their Ability To Elicit Antibodies with Moderate Neutralization Breadth against Genetically Diverse Tier 2 HIV-1 Envelope Variants. <i>Journal of Virology</i> , 2019 , 93,	6.6	9
61	A restriction enzyme based cloning method to assess the in vitro replication capacity of HIV-1 subtype C Gag-MJ4 chimeric viruses. <i>Journal of Visualized Experiments</i> , 2014 ,	1.6	9
60	A Mason-Pfizer Monkey virus Gag-GFP fusion vector allows visualization of capsid transport in live cells and demonstrates a role for microtubules. <i>PLoS ONE</i> , 2013 , 8, e83863	3.7	9
59	The C3/465 glycan hole cluster in BG505 HIV-1 envelope is the major neutralizing target involved in preventing mucosal SHIV infection. <i>PLoS Pathogens</i> , 2021 , 17, e1009257	7.6	9
58	Control of the HIV-1 Load Varies by Viral Subtype in a Large Cohort of African Adults With Incident HIV-1 Infection. <i>Journal of Infectious Diseases</i> , 2019 , 220, 432-441	7	8
57	Amino acid residues in the cytoplasmic domain of the Mason-Pfizer monkey virus glycoprotein critical for its incorporation into virions. <i>Journal of Virology</i> , 2005 , 79, 11559-68	6.6	8
56	An siRNA screen of membrane trafficking genes highlights pathways common to HIV-1 and M-PMV virus assembly and release. <i>PLoS ONE</i> , 2014 , 9, e106151	3.7	8
55	Human anogenital monocyte-derived dendritic cells and langerin+cDC2 are major HIV target cells. <i>Nature Communications</i> , 2021 , 12, 2147	17.4	8
54	Wide variation in susceptibility of transmitted/founder HIV-1 subtype C Isolates to protease inhibitors and association with in vitro replication efficiency. <i>Scientific Reports</i> , 2016 , 6, 38153	4.9	8
53	HLA Class I Downregulation by HIV-1 Variants from Subtype C Transmission Pairs. <i>Journal of Virology</i> , 2018 , 92,	6.6	7
52	Cohort Profile: IAVIR HIV epidemiology and early infection cohort studies in Africa to support vaccine discovery. <i>International Journal of Epidemiology</i> , 2021 , 50, 29-30	7.8	7

51	Low antibody-dependent cellular cytotoxicity responses in Zambians prior to HIV-1 intrasubtype C superinfection. <i>Virology</i> , 2014 , 462-463, 295-8	3.6	6
50	Virus-Host Gene Interactions Define HIV-1 Disease Progression. <i>Current Topics in Microbiology and Immunology</i> , 2017 , 407, 31-63	3.3	6
49	Strong T1-biased CD4 T cell responses are associated with diminished SIV vaccine efficacy. <i>Science Translational Medicine</i> , 2019 , 11,	17.5	6
48	HIV transmission in discordant couples in Africa in the context of antiretroviral therapy availability. <i>Aids</i> , 2018 , 32, 1613-1623	3.5	5
47	Protective HLA alleles are associated with reduced LPS levels in acute HIV infection with implications for immune activation and pathogenesis. <i>PLoS Pathogens</i> , 2019 , 15, e1007981	7.6	4
46	Differential Vpu-Mediated CD4 and Tetherin Downregulation Functions among Major HIV-1 Group M Subtypes. <i>Journal of Virology</i> , 2020 , 94,	6.6	4
45	A Population-Specific Optimized GeneXpert Pooling Algorithm for Chlamydia trachomatis and Neisseria gonorrhoeae To Reduce Cost of Molecular Sexually Transmitted Infection Screening in Resource-Limited Settings. <i>Journal of Clinical Microbiology</i> , 2020 , 58,	9.7	4
44	Sociodemographic factors and STIs associated with and infections in Zambian female sex workers and single mothers. <i>International Journal of STD and AIDS</i> , 2020 , 31, 364-374	1.4	4
43	Characterization of the Plasmacytoid Dendritic Cell Response to Transmitted/Founder and Nontransmitted Variants of HIV-1. <i>Journal of Virology</i> , 2018 , 92,	6.6	4
42	The impact of altered polyprotein ratios on the assembly and infectivity of Mason-Pfizer monkey virus. <i>Virology</i> , 2009 , 384, 59-68	3.6	4
41	Identifying the immune interactions underlying HLA class I disease associations. <i>ELife</i> , 2020 , 9,	8.9	4
40	Resistance profile of HIV-1 quasispecies in patients under treatment failure using single molecule, real-time sequencing. <i>Aids</i> , 2020 , 34, 2201-2210	3.5	4
39	Comprehensive epitope mapping using polyclonally expanded human CD8 T cells and a two-step ELISpot assay for testing large peptide libraries. <i>Journal of Immunological Methods</i> , 2021 , 491, 112970	2.5	4
38	High throughput generation and characterization of replication-competent clade C transmitter-founder simian human immunodeficiency viruses. <i>PLoS ONE</i> , 2018 , 13, e0196942	3.7	4
37	Clustered Mutations at the Murine and Human IgH Locus Exhibit Significant Linkage Consistent with Templated Mutagenesis. <i>Journal of Immunology</i> , 2019 , 203, 1252-1264	5.3	3
36	OMEGA: a software tool for the management, analysis, and dissemination of intracellular trafficking data that incorporates motion type classification and quality control		3
35	Utilizing Computational Machine Learning Tools to Understand Immunogenic Breadth in the Context of a CD8 T-Cell Mediated HIV Response. <i>Frontiers in Immunology</i> , 2021 , 12, 609884	8.4	3
34	Immunogenetic influences on acquisition of HIV-1 infection: consensus findings from two African cohorts point to an enhancer element in IL19 (1q32.2). <i>Genes and Immunity</i> , 2015 , 16, 213-20	4.4	2

33	Cost-effectiveness of couples voluntary HIV counselling and testing in six African countries: a modelling study guided by an HIV prevention cascade framework. <i>Journal of the International AIDS Society</i> , 2020 , 23 Suppl 3, e25522	5.4	2
32	Prediction of extended high viremia among newly HIV-1-infected persons in sub-Saharan Africa. <i>PLoS ONE</i> , 2018 , 13, e0192785	3.7	2
31	Selective HLA Restriction Permits the Evaluation and Interpretation of Immunogenic Breadth at Comparable Levels to Autologous HLA		2
30	Infection with multiple HIV-1 founder variants is associated with lower viral replicative capacity, faster CD4+ T cell decline and increased immune activation during acute infection. <i>PLoS Pathogens</i> , 2020 , 16, e1008853	7.6	2
29	Genital Abnormalities, Hormonal Contraception, and Human Immunodeficiency Virus Transmission Risk in Rwandan Serodifferent Couples. <i>Journal of Infectious Diseases</i> , 2021 , 224, 81-91	7	2
28	Plasmacytoid dendritic cells have divergent effects on HIV infection of initial target cells and induce a pro-retention phenotype. <i>PLoS Pathogens</i> , 2021 , 17, e1009522	7.6	2
27	Brief Report: Enhanced Allogeneic Cellular Responses to Mismatched HLA-B Antigens Results in More Efficient Killing of HIV Infected Cells. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2016 , 71, 493-7	3.1	2
26	Membrane Interactions of the Mason-Pfizer Monkey Virus Matrix Protein and Its Budding Deficient Mutants. <i>Journal of Molecular Biology</i> , 2016 , 428, 4708-4722	6.5	2
25	A Novel Sample Selection Approach to Aid the Identification of Factors That Correlate With the Control of HIV-1 Infection. <i>Frontiers in Immunology</i> , 2021 , 12, 634832	8.4	2
24	Fc-gamma receptor IIA and IIIA variants in two African cohorts: Lack of consistent impact on heterosexual HIV acquisition, viral control, and disease progression. <i>Virology</i> , 2018 , 525, 132-142	3.6	2
23	Proviral Turnover During Untreated HIV Infection Is Dynamic and Variable Between Hosts, Impacting Reservoir Composition on ART. <i>Frontiers in Microbiology</i> , 2021 , 12, 719153	5.7	2
22	Better Viral Control despite Higher CD4 T Cell Activation during Acute HIV-1 Infection in Zambian Women Is Linked to the Sex Hormone Estradiol. <i>Journal of Virology</i> , 2020 , 94,	6.6	1
21	Immunogenetic factors in early immune control of human immunodeficiency virus type 1 (HIV-1) infection: Evaluation of HLA class I amino acid variants in two African populations. <i>Human Immunology</i> , 2018 , 79, 166-171	2.3	1
20	Dynamics and Correlates of CD8 T-Cell Counts in Africans with Primary Human Immunodeficiency Virus Type 1 Infection. <i>Journal of Virology</i> , 2016 , 90, 10423-10430	6.6	1
19	Antisense-Derived HIV-1 Cryptic Epitopes Are Not Major Drivers of Viral Evolution during the Acute Phase of Infection. <i>Journal of Virology</i> , 2018 , 92,	6.6	1
18	Reduced frequency of HIV superinfection in a high-risk cohort in Zambia. <i>Virology</i> , 2019 , 535, 11-19	3.6	1
17	Breadth of CD8 T-cell mediated inhibition of replication of diverse HIV-1 transmitted-founder isolates correlates with the breadth of recognition within a comprehensive HIV-1 Gag, Nef, Env and Pol potential T-cell epitope (PTE) peptide set. <i>PLoS ONE</i> , 2021 , 16, e0260118	3.7	1
16	Utilizing Computational Machine Learning Tools to Understand Immunogenic Breadth in the Context of a CD8 T-Cell Mediated HIV Response		1

15	High Transmitter CD4+ T-Cell Count Shortly after the Time of Transmission in a Study of African Serodiscordant Couples. <i>PLoS ONE</i> , 2015 , 10, e0134438	3.7	1
14	A Stronger Innate Immune Response During Hyperacute Human Immunodeficiency Virus Type 1 (HIV-1) Infection Is Associated With Acute Retroviral Syndrome. <i>Clinical Infectious Diseases</i> , 2021 , 73, 832-841	11.6	1
13	Mason-Pfizer Monkey Virus Envelope Glycoprotein Cycling and Its Vesicular Co-Transport with Immature Particles. <i>Viruses</i> , 2018 , 10,	6.2	1
12	Direct identification of HLA-presented CD8 T cell epitopes from transmitted founder HIV-1 variants. <i>Proteomics</i> , 2021 , 21, e2100142	4.8	1
11	Antiretroviral Therapy Use and HIV Transmission Among Discordant Couples in Nonresearch Settings in Kigali, Rwanda. <i>Sexually Transmitted Diseases</i> , 2021 , 48, 424-428	2.4	1
10	Increased Frequency of Inter-Subtype HIV-1 Recombinants Identified by Near Full-Length Virus Sequencing in Rwandan Acute Transmission Cohorts. <i>Frontiers in Microbiology</i> , 2021 , 12, 734929	5.7	0
9	Elevated levels of inflammatory plasma biomarkers are associated with risk of HIV infection. <i>Retrovirology</i> , 2021 , 18, 8	3.6	0
8	Selective HLA restriction enables the evaluation and interpretation of immunogenic breadth at comparable levels to that observed with broader HLA distribution. <i>Proteomics</i> , 2021 , 21, e2100121	4.8	0
7	Cross-reactivity of glycan-reactive HIV-1 broadly neutralizing antibodies with parasite glycans.. <i>Cell Reports</i> , 2022 , 38, 110611	10.6	0
6	Virologic Aspects of Mucosal Transmission. <i>Current Immunology Reviews</i> , 2019 , 15, 14-27	1.3	
5	HLA-associated preadaptation in HIV Vif is associated with higher set point viral load and faster CD4+ decline in Zambian transmission pairs. <i>Aids</i> , 2021 , 35, 1157-1165	3.5	
4	Infection with multiple HIV-1 founder variants is associated with lower viral replicative capacity, faster CD4+ T cell decline and increased immune activation during acute infection 2020 , 16, e1008853		
3	Infection with multiple HIV-1 founder variants is associated with lower viral replicative capacity, faster CD4+ T cell decline and increased immune activation during acute infection 2020 , 16, e1008853		
2	Infection with multiple HIV-1 founder variants is associated with lower viral replicative capacity, faster CD4+ T cell decline and increased immune activation during acute infection 2020 , 16, e1008853		
1	Infection with multiple HIV-1 founder variants is associated with lower viral replicative capacity, faster CD4+ T cell decline and increased immune activation during acute infection 2020 , 16, e1008853		