

Ali A Hayaloglu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4442187/publications.pdf>

Version: 2024-02-01

114
papers

3,687
citations

147566

31
h-index

168136

53
g-index

115
all docs

115
docs citations

115
times ranked

3201
citing authors

#	ARTICLE	IF	CITATIONS
1	The effect of inulin as a fat replacer on the quality of set-type low-fat yogurt manufacture. International Journal of Dairy Technology, 2005, 58, 180-184.	1.3	185
2	Microbiological, biochemical and technological properties of Turkish White cheese "Beyaz Peynir"™. International Dairy Journal, 2002, 12, 635-648.	1.5	184
3	Physical, chemical and flavour quality of non-fat yogurt as affected by a β -glucan hydrocolloidal composite during storage. Food Hydrocolloids, 2008, 22, 1291-1297.	5.6	171
4	Microstructural, textural, and sensory characteristics of probiotic yogurts fortified with sodium calcium caseinate or whey protein concentrate. Journal of Dairy Science, 2012, 95, 3617-3628.	1.4	171
5	Evaluation of volatiles, phenolic compounds and antioxidant activities of rose hip (<i>Rosa L.</i>) fruits in Turkey. LWT - Food Science and Technology, 2014, 57, 126-133.	2.5	159
6	Incorporation of microbial transglutaminase into non-fat yogurt production. International Dairy Journal, 2007, 17, 199-207.	1.5	131
7	Improving the viability of <i>Bifidobacterium bifidum</i> BB-12 and <i>Lactobacillus acidophilus</i> LA-5 in white-brined cheese by microencapsulation. International Dairy Journal, 2009, 19, 22-29.	1.5	131
8	Microbiology, Biochemistry, and Volatile Composition of Tulum Cheese Ripened in Goat's Skin or Plastic Bags. Journal of Dairy Science, 2007, 90, 1102-1121.	1.4	91
9	Influence of Starters on Chemical, Biochemical, and Sensory Changes in Turkish White-Brined Cheese During Ripening. Journal of Dairy Science, 2005, 88, 3460-3474.	1.4	90
10	Influence of fat replacers on chemical composition, proteolysis, texture profiles, meltability and sensory properties of low-fat Kashar cheese. Journal of Dairy Research, 2008, 75, 1-7.	0.7	88
11	Fatty Acid, Triacylglycerol, Phytosterol, and Tocopherol Variations in Kernel Oil of Malatya Apricots from Turkey. Journal of Agricultural and Food Chemistry, 2007, 55, 10787-10794.	2.4	78
12	Microbial quality and presence of moulds in Kuflu cheese. International Journal of Food Microbiology, 2007, 115, 376-380.	2.1	67
13	Proteolysis in Turkish White-brined cheese made with defined strains of <i>Lactococcus</i> . International Dairy Journal, 2004, 14, 599-610.	1.5	62
14	Characterization of the chemistry, biochemistry and volatile profile of Kuflu cheese, a mould-ripened variety. LWT - Food Science and Technology, 2008, 41, 1323-1334.	2.5	56
15	Physicochemical Characteristics, Antioxidant Activity, Organic Acid and Sugar Contents of 12 Sweet Cherry (<i>Prunus Avium</i> L.) Cultivars Grown in Turkey. Journal of Food Science, 2015, 80, C564-70.	1.5	54
16	Mathematical modeling of drying characteristics of strained yoghurt in a convective type tray-dryer. Journal of Food Engineering, 2007, 78, 109-117.	2.7	53
17	Phenolic Compounds, Volatiles, and Sensory Characteristics of Twelve Sweet Cherry (<i>Prunus</i>)	1.5	53
18	Cheeses of Turkey: 2. Varieties ripened under brine. Dairy Science and Technology, 2008, 88, 225-244.	2.2	52

#	ARTICLE	IF	CITATIONS
19	Determination of the drying kinetics and energy efficiency of purple basil (<i>Ocimum basilicum</i> L.) leaves using different drying methods. <i>Heat and Mass Transfer</i> , 2019, 55, 2173-2184.	1.2	52
20	Changes in volatile compounds, sugars and organic acids of different spices of peppers (<i>Capsicum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	4.2	48
21	Role of using adjunct cultures in release of bioactive peptides in white-brined goat-milk cheese. <i>LWT - Food Science and Technology</i> , 2020, 123, 109127.	2.5	48
22	Cheeses of Turkey: 1. Varieties ripened in goat-skin bags. <i>Dairy Science and Technology</i> , 2007, 87, 79-95.	0.9	47
23	Evaluation of the volatile compounds of fresh ripened <i>Capsicum annum</i> and its spice pepper (dried) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	2.5	46
24	Chemical changes of food constituents during cold plasma processing: A review. <i>Food Research International</i> , 2021, 147, 110552.	2.9	45
25	Volatile composition and proteolysis in traditionally produced mature Kashar cheese. <i>International Journal of Food Science and Technology</i> , 2009, 44, 1388-1394.	1.3	43
26	Comparisons of different single-€strain starter cultures for their effects on ripening and grading of Beyaz cheese. <i>International Journal of Food Science and Technology</i> , 2007, 42, 930-938.	1.3	41
27	Simultaneous use of transglutaminase and rennet in white-brined cheese production. <i>International Dairy Journal</i> , 2013, 33, 129-134.	1.5	39
28	The effect of pumpkin fibre on quality and storage stability of reduced-fat set-type yogurt. <i>International Journal of Food Science and Technology</i> , 2017, 52, 180-187.	1.3	38
29	Volatiles and sensory evaluation of goat milk cheese Gokceada as affected by goat breeds (<i>Gokceada</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	1.4	36
30	Thermal stability of chymosin or microbial coagulant in the manufacture of Malatya, a Halloumi type cheese: Proteolysis, microstructure and functional properties. <i>International Dairy Journal</i> , 2014, 38, 136-144.	1.5	35
31	Characterization of <i>Pediococcus acidilactici</i> postbiotic and impact of postbiotic-fortified chitosan coating on the microbial and chemical quality of chicken breast fillets. <i>International Journal of Biological Macromolecules</i> , 2021, 184, 429-437.	3.6	34
32	Influence of milk pasteurization and scalding temperature on the volatile compounds of Malatya, a farmhouse Halloumi-type cheese. <i>Dairy Science and Technology</i> , 2007, 87, 39-57.	0.9	34
33	SPME/GC-MS Characterization and Comparison of Volatiles of Eleven Varieties of Turkish Cheeses. <i>International Journal of Food Properties</i> , 2013, 16, 1630-1653.	1.3	33
34	Effect of various blends of camel chymosin and microbial rennet (<i>Rhizomucor miehei</i>) on microstructure and rheological properties of Iranian UF White cheese. <i>LWT - Food Science and Technology</i> , 2016, 68, 724-728.	2.5	33
35	Cheeses of Turkey: 3. Varieties containing herbs or spices. <i>Dairy Science and Technology</i> , 2008, 88, 245-256.	2.2	32
36	Utilization and characterization of small ruminants'™ milk and milk products in Turkey: Current status and new perspectives. <i>Small Ruminant Research</i> , 2011, 101, 73-83.	0.6	32

#	ARTICLE	IF	CITATIONS
37	Characterizing volatile compounds and proteolysis in Gokceada artisanal goat cheese. <i>Small Ruminant Research</i> , 2013, 113, 187-194.	0.6	32
38	Characterization of lactic acid bacteria postbiotics, evaluation in-vitro antibacterial effect, microbial and chemical quality on chicken drumsticks. <i>Food Microbiology</i> , 2022, 104, 104001.	2.1	32
39	Changes of proteolysis and angiotensin-I converting enzyme-inhibitory activity in white-brined cheese as affected by adjunct culture and ripening temperature. <i>Journal of Dairy Research</i> , 2014, 81, 394-402.	0.7	30
40	Influence of curd heating on proteolysis and volatiles of Kashkaval cheese. <i>Food Chemistry</i> , 2016, 211, 160-170.	4.2	27
41	Effect of maceration duration on physicochemical characteristics, organic acid, phenolic compounds and antioxidant activity of red wine from <i>Vitis vinifera</i> L. Karaoglan. <i>Journal of Food Science and Technology</i> , 2016, 53, 3557-3565.	1.4	27
42	Fatty Acid Selectivity of Lipases during Acidolysis Reaction between Oleic Acid and Monoacid Triacylglycerols. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 10466-10470.	2.4	25
43	Effect of milk pasteurization and curd scalding temperature on proteolysis in Malatya, a Halloumi-type cheese. <i>Dairy Science and Technology</i> , 2010, 90, 99-109.	2.2	25
44	Changes in volatile composition, proteolysis and textural and sensory properties of white-brined cheese: effects of ripening temperature and adjunct culture. <i>Dairy Science and Technology</i> , 2014, 94, 603-623.	2.2	25
45	The effect of addition of black cumin (<i>Nigella sativa</i> L.) and ripening period on proteolysis, sensory properties and volatile profiles of Erzincan Tulum (Åžavak) cheese made from raw Akkaraman sheepâ€™s milk. <i>Small Ruminant Research</i> , 2016, 134, 65-73.	0.6	25
46	Influence of ripening container on the lactic acid bacteria population in Tulum cheese. <i>World Journal of Microbiology and Biotechnology</i> , 2008, 24, 293-299.	1.7	23
47	The influence of salt concentration on the chemical, ripening and sensory characteristics of Iranian white cheese manufactured by UF-Treated milk. <i>Journal of Dairy Research</i> , 2015, 82, 365-374.	0.7	23
48	Effect of blends of camel chymosin and microbial rennet (<i>Rhizomucor miehei</i>) on chemical composition, proteolysis and residual coagulant activity in Iranian Ultrafiltered White cheese. <i>Journal of Food Science and Technology</i> , 2019, 56, 589-598.	1.4	23
49	Thin-layer drying characteristics of kurut, a Turkish dried dairy by-product. <i>International Journal of Food Science and Technology</i> , 2007, 42, 1080-1086.	1.3	22
50	Volatile Composition, Antioxidant and Antimicrobial Activities of Herbal Plants Used in the Manufacture of Van Herby (OTLU) Cheese. <i>Journal of Food Processing and Preservation</i> , 2014, 38, 1716-1725.	0.9	22
51	Proteolysis texture and microstructure of low-fat Tulum cheese affected by exopolysaccharide-producing cultures during ripening. <i>International Journal of Food Science and Technology</i> , 2014, 49, 435-443.	1.3	22
52	Î²-Carotene Contents and Quality Properties of Set Type Yoghurt Supplemented with Carrot Juice and Sugar. <i>Journal of Food Processing and Preservation</i> , 2014, 38, 1155-1163.	0.9	21
53	Changes during ripening in chemical composition, proteolysis, volatile composition and texture in Kâšhar cheese made using raw bovine, ovine or caprine milk. <i>International Journal of Food Science and Technology</i> , 2014, 49, 2643-2649.	1.3	20
54	Morphological, Molecular, and Mycotoxigenic Identification of Dominant Filamentous Fungi from Moldy Civil Cheese. <i>Journal of Food Protection</i> , 2012, 75, 2045-2049.	0.8	19

#	ARTICLE	IF	CITATIONS
55	Chemical and microbiological status and volatile profiles of mouldy <i>Civil</i> cheese, a Turkish mould-ripened variety. <i>International Journal of Food Science and Technology</i> , 2012, 47, 2405-2412.	1.3	19
56	A comparative study of compositional, antioxidant capacity, ACE-inhibition activity, RP-HPLC peptide profile and volatile compounds of herbal artisanal cheeses. <i>International Dairy Journal</i> , 2020, 111, 104837.	1.5	19
57	The effects of production methods on the color characteristics, capsaicinoid content and antioxidant capacity of pepper spices (<i>C. annuum</i> L.). <i>Food Chemistry</i> , 2021, 341, 128184.	4.2	19
58	Fatty Acid Selectivity of Lipases during Acidolysis Reaction between Triolein and Saturated Fatty Acids Varying from Caproic to Behenic Acids. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 7584-7590.	2.4	18
59	Influence of goat breeds and starter culture systems on gross composition and proteolysis in Gokceada goat cheese during ripening. <i>Small Ruminant Research</i> , 2013, 113, 231-238.	0.6	18
60	Effects of partial substitution of caprine for ovine milk on the volatile compounds of fresh and mature Urfa cheeses. <i>Small Ruminant Research</i> , 2013, 115, 113-123.	0.6	18
61	Primary and Secondary Proteolysis in Eleven Turkish Cheese Varieties. <i>International Journal of Food Properties</i> , 2013, 16, 1663-1675.	1.3	18
62	Study of the chemical composition, proteolysis, volatile compounds, and textural properties of industrial and traditional Beaten (Bieno sirenje) ewe milk cheese. <i>Journal of Dairy Science</i> , 2014, 97, 1210-1224.	1.4	18
63	Mycotoxin production capability of <i>Penicillium roqueforti</i> in strains isolated from mould-ripened traditional Turkish civil cheese. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2015, 32, 245-249.	1.1	18
64	Volatiles and sensory characteristics of yogurt manufactured by incorporating basil (<i>Ocimum</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 3	1.3	18
65	Effect of <i>Penicillium roqueforti</i> and incorporation of whey cheese on volatile profiles and sensory characteristics of mould-ripened Civil cheese. <i>International Journal of Dairy Technology</i> , 2013, 66, 512-526.	1.3	17
66	Proteolysis, microbiology, volatiles and sensory evaluation of Algerian traditional cheese <i>Bouhezza</i> made using goat's raw milk. <i>International Journal of Food Properties</i> , 2017, 20, S3246-S3265.	1.3	17
67	Influence of adjunct cultures on angiotensin-converting enzyme (ACE) inhibitory activity, organic acid content and peptide profile of kefir. <i>International Journal of Dairy Technology</i> , 2018, 71, 131-139.	1.3	17
68	Evolution of proteolysis in Urfa cheese made from ewe's milk by wild type starter culture systems. <i>Small Ruminant Research</i> , 2014, 119, 120-129.	0.6	16
69	Influence of salt concentration on the characteristics of Beyaz cheese, a Turkish white-brined cheese. <i>Dairy Science and Technology</i> , 2006, 86, 73-81.	0.9	16
70	Floral authentication of some monofloral honeys based on volatile composition and physicochemical parameters. <i>European Food Research and Technology</i> , 2022, 248, 2145-2155.	1.6	16
71	C18 Unsaturated Fatty Acid Selectivity of Lipases During the Acidolysis Reaction Between Tripalmitin and Oleic, Linoleic, and Linolenic Acids. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2010, 87, 1301-1307.	0.8	15
72	Cheese Cheese with Added Herbs, Spices and Condiments. , 2011, , 783-789.		15

#	ARTICLE	IF	CITATIONS
73	Changes in volatile composition and sensory properties of Iranian ultrafiltered white cheese as affected by blends of <i>Rhizomucor miehei</i> protease or camel chymosin. <i>Journal of Dairy Science</i> , 2016, 99, 7744-7754.	1.4	15
74	The effects of incorporating wild-type strains of <i>Lactococcus lactis</i> into Turkish white-brined cheese (Beyaz peynir) on the fatty acid and volatile content. <i>International Journal of Dairy Technology</i> , 2011, 64, 494-501.	1.3	14
75	Effect of Maceration Time on Free and Bound Volatiles of Red Wines from cv. Karaoğlan (<i>Vitis</i> Tj ETQq1 1 0.784314 rgBT/Overlob	1.5	14
76	Effects of blends of camel and calf chymosin on proteolysis, residual coagulant activity, microstructure, and sensory characteristics of Beyaz peynir. <i>Journal of Dairy Science</i> , 2019, 102, 5945-5956.	1.4	14
77	Optimization of proteolysis and angiotensin converting enzyme inhibition activity in a model cheese using response surface methodology. <i>LWT - Food Science and Technology</i> , 2019, 99, 525-532.	2.5	14
78	Impact of chitosan embedded with postbiotics from <i>Pediococcus acidilactici</i> against emerging foodborne pathogens in vacuum-packaged frankfurters during refrigerated storage. <i>Meat Science</i> , 2022, 188, 108786.	2.7	14
79	Enrichment of antioxidant activity, phenolic compounds, volatile composition and sensory properties of yogurt with rosehip (<i>Rosa canina</i> L.) fortification. <i>International Journal of Gastronomy and Food Science</i> , 2022, 28, 100514.	1.3	14
80	Evaluation of the chemical, microbiological and volatile aroma characteristics of Ispir Kaymak, a traditional Turkish dairy product. <i>International Journal of Dairy Technology</i> , 2011, 64, 444-450.	1.3	13
81	Influence of brine immersion and vacuum packaging on the chemistry, biochemistry, and microstructure of Mihalic cheese made using sheep's milk during ripening. <i>Dairy Science and Technology</i> , 2012, 92, 671-689.	2.2	13
82	Volatile compounds and proteolysis in traditional Beaten (Bieno sirenje) ewe's milk cheese. <i>International Journal of Dairy Technology</i> , 2014, 67, 584-593.	1.3	12
83	Influence of purple basil (<i>Ocimum basilicum</i> L.) extract and essential oil on hyperlipidemia and oxidative stress in rats fed high-cholesterol diet. <i>Food Bioscience</i> , 2021, 43, 101228.	2.0	12
84	Perspectives and recent innovations on white cheese produced by conventional methods or ultrafiltration technique. <i>International Dairy Journal</i> , 2022, 125, 105232.	1.5	12
85	INFLUENCE OF RENNET CONCENTRATION ON RIPENING CHARACTERISTICS OF HALLOUMI CHEESE. <i>Journal of Food Biochemistry</i> , 2008, 32, 615-627.	1.2	11
86	Characterization and Comparison of Free Fatty Acid Profiles of Eleven Varieties of Turkish Cheeses. <i>International Journal of Food Properties</i> , 2013, 16, 1407-1416.	1.3	11
87	Effects of <i>Penicillium roqueforti</i> and whey cheese on gross composition, microbiology and proteolysis of mould-ripened Civil cheese during ripening. <i>International Journal of Dairy Technology</i> , 2014, 67, 594-603.	1.3	11
88	Proteolysis and volatile profile in the Algerian traditional <i>Bouhezza</i> cheese made using raw goat's milk. <i>International Journal of Food Properties</i> , 2017, 20, 1876-1893.	1.3	11
89	Cheese Varieties Ripened Under Brine. , 2017, , 997-1040.		11
90	Influence of purple basil extract (<i>Ocimum basilicum</i> L.) on chemical composition, rheology and antioxidant activity of set-type yoghurt. <i>Mljekarstvo</i> , 2019, 69, 42-52.	0.2	11

#	ARTICLE	IF	CITATIONS
91	Cheese: Microbiology of Cheese. , 2016, , .		9
92	Effects of Wild-Type Starter Culture (Artisanal Strains) on Volatile Profile of Urfa Cheese Made from Ewe Milk. International Journal of Food Properties, 2015, 18, 1915-1929.	1.3	8
93	The effect of gamma irradiation on microbial load of purple basil (<i>Ocimum bacilicum</i> L.) leaves dried in different methods. Journal of Food Safety, 2019, 39, e12610.	1.1	8
94	ACE-inhibitory activities of peptide fractions ($\lt; 3\text{kDa}$) and identification of peptide sequence by MALDI-ToF-MS in model cheeses incorporating different Lactobacillus species. Journal of Food Composition and Analysis, 2022, 110, 104579.	1.9	8
95	Influence of exopolysaccharide-producing cultures on the volatile profile and sensory quality of low-fat Tulum cheese during ripening. International Journal of Dairy Technology, 2014, 67, 265-276.	1.3	7
96	Characterisation of Macedonian white-brined cheese: Effect of raw or heat-treated caprine milk. International Journal of Dairy Technology, 2018, 71, 408-416.	1.3	7
97	Volatile compounds and biogenic amines during the ripening of mold-ripened Civil cheese manufactured using three different strains of <i>Penicillium roqueforti</i> . Journal of Food Safety, 2018, 38, e12568.	1.1	7
98	Effects of starter culture and storage on volatile profiles and sensory characteristics of yogurt or cream butter. Mljekarstvo, 2020, 70, 184-200.	0.2	7
99	Comparison of I^3 -aminobutyric acid and free amino acid contents of some common varieties of Turkish cheeses. International Dairy Journal, 2022, 128, 105285.	1.5	7
100	Changes during storage in volatile compounds of butter produced using cow, sheep or goat's milk. Small Ruminant Research, 2022, 211, 106691.	0.6	7
101	Influence of starter culture on nitrogen fraction and volatile compounds in Beaten cow's milk cheese. Journal of Food Processing and Preservation, 2020, 44, e14689.	0.9	6
102	Development of a functional chocolate using gamma-amino butyric acid producer Lactocaseibacillus rhamnosus NRRL B-442. Food Bioscience, 2022, 47, 101678.	2.0	5
103	Proteolytic properties of Turkish white-brined cheese (<i>Beyaz peynir</i>) made by using wild-type <i>Lactococcal</i> strains. International Journal of Dairy Technology, 2011, 64, 394-401.	1.3	4
104	Effects of partial substitution of goat's milk for sheep's milk, cured scalding and dry salting on proteolysis in Urfa cheese. Journal of Food Processing and Preservation, 2019, 43, e14157.	0.9	4
105	Physicochemical, microbiological characterization and proteolysis of Algerian traditional <i>Bouhezza</i> cheese prepared from goat's raw milk. Analytical Letters, 2020, 53, 905-921.	1.0	4
106	Effect of <i>Rheum ribes</i> L. juice on the survival of <i>Listeria monocytogenes</i> , <i>Escherichia coli</i> O157:H7 and <i>Salmonella Typhimurium</i> and chemical quality on vacuum packaged raw beef. LWT - Food Science and Technology, 2021, 150, 112016.	2.5	4
107	Thin Layer Drying Characteristics of Eriste: A Dried Cereal Product of Turkey. International Journal of Food Engineering, 2008, 4, .	0.7	3
108	Effects of Scalding Temperature, Scalding Time and Ripening Time on the Chemical, Textural and Microstructural Properties of Ovine Milk Urfa Cheese. Tarim Bilimleri Dergisi, 0, , .	0.4	2

#	ARTICLE	IF	CITATIONS
109	Rheology, microstructure and sensory properties of low-fat milk jam: Influence of inulin type, sucrose content, sodium bicarbonate and calcium chloride. <i>International Dairy Journal</i> , 2021, 123, 105162.	1.5	2
110	Rheological and Physicochemical Properties of Apricot Kernel cream—An innovative cream—like product. <i>Journal of Food Processing and Preservation</i> , 0, , e16056.	0.9	2
111	Microbiology of Cheese. , 2022, , 225-237.		1
112	Effect of single strains of Lactococci on manufacture and chemical quality of fresh Beyaz peynir, Turkish white-brined cheese. <i>Acta Alimentaria</i> , 2008, 37, 485-495.	0.3	0
113	Physicochemical, sensorial and rheological characterisation of whole-fat or low-fat milk jams as influenced by calcium chloride, sodium bicarbonate and sucrose content. <i>International Journal of Food Science and Technology</i> , 2021, 56, 4455-4464.	1.3	0
114	Cheese with Herbs, Spices and Condiments. , 2022, , 137-145.		0