

Hyunwook Kim

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4442423/publications.pdf>

Version: 2024-02-01

21
papers

516
citations

687363

13
h-index

752698

20
g-index

21
all docs

21
docs citations

21
times ranked

982
citing authors

#	ARTICLE	IF	CITATIONS
1	A population-based approach indicates an overall higher patient mortality with peritoneal dialysis compared to hemodialysis in Korea. <i>Kidney International</i> , 2014, 86, 991-1000.	5.2	74
2	Dialysis Modality and Mortality in the Elderly. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2015, 10, 983-993.	4.5	70
3	Robust Identification of Alzheimer's Disease subtypes based on cortical atrophy patterns. <i>Scientific Reports</i> , 2017, 7, 43270.	3.3	65
4	Risk of major cardiovascular events among incident dialysis patients: A Korean national population-based study. <i>International Journal of Cardiology</i> , 2015, 198, 95-101.	1.7	39
5	Vitamin D Deficiency Is an Independent Risk Factor for Urinary Tract Infections After Renal Transplants. <i>Medicine (United States)</i> , 2015, 94, e594.	1.0	28
6	Excess mortality among patients on dialysis: Comparison with the general population in Korea. <i>Kidney Research and Clinical Practice</i> , 2014, 33, 89-94.	2.2	27
7	Asymptomatic hyperuricemia is independently associated with coronary artery calcification in the absence of overt coronary artery disease. <i>Medicine (United States)</i> , 2017, 96, e6565.	1.0	25
8	Improving Survival Rate of Korean Patients Initiating Dialysis. <i>Yonsei Medical Journal</i> , 2015, 56, 666.	2.2	24
9	Electrolyte and mineral disturbances in septic acute kidney injury patients undergoing continuous renal replacement therapy. <i>Medicine (United States)</i> , 2016, 95, e4542.	1.0	24
10	Frequent patient retraining at home reduces the risks of peritoneal dialysis-related infections: A randomised study. <i>Scientific Reports</i> , 2018, 8, 12919.	3.3	23
11	Hyperuricemia and risk of increased arterial stiffness in healthy women based on health screening in Korean population. <i>PLoS ONE</i> , 2017, 12, e0180406.	2.5	22
12	An Assessment of Survival among Korean Elderly Patients Initiating Dialysis: A National Population-Based Study. <i>PLoS ONE</i> , 2014, 9, e86776.	2.5	16
13	The pattern of choosing dialysis modality and related mortality outcomes in Korea: a national population-based study. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 699-710.	1.7	15
14	Technique failure in Korean incident peritoneal dialysis patients: a national population-based study. <i>Kidney Research and Clinical Practice</i> , 2016, 35, 245-251.	2.2	14
15	The impact of disease severity on paradoxical association between body mass index and mortality in patients with acute kidney injury undergoing continuous renal replacement therapy. <i>BMC Nephrology</i> , 2018, 19, 32.	1.8	12
16	Renoprotective Effects of a Highly Selective A3 Adenosine Receptor Antagonist in a Mouse Model of Adriamycin-induced Nephropathy. <i>Journal of Korean Medical Science</i> , 2016, 31, 1403.	2.5	10
17	Association between Vitamin D Deficiency and Anemia in Patients with End-Stage Renal Disease: A Cross-Sectional Study. <i>Yonsei Medical Journal</i> , 2016, 57, 1159.	2.2	10
18	The association between the apolipoprotein B/A-I ratio and coronary calcification may differ depending on kidney function in a healthy population. <i>PLoS ONE</i> , 2017, 12, e0185522.	2.5	8

#	ARTICLE	IF	CITATIONS
19	Dementia is a risk factor for major adverse cardiac and cerebrovascular events in elderly Korean patients initiating hemodialysis: a Korean national population-based study. BMC Nephrology, 2017, 18, 128.	1.8	5
20	A prime determinant in selecting dialysis modality: peritoneal dialysis patient survival. Kidney Research and Clinical Practice, 2017, 36, 22-28.	2.2	5
21	SP007HIGH URIC ACID IS SIGNIFICANTLY ASSOCIATED WITH INCREASED ARTERIAL STIFFNESS IN HEALTHY KOREAN WOMEN. Nephrology Dialysis Transplantation, 2016, 31, i88-i88.	0.7	0