

Hongyan Fu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4442995/publications.pdf>

Version: 2024-02-01

103
papers

1,889
citations

257357

24
h-index

289141

40
g-index

107
all docs

107
docs citations

107
times ranked

1309
citing authors

#	ARTICLE	IF	CITATIONS
1	Large-Coverage White-Light Controller Combining Adaptive QoS-Enhanced Mqam-NOMA for High-Speed Visible Light Communication. <i>Journal of Lightwave Technology</i> , 2022, 40, 415-422.	2.7	4
2	Pulse interactions in periodic and genetic-algorithm-optimized aperiodic epsilon-near-zero multilayers. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2022, 39, 258.	0.9	2
3	Parallel Mini/Micro-LEDs Transmitter: Size-Dependent Effect and Gbps Multi-User Visible Light Communication. <i>Journal of Lightwave Technology</i> , 2022, 40, 2329-2340.	2.7	9
4	Kerr Frequency Comb Generation in Microsphere Resonators With Normal Dispersion. <i>Journal of Lightwave Technology</i> , 2022, 40, 1092-1097.	2.7	3
5	3.8 Gb/s PAM-4 UOWC System Over a 2-m Underwater Channel Enabled by a Single-Pixel 175- μ m GaN-Based Mini-LED. <i>IEEE Photonics Journal</i> , 2022, 14, 1-7.	1.0	8
6	Inverse Design of High-Dimensional Nanostructured 2Å^2 Optical Processors Based On Deep Convolutional Neural Networks. <i>Journal of Lightwave Technology</i> , 2022, 40, 2926-2932.	2.7	5
7	Fiber-Chip Bi-Wavelength Multiplexing With Subwavelength Single-Etch Grating Coupler and Diplexer. <i>IEEE Photonics Journal</i> , 2022, 14, 1-6.	1.0	1
8	Fluorescent concentrator based MISO-NOMA for visible light communications. <i>Optics Letters</i> , 2022, 47, 902.	1.7	6
9	Supercontinuum comb generated by soliton molecule pulse laser injecting into a nonlinear amplifying loop mirror. <i>Optics and Laser Technology</i> , 2022, 150, 107884.	2.2	0
10	Silicone Rubber Coated Non-Adiabatic Tapered Fiber Combined With Online Vernier Interferometer for Temperature Detection. <i>IEEE Sensors Journal</i> , 2022, 22, 8530-8536.	2.4	3
11	Light arrays measure up on a chip the size of a fingertip. <i>Nature</i> , 2022, 603, 232-233.	13.7	2
12	Highly sensitive refractive index sensor based on plastic optical fiber balloon structure. <i>Optics Letters</i> , 2022, 47, 1697.	1.7	6
13	Real-Time Receive-Forward NLOS Visible Light Communication System Based on Multiple Blue Micro-LED Nodes. <i>Photonics</i> , 2022, 9, 211.	0.9	2
14	Net 4 Gb/s underwater optical wireless communication system over 2 m using a single-pixel GaN-based blue mini-LED and linear equalization. <i>Optics Letters</i> , 2022, 47, 1976.	1.7	13
15	Application and comparison of active and transfer learning approaches for modulation format classification in visible light communication systems. <i>Optics Express</i> , 2022, 30, 16351.	1.7	4
16	Optical Uplink, D2D and IoT Links Based on VCSEL Array: Analysis and Demonstration. <i>Journal of Lightwave Technology</i> , 2022, 40, 5083-5096.	2.7	3
17	Evolution of optical wireless communication for 5G/6G. <i>Progress in Quantum Electronics</i> , 2022, 83, 100398.	3.5	33
18	LiDAR integrated IR OWC system with the abilities of user localization and high-speed data transmission. <i>Optics Express</i> , 2022, 30, 20796.	1.7	6

#	ARTICLE	IF	CITATIONS
19	Ultrafast dynamic switching of optical response based on nonlinear hyperbolic metamaterial platform. <i>Optics Express</i> , 2022, 30, 21634.	1.7	8
20	Compact Mach-Zehnder Interferometer for Practical Vernier Effect Sensing System With High Extinction Ratio. <i>IEEE Photonics Journal</i> , 2022, 14, 1-6.	1.0	3
21	Multigigabit Visible Light Communication Based on High-Bandwidth InGaN Quantum Dot Green Micro-LED. <i>ACS Photonics</i> , 2022, 9, 2354-2366.	3.2	13
22	Spectrally Scanning LiDAR Based on Wide-Angle Agile Diffractive Beam Steering. <i>IEEE Photonics Technology Letters</i> , 2022, 34, 850-853.	1.3	0
23	4-bit DAC based 6.9Gb/s PAM-8 UOWC system using single-pixel mini-LED and digital pre-compensation. <i>Optics Express</i> , 2022, 30, 28014.	1.7	6
24	Observation of Soliton Molecules in a Robust All PM Mode-Locked Fiber Laser With Nonreciprocal Phase Bias. <i>IEEE Photonics Journal</i> , 2021, 13, 1-10.	1.0	2
25	Fiber Optic Temperature Sensor With Online Controllable Sensitivity Based on Vernier Effect. <i>IEEE Sensors Journal</i> , 2021, 21, 21555-21563.	2.4	17
26	Dual-layer SiNx-on-SOI grating coupler as an efficient higher-order fiber mode multiplexer. , 2021, , .		1
27	115-MHz Linear NPE Fiber Laser Using All Polarization-Maintaining Fibers. <i>IEEE Photonics Technology Letters</i> , 2021, 33, 81-84.	1.3	16
28	Optimization of Epsilon-Near-Zero Multilayers for Near-Perfect Light Absorption Using an Enhanced Genetic Algorithm. <i>IEEE Photonics Journal</i> , 2021, 13, 1-10.	1.0	7
29	Full-duplex high-speed indoor optical wireless communication system based on a micro-LED and VCSEL array. <i>Optics Express</i> , 2021, 29, 3891.	1.7	22
30	Three-Port Dual-Wavelength-Band Grating Coupler for WDM-PON Applications. <i>IEEE Photonics Technology Letters</i> , 2021, 33, 159-162.	1.3	6
31	Quasi-coherent noise-like pulses in a mode-locked fiber laser with a 3D rotatable polarization beam splitter. <i>Optics Letters</i> , 2021, 46, 1305.	1.7	13
32	Virtually imaged phased-array-based 2D nonmechanical beam-steering device for FMCW LiDAR. <i>Applied Optics</i> , 2021, 60, 2177.	0.9	8
33	Ultrahigh sensitive surface plasmon sensor using a nanofilm coated D-type photonic crystal fiber. <i>Applied Optics</i> , 2021, 60, 2591.	0.9	6
34	Inverse Design for Silicon Photonics: From Iterative Optimization Algorithms to Deep Neural Networks. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 3822.	1.3	41
35	1.3â€‰GHz E-O bandwidth GaN-based micro-LED for multi-gigabit visible light communication. <i>Photonics Research</i> , 2021, 9, 792.	3.4	47
36	Solid-state FMCW LiDAR with two-dimensional spectral scanning using a virtually imaged phased array. <i>Optics Express</i> , 2021, 29, 16547.	1.7	28

#	ARTICLE	IF	CITATIONS
37	Analysis of Deep Neural Network Models for Inverse Design of Silicon Photonic Grating Coupler. Journal of Lightwave Technology, 2021, 39, 2790-2799.	2.7	26
38	Numerical investigations on the cascaded high harmonic and quasi-supercontinuum generations in epsilon-near-zero aluminum-doped zinc oxide nanolayers. Results in Physics, 2021, 24, 104086.	2.0	11
39	Comparison Study of Multi-Slot Designs in Epsilon-Near-Zero Waveguide-Based Electro-Optical Modulators. IEEE Photonics Journal, 2021, 13, 1-12.	1.0	13
40	Experimental investigation of 16.6 Gbps SDM-WDM visible light communication based on a neural network receiver and tricolor mini-LEDs. Optics Letters, 2021, 46, 2888.	1.7	15
41	Real-Time Multi-User Video Optical Wireless Transmission Based on a Parallel Micro-LEDs Bulb. IEEE Photonics Journal, 2021, 13, 1-11.	1.0	13
42	High-efficiency dual-band-multiplexing three-port grating coupler on 220-nm silicon-on-insulator with 248-nm deep-UV lithography. Optics Letters, 2021, 46, 3308.	1.7	10
43	Multi-user accessible indoor infrared optical wireless communication systems employing VIPA-based 2D optical beam-steering technique. Optics Express, 2021, 29, 20175.	1.7	4
44	Epsilon-near-zero photonics: infinite potentials. Photonics Research, 2021, 9, 1616.	3.4	75
45	Manipulation of epsilon-near-zero wavelength for the optimization of linear and nonlinear absorption by supercritical fluid. Scientific Reports, 2021, 11, 15936.	1.6	9
46	Ultra-broadband and ultra-compact polarization beam splitter based on a tapered subwavelength-grating waveguide and slot waveguide. Optics Express, 2021, 29, 28066.	1.7	33
47	Ultra-compact dual-mode mode-size converter for silicon photonic few-mode fiber interfaces. Optics Express, 2021, 29, 33728.	1.7	13
48	Dual-Wavelength-Band Grating Coupler on 220-nm Silicon-on-Insulator With High Numerical Aperture Fiber Placed Perfectly Vertically. Journal of Lightwave Technology, 2021, 39, 5902-5909.	2.7	3
49	8.75â€‰Gbps visible light communication link using an artificial neural network equalizer and a single-pixel blue micro-LED. Optics Letters, 2021, 46, 4670.	1.7	11
50	A High-Speed Visible Light Communication System Using Pairs of Micro-Size LEDs. IEEE Photonics Technology Letters, 2021, 33, 1026-1029.	1.3	3
51	Misalignment Analysis of a High-Speed Uplink OWC System Based on a 940-nm VCSEL. IEEE Photonics Technology Letters, 2021, 33, 1022-1025.	1.3	5
52	OFDM-Based Generalized Optical MIMO. Journal of Lightwave Technology, 2021, 39, 6063-6075.	2.7	24
53	Digital Pre-Equalization for OFDM-Based VLC Systems: Centralized or Distributed?. IEEE Photonics Technology Letters, 2021, 33, 1081-1084.	1.3	23
54	Ultrasensitive temperature sensor with Vernier-effect improved fiber Michelson interferometer. Optics Express, 2021, 29, 1090.	1.7	83

#	ARTICLE	IF	CITATIONS
55	Linear Polarization-maintaining Fiber Laser Mode-locked by Nonlinear Polarization Evolution. , 2021, , .		0
56	Quasi-coherent noise-like pulses in a simplified nonlinear polarization evolution mode-locked fiber laser. , 2021, , .		0
57	Commensalism of quasi-coherent noise-like and conventional soliton pulse in a simplified NPE mode-locked fiber laser. , 2021, , .		1
58	Encapsulation-Enabled Perovskite-PMMA Films Combining a Micro-LED for High-Speed White-Light Communication. ACS Applied Materials & Interfaces, 2021, 13, 54143-54151.	4.0	43
59	Vernier effect assisted sucrose sensor based on a cascaded Sagnac interferometer with no-core fiber. Biomedical Optics Express, 2021, 12, 7338.	1.5	10
60	Deep Learning-Assisted Design of Integrated 2 nd -2 Linear Optical Processors. , 2021, , .		0
61	High Performance In-line Mach-Zehnder Interferometer as Reference Arm for Vernier Effect Generation. , 2021, , .		1
62	Silicon-on-insulator grating couplers for dual-band and triple-band multiplexing. , 2021, , .		0
63	High-speed Spectral-scanning FMCW LiDAR System Based on Tunable VCSEL , 2021, , .		2
64	Dynamic Epsilon-Near-Zero Wavelength Tuning and Switching Properties of Hyperbolic Metamaterials. , 2021, , .		0
65	Compact Solid-state Coherent LiDAR based on In-fiber Beam Scanner. , 2021, , .		0
66	Ultra-compact linear mode-locking fiber laser in all polarization-maintaining fibers. , 2021, , .		0
67	Grating Couplers on Silicon Photonics: Design Principles, Emerging Trends and Practical Issues. Micromachines, 2020, 11, 666.	1.4	110
68	State-of-the-Art Optical Microfiber Coupler Sensors for Physical and Biochemical Sensing Applications. Biosensors, 2020, 10, 179.	2.3	15
69	Tunable Electro- and All-Optical Switch Based on Epsilon-Near-Zero Metasurface. IEEE Photonics Journal, 2020, 12, 1-10.	1.0	21
70	Stimulated Brillouin Scattering by Dual Lasers Pumping in WGM Microcavities. IEEE Photonics Journal, 2020, 12, 1-8.	1.0	1
71	Comparative study on epsilon-near-zero transparent conducting oxides: High-order chromatic dispersions and modeling of ultrashort pulse interactions. Physical Review A, 2020, 102, .	1.0	15
72	Sub-Pulses Releasing From Noise-Like Pulses in a Passively Mode-Locked Fiber Laser. IEEE Photonics Technology Letters, 2020, 32, 925-928.	1.3	2

#	ARTICLE	IF	CITATIONS
73	An all polarization-maintaining fiber laser mode locked by nonlinear amplifying loop mirror with different biases. <i>Laser Physics</i> , 2020, 30, 085104.	0.6	10
74	Edge Couplers in Silicon Photonic Integrated Circuits: A Review. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 1538.	1.3	111
75	State-of-the-Art and Perspectives on Silicon Waveguide Crossings: A Review. <i>Micromachines</i> , 2020, 11, 326.	1.4	40
76	High-Order Harmonic Generations in Epsilon-Near-Zero Aluminum-Doped Zinc Oxide Nanopyramid Array. , 2020, , .		3
77	Giant Enhancement of Third- and Fifth-Harmonic Generations in Epsilon-Near-Zero Nanolayer. , 2020, , .		1
78	Precise Tuning of Epsilon-Near-Zero Properties in Indium Tin Oxide Nanolayer by Supercritical Carbon Dioxide. , 2020, , .		2
79	Versatile multi-soliton patterns of noise-like pulses in a passively mode-locked fiber laser. <i>Optics Express</i> , 2020, 28, 912.	1.7	27
80	Multi-user high-speed QAM-OFDMA visible light communication system using a 75-Åµm single layer quantum dot micro-LED. <i>Optics Express</i> , 2020, 28, 18332.	1.7	13
81	A compact and polarization-insensitive silicon waveguide crossing based on subwavelength grating MMI couplers. <i>Optics Express</i> , 2020, 28, 27268.	1.7	22
82	Towards a 20 Gbps multi-user bubble turbulent NOMA UOWC system with green and blue polarization multiplexing. <i>Optics Express</i> , 2020, 28, 31796.	1.7	34
83	2â€‰Gbps/3â€‰m airâ€“underwater optical wireless communication based on a single-layer quantum dot blue micro-LED. <i>Optics Letters</i> , 2020, 45, 2616.	1.7	39
84	Silicon Photonic Vertical Few-mode Fiber Interface Designed by Adjoint Optimization. , 2020, , .		0
85	High-speed Long-distance Optical Wireless Communication Based on a 940-nm VCSEL with 4.46-Gbps QAM-OFDM. , 2020, , .		2
86	Gbps Spatial Diversity Visible Light Communication System Using a Pair 75-Î¼m Micro-LED. , 2020, , .		2
87	High-speed Visible Light Communication System Based on a Packaged Single Layer Quantum Dot Blue Micro-LED with 4-Cbps QAM-OFDM. , 2020, , .		5
88	Dual-wavelength-band Multiplexed Grating Coupler on Multilayer SiN-on-SOI Photonic Integrated Platform. , 2020, , .		5
89	VCSEL-Based Multi-user Optical Wireless Communication System Using Non-Orthogonal Multiple Access. , 2020, , .		4
90	Fiber Tip Temperature Sensor Based on PVA Filled Silica Tube Fabry-Perot Interferometer. , 2020, , .		2

#	ARTICLE	IF	CITATIONS
91	An Erbium-Doped Fiber Whispering-Gallery-Mode Microcavity Laser. IEEE Photonics Technology Letters, 2019, 31, 1650-1653.	1.3	9
92	State of the Art and Perspectives on Silicon Photonic Switches. Micromachines, 2019, 10, 51.	1.4	50
93	Robust all polarization-maintaining femtosecond fiber laser with various phase bias. , 2019, , .		1
94	Self-interaction of ultrashort pulses in an epsilon-near-zero nonlinear material at the telecom wavelength. Optics Express, 2019, 27, 37298.	1.7	27
95	A Spectral Reconstruction Algorithm of Miniature Spectrometer Based on Sparse Optimization and Dictionary Learning. Sensors, 2018, 18, 644.	2.1	40
96	Compact PSR Based on an Asymmetric Bi-level Lateral Taper in an Adiabatic Directional Coupler. Journal of Lightwave Technology, 2016, 34, 985-991.	2.7	26
97	Temperature-Insensitive Fiber Bragg Grating Based Tilt Sensor With Large Dynamic Range. Journal of Lightwave Technology, 2011, 29, 1714-1720.	2.7	77
98	Demultiplexing of photonic crystal fibre sagnac interferometric pressure sensors using discrete wavelet transform. , 2009, , .		0
99	Multiplexing of polarization-maintaining photonic crystal fiber based Sagnac interferometric sensors. Optics Express, 2009, 17, 18501.	1.7	52
100	Pressure sensor realized with polarization-maintaining photonic crystal fiber-based Sagnac interferometer. Applied Optics, 2008, 47, 2835.	2.1	260
101	A Novel Fiber Bragg Grating Sensor Configuration for Long-Distance Quasi-Distributed Measurement. IEEE Sensors Journal, 2008, 8, 1598-1602.	2.4	32
102	High-speed fibre Bragg grating sensor interrogation using dispersion-compensation fibre. Electronics Letters, 2008, 44, 618.	0.5	36
103	Long-distance and quasi-distributed FBG sensor system using a SOA based ring cavity scheme. , 2007, , .		2