Enli Liu

List of Publications by Citations

Source: https://exaly.com/author-pdf/4444441/enli-liu-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

59	8,018 citations	27	59
papers		h-index	g-index
59	9,491	7.7	5.21
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
59	Inducible apoptosis as a safety switch for adoptive cell therapy. <i>New England Journal of Medicine</i> , 2011 , 365, 1673-83	59.2	1031
58	Virus-specific T cells engineered to coexpress tumor-specific receptors: persistence and antitumor activity in individuals with neuroblastoma. <i>Nature Medicine</i> , 2008 , 14, 1264-70	50.5	919
57	Antitumor activity and long-term fate of chimeric antigen receptor-positive T cells in patients with neuroblastoma. <i>Blood</i> , 2011 , 118, 6050-6	2.2	813
56	CD28 costimulation improves expansion and persistence of chimeric antigen receptor-modified T cells in lymphoma patients. <i>Journal of Clinical Investigation</i> , 2011 , 121, 1822-6	15.9	709
55	Use of CAR-Transduced Natural Killer Cells in CD19-Positive Lymphoid Tumors. <i>New England Journal of Medicine</i> , 2020 , 382, 545-553	59.2	652
54	Human Epidermal Growth Factor Receptor 2 (HER2) -Specific Chimeric Antigen Receptor-Modified T Cells for the Immunotherapy of HER2-Positive Sarcoma. <i>Journal of Clinical Oncology</i> , 2015 , 33, 1688-9	96 ^{2.2}	607
53	Disruption of oxygen homeostasis underlies congenital Chuvash polycythemia. <i>Nature Genetics</i> , 2002 , 32, 614-21	36.3	407
52	Infusion of donor-derived CD19-redirected virus-specific T cells for B-cell malignancies relapsed after allogeneic stem cell transplant: a phase 1 study. <i>Blood</i> , 2013 , 122, 2965-73	2.2	390
51	Closely related T-memory stem cells correlate with in vivo expansion of CAR.CD19-T cells and are preserved by IL-7 and IL-15. <i>Blood</i> , 2014 , 123, 3750-9	2.2	381
50	Engineering Natural Killer Cells for Cancer Immunotherapy. <i>Molecular Therapy</i> , 2017 , 25, 1769-1781	11.7	236
49	Clinical responses with T lymphocytes targeting malignancy-associated [light chains. <i>Journal of Clinical Investigation</i> , 2016 , 126, 2588-96	15.9	207
48	Polycythemia vera is not initiated by JAK2V617F mutation. <i>Experimental Hematology</i> , 2007 , 35, 32-8	3.1	162
47	Hypoxia-inducible factor-1 deficiency results in dysregulated erythropoiesis signaling and iron homeostasis in mouse development. <i>Journal of Biological Chemistry</i> , 2006 , 281, 25703-11	5.4	162
46	Regulatory B cells are enriched within the IgM memory and transitional subsets in healthy donors but are deficient in chronic GVHD. <i>Blood</i> , 2014 , 124, 2034-45	2.2	145
45	Discrimination of polycythemias and thrombocytoses by novel, simple, accurate clonality assays and comparison with PRV-1 expression and BFU-E response to erythropoietin. <i>Blood</i> , 2003 , 101, 3294-3	30 ² 1.2	128
44	Mutations in the VHL gene in sporadic apparently congenital polycythemia. <i>Blood</i> , 2003 , 101, 1591-5	2.2	126
43	Phase I study of cord blood-derived natural killer cells combined with autologous stem cell transplantation in multiple myeloma. <i>British Journal of Haematology</i> , 2017 , 177, 457-466	4.5	100

(2016-2003)

42	Mutations of von Hippel-Lindau tumor-suppressor gene and congenital polycythemia. <i>American Journal of Human Genetics</i> , 2003 , 73, 412-9	11	85	
41	An inducible caspase 9 suicide gene to improve the safety of mesenchymal stromal cell therapies. <i>Stem Cells</i> , 2010 , 28, 1107-15	5.8	68	
40	The worldwide distribution of the VHL 598C>T mutation indicates a single founding event. <i>Blood</i> , 2004 , 103, 1937-40	2.2	61	
39	Targeting a cytokine checkpoint enhances the fitness of armored cord blood CAR-NK cells. <i>Blood</i> , 2021 , 137, 624-636	2.2	60	
38	IL-10+ regulatory B cells are enriched in cord blood and may protect against cGVHD after cord blood transplantation. <i>Blood</i> , 2016 , 128, 1346-61	2.2	56	
37	The constitutive mobilization of bone marrow-repopulating cells into the peripheral blood in idiopathic myelofibrosis. <i>Blood</i> , 2005 , 105, 1699-705	2.2	55	
36	Activation of Wnt signaling arrests effector differentiation in human peripheral and cord blood-derived T lymphocytes. <i>Journal of Immunology</i> , 2011 , 187, 5221-32	5.3	47	
35	Specific combinations of donor and recipient KIR-HLA genotypes predict for large differences in outcome after cord blood transplantation. <i>Blood</i> , 2016 , 128, 297-312	2.2	40	
34	In vitro expansion of erythroid progenitors from polycythemia vera patients leads to decrease in JAK2 V617F allele. <i>Experimental Hematology</i> , 2007 , 35, 587-95	3.1	34	
33	High levels of circulating CD34 cells, dacrocytes, clonal hematopoiesis, and JAK2 mutation differentiate myelofibrosis with myeloid metaplasia from secondary myelofibrosis associated with pulmonary hypertension. <i>Blood</i> , 2006 , 107, 3486-8	2.2	27	
32	A robust, good manufacturing practice-compliant, clinical-scale procedure to generate regulatory T cells from patients with amyotrophic lateral sclerosis for adoptive cell therapy. <i>Cytotherapy</i> , 2016 , 18, 1312-24	4.8	25	
31	Novel tumor antigens elicit anti-tumor humoral immune reactions in a subset of patients with polycythemia vera. <i>Clinical Immunology</i> , 2007 , 122, 279-87	9	24	
30	Apoptosis induced by farrerol in human gastric cancer SGC-7901 cells through the mitochondrial-mediated pathway. <i>European Journal of Cancer Prevention</i> , 2015 , 24, 365-72	2	23	
29	An unconventional antigen translated by a novel internal ribosome entry site elicits antitumor humoral immune reactions. <i>Journal of Immunology</i> , 2006 , 177, 4907-16	5.3	23	
28	New onset of myelofibrosis in association with pulmonary arterial hypertension. <i>Annals of Internal Medicine</i> , 2005 , 143, 466-7	8	23	
27	The CXCR4-STAT3-IL-10 Pathway Controls the Immunoregulatory Function of Chronic Lymphocytic Leukemia and Is Modulated by Lenalidomide. <i>Frontiers in Immunology</i> , 2017 , 8, 1773	8.4	20	
26	Comparative toxicity and apoptosis induced by diorganotins in rat pheochromocytoma (PC12) cells. <i>Food and Chemical Toxicology</i> , 2013 , 60, 302-8	4.7	19	
25	Sustained ERK activation-mediated proliferation inhibition of farrerol on human gastric carcinoma cell line by G0/G1-phase cell-cycle arrest. <i>European Journal of Cancer Prevention</i> , 2016 , 25, 490-9	2	19	

24	Targeting the ☑ integrin/TGF-ြaxis improves natural killer cell function against glioblastoma stem cells. <i>Journal of Clinical Investigation</i> , 2021 , 131,	15.9	17
23	A subset of virus-specific CD161 T cells selectively express the multidrug transporter MDR1 and are resistant to chemotherapy in AML. <i>Blood</i> , 2017 , 129, 740-758	2.2	16
22	Farrerol Directly Targets GSK-3 to Activate Nrf2-ARE Pathway and Protect EA.hy926 Cells against Oxidative Stress-Induced Injuries. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 5967434	6.7	14
21	Large-scale GMP-compliant CRISPR-Cas9-mediated deletion of the glucocorticoid receptor in multivirus-specific T cells. <i>Blood Advances</i> , 2020 , 4, 3357-3367	7.8	13
20	Chitosan attenuates dibutyltin-induced apoptosis in PC12 cells through inhibition of the mitochondria-dependent pathway. <i>Carbohydrate Polymers</i> , 2016 , 151, 996-1005	10.3	13
19	Concomitant JAK2 V617F-positive polycythemia vera and B-cell chronic lymphocytic leukemia in three patients originating from two separate hematopoietic stem cells. <i>American Journal of Hematology</i> , 2013 , 88, 157-8	7.1	8
18	Ibrutinib Can Modulate the T Cell Response in Chronic Lymphocytic Leukemia By Reducing PD1/PDL1 Interactions. <i>Blood</i> , 2015 , 126, 1737-1737	2.2	7
17	Cord Blood Derived Natural Killer Cells Engineered with a Chimeric Antigen Receptor Targeting CD19 and Expressing IL-15 Have Long Term Persistence and Exert Potent Anti-Leukemia Activity. <i>Blood</i> , 2015 , 126, 3091-3091	2.2	7
16	Combining AFM13, a Bispecific CD30/CD16 Antibody, with Cytokine-Activated Blood and Cord Blood-Derived NK Cells Facilitates CAR-like Responses Against CD30 Malignancies. <i>Clinical Cancer Research</i> , 2021 , 27, 3744-3756	12.9	7
15	Clinical Responses In Patients Infused With T Lymphocytes Redirected To Target Light Immunoglobulin Chain. <i>Blood</i> , 2013 , 122, 506-506	2.2	6
14	GMP-Compliant Universal Antigen Presenting Cells (uAPC) Promote the Metabolic Fitness and Antitumor Activity of Armored Cord Blood CAR-NK Cells. <i>Frontiers in Immunology</i> , 2021 , 12, 626098	8.4	6
13	Opening of the inward rectifier potassium channel alleviates maladaptive tissue repair following myocardial infarction. <i>Acta Biochimica Et Biophysica Sinica</i> , 2016 , 48, 687-95	2.8	4
12	Administration of Tumor-Specific Cytotoxic T Lymphocytes Engineered to Resist TGF-Ito Patients with EBV-Associated Lymphomas. <i>Blood</i> , 2010 , 116, 560-560	2.2	4
11	Farrerol maintains the contractile phenotype of VSMCs via inactivating the extracellular signal-regulated protein kinase 1/2 and p38 mitogen-activated protein kinase signaling. <i>Molecular and Cellular Biochemistry</i> , 2020 , 475, 249-260	4.2	3
10	Metabolic Reprogramming of GMP Grade Cord Tissue Derived Mesenchymal Stem Cells Enhances Their Suppressive Potential in GVHD. <i>Frontiers in Immunology</i> , 2021 , 12, 631353	8.4	3
9	In Vitro Expansion of Polycythemia Vera Progenitors Favors Expansion of Erythroid Precursors without JAK2 V617F Mutation <i>Blood</i> , 2005 , 106, 3506-3506	2.2	2
8	Novel Unconventional Antigen and Conventional Antigens Elicit Anti-Tumor Humoral Immune Reactions in Response to Interferon-a Therapy <i>Blood</i> , 2004 , 104, 2432-2432	2.2	2
7	Dysregulation of BMPR2, Arginase II and HMGA2 Expression in Idiopathic Myelofibrosis and Secondary Myelofibrosis <i>Blood</i> , 2004 , 104, 792-792	2.2	1

LIST OF PUBLICATIONS

6	Myelofibrosis in a Patient with Sarcoidosis <i>Blood</i> , 2005 , 106, 4965-4965	2.2	1	
5	High Peripheral Blood CD34 Count in Patients with Idiopathic Myelofibrosis (IF) Is Not Due to Fibrosis and Altered Marrow Microenvironment <i>Blood</i> , 2004 , 104, 2439-2439	2.2		
4	DNA Sequence of Hemoglobin Chico <i>Blood</i> , 2005 , 106, 3784-3784	2.2		
3	Tlr4 Is Monoallelically Expressed in Human BFU-E and CFU-E and May Have Application as a Clonality Marker in Hematological Disorders Due to Somatic Mutations in Both Males and Females <i>Blood</i> , 2006 , 108, 3619-3619	2.2		
2	Next Generation CRISPR Gene-Edited and Off-the-Shelf Virus-Specific T-Cells for the Immunocompromised Patient. <i>Blood</i> , 2019 , 134, 1944-1944	2.2		
1	The Effects of Co-Stimulatory Endodomains on the Fate of T Cells Expressing a Tumor Directed Chimeric Antigen Receptor (CAR) In Human Subjects with B Cell Malignancies. <i>Blood</i> , 2010 , 116, 3949-	39 49		