Fiorella Ilariucci

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4444608/publications.pdf

Version: 2024-02-01

		201674	175258
59	3,220	27	52
papers	citations	h-index	g-index
59	59	59	3695
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	High-dose cytarabine plus high-dose methotrexate versus high-dose methotrexate alone in patients with primary CNS lymphoma: a randomised phase 2 trial. Lancet, The, 2009, 374, 1512-1520.	13.7	588
2	Intravascular lymphoma: clinical presentation, natural history, management and prognostic factors in a series of 38 cases, with special emphasis on the  cutaneous variant' ¹ . British Journal of Haematology, 2004, 127, 173-183.	2.5	535
3	Whole-brain radiotherapy or autologous stem-cell transplantation as consolidation strategies after high-dose methotrexate-based chemoimmunotherapy in patients with primary CNS lymphoma: results of the second randomisation of the International Extranodal Lymphoma Study Group-32 phase 2 trial. Lancet Haematology, the, 2017, 4, e510-e523.	4.6	258
4	Temozolomide as salvage treatment in primary brain lymphomas. British Journal of Cancer, 2007, 96, 864-867.	6.4	135
5	Low-Dose Thalidomide Ameliorates Cytopenias and Splenomegaly in Myelofibrosis With Myeloid Metaplasia: A Phase II Trial. Journal of Clinical Oncology, 2004, 22, 424-431.	1.6	134
6	Rituximab plus HyperCVAD alternating with high dose cytarabine and methotrexate for the initial treatment of patients with mantle cell lymphoma, a multicentre trial from Gruppo Italiano Studio Linfomi. British Journal of Haematology, 2012, 156, 346-353.	2.5	122
7	Anthracycline-based chemotherapy as primary treatment for intravascular lymphoma. Annals of Oncology, 2004, 15, 1215-1221.	1.2	111
8	Molecular and clinical features of chronic lymphocytic leukaemia with stereotyped B cell receptors: results from an Italian multicentre study. British Journal of Haematology, 2009, 144, 492-506.	2.5	106
9	Long-Term Results of the HD2000 Trial Comparing ABVD Versus BEACOPP Versus COPP-EBV-CAD in Untreated Patients With Advanced Hodgkin Lymphoma: A Study by Fondazione Italiana Linfomi. Journal of Clinical Oncology, 2016, 34, 1175-1181.	1.6	94
10	MATILDE regimen followed by radiotherapy is an active strategy against primary CNS lymphomas. Neurology, 2006, 66, 1435-1438.	1.1	83
11	Cyclophosphamide, doxorubicin, vincristine, prednisone and rituximab versus epirubicin, cyclophosphamide, vinblastine, prednisone and rituximab for the initial treatment of elderly "fit― patients with diffuse large B-cell lymphoma: results from the ANZINTER3 trial of the Intergruppo Italiano Linfomi. Leukemia and Lymphoma, 2012, 53, 581-588.	1.3	74
12	Immunoglobulin M Monoclonal Gammopathies of Undetermined Significance and Indolent Waldenström's Macroglobulinemia Recognize the Same Determinants of Evolution Into Symptomatic Lymphoid Disorders: Proposal for a Common Prognostic Scoring System. Journal of Clinical Oncology, 2005, 23, 4662-4668.	1.6	73
13	Salvage chemoimmunotherapy with rituximab, ifosfamide and etoposide (Râ€IE regimen) in patients with primary CNS lymphoma relapsed or refractory to highâ€dose methotrexateâ€based chemotherapy. Hematological Oncology, 2013, 31, 143-150.	1.7	66
14	Clinical Monoclonal B Lymphocytosis versus Rai O Chronic Lymphocytic Leukemia: A Comparison of Cellular, Cytogenetic, Molecular, and Clinical Features. Clinical Cancer Research, 2013, 19, 5890-5900.	7.0	60
15	Image-Aided Estimate of Tumor Burden in Hodgkin's Disease: Evidence of Its Primary Prognostic Importance. Journal of Clinical Oncology, 2001, 19, 1388-1394.	1.6	59
16	Helicobacter pylori eradication as exclusive treatment for limited-stage gastric diffuse large B-cell lymphoma: results of a multicenter phase 2 trial. Blood, 2012, 120, 3858-3860.	1.4	58
17	MATRix–RICE therapy and autologous haematopoietic stem-cell transplantation in diffuse large B-cell lymphoma with secondary CNS involvement (MARIETTA): an international, single-arm, phase 2 trial. Lancet Haematology,the, 2021, 8, e110-e121.	4.6	54
18	Highâ€throughput sequencing for the identification of <i><scp>NOTCH</scp>1</i> mutations in early stage chronic lymphocytic leukaemia: biological and clinical implications. British Journal of Haematology, 2014, 165, 629-639.	2.5	52

#	Article	IF	Citations
19	Increased angiogenesis induced by chronic lymphocytic leukemia B cells is mediated by leukemia-derived Ang2 and VEGF. Leukemia Research, 2010, 34, 312-321.	0.8	48
20	Long-term efficacy, safety and neurotolerability of MATRix regimen followed by autologous transplant in primary CNS lymphoma: 7-year results of the IELSG32 randomized trial. Leukemia, 2022, 36, 1870-1878.	7.2	47
21	Clinical relevance of immunophenotype in a retrospective comparative study of 297 peripheral T-cell lymphomas, unspecified, and 496 diffuse large B-cell lymphomas. Cancer, 2004, 101, 1601-1608.	4.1	40
22	Ocular involvement in nasal natural killer T-cell lymphoma. International Ophthalmology, 2009, 29, 275-279.	1.4	39
23	MATILDE chemotherapy regimen for primary CNS lymphoma. Neurology, 2014, 82, 1370-1373.	1.1	38
24	Relevance of Stereotyped B-Cell Receptors in the Context of the Molecular, Cytogenetic and Clinical Features of Chronic Lymphocytic Leukemia. PLoS ONE, 2011, 6, e24313.	2.5	36
25	Safety and efficacy of rituximab plus bendamustine in relapsed or refractory diffuse large B-cell lymphoma patients: an Italian retrospective multicenter study. Leukemia and Lymphoma, 2016, 57, 1823-1830.	1.3	30
26	Efficacy of bendamustine and rituximab as first salvage treatment in chronic lymphocytic leukemia and indirect comparison with ibrutinib: a GIMEMA, ERIC and UK CLL FORUM study. Haematologica, 2018, 103, 1209-1217.	3.5	30
27	Reduced intensity <scp>VEPEMB</scp> regimen compared with standard <scp>ABVD</scp> in elderly Hodgkin lymphoma patients: results from a randomized trial on behalf of the Fondazione Italiana Linfomi (<scp>FIL</scp>). British Journal of Haematology, 2016, 172, 879-888.	2.5	29
28	An open-label, pilot study of fludarabine, cyclophosphamide, and alemtuzumab in relapsed/refractory patients with B-cell chronic lymphocytic leukemia. Blood, 2011, 118, 4079-4085.	1.4	28
29	Chromosome 2p gain in monoclonal Bâ€eell lymphocytosis and in early stage chronic lymphocytic leukemia. American Journal of Hematology, 2013, 88, 24-31.	4.1	27
30	Combination of bendamustine and rituximab as front-line therapy for patients with chronic lymphocytic leukaemia: multicenter, retrospective clinical practice experience with 279 cases outside of controlled clinical trials. European Journal of Cancer, 2016, 60, 154-165.	2.8	22
31	Insulin Growth Factor 1 Receptor Expression Is Associated with NOTCH1 Mutation, Trisomy 12 and Aggressive Clinical Course in Chronic Lymphocytic Leukaemia. PLoS ONE, 2015, 10, e0118801.	2.5	15
32	Prospective validation of a risk score based on biological markers for predicting progression free survival in Binet stage A chronic lymphocytic leukemia patients: Results of the multicenter Oâ€CLL1â€GISL study. American Journal of Hematology, 2014, 89, 743-750.	4.1	14
33	Effects on Survival and Neurocognitive Functions of Whole-Brain Radiotherapy (WBRT) and Autologous Stem Cell Transplantation (ASCT) as Consolidation Options after High-Dose Methotrexate-Based Chemoimmunotherapy in Patients with Newly Diagnosed Primary CNS Lymphoma (PCNSL): Results of the Second Randomization of the IELSG32 Trial. Blood. 2016. 128. 511-511.	1.4	13
34	Surrogate molecular markers for IGHV mutational status in chronic lymphocytic leukemia for predicting time to first treatment. Leukemia Research, 2015, 39, 840-845.	0.8	12
35	Efficacy of bendamustine and rituximab in unfit patients with previously untreated chronic lymphocytic leukemia. Indirect comparison with ibrutinib in a realâ€world setting. A GIMEMAâ€ERIC and US study. Cancer Medicine, 2020, 9, 8468-8479.	2.8	12
36	Italian real life experience with ibrutinib: results of a large observational study on 77 relapsed/refractory mantle cell lymphoma. Oncotarget, 2018, 9, 23443-23450.	1.8	12

#	Article	IF	CITATIONS
37	Total body computed tomography scan in the initial workâ€up of Binet stage A chronic lymphocytic leukemia patients: Results of the prospective, multicenter Oâ€CLL1â€GISL study. American Journal of Hematology, 2013, 88, 539-544.	4.1	10
38	Is ZAP70 still a key prognostic factor in early stage chronic lymphocytic leukaemia? Results of the analysis from a prospective multicentre observational study. British Journal of Haematology, 2015, 168, 455-459.	2.5	9
39	Prospective validation of predictive value of abdominal computed tomography scan on time to first treatment in Rai O chronic lymphocytic leukemia patients: results of the multicenter Oâ€ <scp>CLL</scp> 1â€ <scp>GISL</scp> study. European Journal of Haematology, 2016, 96, 36-45.	2.2	7
40	Bleomycin, Epidoxorubicin, Cyclophosphamide, Vincristine and Prednisone (BACOP) in Patients with Follicular Non-Hodgkin's Lymphoma: Results of a Prospective, Multicenter Study of the Gruppo Italiano Per Lo Studio Dei Linfomi (GISL). Leukemia and Lymphoma, 2002, 43, 1795-1801.	1.3	6
41	Anthracyclineâ€fludarabineâ€containing regimens with or without rituximab in the treatment of patients with advanced follicular lymphoma. Cancer, 2009, 115, 1906-1913.	4.1	6
42	Lenalidomide treatment of myelodysplastic syndromes with chromosome 5q deletion: Results from the National Registry of the Italian Drug Agency. European Journal of Haematology, 2018, 101, 78-85.	2.2	5
43	A pilot phase II study with brentuximab vedotin followed by ABVD in patients with previously untreated Hodgkin lymphoma: A preliminary report Journal of Clinical Oncology, 2014, 32, 8507-8507.	1.6	5
44	Integrating Oncogeriatric Tools into the Management of Chronic Lymphocytic Leukemia: Current State of the Art and Challenges for the Future. Current Oncology Reports, 2015, 17, 31.	4.0	3
45	Survival and Recurrence in Vitreoretinal Lymphoma Simulating Uveitis at Presentation: The Possible Role of Combined Chemotherapy. Ocular Immunology and Inflammation, 2021, , 1-9.	1.8	3
46	Defibrotide Low-Dose Continuous Infusion from Day $+1$ Until Day $+21$ after Allogeneic Stem Cell Transplantation as Prophylaxis of Veno-Occlusive Disease (VOD) of the Liver. A Single Centre Experience Blood, 2007, 110, 4927-4927.	1.4	3
47	Brentuximab Vedotin Followed By ABVD in Patients with Previously Untreated Hodgkin Lymphoma. a Pilot Phase II Study. Blood, 2014, 124, 3088-3088.	1.4	3
48	Bendamustine and Rituximab Combination In Untreated Indolent Non Follicular B-Cell Non-Hodgkin's Lymphomas. A Phase II Study From The Fondazione Italiana Linfomi (INFLO9). Blood, 2013, 122, 3049-3049.	1.4	2
49	R-CHOP vs R-MiniCEOP in Elderly Patients with Diffuse Large B-Cell Lymphoma (B-DLCL) Prospectively Selected by a Multidimensional Evaluation Scale: Preliminary Results of a Randomized Study Performed by Intergruppo Italiano Linfomi (IIL) Blood, 2007, 110, 3429-3429.	1.4	1
50	Safety and Efficacy of Rituximab Plus Bendamustine in Relapsed or Refractory Diffuse Large B-Cell Lymphoma Patients. Blood, 2014, 124, 3074-3074.	1.4	1
51	Long-Term Follow-up Analysis of HD2000 Trial Comparing ABVD Versus BEACOPP Versus Copp/EBV/CAD in Patients with Newly Diagnosed Advanced-Stage Hodgkin's Lymphoma: A Study from the Fondazione Italiana Linfomi. Blood, 2014, 124, 499-499.	1.4	1
52	Fludarabine, Cyclophosphamide, Ofatumumab (FC-O2) As Front-Line Treatment for Young and Fit Patients with Chronic Lymphocytic Leukemia (CLL): Preliminary Results of the Prospective Phase 2 LLCO911 Gimema Study. Blood, 2015, 126, 2946-2946.	1.4	1
53	Enteropathy-associated T cell lymphoma of the jejunum associated with colonic lymphocytosis with aberrant phenotype. Journal of Clinical Pathology, 2010, 63, 850-852.	2.0	0
54	Molecular and Clinical Features of B Cell Chronic Lymphocytic Leukemia (CLL) Carrying Stereotyped B Cell Receptors: An Italian Experience Blood, 2007, 110, 3089-3089.	1.4	0

#	Article	IF	CITATIONS
55	Fludarabine, Cyclophosphamide, and Alemtuzumab (FCC) In Relapsed/Refractory Patients with B-Cell Chronic Lymphocytic Leukemia (CLL): Final Report of the Italian Study. Blood, 2010, 116, 1384-1384.	1.4	0
56	Incidence Rate of Thromboembolic Events (TE) In a Prospectively Evaluated Population of Patients with Lymphoma Enrolled In First Line Treatment Clinical Trials: a Report From the Gruppo Italiano Per Lo Studio Dei Linfomi (GISL). Blood, 2010, 116, 4208-4208.	1.4	0
57	High-Throughput Sequencing For The Identification Of NOTCH1 mutations In Early Stage Chronic Lymphocytic Leukemia: Biological and Clinical Implications. Blood, 2013, 122, 1622-1622.	1.4	O
58	Insulin Growth Factor 1 Receptor Expression Is Associated with NOTCH1 Mutation, Trisomy 12 and Aggressive Clinical Course in Chronic Lymphocytic Leukemia. Blood, 2014, 124, 3314-3314.	1.4	0
59	R-CHOP Preceded By Engineered Tumor Necrosis Factor (TNF) in Patients with Relapsed or Refractory (r/r) Primary CNS Lymphoma (PCNSL): Results of Antitumor Activity, Safety and Blood-Brain Barrier (BBB) Permeabilization in the "Ingrid" Phase II Trial. Blood, 2018, 132, 1687-1687.	1.4	0