

Aleksandar Dagovic

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4445390/publications.pdf>

Version: 2024-02-01

33
papers

1,561
citations

394421

19
h-index

454955

30
g-index

33
all docs

33
docs citations

33
times ranked

1388
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Primary Small Cell Carcinoma Of Lung With Metachronous Breast Metastasis. Serbian Journal of Experimental and Clinical Research, 2017, 18, 263-267. | 0.1 | 0 |
| 2 | Trends and Patterns of Disparities in Oral Cavity and Pharyngeal Cancer in Serbia: Prevalence and Economic Consequences in a Transitional Country. Frontiers in Pharmacology, 2017, 8, 385. | 3.5 | 2 |
| 3 | Macroeconomic Policy Impact On Oncology-Related Public Expenditure In An Emerging European Market – Signs Of Early Recovery. Serbian Journal of Experimental and Clinical Research, 2015, 16, 43-50. | 0.1 | 9 |
| 4 | Five-year survival and costs of care in metastatic colorectal cancer: conventional versus monoclonal antibody-based treatment protocols. Expert Review of Anticancer Therapy, 2015, 15, 963-970. | 2.4 | 12 |
| 5 | Radiation therapy remains the key cost driver of oncology inpatient treatment. Journal of Medical Economics, 2015, 18, 29-36. | 2.1 | 28 |
| 6 | Economics of cancer related medical care: Worldwide estimates and available domestic evidence. Archive of Oncology, 2011, 19, 59-63. | 0.2 | 11 |
| 7 | Efficacy and safety of bevacizumab in combination with oxaliplatin, irinotecan and fluoropyrimidine-based therapy in advanced colorectal cancer. Archive of Oncology, 2007, 15, 10-14. | 0.2 | 2 |
| 8 | Pretreatment prognostic factors in patients with early-stage (I/II) non-small-cell lung cancer treated with hyperfractionated radiation therapy alone. International Journal of Radiation Oncology Biology Physics, 2006, 65, 1112-1119. | 0.8 | 16 |
| 9 | Radiochemotherapy in Locally Advanced Non-Small Cell Lung Cancer. , 2005, , 207-222. | | 0 |
| 10 | Radiation Therapy With or Without Concurrent Low-Dose Daily Chemotherapy in Locally Advanced, Nonmetastatic Squamous Cell Carcinoma of the Head and Neck. Journal of Clinical Oncology, 2004, 22, 3540-3548. | 1.6 | 72 |
| 11 | Combined treatment modality for anaplastic oligodendroglioma and oligoastrocytoma: a 10-year update of a Phase II study. International Journal of Radiation Oncology Biology Physics, 2004, 59, 509-514. | 0.8 | 13 |
| 12 | Stage III Non-Small-Cell Lung Cancer Treated With High-Dose Hyperfractionated Radiation Therapy and Concurrent Low-Dose Daily Chemotherapy With or Without Weekend Chemotherapy. American Journal of Clinical Oncology: Cancer Clinical Trials, 2004, 27, 350-360. | 1.3 | 6 |
| 13 | Clinical Prognostic Factors in Patients With Malignant Glioma Treated With Combined Modality Approach. American Journal of Clinical Oncology: Cancer Clinical Trials, 2004, 27, 195-204. | 1.3 | 38 |
| 14 | Interfraction Interval in Patients With Stage III Non-Small-Cell Lung Cancer Treated With Hyperfractionated Radiation Therapy With or Without Concurrent Chemotherapy. American Journal of Clinical Oncology: Cancer Clinical Trials, 2004, 27, 616-625. | 1.3 | 9 |
| 15 | Pretreatment clinical prognostic factors in patients with stage IV non-small cell lung cancer (NSCLC) treated with chemotherapy. Journal of Cancer Research and Clinical Oncology, 2003, 129, 114-122. | 2.5 | 35 |
| 16 | Multivariate analysis of clinical prognostic factors in patients with glioblastoma multiforme treated with a combined modality approach. Journal of Cancer Research and Clinical Oncology, 2003, 129, 477-484. | 2.5 | 62 |
| 17 | Hyperfractionated radiation therapy for incompletely resected supratentorial low-grade glioma: A 10-year update of a Phase II study. International Journal of Radiation Oncology Biology Physics, 2003, 57, 465-471. | 0.8 | 21 |
| 18 | Impact of treatment interruptions due to toxicity on outcome of patients with early stage (I/II) non-small-cell lung cancer (NSCLC) treated with hyperfractionated radiation therapy alone. Lung Cancer, 2003, 40, 317-323. | 2.0 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | No thoracic radiation myelitis after spinal cord dose of 50.4 Gy using 1.2 Gy b.i.d. fractionation in patients with Stage III non-small cell lung cancer treated with hyperfractionated radiation therapy with and without concurrent chemotherapy. <i>Lung Cancer</i> , 2002, 35, 287-292. | 2.0 | 6 |
| 20 | Second Cancers Occurring in Patients With Early Stage Non-Small-Cell Lung Cancer Treated With Chest Radiation Therapy Alone. <i>Journal of Clinical Oncology</i> , 2001, 19, 1056-1063. | 1.6 | 41 |
| 21 | Hyperfractionated radiation therapy and concurrent low-dose, daily carboplatin/etoposide with or without weekend carboplatin/etoposide chemotherapy in stage III non-small-cell lung cancer: A randomized trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2001, 50, 19-25. | 0.8 | 50 |
| 22 | Concurrent accelerated hyperfractionated radiation therapy and carboplatin/etoposide in patients with malignant glioma: long-term results of a phase II study. <i>Journal of Neuro-Oncology</i> , 2001, 51, 133-141. | 2.9 | 26 |
| 23 | Elective ipsilateral neck irradiation of patients with locally advanced maxillary sinus carcinoma. , 2000, 88, 2246-2251. | | 29 |
| 24 | Hyperfractionated Radiation Therapy With or Without Concurrent Low-Dose Daily Cisplatin in Locally Advanced Squamous Cell Carcinoma of the Head and Neck: A Prospective Randomized Trial. <i>Journal of Clinical Oncology</i> , 2000, 18, 1458-1464. | 1.6 | 442 |
| 25 | A phase II study of concurrent accelerated hyperfractionated radiotherapy and carboplatin/oral etoposide for elderly patients with stage III non-small-cell lung cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 1999, 44, 343-348. | 0.8 | 47 |
| 26 | Combined treatment modality for anaplastic oligodendroglioma: a phase II study. <i>Journal of Neuro-Oncology</i> , 1999, 43, 179-185. | 2.9 | 27 |
| 27 | Short-course radiotherapy in elderly and frail patients with glioblastoma multiforme. A phase II study. <i>Journal of Neuro-Oncology</i> , 1999, 44, 85-90. | 2.9 | 27 |
| 28 | External beam radiation therapy alone for loco-regional recurrence of non-small-cell lung cancer after complete resection. <i>Lung Cancer</i> , 1999, 23, 135-142. | 2.0 | 55 |
| 29 | Prolonged oral versus high-dose intravenous etoposide in combination with carboplatin for stage IV non-small-cell lung cancer (NSCLC): a randomized trial. <i>Lung Cancer</i> , 1999, 25, 207-214. | 2.0 | 9 |
| 30 | Pre-irradiation carboplatin and etoposide and accelerated hyperfractionated radiation therapy in patients with high-grade astrocytomas: a phase II study. <i>Radiotherapy and Oncology</i> , 1999, 51, 27-33. | 0.6 | 27 |
| 31 | Role of Radiation Therapy in the Combined-Modality Treatment of Patients With Extensive Disease Small-Cell Lung Cancer: A Randomized Study. <i>Journal of Clinical Oncology</i> , 1999, 17, 2092-2092. | 1.6 | 328 |
| 32 | Concurrent radiochemotherapy for patients with stage III non-small-cell lung cancer (NSCLC): long-term results of a phase II study. <i>International Journal of Radiation Oncology Biology Physics</i> , 1998, 42, 1091-1096. | 0.8 | 54 |
| 33 | Hyperfractionated radiation therapy for incompletely resected supratentorial low-grade glioma. A phase II study. <i>Radiotherapy and Oncology</i> , 1998, 49, 49-54. | 0.6 | 28 |