

Cinzia Perlini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4445449/publications.pdf>

Version: 2024-02-01

87
papers

1,943
citations

236925

25
h-index

302126

39
g-index

105
all docs

105
docs citations

105
times ranked

3000
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Childhood adversities and bipolar disorder: a neuroimaging focus. <i>Epidemiology and Psychiatric Sciences</i> , 2022, 31, e12. | 3.9 | 8 |
| 2 | Insula volumes in first-episode and chronic psychosis: A longitudinal MRI study. <i>Schizophrenia Research</i> , 2022, 241, 14-23. | 2.0 | 2 |
| 3 | The Influence of 5-HTTLPR, BDNF Rs6265 and COMT Rs4680 Polymorphisms on Impulsivity in Bipolar Disorder: The Role of Gender. <i>Genes</i> , 2022, 13, 482. | 2.4 | 8 |
| 4 | The Italian version of the Brief Assessment of Cognition in Affective Disorders: performance of patients with bipolar disorder and healthy controls. <i>Comprehensive Psychiatry</i> , 2022, 117, 152335. | 3.1 | 2 |
| 5 | Sexual Regional Dimorphism of Post-Adolescent and Middle Age Brain Maturation. A Multi-center 3T MRI Study. <i>Frontiers in Aging Neuroscience</i> , 2021, 13, 622054. | 3.4 | 11 |
| 6 | Classification of Psychoses Based on Immunological Features: A Machine Learning Study in a Large Cohort of First-Episode and Chronic Patients. <i>Schizophrenia Bulletin</i> , 2021, 47, 1141-1155. | 4.3 | 11 |
| 7 | Structural neuroimaging of somatoform disorders: A systematic review. <i>Neuroscience and Biobehavioral Reviews</i> , 2021, 122, 66-78. | 6.1 | 9 |
| 8 | “First-episode psychosis: Structural covariance deficits in salience network correlate with symptoms severity” <i>Journal of Psychiatric Research</i> , 2021, 136, 409-420. | 3.1 | 2 |
| 9 | The association of childhood trauma, lifetime stressful events and general psychopathological symptoms in euthymic bipolar patients and healthy subjects. <i>Journal of Affective Disorders</i> , 2021, 289, 66-73. | 4.1 | 7 |
| 10 | Neuroimaging studies exploring the neural basis of social isolation. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e29. | 3.9 | 17 |
| 11 | Cognitive remediation in schizophrenia: the earlier the better?. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e57. | 3.9 | 21 |
| 12 | Mindfulness-based interventions in the early phase of affective and non-affective psychoses. <i>Journal of Affective Disorders</i> , 2020, 263, 747-753. | 4.1 | 7 |
| 13 | Employment status and information needs of patients with breast cancer: a multicentre cross-sectional study of first oncology consultations. <i>BMJ Open</i> , 2020, 10, e038543. | 1.9 | 1 |
| 14 | Exploring Emotional Distress, Psychological Traits and Attitudes in Patients with Chronic Migraine Undergoing OnabotulinumtoxinA Prophylaxis versus Withdrawal Treatment. <i>Toxins</i> , 2020, 12, 577. | 3.4 | 12 |
| 15 | Default mode network activity in bipolar disorder. <i>Epidemiology and Psychiatric Sciences</i> , 2020, 29, e166. | 3.9 | 44 |
| 16 | From research to clinical practice: a systematic review of the implementation of psychological interventions for chronic headache in adults. <i>BMC Health Services Research</i> , 2020, 20, 459. | 2.2 | 10 |
| 17 | The potential role of EMDR on trauma in affective disorders: A narrative review. <i>Journal of Affective Disorders</i> , 2020, 269, 1-11. | 4.1 | 15 |
| 18 | Resting state networks activity in euthymic bipolar disorder. <i>Bipolar Disorders</i> , 2020, 22, 593-601. | 1.9 | 24 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Cardiovascular assessment of supportive doctor-patient communication using multi-scale and multi-lag analysis of heartbeat dynamics. <i>Medical and Biological Engineering and Computing</i> , 2019, 57, 123-134. | 2.8 | 9 |
| 20 | The effects of cognitive remediation on cognitive abilities and real-world functioning among people with bipolar disorder: A systematic review. <i>Journal of Affective Disorders</i> , 2019, 257, 691-697. | 4.1 | 22 |
| 21 | Altered syntactic abilities in first episode patients: An inner phenomenon characterizing psychosis. <i>European Psychiatry</i> , 2019, 61, 119-126. | 0.2 | 4 |
| 22 | The brief assessment of cognition in affective disorders: Normative data for the Italian population. <i>Journal of Affective Disorders</i> , 2019, 252, 245-252. | 4.1 | 8 |
| 23 | Disentangle the neural correlates of attachment style in healthy individuals. <i>Epidemiology and Psychiatric Sciences</i> , 2019, 28, 371-375. | 3.9 | 12 |
| 24 | Temperament and character influence on depression treatment outcome. <i>Journal of Affective Disorders</i> , 2019, 252, 464-474. | 4.1 | 27 |
| 25 | Cingulate abnormalities in bipolar disorder relate to gender and outcome: a voxel-based morphometry study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 777-784. | 3.2 | 7 |
| 26 | Pituitary gland shrinkage in bipolar disorder: The role of gender. <i>Comprehensive Psychiatry</i> , 2018, 82, 95-99. | 3.1 | 16 |
| 27 | Hippocampal Subfield Volumes in Patients With First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 552-559. | 4.3 | 57 |
| 28 | A diffusion weighted imaging study of basal ganglia in schizophrenia. <i>International Journal of Psychiatry in Clinical Practice</i> , 2018, 22, 6-12. | 2.4 | 7 |
| 29 | Increased gyrification in schizophrenia and non affective first episode of psychosis. <i>Schizophrenia Research</i> , 2018, 193, 269-275. | 2.0 | 19 |
| 30 | Activations in gray and white matter are modulated by uni-manual responses during within and inter-hemispheric transfer: effects of response hand and right-handedness. <i>Brain Imaging and Behavior</i> , 2018, 12, 942-961. | 2.1 | 8 |
| 31 | Diffusion imaging study of the Corpus Callosum in bipolar disorder. <i>Psychiatry Research - Neuroimaging</i> , 2018, 271, 75-81. | 1.8 | 20 |
| 32 | Non literal language comprehension in a large sample of first episode psychosis patients in adulthood. <i>Psychiatry Research</i> , 2018, 260, 78-89. | 3.3 | 12 |
| 33 | The neural basis of hostility-related dimensions in schizophrenia. <i>Epidemiology and Psychiatric Sciences</i> , 2018, 27, 546-551. | 3.9 | 9 |
| 34 | Prosody abilities in a large sample of affective and non-affective first episode psychosis patients. <i>Comprehensive Psychiatry</i> , 2018, 86, 31-38. | 3.1 | 8 |
| 35 | Affective communication during bad news consultation. Effect on analogue patients' heart rate variability and recall. <i>Patient Education and Counseling</i> , 2018, 101, 1892-1899. | 2.2 | 15 |
| 36 | Classification of first-episode psychosis in a large cohort of patients using support vector machine and multiple kernel learning techniques. <i>NeuroImage</i> , 2017, 145, 238-245. | 4.2 | 51 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Sexual dimorphism of the planum temporale in schizophrenia: A MRI study. Australian and New Zealand Journal of Psychiatry, 2017, 51, 1010-1019. | 2.3 | 5 |
| 38 | Brain anatomy of symptom stratification in schizophrenia: a voxel-based morphometry study. Nordic Journal of Psychiatry, 2017, 71, 348-354. | 1.3 | 8 |
| 39 | Characterization of doctor-patient communication using heartbeat nonlinear dynamics: A preliminary study using Lagged Poincaré Plots. , 2017, 2017, 3473-3476. | | 2 |
| 40 | Sexual-dimorphism of the planum temporale in schizophrenia: An MRI study. European Psychiatry, 2017, 41, s828-s828. | 0.2 | 0 |
| 41 | Longitudinal investigation of the parietal lobe anatomy in bipolar disorder and its association with general functioning. Psychiatry Research - Neuroimaging, 2017, 267, 22-31. | 1.8 | 17 |
| 42 | Progressive disability and prefrontal shrinkage in schizophrenia patients with poor outcome: A 3-year longitudinal study. Schizophrenia Research, 2017, 179, 104-111. | 2.0 | 19 |
| 43 | Potential Gender-Related Aging Processes Occur Earlier and Faster in the Vermis of Patients with Bipolar Disorder: An MRI Study. Neuropsychobiology, 2017, 75, 32-38. | 1.9 | 2 |
| 44 | Temperament and Character Inventory in Bipolar Disorder versus Healthy Controls and Modulatory Effects of 3 Key Functional Gene Variants. Neuropsychobiology, 2017, 76, 209-221. | 1.9 | 11 |
| 45 | Common and distinct structural features of schizophrenia and bipolar disorder: The European Network on Psychosis, Affective disorders and Cognitive Trajectory (ENPACT) study. PLoS ONE, 2017, 12, e0188000. | 2.5 | 74 |
| 46 | Similar white matter changes in schizophrenia and bipolar disorder: A tract-based spatial statistics study. PLoS ONE, 2017, 12, e0178089. | 2.5 | 63 |
| 47 | Functional Maps for Brain Classification on Spectral Domain. Lecture Notes in Computer Science, 2016, , 25-36. | 1.3 | 1 |
| 48 | Chronological age and its impact on associative learning proficiency and brain structure in middle adulthood. Behavioural Brain Research, 2016, 297, 329-337. | 2.2 | 9 |
| 49 | Applying neuroimaging to detect neuroanatomical dysconnectivity in psychosis. Epidemiology and Psychiatric Sciences, 2015, 24, 298-302. | 3.9 | 35 |
| 50 | Neuropsychological underpinnings of the dynamics of bipolar disorder. Epidemiology and Psychiatric Sciences, 2015, 24, 479-483. | 3.9 | 6 |
| 51 | The use of dynamic susceptibility contrast (DSC) MRI to automatically classify patients with first episode psychosis. Schizophrenia Research, 2015, 165, 38-44. | 2.0 | 23 |
| 52 | Classification of first-episode psychosis: a multi-modal multi-feature approach integrating structural and diffusion imaging. Journal of Neural Transmission, 2015, 122, 897-905. | 2.8 | 25 |
| 53 | Epidemiological and clinical aspects will guide the neuroimaging research in bipolar disorder. Epidemiology and Psychiatric Sciences, 2015, 24, 117-120. | 3.9 | 11 |
| 54 | Learning with Heterogeneous Data for Longitudinal Studies. Lecture Notes in Computer Science, 2015, , 535-542. | 1.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | First-contact incidence of psychosis in north-eastern Italy: influence of age, gender, immigration and socioeconomic deprivation. <i>British Journal of Psychiatry</i> , 2014, 205, 127-134. | 2.8 | 49 |
| 56 | Increased M1/decreased M2 signature and signs of Th1/Th2 shift in chronic patients with bipolar disorder, but not in those with schizophrenia. <i>Translational Psychiatry</i> , 2014, 4, e406-e406. | 4.8 | 70 |
| 57 | Schizophrenia severity, social functioning and hippocampal neuroanatomy: three-dimensional mapping study. <i>British Journal of Psychiatry</i> , 2013, 202, 50-55. | 2.8 | 49 |
| 58 | Increased salience of gains versus decreased associative learning differentiate bipolar disorder from schizophrenia during incentive decision making. <i>Psychological Medicine</i> , 2013, 43, 571-580. | 4.5 | 51 |
| 59 | Psychosis Incident Cohort Outcome Study (PICOS). A multisite study of clinical, social and biological characteristics, patterns of care and predictors of outcome in first-episode psychosis. Background, methodology and overview of the patient sample. <i>Epidemiology and Psychiatric Sciences</i> , 2012, 21, 281-303. | 3.9 | 26 |
| 60 | Is Neuregulin 1 Involved in Determining Cerebral Volumes in Schizophrenia Preliminary Results Showing a Decrease in Superior Temporal Gyrus Volume. <i>Neuropsychobiology</i> , 2012, 65, 119-125. | 1.9 | 26 |
| 61 | Structural imaging techniques in schizophrenia. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 235-242. | 4.5 | 22 |
| 62 | Enlarged hypothalamic volumes in schizophrenia. <i>Psychiatry Research - Neuroimaging</i> , 2012, 204, 75-81. | 1.8 | 38 |
| 63 | A multi-element psychosocial intervention for early psychosis (GET UP PIANO TRIAL) conducted in a catchment area of 10 million inhabitants: study protocol for a pragmatic cluster randomized controlled trial. <i>Trials</i> , 2012, 13, 73. | 1.6 | 47 |
| 64 | Linguistic production and syntactic comprehension in schizophrenia and bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , 2012, 126, 363-376. | 4.5 | 55 |
| 65 | Classification of schizophrenia using feature-based morphometry. <i>Journal of Neural Transmission</i> , 2012, 119, 395-404. | 2.8 | 56 |
| 66 | White matter microstructure alterations in bipolar disorder. <i>Functional Neurology</i> , 2012, 27, 29-34. | 1.3 | 14 |
| 67 | Shared impairment in associative learning in schizophrenia and bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1093-1099. | 4.8 | 32 |
| 68 | Cerebellar and lobar blood flow in schizophrenia: A perfusion weighted imaging study. <i>Psychiatry Research - Neuroimaging</i> , 2011, 193, 46-52. | 1.8 | 10 |
| 69 | Language disturbances in ADHD. <i>Epidemiology and Psychiatric Sciences</i> , 2011, 20, 311-315. | 3.9 | 44 |
| 70 | Altered Prefrontal and Hippocampal Function During Verbal Encoding and Recognition in People With Prodromal Symptoms of Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 746-756. | 4.3 | 71 |
| 71 | Altered microstructure integrity of the amygdala in schizophrenia: a bimodal MRI and DWI study. <i>Psychological Medicine</i> , 2011, 41, 301-311. | 4.5 | 15 |
| 72 | Laterality effects in schizophrenia and bipolar disorder. <i>Experimental Brain Research</i> , 2010, 201, 339-344. | 1.5 | 19 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | ALTERED MRNA LEVELS OF CHEMOKINES AND CYTOKINES IN SCHIZOPHRENIA AND BIPOLAR DISORDER. Schizophrenia Research, 2010, 117, 251-252. | 2.0 | 3 |
| 74 | Language disturbances in schizophrenia. Epidemiology and Psychiatric Sciences, 2009, 18, 314-317. | 3.9 | 18 |
| 75 | Brain structural changes associated with chronicity and antipsychotic treatment in schizophrenia. European Neuropsychopharmacology, 2009, 19, 835-840. | 0.7 | 58 |
| 76 | Increased fronto-temporal perfusion in bipolar disorder. Journal of Affective Disorders, 2008, 110, 106-114. | 4.1 | 28 |
| 77 | Specific linguistic and pragmatic deficits in Italian patients with schizophrenia. Schizophrenia Research, 2008, 102, 53-62. | 2.0 | 76 |
| 78 | EFFECTS OF CHRONICITY AND ANTIPSYCHOTIC MEDICATION ON BRAIN ANATOMY IN A LARGE SAMPLE OF PATIENTS WITH SCHIZOPHRENIA: A VOXEL-BASED MORPHOMETRY STUDY. Schizophrenia Research, 2008, 102, 76. | 2.0 | 0 |
| 79 | Decreased entorhinal cortex volumes in schizophrenia. Schizophrenia Research, 2008, 102, 171-180. | 2.0 | 67 |
| 80 | Distinct language dimensions correlate with superior temporal gyrus and Heschl's gyrus in schizophrenia and healthy controls. European Psychiatry, 2008, 23, S188. | 0.2 | 0 |
| 81 | Delay of left hemisphere in processing information in schizophrenia?. European Psychiatry, 2008, 23, S102-S103. | 0.2 | 0 |
| 82 | Microstructural thalamic changes in schizophrenia: a combined anatomic and diffusion weighted magnetic resonance imaging study. Journal of Psychiatry and Neuroscience, 2008, 33, 440-8. | 2.4 | 23 |
| 83 | P.1.e.007 Decreased cerebellar blood volume in schizophrenia: a perfusion weighted imaging study. European Neuropsychopharmacology, 2007, 17, S284-S285. | 0.7 | 0 |
| 84 | Cortical white-matter microstructure in schizophrenia. British Journal of Psychiatry, 2007, 191, 113-119. | 2.8 | 47 |
| 85 | Normal pituitary volumes in chronic schizophrenia. Psychiatry Research - Neuroimaging, 2007, 154, 41-48. | 1.8 | 28 |
| 86 | Assessment of cerebral blood volume in schizophrenia: A magnetic resonance imaging study. Journal of Psychiatric Research, 2007, 41, 502-510. | 3.1 | 25 |
| 87 | Cerebral atrophy and white matter disruption in chronic schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2007, 257, 3-11. | 3.2 | 32 |