

# Hyung Jung Oh

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4445737/hyung-jung-oh-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

78  
papers

1,070  
citations

18  
h-index

29  
g-index

82  
ext. papers

1,305  
ext. citations

3.9  
avg, IF

3.88  
L-index

#	Paper	IF	Citations
78	Red blood cell distribution width is an independent predictor of mortality in acute kidney injury patients treated with continuous renal replacement therapy. <i>Nephrology Dialysis Transplantation</i> , <b>2012</b> , 27, 589-94	4.3	104
77	An increase in mean platelet volume from baseline is associated with mortality in patients with severe sepsis or septic shock. <i>PLoS ONE</i> , <b>2015</b> , 10, e0119437	3.7	78
76	High-Dose Versus Conventional-Dose Continuous Venovenous Hemodiafiltration and Patient and Kidney Survival and Cytokine Removal in Sepsis-Associated Acute Kidney Injury: A Randomized Controlled Trial. <i>American Journal of Kidney Diseases</i> , <b>2016</b> , 68, 599-608	7.4	64
75	Irisin, a novel myokine is an independent predictor for sarcopenia and carotid atherosclerosis in dialysis patients. <i>Atherosclerosis</i> , <b>2015</b> , 242, 476-82	3.1	55
74	Using the Oxford classification of IgA nephropathy to predict long-term outcomes of Henoch-Schönlein purpura nephritis in adults. <i>Modern Pathology</i> , <b>2014</b> , 27, 972-82	9.8	44
73	Decreased circulating klotho levels in patients undergoing dialysis and relationship to oxidative stress and inflammation. <i>Peritoneal Dialysis International</i> , <b>2015</b> , 35, 43-51	2.8	40
72	Impact of chronic kidney disease on mortality: A nationwide cohort study. <i>Kidney Research and Clinical Practice</i> , <b>2019</b> , 38, 382-390	3.6	38
71	Clinical outcomes, when matched at presentation, do not vary between adult-onset Henoch-Schönlein purpura nephritis and IgA nephropathy. <i>Kidney International</i> , <b>2012</b> , 82, 1304-12	9.9	36
70	Prognostic Value of Residual Urine Volume, GFR by 24-hour Urine Collection, and eGFR in Patients Receiving Dialysis. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2017</b> , 12, 426-434	6.9	30
69	Diastolic dysfunction is an independent predictor of cardiovascular events in incident dialysis patients with preserved systolic function. <i>PLoS ONE</i> , <b>2015</b> , 10, e0118694	3.7	29
68	Early initiation of continuous renal replacement therapy improves patient survival in severe progressive septic acute kidney injury. <i>Journal of Critical Care</i> , <b>2012</b> , 27, 743.e9-18	4	27
67	Comparison of the Haas and the Oxford classifications for prediction of renal outcome in patients with IgA nephropathy. <i>Human Pathology</i> , <b>2014</b> , 45, 236-43	3.7	26
66	Early initiation of continuous renal replacement therapy improves survival of elderly patients with acute kidney injury: a multicenter prospective cohort study. <i>Critical Care</i> , <b>2016</b> , 20, 260	10.8	25
65	Warfarin Use in Patients With Atrial Fibrillation Undergoing Hemodialysis: A Nationwide Population-Based Study. <i>Stroke</i> , <b>2017</b> , 48, 2472-2479	6.7	25
64	Glomerular IgG deposition predicts renal outcome in patients with IgA nephropathy. <i>Modern Pathology</i> , <b>2016</b> , 29, 743-52	9.8	25
63	Urine output is associated with prognosis in patients with acute kidney injury requiring continuous renal replacement therapy. <i>Journal of Critical Care</i> , <b>2013</b> , 28, 379-88	4	20
62	Selective tubular activation of hypoxia-inducible factor-2 has dual effects on renal fibrosis. <i>Scientific Reports</i> , <b>2017</b> , 7, 11351	4.9	19

61	Optimal proteinuria target for renoprotection in patients with IgA nephropathy. <i>PLoS ONE</i> , <b>2014</b> , 9, e101935	3.7	19
60	The protective effect of klotho against contrast-associated acute kidney injury via the antioxidative effect. <i>American Journal of Physiology - Renal Physiology</i> , <b>2019</b> , 317, F881-F889	4.3	18
59	Low serum intact parathyroid hormone level is an independent risk factor for overall mortality and major adverse cardiac and cerebrovascular events in incident dialysis patients. <i>Osteoporosis International</i> , <b>2016</b> , 27, 2717-2726	5.3	18
58	An increased chloride level in hypochloremia is associated with decreased mortality in patients with severe sepsis or septic shock. <i>Scientific Reports</i> , <b>2017</b> , 7, 15883	4.9	16
57	Klotho plays a protective role against glomerular hypertrophy in a cell cycle-dependent manner in diabetic nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , <b>2018</b> , 315, F791-F805	4.3	15
56	Mean platelet volume is a prognostic factor in patients with acute kidney injury requiring continuous renal replacement therapy. <i>Journal of Critical Care</i> , <b>2014</b> , 29, 1016-21	4	15
55	The effect of specialized continuous renal replacement therapy team in acute kidney injury patients treatment. <i>Yonsei Medical Journal</i> , <b>2015</b> , 56, 658-65	3	14
54	Body mass index is inversely associated with mortality in patients with acute kidney injury undergoing continuous renal replacement therapy. <i>Kidney Research and Clinical Practice</i> , <b>2017</b> , 36, 39-47 <sup>3,6</sup>	3.6	14
53	Can early initiation of continuous renal replacement therapy improve patient survival with septic acute kidney injury when enrolled in early goal-directed therapy?. <i>Journal of Critical Care</i> , <b>2016</b> , 35, 51-6 <sup>4</sup>	4	14
52	Which Biomarker is the Best for Predicting Mortality in Incident Peritoneal Dialysis Patients: NT-ProBNP, Cardiac TnT, or hsCRP?: A Prospective Observational Study. <i>Medicine (United States)</i> , <b>2015</b> , 94, e1636	1.8	13
51	A low serum bicarbonate concentration as a risk factor for mortality in peritoneal dialysis patients. <i>PLoS ONE</i> , <b>2013</b> , 8, e82912	3.7	13
50	Fracture risk in chronic kidney disease: A Korean population-based cohort study. <i>Kidney Research and Clinical Practice</i> , <b>2019</b> , 38, 220-228	3.6	13
49	Factors Associated with Early Mortality in Critically Ill Patients Following the Initiation of Continuous Renal Replacement Therapy. <i>Journal of Clinical Medicine</i> , <b>2018</b> , 7,	5.1	13
48	Blood Pressure Control During Chronic Kidney Disease Progression. <i>American Journal of Hypertension</i> , <b>2017</b> , 30, 610-616	2.3	11
47	The relationship of initial transferrin saturation to cardiovascular parameters and outcomes in patients initiating dialysis. <i>PLoS ONE</i> , <b>2014</b> , 9, e87231	3.7	11
46	Baseline Chloride Levels are Associated with the Incidence of Contrast-Associated Acute Kidney Injury. <i>Scientific Reports</i> , <b>2017</b> , 7, 17431	4.9	10
45	Double transduction of a Cre/LoxP lentiviral vector: a simple method to generate kidney cell-specific knockdown mice. <i>American Journal of Physiology - Renal Physiology</i> , <b>2015</b> , 309, F1060-9	4.3	9
44	The effect of renin-angiotensin system blockade on renal protection in chronic kidney disease patients with hyperkalemia. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , <b>2014</b> , 15, 491-7 <sup>2</sup>	7	9

43	Incidence risk of various types of digestive cancers in patients with pre-dialytic chronic kidney disease: A nationwide population-based cohort study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0207756	3.7	9
42	The impact of disease severity on paradoxical association between body mass index and mortality in patients with acute kidney injury undergoing continuous renal replacement therapy. <i>BMC Nephrology</i> , <b>2018</b> , 19, 32	2.7	7
41	Clinical usefulness of the Oxford classification in determining immunosuppressive treatment in IgA nephropathy. <i>Annals of Medicine</i> , <b>2017</b> , 49, 217-229	1.5	7
40	Rifampicin-induced minimal change disease is improved after cessation of rifampicin without steroid therapy. <i>Yonsei Medical Journal</i> , <b>2015</b> , 56, 582-5	3	7
39	Insulin resistance is associated with new-onset cardiovascular events in nondiabetic patients undergoing peritoneal dialysis. <i>Kidney Research and Clinical Practice</i> , <b>2014</b> , 33, 192-8	3.6	7
38	Association between Vitamin D Deficiency and Anemia in Patients with End-Stage Renal Disease: A Cross-Sectional Study. <i>Yonsei Medical Journal</i> , <b>2016</b> , 57, 1159-64	3	7
37	Association of blood pressure components with mortality and cardiovascular events in prehypertensive individuals: a nationwide population-based cohort study. <i>Annals of Medicine</i> , <b>2018</b> , 50, 443-452	1.5	7
36	Delta neutrophil index is an independent predictor of mortality in septic acute kidney injury patients treated with continuous renal replacement therapy. <i>BMC Nephrology</i> , <b>2017</b> , 18, 94	2.7	6
35	NT-proBNP: is it a more significant risk factor for mortality than troponin T in incident hemodialysis patients?. <i>Medicine (United States)</i> , <b>2014</b> , 93, e241	1.8	6
34	Gender-specific discrepancy in subjective global assessment for mortality in hemodialysis patients. <i>Scientific Reports</i> , <b>2018</b> , 8, 17846	4.9	6
33	Comparison of hemodialysis and peritoneal dialysis patients'Sdietary behaviors. <i>BMC Nephrology</i> , <b>2020</b> , 21, 91	2.7	5
32	Membranous glomerulonephritis in a patient with myelodysplastic syndrome-refractory cytopenia with multilineage dysplasia. <i>Kidney Research and Clinical Practice</i> , <b>2013</b> , 32, 134-7	3.6	5
31	Mortality predictors in critically ill patients with acute kidney injury requiring continuous renal replacement therapy. <i>Kidney Research and Clinical Practice</i> , <b>2021</b> , 40, 401-410	3.6	5
30	Characteristics and Clinical Outcomes of End-Stage Renal Disease Patients on Peritoneal Dialysis for Over 15 Years: A Single-Center Experience. <i>Peritoneal Dialysis International</i> , <b>2017</b> , 37, 535-541	2.8	4
29	The interactive effects of input and output on managing fluid balance in patients with acute kidney injury requiring continuous renal replacement therapy. <i>Critical Care</i> , <b>2019</b> , 23, 329	10.8	4
28	Dementia is a risk factor for major adverse cardiac and cerebrovascular events in elderly Korean patients initiating hemodialysis: a Korean national population-based study. <i>BMC Nephrology</i> , <b>2017</b> , 18, 128	2.7	4
27	Plasma Fibroblast Growth Factor 23 Concentration Is Associated with Intracranial Cerebral Atherosclerosis in Acute Ischemic Stroke Patients. <i>Journal of Clinical Neurology (Korea)</i> , <b>2020</b> , 16, 29-36	1.7	4
26	Age and sex specific target of blood pressure for the prevention of cardiovascular event among the treatment naive hypertensive patients. <i>Scientific Reports</i> , <b>2020</b> , 10, 21538	4.9	4

25	The locally activated renin-angiotensin system is involved in albumin permeability in glomerular endothelial cells under high glucose conditions. <i>Nephrology Dialysis Transplantation</i> , <b>2017</b> , 32, 61-72	4.3	4
24	VolumE maNagement Under body composition monitoring in critically ill patientS on CRRT: study protocol for a randomized controlled trial (VENUS trial). <i>Trials</i> , <b>2018</b> , 19, 681	2.8	4
23	The Effect of Aspirin on Preventing Vascular Access Dysfunction in Incident Hemodialysis Patients: A Prospective Cohort Study in Korean Clinical Research Centers for End-Stage Renal Disease (CRC for ESRD). <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	3
22	Is there association between statin usage and contrast-associated acute kidney injury after intravenous administration of iodine-based contrast media in enhanced computed tomography?. <i>European Radiology</i> , <b>2020</b> , 30, 5261-5271	8	3
21	A case of membranous nephropathy as a manifestation of graft-versus-host disease. <i>Kidney Research and Clinical Practice</i> , <b>2013</b> , 32, 39-42	3.6	3
20	Syndrome of inappropriate antidiuretic hormone secretion in a patient with large cell neuroendocrine carcinoma. <i>Yonsei Medical Journal</i> , <b>2012</b> , 53, 667-9	3	3
19	Cardiovascular disease in end-stage renal disease. <i>Journal of the Korean Medical Association</i> , <b>2013</b> , 56, 576	0.5	3
18	Increased Thrombogenicity in Chronic Renal Failure in a Rat Model Induced by 5/6 Ablation/Infarction. <i>Yonsei Medical Journal</i> , <b>2018</b> , 59, 754-759	3	2
17	Comparison of dietary intake patterns in hemodialysis patients by nutritional status: A cross-sectional analysis. <i>Kidney Research and Clinical Practice</i> , <b>2020</b> , 39, 202-212	3.6	2
16	Sex differences in the blood pressure level associated with increased risks of cardiovascular events: a Korean nationwide population-based cohort study. <i>Journal of Clinical Hypertension</i> , <b>2020</b> , 22, 1638-1646 <sup>2,3</sup>	2.3	2
15	Minimal Change Disease in Systemic Lupus: Another Renal Manifestation of Lupus?. <i>The Ewha Medical Journal</i> , <b>2013</b> , 36, 139	0.1	1
14	Metformin use and cardiovascular outcomes in patients with diabetes and chronic kidney disease: a nationwide cohort study.. <i>Kidney Research and Clinical Practice</i> , <b>2021</b> , 40, 660-672	3.6	1
13	The Combined Impact of Chronic Kidney Disease and Diabetes on the Risk of Colorectal Cancer Depends on Sex: A Nationwide Population-Based Study. <i>Yonsei Medical Journal</i> , <b>2020</b> , 61, 506-514	3	1
12	Clinical outcomes among hemodialysis patients with atrial fibrillation: a Korean nationwide population-based study. <i>Kidney Research and Clinical Practice</i> , <b>2021</b> , 40, 99-108	3.6	1
11	Effect of Renin-Angiotensin System Blockade on Mortality in Korean Hypertensive Patients with Proteinuria. <i>Electrolyte and Blood Pressure</i> , <b>2019</b> , 17, 25-35	1.1	1
10	Quantitative Analysis of Microperfusion in Contrast-Induced Nephropathy Using Contrast-Enhanced Ultrasound: An Animal Study. <i>Korean Journal of Radiology</i> , <b>2021</b> , 22, 801-810	6.9	1
9	FP012EFFECT OF LONG-TERM TUBULAR OVEREXPRESSION OF HYPOXIA-INDUCIBLE FACTOR-2A ON THE PROGRESSIVE RENAL FIBROSIS IN CHRONIC KIDNEY DISEASE MODEL. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, i53-i53	4.3	1
8	Health Insurance Status Is Related to Risk of Mortality and Hospitalization in Korean Maintenance Hemodialysis Patients: A Longitudinal Cohort Study. <i>American Journal of Nephrology</i> , <b>2020</b> , 51, 975-981	4.6	0

7	Can mean platelet volume predict the prognosis of patients with acute kidney injury requiring continuous renal replacement therapy? Response to comments. <i>Journal of Critical Care</i> , <b>2015</b> , 30, 208	4
6	Clinical Remission of Renal Amyloidosis after Autologous Peripheral Blood Stem Cell Transplantation. <i>The Ewha Medical Journal</i> , <b>2013</b> , 36, S25	0.1
5	A Case of Bronchioloalveolar Carcinoma Presenting with Initial Symptom of Visual Disturbance due to Intraocular Metastasis. <i>Tuberculosis and Respiratory Diseases</i> , <b>2005</b> , 59, 93	3.2
4	The dietary intake of chronic kidney disease according to stages: Findings from the Korean National Health and Nutritional Examination Survey. <i>PLoS ONE</i> , <b>2021</b> , 16, e0260242	3.7
3	SP662 THE DISCREPANCY IN THE PREDICTABILITY OF SUBJECTIVE GLOBAL ASSESSMENT FOR MORTALITY ACCORDING TO DIALYSIS VINTAGE IN HEMODIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, i569-i569	4.3
2	FP233THE PROTECTIVE EFFECT OF KLOTHO AGAINST CONTRAST ASSOCIATED ACUTE KIDNEY INJURY VIA THE ANTIOXIDATIVE EFFECT. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, i108-i108	4.3
1	FP113THE INCIDENCE RISK OF DIGESTIVE CANCER IN PATIENTS WITH PRE-DIALYTIC CHRONIC KIDNEY DISEASE: A NATIONWIDE COHORT STUDY IN KOREA. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, i15-i15	4.3