

Stefan Stojkovic

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4447527/stefan-stojkovic-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

28

papers

336

citations

11

h-index

16

g-index

31

ext. papers

435

ext. citations

4.5

avg, IF

3.23

L-index

#	Paper	IF	Citations
28	Alternative activation of human macrophages enhances tissue factor expression and production of extracellular vesicles. <i>Haematologica</i> , 2021 , 106, 454-463	6.6	8
27	Circulating MicroRNAs and Monocyte-Platelet Aggregate Formation in Acute Coronary Syndrome. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 913-922	7	3
26	Pharmacological inhibition of fatty acid oxidation reduces atherosclerosis progression by suppression of macrophage NLRP3 inflammasome activation. <i>Biochemical Pharmacology</i> , 2021 , 190, 114634	6.34	3
25	The Paradigm Change of IL-33 in Vascular Biology.. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
24	Elevated plasma levels of asymmetric dimethylarginine and the risk for arrhythmic death in ischemic and non-ischemic, dilated cardiomyopathy - A prospective, controlled long-term study. <i>Clinical Biochemistry</i> , 2020 , 83, 37-42	3.5	4
23	Surrogate Markers of Neutrophil Extracellular Trap Formation are Associated with Ischemic Outcomes and Platelet Activation after Peripheral Angioplasty and Stenting. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	7
22	Liver-specific microRNA-122 as prognostic biomarker in patients with chronic systolic heart failure. <i>International Journal of Cardiology</i> , 2020 , 303, 80-85	3.2	12
21	Association of Soluble Suppression of Tumorigenesis 2 (sST2) With Platelet Activation, Monocyte Tissue Factor and Ischemic Outcomes Following Angioplasty and Stenting. <i>Frontiers in Cardiovascular Medicine</i> , 2020 , 7, 605669	5.4	1
20	The association of P2Y inhibitors with pro-coagulatory extracellular vesicles and microRNAs in stable coronary artery disease. <i>Platelets</i> , 2020 , 31, 497-504	3.6	7
19	MicroRNAs as Regulators and Biomarkers of Platelet Function and Activity in Coronary Artery Disease. <i>Thrombosis and Haemostasis</i> , 2019 , 119, 1563-1572	7	14
18	Course of platelet miRNAs after cessation of P2Y12 antagonists. <i>European Journal of Clinical Investigation</i> , 2019 , 49, e13149	4.6	10
17	Neutrophil Gelatinase Associated Lipocalin (NGAL) for Identification of Unstable Plaques in Patients with Asymptomatic Carotid Stenosis. <i>European Journal of Vascular and Endovascular Surgery</i> , 2019 , 57, 768-777	2.3	11
16	The Relevance of Vascular Endothelial Growth Factor, Hypoxia Inducible Factor-1 Alpha, and Clusterin in Carotid Plaque Instability. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2019 , 28, 1540-1545	2.8	8
15	The impact of age on cardiac function and extracellular matrix component expression in adverse post-infarction remodeling in mice. <i>Experimental Gerontology</i> , 2019 , 119, 193-202	4.5	7
14	Differential expression of Plg-R and its effects on migration of proinflammatory monocyte and macrophage subsets. <i>Blood</i> , 2019 , 134, 561-567	2.2	15
13	Circulating microRNAs identify patients at increased risk of in-stent restenosis after peripheral angioplasty with stent implantation. <i>Atherosclerosis</i> , 2018 , 269, 197-203	3.1	24
12	GDF-15 is a better complimentary marker for risk stratification of arrhythmic death in non-ischaemic, dilated cardiomyopathy than soluble ST2. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 2422-2429	5.6	16

11	Predictive value of low interleukin-33 in critically ill patients. <i>Cytokine</i> , 2018 , 103, 109-113	4	13
10	Defensive Implantable Cardioverter-Defibrillator Programming Is Safe and Reduces Inappropriate Therapy - Comparison of 3 Programming Strategies in 1,471 Patients. <i>Circulation Journal</i> , 2018 , 82, 2976-2982	2.9	8
9	Cardioprotective cytokine interleukin-33 is up-regulated by statins in human cardiac tissue. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 6122-6133	5.6	7
8	Anti-thrombotic and pro-fibrinolytic effects of levosimendan in human endothelial cells in vitro. <i>Vascular Pharmacology</i> , 2017 , 90, 44-50	5.9	8
7	Endothelial Cell-derived Extracellular Vesicles Size-dependently Exert Procoagulant Activity Detected by Thromboelastometry. <i>Scientific Reports</i> , 2017 , 7, 3707	4.9	22
6	Soluble Urokinase-Type Plasminogen Activator Receptor Improves Risk Prediction in Patients With Chronic Heart Failure. <i>JACC: Heart Failure</i> , 2017 , 5, 268-277	7.9	23
5	PAI-1 (Plasminogen Activator Inhibitor-1) Expression Renders Alternatively Activated Human Macrophages Proteolytically Quiescent. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 1913-1922	9.4	18
4	Tissue factor is induced by interleukin-33 in human endothelial cells: a new link between coagulation and inflammation. <i>Scientific Reports</i> , 2016 , 6, 25171	4.9	55
3	MicroRNAs as circulating biomarkers in acute coronary syndromes: A review. <i>Vascular Pharmacology</i> , 2016 , 81, 15-21	5.9	22
2	Selection for atrial fibrillation ablation: Importance of diastolic function grading. <i>Journal of Cardiology</i> , 2015 , 65, 479-86	3	5
1	T-wave variability for the prediction of fast ventricular arrhythmias [prospective, observer-blind study. <i>Circulation Journal</i> , 2015 , 79, 318-24	2.9	3