
## Kristen Hagen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4447806/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cohort Profile: COVIDMENT: COVID-19 cohorts on mental health across six nations. International Journal of Epidemiology, 2022, 51, e108-e122.	0.9	16
2	Mental health symptoms during the first months of the COVID-19 outbreak in Norway: A cross-sectional survey study. Scandinavian Journal of Public Health, 2022, 50, 730-737.	1.2	6
3	Longitudinal changes in neurometabolite concentrations in the dorsal anterior cingulate cortex after concentrated exposure therapy for obsessive-compulsive disorder. Journal of Affective Disorders, 2022, 299, 344-352.	2.0	4
4	Cessation of Deliberate Self-Harm Behavior in Patients With Borderline Personality Traits Treated With Outpatient Dialectical Behavior Therapy. Frontiers in Psychology, 2021, 12, 578230.	1.1	4
5	Disentangling Within- and Between-Person Effects During Response Inhibition in Obsessive-Compulsive Disorder. Frontiers in Psychiatry, 2021, 12, 519727.	1.3	4
6	Psychological Distress among Caregivers of Children with Neurodevelopmental Disorders in Nepal. International Journal of Environmental Research and Public Health, 2021, 18, 2460.	1.2	13
7	Diffusion Tensor Imaging Before and After Concentrated Exposure and Response Prevention in Obsessive-Compulsive Disorder. Biological Psychiatry, 2021, 89, S369-S370.	0.7	0
8	Diffusion Tensor Imaging Before and 3 Months After Concentrated Exposure Response Prevention in Obsessive-Compulsive Disorder. Frontiers in Psychiatry, 2021, 12, 674020.	1.3	3
9	Treatment Adherence as Predictor of Outcome in Concentrated Exposure Treatment for Obsessive-Compulsive Disorder. Frontiers in Psychiatry, 2021, 12, 667167.	1.3	3
10	Digital cognitive–behavioural therapy for insomnia compared with digital patient education about insomnia in individuals referred to secondary mental health services in Norway: protocol for a multicentre randomised controlled trial. BMJ Open, 2021, 11, e050661.	0.8	5
11	Does Concentrated Exposure Treatment for Obsessive-Compulsive Disorder Improve Insomnia Symptoms? Results From a Randomized Controlled Trial. Frontiers in Psychiatry, 2021, 12, 625631.	1.3	3
12	Stable Planning-Related Dorsolateral Prefrontal Hypoactivation in Obsessive-Compulsive Disorder After Concentrated Exposure Therapy. Biological Psychiatry, 2020, 87, S443.	0.7	0
13	Effect of D-Cycloserine on the Effect of Concentrated Exposure and Response Prevention in Difficult-to-Treat Obsessive-Compulsive Disorder. JAMA Network Open, 2020, 3, e2013249.	2.8	16
14	Resilience Moderates Negative Outcome from Stress during the COVID-19 Pandemic: A Moderated-Mediation Approach. International Journal of Environmental Research and Public Health, 2020, 17, 6461.	1.2	103
15	Stable Inhibition-Related Inferior Frontal Hypoactivation and Fronto-Limbic Hyperconnectivity in Obsessive-Compulsive Disorder After Concentrated Exposure Therapy. Biological Psychiatry, 2020, 87, S223-S224.	0.7	0
16	Stable inhibition-related inferior frontal hypoactivation and fronto-limbic hyperconnectivity in obsessive–compulsive disorder after concentrated exposure therapy. NeuroImage: Clinical, 2020, 28, 102460.	1.4	10
17	The Bergen 4-Day Treatment (B4DT) for Obsessive-Compulsive Disorder: Outcomes for Patients Treated After Initial Waiting List or Self-Help Intervention. Frontiers in Psychology, 2020, 11, 982.	1.1	4
18	Effects of Bergen 4-Day Treatment on Resting-State Graph Features in Obsessive-Compulsive Disorder. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2020, 6, 973-982.	1,1	4

Kristen Hagen

#	Article	lF	CITATIONS
19	The Bergen 4-day treatment for OCD: four years follow-up of concentrated ERP in a clinical mental health setting. Cognitive Behaviour Therapy, 2019, 48, 89-105.	1.9	61
20	A Randomized Controlled Trial of Concentrated ERP, Self-Help and Waiting List for Obsessive- Compulsive Disorder: The Bergen 4-Day Treatment. Frontiers in Psychology, 2019, 10, 2500.	1.1	34
21	ls sensory processing sensitivity related to treatment outcome in concentrated exposure and response prevention treatment for obsessive-compulsive disorder?. Journal of Obsessive-Compulsive and Related Disorders, 2019, 23, 100486.	0.7	0
22	S9. Effects of Bergen 4-Day Treatment on Resting-State Graph Features in Obsessive-Compulsive Disorder. Biological Psychiatry, 2019, 85, S300.	0.7	0
23	The Bergen 4-Day Treatment for Obsessive-Compulsive Disorder: Does It Work in a New Clinical Setting?. Frontiers in Psychology, 2019, 10, 1069.	1.1	15
24	Implementation of the Bergen 4-Day Treatment for Obsessive Compulsive Disorder in Iceland , 2019, 16, 33-38.		0
25	Successfully treating 90 patients with obsessive compulsive disorder in eight days: the Bergen 4-day treatment. BMC Psychiatry, 2018, 18, 323.	1.1	37
26	The Bergen 4-Day OCD Treatment Delivered in a Group Setting: 12-Month Follow-Up. Frontiers in Psychology, 2018, 9, 639.	1.1	42
27	The Bergen 4-Day Treatment for Panic Disorder: A Pilot Study. Frontiers in Psychology, 2018, 9, 1044.	1.1	10
28	The role of metacognition and obsessive-compulsive symptoms in psychosis: an analogue study. BMC Psychiatry, 2017, 17, 233.	1.1	20
29	Interpersonal style in obsessive compulsive disorder. The Cognitive Behaviour Therapist, 2015, 8, .	0.4	5
30	Psychotic and schizotypal symptoms in non-psychotic patients with obsessive-compulsive disorder. BMC Psychiatry, 2015, 15, 121.	1.1	6
31	Thought Content and Appraisals in Cognitive Behavioral Therapy for Obsessive-Compulsive Disorder. Journal of Cognitive Psychotherapy, 2015, 29, 106-115.	0.2	3
32	In search of moderators of sex differences in forced-choice jealousy responses: Effects of 2D:4D digit ratio and relationship infidelity experiences. Nordic Psychology, 2015, 67, 272-284.	0.4	14
33	Cognitive Behavioural Therapy for Obsessive-Compulsive Disorder with Comorbid Schizophrenia: A Case Report with Repetitive Measurements. Behavioural and Cognitive Psychotherapy, 2014, 42, 374-378.	0.9	6
34	A pilot randomized controlled trial of videoconference-assisted treatment for obsessive-compulsive disorder. Behaviour Research and Therapy, 2014, 63, 162-168.	1.6	62
35	Prevalence and clinical characteristics of patients with obsessive-compulsive disorder in first-episode psychosis. BMC Psychiatry, 2013, 13, 156.	1.1	32
36	The relationship between resilience and levels of anxiety, depression, and obsessive–compulsive symptoms in adolescents. Clinical Psychology and Psychotherapy, 2011, 18, 314-321.	1.4	252