NicolÃ_is Galarce

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4449165/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A household case evidences shorter shedding of SARS-CoV-2 in naturally infected cats compared to their human owners. Emerging Microbes and Infections, 2021, 10, 376-383.	3.0	74
2	Phenotypic and Genotypic Characterization of Virulence Factors and Susceptibility to Antibiotics in Salmonella Infantis Strains Isolated from Chicken Meat: First Findings in Chile. Animals, 2020, 10, 1049.	1.0	41
3	Bacteriophage cocktail reduces Salmonella enterica serovar Enteritidis counts in raw and smoked salmon tissues. Revista Argentina De Microbiologia, 2014, 46, 333-337.	0.4	24
4	Lytic bacteriophages in Veterinary Medicine: a therapeutic option against bacterial pathogens?. Archivos De Medicina Veterinaria, 2014, 46, 167-179.	0.2	22
5	Antimicrobial Use in Companion Animals: Assessing Veterinarians' Prescription Patterns through the First National Survey in Chile. Animals, 2021, 11, 348.	1.0	20
6	Application of a virulent bacteriophage cocktail leads to reduction of <i>Salmonella enterica</i> serovar Enteritidis counts in processed meat products. Biocontrol Science and Technology, 2016, 26, 462-475.	0.5	16
7	Virulence Genes, Shiga Toxin Subtypes, Serogroups, and Clonal Relationship of Shiga Toxin-Producing Escherichia Coli Strains Isolated from Livestock and Companion Animals. Animals, 2019, 9, 733.	1.0	16
8	Phenotypic and Genotypic Antimicrobial Resistance in Non-O157 Shiga Toxin-Producing Escherichia coli Isolated From Cattle and Swine in Chile. Frontiers in Veterinary Science, 2020, 7, 367.	0.9	14
9	Genomic features and antimicrobial resistance patterns of Shiga toxinâ€producing Escherichia coli strains isolated from food in Chile. Zoonoses and Public Health, 2021, 68, 226-238.	0.9	12
10	Genomic Epidemiology of Shiga Toxin-Producing Escherichia coli Isolated from the Livestock-Food-Human Interface in South America. Animals, 2021, 11, 1845.	1.0	12
11	Detection of Antimicrobial Residues in Poultry Litter: Monitoring a Risk through a Selective and Sensitive HPLC–MS/MS Method. Animals, 2021, 11, 1399.	1.0	10
12	Prevalence and Genomic Characterization of Brucella canis Strains Isolated from Kennels, Household, and Stray Dogs in Chile. Animals, 2020, 10, 2073.	1.0	6
13	Antimicrobial Usage Factors and Resistance Profiles of Shiga Toxin-Producing Escherichia coli in Backyard Production Systems From Central Chile. Frontiers in Veterinary Science, 2020, 7, 595149.	0.9	6
14	Survey of Zoonotic Bacterial Pathogens in Native Foxes in Central Chile: First Record of Brucella canis Exposure. Animals, 2021, 11, 1980.	1.0	6
15	Estimates of Effective Population Size in Commercial and Hatchery Strains of Coho Salmon (Oncorhynchus kisutch (Walbaum, 1792)). Animals, 2022, 12, 647.	1.0	5
16	Evaluation of Antibiotic Dissemination into the Environment and Untreated Animals, by Analysis of Oxytetracycline in Poultry Droppings and Litter. Animals, 2021, 11, 853.	1.0	4
17	Risk Factors for Positivity to Shiga Toxin-Producing Escherichia coli and Salmonella enterica in Backyard Production Systems Animals from Metropolitana Region, Chile: A Threat to Public Health?. International Journal of Environmental Research and Public Health, 2021, 18, 10730.	1.2	3
18	Characterization and antimicrobial susceptibility of coagulase-positive Staphylococcus isolated in a veterinary teaching hospital in Chile. Revista Argentina De Microbiologia, 2022, , .	0.4	2

#	ARTICLE	IF	CITATIONS
19	First genome sequence of Chilean Brucella canis SCL strain provides insights on the epidemiology and virulence factors, explaining differences between geographical origins. Electronic Journal of Biotechnology, 2021, 49, 1-4.	1.2	1