

Bong-Ki Lee

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4449320/bong-ki-lee-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66

papers

4,286

citations

29

h-index

65

g-index

74

ext. papers

4,889

ext. citations

6.4

avg, IF

4.32

L-index

#	Paper	IF	Citations
66	Impact of Total Ischemic Time on the Recovery of Regional Wall Motion Abnormality after STEMI in the Modern Reperfusion Era.. <i>Journal of Interventional Cardiology</i> , 2022 , 2022, 2447707	1.8	
65	Higher heart rate variability as a predictor of atrial fibrillation in patients with hypertension.. <i>Scientific Reports</i> , 2022 , 12, 3702	4.9	0
64	Distal Radial Access: Consensus Report of the First Korea-Europe Transradial Intervention Meeting. <i>JACC: Cardiovascular Interventions</i> , 2021 , 14, 892-906	5	10
63	Occupational radiation exposure in femoral artery approach is higher than radial artery approach during coronary angiography or percutaneous coronary intervention. <i>Scientific Reports</i> , 2020 , 10, 7104	4.9	3
62	Consensus statement on coronary intervention during the coronavirus disease 19 pandemic: from the Korean Society of Interventional Cardiology. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 749-757	2.5	1
61	Safety and Efficacy of a New Ultrathin Sirolimus-Eluting Stent with Abluminal Biodegradable Polymer in Real-World Practice. <i>Korean Circulation Journal</i> , 2020 , 50, 317-327	2.2	5
60	Consensus Statement on Coronary Intervention during the Coronavirus Disease 2019 (COVID-19) Pandemic: From the Korean Society of Interventional Cardiology (KSIC). <i>Korean Circulation Journal</i> , 2020 , 50, 974-983	2.2	1
59	Radiation exposure of interventional cardiologists during coronary angiography: evaluation by phantom measurement and computer simulation. <i>Physical and Engineering Sciences in Medicine</i> , 2020 , 43, 1279-1287	7	2
58	Pragmatic trial comparing routine versus no routine functional testing in high-risk patients who underwent percutaneous coronary intervention: Rationale and design of POST-PCI trial. <i>American Heart Journal</i> , 2020 , 224, 156-165	4.9	2
57	Comparison of Resolute zotarolimus-eluting and Xience everolimus-eluting stents in patients with de novo long coronary artery lesions: a randomized LONG-DES VI trial. <i>Coronary Artery Disease</i> , 2019 , 30, 59-66	1.4	3
56	Randomized Trial Evaluating Percutaneous Coronary Intervention for the Treatment of Chronic Total Occlusion. <i>Circulation</i> , 2019 , 139, 1674-1683	16.7	124
55	A MULTICENTRE SURVEY OF LOCAL DIAGNOSTIC REFERENCE LEVELS AND ACHIEVABLE DOSE FOR CORONARY ANGIOGRAPHY AND PERCUTANEOUS TRANSLUMINAL CORONARY INTERVENTION PROCEDURES IN KOREA. <i>Radiation Protection Dosimetry</i> , 2019 , 187, 378-382	0.9	3
54	Comparison of Fractional Flow Reserve And Intravascular ultrasound-guided Intervention Strategy for Clinical Outcomes in Patients with Intermediate Stenosis (FLAVOUR): Rationale and design of a randomized clinical trial. <i>American Heart Journal</i> , 2018 , 199, 7-12	4.9	7
53	Statins Have No Role in Preventing the Progression of Aortic Valve Sclerosis. <i>Journal of Cardiovascular Imaging</i> , 2018 , 26, 229-237	1.3	1
52	Accompanying Pulmonary Arteriovenous Malformation in Patient with Hydatidiform Mole: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2017 , 77, 339	0.2	
51	Does Pre-Treatment with High Dose Atorvastatin Prevent Microvascular Dysfunction after Percutaneous Coronary Intervention in Patients with Acute Coronary Syndrome?. <i>Korean Circulation Journal</i> , 2016 , 46, 472-80	2.2	10
50	Comparison of Age of Onset and Frequency of Diabetic Complications in the Very Elderly Patients with Type 2 Diabetes. <i>Endocrinology and Metabolism</i> , 2016 , 31, 416-423	3.5	8

49	Invasive evaluation of patients with angina in the absence of obstructive coronary artery disease. <i>Circulation</i> , 2015 , 131, 1054-60	16.7	206
48	Randomized Comparisons Between Different Stenting Approaches for Bifurcation Coronary Lesions With or Without Side Branch Stenosis. <i>JACC: Cardiovascular Interventions</i> , 2015 , 8, 550-60	5	56
47	Trial of everolimus-eluting stents or bypass surgery for coronary disease. <i>New England Journal of Medicine</i> , 2015 , 372, 1204-12	59.2	287
46	Effects of critical pathway on the management of patients with ST-elevation acute myocardial infarction in an emergency department. <i>Critical Pathways in Cardiology</i> , 2015 , 14, 31-5	1.3	7
45	Long-Term Clinical Outcomes of Fractional Flow Reserve-Guided Versus Routine Drug-Eluting Stent Implantation in Patients With Intermediate Coronary Stenosis: Five-Year Clinical Outcomes of DEFER-DES Trial. <i>Circulation: Cardiovascular Interventions</i> , 2015 , 8, e002442	6	20
44	Response to Letters Regarding Article, "Invasive Evaluation of Patients With Angina in the Absence of Obstructive Coronary Artery Disease". <i>Circulation</i> , 2015 , 132, e244	16.7	0
43	Optimal duration of dual antiplatelet therapy after drug-eluting stent implantation: a randomized, controlled trial. <i>Circulation</i> , 2014 , 129, 304-12	16.7	208
42	The impact of age on fractional flow reserve-guided percutaneous coronary intervention: a FAME (Fractional Flow Reserve versus Angiography for Multivessel Evaluation) trial substudy. <i>International Journal of Cardiology</i> , 2014 , 177, 66-70	3.2	38
41	Comparison of biolimus A9-eluting (Nobori) and everolimus-eluting (Promus Element) stents in patients with de novo native long coronary artery lesions: a randomized Long Drug-Eluting Stent V trial. <i>Circulation: Cardiovascular Interventions</i> , 2014 , 7, 322-9	6	28
40	Response to letter regarding article, "optimal duration of dual antiplatelet therapy after drug-eluting stent implantation: a randomized, controlled trial". <i>Circulation</i> , 2014 , 130, e161-2	16.7	
39	Fulminant myocarditis: the role of cardiac magnetic resonance imaging. <i>International Journal of Cardiology</i> , 2013 , 168, e58-9	3.2	8
38	Comparison of Zotarolimus-Eluting stent versus Sirolimus-Eluting stent for de novo coronary artery disease in patients with diabetes mellitus from the ESSENCE-DIABETES II trial. <i>American Journal of Cardiology</i> , 2013 , 112, 1565-70	3	16
37	Nonalcoholic fatty liver disease is associated with coronary artery disease in Koreans. <i>World Journal of Gastroenterology</i> , 2013 , 19, 6453-7	5.6	23
36	Randomized trial of optimal treatment strategies for in-stent restenosis after drug-eluting stent implantation. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 1093-100	15.1	38
35	Assessment of clinical, electrocardiographic, and physiological relevance of diagonal branch in left anterior descending coronary artery bifurcation lesions. <i>JACC: Cardiovascular Interventions</i> , 2012 , 5, 1126-32	5.32	14
34	Acute and long-term angiographic outcomes of side branch stenosis after randomized treatment of zotarolimus-, sirolimus-, and paclitaxel-eluting stent for coronary artery stenosis. <i>Journal of Korean Medical Science</i> , 2012 , 27, 1499-506	4.7	5
33	Outcomes after unrestricted use of everolimus-eluting and sirolimus-eluting stents in routine clinical practice: a multicenter, prospective cohort study. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 365-71	6	32
32	Comparison of resolute zotarolimus-eluting stents and sirolimus-eluting stents in patients with de novo long coronary artery lesions: a randomized LONG-DES IV trial. <i>Circulation: Cardiovascular Interventions</i> , 2012 , 5, 633-40	6	33

31	A randomized, double-blind, multicenter comparison study of triple antiplatelet therapy with dual antiplatelet therapy to reduce restenosis after drug-eluting stent implantation in long coronary lesions: results from the DECLARE-LONG II (Drug-Eluting Stenting Followed by Cilostazol Treatment Reduces Late Restenosis in Patients with Long Coronary Lesions) trial. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 1264-70	15.1	89
30	Comparison of everolimus- and sirolimus-eluting stents in patients with long coronary artery lesions: a randomized LONG-DES-III (Percutaneous Treatment of LONG Native Coronary Lesions With Drug-Eluting Stent-III) Trial. <i>JACC: Cardiovascular Interventions</i> , 2011 , 4, 1096-103	5	50
29	Duration of Dual Antiplatelet Therapy After Implantation of Drug-Eluting Stents. <i>Survey of Anesthesiology</i> , 2011 , 55, 55		1
28	Preventive strategies of renal insufficiency in patients with diabetes undergoing intervention or arteriography (the PREVENT Trial). <i>American Journal of Cardiology</i> , 2011 , 107, 1447-52	3	35
27	Usefulness of coronary pressure measurement for functional evaluation of drug-eluting stent restenosis. <i>American Journal of Cardiology</i> , 2011 , 107, 1783-6	3	26
26	Randomized comparison of everolimus-eluting stent versus sirolimus-eluting stent implantation for de novo coronary artery disease in patients with diabetes mellitus (ESSENCE-DIABETES): results from the ESSENCE-DIABETES trial. <i>Circulation</i> , 2011 , 124, 886-92	16.7	93
25	Massive paradoxical air embolism in brain occurring after central venous catheterization: a case report. <i>Journal of Korean Medical Science</i> , 2010 , 25, 1536-8	4.7	21
24	Duration of dual antiplatelet therapy after implantation of drug-eluting stents. <i>New England Journal of Medicine</i> , 2010 , 362, 1374-82	59.2	411
23	Cyclic AMP prolongs graft survival by suppressing apoptosis and inflammatory gene expression in acute cardiac allograft rejection. <i>Experimental and Molecular Medicine</i> , 2010 , 42, 69-79	12.8	12
22	Deep Vein as a Graft Conduit -2 case reports-. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2010 , 43, 441-446	0.6	1
21	Effects of triple antiplatelet therapy (aspirin, clopidogrel, and cilostazol) on platelet aggregation and P-selectin expression in patients undergoing coronary artery stent implantation. <i>American Journal of Cardiology</i> , 2007 , 100, 610-4	3	40
20	Plaque ruptures in stable angina pectoris compared with acute coronary syndrome. <i>International Journal of Cardiology</i> , 2007 , 114, 78-82	3.2	15
19	Five-year outcomes after stenting of unprotected left main coronary artery stenosis in patients with normal left ventricular function. <i>International Journal of Cardiology</i> , 2007 , 115, 208-13	3.2	18
18	Predictors of restenosis after placement of drug-eluting stents in one or more coronary arteries. <i>American Journal of Cardiology</i> , 2006 , 97, 506-11	3	61
17	Comparison of simple and complex stenting techniques in the treatment of unprotected left main coronary artery bifurcation stenosis. <i>American Journal of Cardiology</i> , 2006 , 97, 1597-601	3	104
16	Frequency of and risk factors for stent thrombosis after drug-eluting stent implantation during long-term follow-up. <i>American Journal of Cardiology</i> , 2006 , 98, 352-6	3	612
15	Comparison with conventional therapies of repeated sirolimus-eluting stent implantation for the treatment of drug-eluting coronary stent restenosis. <i>American Journal of Cardiology</i> , 2006 , 98, 1451-4	3	41
14	EuroSCORE as a predictor of death and myocardial infarction after unprotected left main coronary stenting. <i>American Journal of Cardiology</i> , 2006 , 98, 1567-70	3	53

13	Comparison of the effectiveness of sirolimus- and paclitaxel-eluting stents for small coronary artery lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2006 , 67, 589-94	2.7	18
12	Late stent malapposition after drug-eluting stent implantation: an intravascular ultrasound analysis with long-term follow-up. <i>Circulation</i> , 2006 , 113, 414-9	16.7	287
11	Safety and efficacy with drug-eluting stent in ST-segment elevation and non-ST-segment elevation myocardial infarction. <i>Clinical Cardiology</i> , 2006 , 29, 199-203	3.3	2
10	Comparison between sirolimus- and Paclitaxel-eluting stents for the treatment of chronic total occlusions. <i>Journal of Invasive Cardiology</i> , 2006 , 18, 205-8	0.7	14
9	Sirolimus-eluting stent implantation for unprotected left main coronary artery stenosis: comparison with bare metal stent implantation. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 351-6	15.1	353
8	The site of plaque rupture in native coronary arteries: a three-vessel intravascular ultrasound analysis. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 261-5	15.1	123
7	Effectiveness of sirolimus-eluting stent implantation for the treatment of ostial left anterior descending artery stenosis with intravascular ultrasound guidance. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 787-92	15.1	38
6	Triple versus dual antiplatelet therapy after coronary stenting: impact on stent thrombosis. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 1833-7	15.1	392
5	Two-year follow-up intravascular ultrasound analysis after bare metal stent implantation in 120 lesions. <i>Catheterization and Cardiovascular Interventions</i> , 2005 , 65, 247-53	2.7	7
4	Right phrenic nerve injury following electrical disconnection of the right superior pulmonary vein. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2004 , 27, 1444-6	1.6	50
3	Procedural outcomes of repeated transradial coronary procedure. <i>Catheterization and Cardiovascular Interventions</i> , 2003 , 58, 301-4	2.7	46
2	A case of transradial carotid stenting in a patient with total occlusion of distal abdominal aorta. <i>Catheterization and Cardiovascular Interventions</i> , 2002 , 56, 243-5	2.7	36
1	Guidewire-induced coronary artery perforation treated with transcatheter injection of polyvinyl alcohol form. <i>Catheterization and Cardiovascular Interventions</i> , 2001 , 52, 231-4	2.7	35