Giovanna Cuomo

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4450841/giovanna-cuomo-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,264 27 46 g-index

73 2,732 4.4 avg, IF L-index

#	Paper	IF	Citations
67	Systemic syndromes of rheumatological interest with onset after COVID-19 vaccine administration: a report of 30 cases <i>Clinical Rheumatology</i> , 2022 , 1	3.9	О
66	Association Between Tumor Necrosis Factor Inhibitors and the Risk of Hospitalization or Death Among Patients With Immune-Mediated Inflammatory Disease and COVID-19. <i>JAMA Network Open</i> , 2021 , 4, e2129639	10.4	17
65	Spectrum of short-term inflammatory musculoskeletal manifestations after COVID-19 vaccine administration: a report of 66 cases. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	8
64	Gender-related Differences in Systemic Sclerosis: A Multicenter Cross-sectional Study from the National Registry of the Italian Society Of Rheumatology. <i>Journal of Rheumatology</i> , 2021 ,	4.1	3
63	Impaired immunogenicity to COVID-19 vaccines in autoimmune systemic diseases. High prevalence of non-response in different patients & ubgroups. <i>Journal of Autoimmunity</i> , 2021 , 125, 102744	15.5	19
62	Autonomic nervous system dysfunction correlates with microvascular damage in systemic sclerosis patients <i>Journal of Scleroderma and Related Disorders</i> , 2021 , 6, 256-263	2.3	
61	Tailoring biologic therapy for real-world rheumatoid arthritis patients. <i>Expert Opinion on Biological Therapy</i> , 2021 , 21, 661-674	5.4	1
60	The role of ultrasound in systemic sclerosis: On the cutting edge to foster clinical and research advancement <i>Journal of Scleroderma and Related Disorders</i> , 2021 , 6, 123-132	2.3	3
59	Resolvin D1 Modulates the Intracellular VEGF-Related miRNAs of Retinal Photoreceptors Challenged With High Glucose. <i>Frontiers in Pharmacology</i> , 2020 , 11, 235	5.6	14
58	Quantitative analysis of pulmonary vasculature in systemic sclerosis at spirometry-gated chest CT. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1210-1217	2.4	11
57	Choosing the most appropriate biologic therapy for Crohn@ disease according to concomitant extra-intestinal manifestations, comorbidities, or physiologic conditions. <i>Expert Opinion on Biological Therapy</i> , 2020 , 20, 49-62	5.4	4
56	Rheumatic disease management in the Campania region of Italy during the COVID-19 pandemic. <i>Rheumatology International</i> , 2020 , 40, 1537-1538	3.6	2
55	Pronounced dys-autonomic symptoms announcing a primary Sj\(\)gren\(\Q \) syndrome. <i>Reumatismo</i> , 2020 , 72, 111-114	1.1	
54	Phenotypes Determined by Cluster Analysis and Their Survival in the Prospective European Scleroderma Trials and Research Cohort of Patients With Systemic Sclerosis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 1553-1570	9.5	31
53	Tocilizumab reduces complement C3 and C4 serum levels in rheumatoid arthritis patients. <i>Clinical Rheumatology</i> , 2018 , 37, 1695-1700	3.9	14
52	Uncommon immune-mediated extrahepatic manifestations of HCV infection. <i>Expert Review of Clinical Immunology</i> , 2018 , 14, 1089-1099	5.1	9
51	Longitudinal analysis of quality of life in patients with undifferentiated connective tissue diseases. <i>Patient Related Outcome Measures</i> , 2017 , 8, 7-13	2.9	6

(2014-2017)

50	The conversion rate of tuberculosis screening tests during biological therapies in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2017 , 36, 457-461	3.9	17
49	What could we learn from the sub-analysis of a single nation cohort in a worldwide study? Lessons from the results observed in the Italian cohort of the GO-MORE trial. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 623-629	2.2	4
48	Joint and tendon involvement predict disease progression in systemic sclerosis: a EUSTAR prospective study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 103-9	2.4	68
47	The effect of foot position on Power Doppler Ultrasound grading of Achilles enthesitis. <i>Rheumatology International</i> , 2016 , 36, 871-4	3.6	27
46	A candidate gene study identifies a haplotype of CD2 as novel susceptibility factor for systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34 Suppl 100, 43-48	2.2	1
45	A comparison between nailfold capillaroscopy patterns in adulthood in juvenile and adult-onset systemic sclerosis: A EUSTAR exploratory study. <i>Microvascular Research</i> , 2015 , 102, 19-24	3.7	11
44	Identification of NF- B and PLCL2 as new susceptibility genes and highlights on a potential role of IRF8 through interferon signature modulation in systemic sclerosis. <i>Arthritis Research and Therapy</i> , 2015 , 17, 71	5.7	35
43	Value of systolic pulmonary arterial pressure as a prognostic factor of death in the systemic sclerosis EUSTAR population. <i>Rheumatology</i> , 2015 , 54, 1262-9	3.9	19
42	Low-dose pulse cyclophosphamide in interstitial lung disease associated with systemic sclerosis (SSc-ILD): efficacy of maintenance immunosuppression in responders and non-responders. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, 437-44	5.3	40
41	Prevalence and factors associated with glucocorticoids (GC) use in systemic sclerosis (SSc): a systematic review and meta-analysis of cohort studies and registries. <i>Clinical Rheumatology</i> , 2014 , 33, 153-64	3.9	17
40	Early systemic sclerosis: analysis of the disease course in patients with marker autoantibody and/or capillaroscopic positivity. <i>Arthritis Care and Research</i> , 2014 , 66, 1520-7	4.7	37
39	The enhanced liver fibrosis test: a clinical grade, validated serum test, biomarker of overall fibrosis in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 420-7	2.4	28
38	Early systemic sclerosis: serum profiling of factors involved in endothelial, T-cell, and fibroblast interplay is marked by elevated interleukin-33 levels. <i>Journal of Clinical Immunology</i> , 2014 , 34, 663-8	5.7	46
37	Tissue Doppler imaging in systemic sclerosis: a 3-year longitudinal study. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 43, 673-80	5.3	19
36	Systemic sclerosis evolution of disease pathomorphosis and survival. Our experience on Italian patients Quopulation and review of the literature. <i>Autoimmunity Reviews</i> , 2014 , 13, 1026-34	13.6	63
35	The concept of early systemic sclerosis following 2013 ACREULAR criteria for the classification of systemic sclerosis. <i>Current Rheumatology Reviews</i> , 2014 , 10, 38-44	1.6	22
34	The Italian MSUS Study Group recommendations for the format and content of the report and documentation in musculoskeletal ultrasonography in rheumatology. <i>Rheumatology</i> , 2014 , 53, 367-73	3.9	8
33	Skin Manifestations of Systemic Sclerosis 2014 , 191-200		

32	Quality of life as measured by the short-form 36 (SF-36) questionnaire in patients with early systemic sclerosis and undifferentiated connective tissue disease. <i>Health and Quality of Life Outcomes</i> , 2013 , 11, 23	3	18
31	Early systemic sclerosis: marker autoantibodies and videocapillaroscopy patterns are each associated with distinct clinical, functional and cellular activation markers. <i>Arthritis Research and Therapy</i> , 2013 , 15, R63	5.7	33
30	Nailfold capillaroscopy in systemic sclerosis: data from the EULAR scleroderma trials and research (EUSTAR) database. <i>Microvascular Research</i> , 2013 , 89, 122-8	3.7	73
29	Stress Doppler echocardiography in systemic sclerosis: evidence for a role in the prediction of pulmonary hypertension. <i>Arthritis and Rheumatism</i> , 2013 , 65, 2403-11		38
28	A regulatory variant in CCR6 is associated with susceptibility to antitopoisomerase-positive systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2013 , 65, 3202-8		25
27	Assessment of hand involvement in systemic sclerosis by ultrasonography: comment on the article by Elhai et al. <i>Arthritis Care and Research</i> , 2013 , 65, 1015-6	4.7	О
26	Clinical correlates of a subset of anti-CENP-A antibodies cross-reacting with FOXE3p53-62 in systemic sclerosis. <i>Arthritis Research and Therapy</i> , 2013 , 15, R72	5.7	5
25	Autoantibodies recognizing the amino terminal 1-17 segment of CENP-A display unique specificities in systemic sclerosis. <i>PLoS ONE</i> , 2013 , 8, e61453	3.7	7
24	"To be or not to be," ten years after: evidence for mixed connective tissue disease as a distinct entity. <i>Seminars in Arthritis and Rheumatism</i> , 2012 , 41, 589-98	5.3	88
23	TGFIreceptor gene variants in systemic sclerosis-related pulmonary arterial hypertension: results from a multicentre EUSTAR study of European Caucasian patients. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 1900-3	2.4	16
22	Early systemic sclerosis: short-term disease evolution and factors predicting the development of new manifestations of organ involvement. <i>Arthritis Research and Therapy</i> , 2012 , 14, R188	5.7	21
21	The origin of tendon friction rubs in patients with systemic sclerosis: a sonographic explanation. <i>Arthritis and Rheumatism</i> , 2012 , 64, 1291-3		29
20	Brief report: successful pregnancies but a higher risk of preterm births in patients with systemic sclerosis: an Italian multicenter study. <i>Arthritis and Rheumatism</i> , 2012 , 64, 1970-7		112
19	Brief report: candidate gene study in systemic sclerosis identifies a rare and functional variant of the TNFAIP3 locus as a risk factor for polyautoimmunity. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2746-52		50
18	Evidence for caveolin-1 as a new susceptibility gene regulating tissue fibrosis in systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2012 , 71, 1034-41	2.4	26
17	A genetic variation located in the promoter region of the UPAR (CD87) gene is associated with the vascular complications of systemic sclerosis. <i>Arthritis and Rheumatism</i> , 2011 , 63, 247-56		32
16	Evidence of the contribution of the X chromosome to systemic sclerosis susceptibility: association with the functional IRAK1 196Phe/532Ser haplotype. <i>Arthritis and Rheumatism</i> , 2011 , 63, 3979-87		50
15	Inappropriate exercise-induced increase in pulmonary artery pressure in patients with systemic sclerosis. <i>Heart</i> , 2011 , 97, 112-7	5.1	62

LIST OF PUBLICATIONS

14	Early systemic sclerosis: assessment of clinical and pre-clinical organ involvement in patients with different disease features. <i>Rheumatology</i> , 2011 , 50, 317-23	3.9	45
13	A Scleroderma Patient with Swollen and Tender Joints of Both Hands 2011 , 239-250		
12	Association of a functional polymorphism in the matrix metalloproteinase-12 promoter region with systemic sclerosis in an Italian population. <i>Journal of Rheumatology</i> , 2010 , 37, 1852-7	4.1	35
11	Ultrasonographic features of the hand and wrist in systemic sclerosis. <i>Rheumatology</i> , 2009 , 48, 1414-7	3.9	59
10	Cell-free DNA in the plasma of patients with systemic sclerosis. Clinical Rheumatology, 2009, 28, 1437-4	03.9	18
9	Early onset neutropenia after mycophenolate mofetil in systemic sclerosis. <i>Rheumatology International</i> , 2009 , 29, 1529-30	3.6	2
8	Apolipoprotein A-I-dependent cholesterol esterification in patients with rheumatoid arthritis. <i>Life Sciences</i> , 2005 , 77, 108-20	6.8	9
7	-238 and +489 TNF-alpha along with TNF-RII gene polymorphisms associate with the diffuse phenotype in patients with Systemic Sclerosis. <i>Immunology Letters</i> , 2005 , 96, 103-8	4.1	30
6	Echocardiographic alterations in systemic sclerosis: a longitudinal study. <i>Seminars in Arthritis and Rheumatism</i> , 2005 , 34, 721-7	5.3	76
5	Assessment of intestinal permeability and orocecal transit time in patients with systemic sclerosis: analysis of relationships with epidemiologic and clinical parameters. <i>Rheumatology International</i> , 2003 , 23, 226-30	3.6	15
4	Low-dose intravenous cyclophosphamide in systemic sclerosis: a preliminary safety study. <i>Clinical Rheumatology</i> , 2003 , 22, 393-6	3.9	12
3	Blood coagulation, fibrinolysis, and markers of endothelial dysfunction in systemic sclerosis. <i>Seminars in Arthritis and Rheumatism</i> , 2003 , 32, 285-95	5.3	108
2	Systemic sclerosis: demographic, clinical, and serologic features and survival in 1,012 Italian patients. <i>Medicine (United States)</i> , 2002 , 81, 139-53	1.8	516
1	Peripheral blood T lymphocytes from systemic sclerosis patients show both Th1 and Th2 activation. Journal of Clinical Immunology, 2001 , 21, 210-7	5.7	47