

Mateusz Kurzawski

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4451547/publications.pdf>

Version: 2024-02-01

127
papers

3,202
citations

147801

31
h-index

189892

50
g-index

132
all docs

132
docs citations

132
times ranked

5476
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis, dispersion, and cytocompatibility of graphene oxide and reduced graphene oxide. <i>Colloids and Surfaces B: Biointerfaces</i> , 2012, 89, 79-85.	5.0	354
2	Protein Abundance of Clinically Relevant Drug-Metabolizing Enzymes in the Human Liver and Intestine: A Comparative Analysis in Paired Tissue Specimens. <i>Clinical Pharmacology and Therapeutics</i> , 2018, 104, 515-524.	4.7	106
3	Association of Nrf2-encoding NFE2L2 haplotypes with Parkinson's disease. <i>BMC Medical Genetics</i> , 2010, 11, 36.	2.1	95
4	Protein Abundance of Clinically Relevant Drug Transporters in the Human Liver and Intestine: A Comparative Analysis in Paired Tissue Specimens. <i>Clinical Pharmacology and Therapeutics</i> , 2019, 105, 1204-1212.	4.7	92
5	Effect of CYP2C19*17 gene variant on <i>Helicobacter pylori</i> eradication in peptic ulcer patients. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 877-880.	1.9	91
6	The association of functional catechol-O-methyltransferase haplotypes with risk of Parkinson's disease, levodopa treatment response, and complications. <i>Pharmacogenetics and Genomics</i> , 2008, 18, 815-821.	1.5	82
7	Polymorphism in the P-glycoprotein drug transporter MDR1 gene in colon cancer patients. <i>European Journal of Clinical Pharmacology</i> , 2005, 61, 389-394.	1.9	79
8	Reduced folate carrier-1 80G>A polymorphism affects methotrexate treatment outcome in rheumatoid arthritis. <i>Pharmacogenomics Journal</i> , 2007, 7, 404-407.	2.0	77
9	CARD15 variants in patients with sporadic Parkinson's disease. <i>Neuroscience Research</i> , 2007, 57, 473-476.	1.9	67
10	The effect of 3435C>T MDR1 gene polymorphism on rheumatoid arthritis treatment with disease-modifying antirheumatic drugs. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 933-937.	1.9	66
11	Association of COMT, MTHFR, and SLC19A1 (RFC-1) polymorphisms with homocysteine blood levels and cognitive impairment in Parkinson's disease. <i>Pharmacogenetics and Genomics</i> , 2012, 22, 716-724.	1.5	60
12	677C>T and 1298A>C MTHFR polymorphisms affect methotrexate treatment outcome in rheumatoid arthritis. <i>Pharmacogenomics</i> , 2007, 8, 1551-1559.	1.3	57
13	Disrupted pro- and antioxidative balance as a mechanism of neurotoxicity induced by perinatal exposure to lead. <i>Brain Research</i> , 2012, 1435, 56-71.	2.2	56
14	Interleukin-10 (IL10) and tumor necrosis factor Î± (TNF) gene polymorphisms in Parkinson's disease patients. <i>Parkinsonism and Related Disorders</i> , 2008, 14, 636-640.	2.2	50
15	Expression of genes involved in xenobiotic metabolism and transport in end-stage liver disease: up-regulation of ABCC4 and CYP1B1. <i>Pharmacological Reports</i> , 2012, 64, 927-939.	3.3	50
16	CYP2C19 polymorphism affects single-dose pharmacokinetics of oral pantoprazole in healthy volunteers. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1267-1274.	1.9	50
17	CYP3A5 and CYP3A4, but not ABCB1 polymorphisms affect tacrolimus dose-adjusted trough concentrations in kidney transplant recipients. <i>Pharmacogenomics</i> , 2014, 15, 179-188.	1.3	50
18	Involvement of C3435T and G2677T multidrug resistance gene polymorphisms in release of cytokines from peripheral blood mononuclear cells treated with methotrexate and dexamethasone. <i>European Journal of Pharmacology</i> , 2005, 528, 27-36.	3.5	49

#	ARTICLE	IF	CITATIONS
19	Influence of variation in the catechol-O-methyltransferase gene on the clinical outcome after lumbar spine surgery for one-level symptomatic disc disease: a report on 176 cases. <i>Acta Neurochirurgica</i> , 2014, 156, 245-252.	1.7	48
20	The Impact of MRI White Matter Hyperintensities on Dementia in Parkinson's Disease in Relation to the Homocysteine Level and Other Vascular Risk Factors. <i>Neurodegenerative Diseases</i> , 2013, 12, 1-12.	1.4	45
21	Frequency of common MDR1 gene variants in a Polish population. <i>Pharmacological Reports</i> , 2006, 58, 35-40.	3.3	43
22	The Impact of Thiopurine S-Methyltransferase Polymorphism on Azathioprine-Induced Myelotoxicity in Renal Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2005, 27, 435-441.	2.0	41
23	TPMT but not ITPA gene polymorphism influences the risk of azathioprine intolerance in renal transplant recipients. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 533-540.	1.9	41
24	BDNF G196A (Val66Met) polymorphism associated with cognitive impairment in Parkinson's disease. <i>Neuroscience Letters</i> , 2014, 561, 86-90.	2.1	41
25	Frequency Distribution of Thiopurine S-Methyltransferase Alleles in a Polish Population. <i>Therapeutic Drug Monitoring</i> , 2004, 26, 541-545.	2.0	40
26	Mitochondrial transcription factor A variants and the risk of Parkinson's disease. <i>Neuroscience Letters</i> , 2010, 469, 24-29.	2.1	40
27	Protein Abundance of Hepatic Drug Transporters in Patients With Different Forms of Liver Damage. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 107, 1138-1148.	4.7	39
28	Effects of CYP2C19, MDR1, and interleukin 1-B gene variants on the eradication rate of <i>Helicobacter pylori</i> infection by triple therapy with pantoprazole, amoxicillin, and metronidazole. <i>European Journal of Clinical Pharmacology</i> , 2010, 66, 681-687.	1.9	36
29	The effect of exon (19C>A) dihydroorotate dehydrogenase gene polymorphism on rheumatoid arthritis treatment with leflunomide. <i>Pharmacogenomics</i> , 2009, 10, 303-309.	1.3	35
30	Analysis of common type 2 diabetes mellitus genetic risk factors in new-onset diabetes after transplantation in kidney transplant patients medicated with tacrolimus. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1587-1594.	1.9	34
31	Impact of PPARA and POR polymorphisms on tacrolimus pharmacokinetics and new-onset diabetes in kidney transplant recipients. <i>Pharmacogenetics and Genomics</i> , 2014, 24, 397-400.	1.5	32
32	The association of IL-1 β , IL-2, and IL-6 gene polymorphisms with bone mineral density and osteoporosis in postmenopausal women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2010, 149, 82-85.	1.1	31
33	Polymorphism of Genes Involved in Purine Metabolism (XDH, AOX1, MOCOS) in Kidney Transplant Recipients Receiving Azathioprine. <i>Therapeutic Drug Monitoring</i> , 2012, 34, 266-274.	2.0	31
34	Interleukin-18 promoter polymorphism in patients with rheumatoid arthritis. <i>Tissue Antigens</i> , 2006, 67, 415-418.	1.0	30
35	The effect of <i>ESR1</i> and <i>ESR2</i> gene polymorphisms on the outcome of rheumatoid arthritis treatment with leflunomide. <i>Pharmacogenomics</i> , 2011, 12, 41-47.	1.3	30
36	Interleukin-10 promoter polymorphism in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2005, 24, 480-484.	2.2	29

#	ARTICLE	IF	CITATIONS
37	Pharmacogenetics in solid organ transplantation: genes involved in mechanism of action and pharmacokinetics of immunosuppressive drugs. <i>Pharmacogenomics</i> , 2013, 14, 1099-1118.	1.3	29
38	Association study of folate-related enzymes (MTHFR, MTR, MTRR) genetic variants with non-obstructive male infertility in a Polish population. <i>Genetics and Molecular Biology</i> , 2015, 38, 42-47.	1.3	29
39	Thiopurine S-methyltransferase (TPMT) polymorphisms in children with acute lymphoblastic leukemia, and the need for reduction or cessation of 6-mercaptopurine doses during maintenance therapy: The Polish multicenter analysis. <i>Pediatric Blood and Cancer</i> , 2011, 57, 578-582.	1.5	28
40	The Effects of Cadmium at Low Environmental Concentrations on THP-1 Macrophage Apoptosis. <i>International Journal of Molecular Sciences</i> , 2015, 16, 21410-21427.	4.1	27
41	Regioselective synthesis of novel 4,5-diaryl functionalized 3,4-dihydropyrimidine-2(1H)-thiones via a non-Biginelli-type approach and evaluation of their in vitro anticancer activity. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 3427.	2.8	26
42	Comparative in vitro study of single and four layer graphene oxide nanoflakes - Cytotoxicity and cellular uptake. <i>Toxicology in Vitro</i> , 2017, 41, 205-213.	2.4	25
43	The impact of IL18 gene polymorphisms on mRNA levels and interleukin-18 release by peripheral blood mononuclear cells. <i>Postepy Higieny i Medycyny Doswiadczalnej</i> , 2012, 66, 409-414.	0.1	25
44	Impact of ABCB1 (MDR1) gene polymorphism and P-glycoprotein inhibitors on digoxin serum concentration in congestive heart failure patients. <i>Pharmacological Reports</i> , 2007, 59, 107-11.	3.3	25
45	Interleukin-10 Gene Polymorphism in Parkinson's Disease Patients. <i>Archives of Medical Research</i> , 2007, 38, 858-863.	3.3	24
46	The Effect of Cadmium on COX-1 and COX-2 Gene, Protein Expression, and Enzymatic Activity in THP-1 Macrophages. <i>Biological Trace Element Research</i> , 2015, 165, 135-144.	3.5	24
47	Association of transcription factor 7-like 2 (TCF7L2) gene polymorphism with posttransplant diabetes mellitus in kidney transplant patients medicated with tacrolimus. <i>Pharmacological Reports</i> , 2011, 63, 826-833.	3.3	23
48	Nuclear factor erythroid 2-like 2 (Nrf2) expression in end-stage liver disease. <i>Environmental Toxicology and Pharmacology</i> , 2012, 34, 87-95.	4.0	23
49	Interleukin-18 gene (IL18) promoter polymorphisms in patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2009, 38, 159-165.	1.1	22
50	Association of calpain-10 gene polymorphism and posttransplant diabetes mellitus in kidney transplant patients medicated with tacrolimus. <i>Pharmacogenomics Journal</i> , 2010, 10, 120-125.	2.0	21
51	Analysis of LINGO1 (rs9652490) polymorphism in sporadic Parkinson's disease in a Polish population, and a meta-analysis. <i>Neuroscience Letters</i> , 2010, 472, 53-55.	2.1	20
52	Association of the MDR1 (ABCB1) gene 3435C>T polymorphism with male infertility. <i>Pharmacological Reports</i> , 2009, 61, 690-696.	3.3	19
53	IL17A and IL17F Gene Polymorphism Association with Psoriasis Risk and Response to Treatment in a Polish Population. <i>Dermatology</i> , 2016, 232, 592-596.	2.1	19
54	Polymorphism in semaphorin 5A (Sema5A) gene is not a marker of Parkinson's disease risk. <i>Neuroscience Letters</i> , 2006, 399, 121-123.	2.1	18

#	ARTICLE	IF	CITATIONS
55	Association of allograft inflammatory factor-1 gene polymorphism with rheumatoid arthritis. <i>Tissue Antigens</i> , 2008, 72, 171-175.	1.0	18
56	Interleukin-6 level and gene polymorphism in spontaneous miscarriage. <i>Tissue Antigens</i> , 2013, 82, 171-176.	1.0	18
57	Pharmacogenetic considerations in the treatment of Parkinson's disease. <i>Neurodegenerative Disease Management</i> , 2015, 5, 27-35.	2.2	18
58	MMP2 , MMP9 and TIMP2 polymorphisms affect sperm parameters but not fertility in Polish males. <i>Andrologia</i> , 2017, 49, e12654.	2.1	17
59	IL12B , IL23A , IL23R and HLA-C*06 genetic variants in psoriasis susceptibility and response to treatment. <i>Human Immunology</i> , 2018, 79, 213-217.	2.4	17
60	Lack of association of the rs2476601 PTPN22 gene polymorphism with transplanted kidney function. <i>Annals of Transplantation</i> , 2011, 16, 63-68.	0.9	17
61	Apolipoprotein B (APOB) Gene Polymorphism in Patients with Gallbladder Disease. <i>Archives of Medical Research</i> , 2007, 38, 360-363.	3.3	16
62	Pharmacogenetics of Parkinson's Disease – Through Mechanisms of Drug Actions. <i>Current Genomics</i> , 2014, 14, 568-577.	1.6	16
63	Antibacterial performance of nanocrystalline titania confined in mesoporous silica nanotubes. <i>Biomedical Microdevices</i> , 2014, 16, 449-458.	2.8	15
64	IL-1 β , IL-6, and TNF gene polymorphisms do not affect the treatment outcome of rheumatoid arthritis patients with leflunomide. <i>Pharmacological Reports</i> , 2009, 61, 281-287.	3.3	14
65	IL-1 and TNF- α regulation of aryl hydrocarbon receptor (AhR) expression in HSY human salivary cells. <i>Archives of Oral Biology</i> , 2014, 59, 434-439.	1.8	14
66	<i>AT1C</i> missense variant affects response to methotrexate treatment in rheumatoid arthritis patients. <i>Pharmacogenomics</i> , 2016, 17, 1971-1978.	1.3	14
67	Oestrogen receptor polymorphisms in female patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2011, 40, 329-333.	1.1	13
68	Correlation between ICAM1 and VCAM1 gene polymorphisms and histopathological changes in kidney allograft biopsies. <i>Archives of Medical Science</i> , 2013, 2, 276-282.	0.9	13
69	<i>IL6</i> \sim 174G>C polymorphism is associated with an increased risk of psoriasis but not response to treatment. <i>Experimental Dermatology</i> , 2015, 24, 146-147.	2.9	13
70	The reference liver – ABC and SLC drug transporters in healthy donor and metastatic livers. <i>Pharmacological Reports</i> , 2019, 71, 738-745.	3.3	13
71	Monocarboxylate Transporter 1 (MCT1) in Liver Pathology. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1606.	4.1	13
72	CAG Repeat Polymorphism in the Androgen Receptor Gene in Women with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2012, 39, 10-17.	2.0	12

#	ARTICLE	IF	CITATIONS
73	Risk factors of stroke and γ 717AG (rs2794521) CRP gene polymorphism among stroke patients in West Pomerania province of Poland. <i>Neurologia I Neurochirurgia Polska</i> , 2014, 48, 30-34.	1.2	12
74	TGF β 3 (TGFB3) polymorphism is associated with male infertility. <i>Scientific Reports</i> , 2015, 5, 17151.	3.3	12
75	Gene Expression and Protein Abundance of Hepatic Drug Metabolizing Enzymes in Liver Pathology. <i>Pharmaceutics</i> , 2021, 13, 1334.	4.5	12
76	Allograft Inflammatory Factor-1 Gene Polymorphisms in Patients with Rheumatoid Arthritis. <i>Genetic Testing and Molecular Biomarkers</i> , 2012, 16, 341-345.	0.7	11
77	In vitro and in vivo evaluation of sandwich-like mesoporous silica nanoflakes as promising anticancer drug delivery system. <i>International Journal of Pharmaceutics</i> , 2016, 506, 458-468.	5.2	11
78	Interleukin-6 gene polymorphism in renal transplant patients with and without gingival overgrowth. <i>Journal of Clinical Periodontology</i> , 2005, 32, 955-958.	4.9	10
79	Analysis of common polymorphisms within NR1I2 and NR1I3 genes and tacrolimus dose-adjusted concentration in stable kidney transplant recipients. <i>Pharmacogenetics and Genomics</i> , 2017, 27, 372-377.	1.5	10
80	Thiopurine S-methyltransferase phenotype-genotype correlation in hemodialyzed patients. <i>Pharmacological Reports</i> , 2006, 58, 973-8.	3.3	10
81	Severe azathioprine-induced myelotoxicity in a kidney transplant patient with thiopurine S-methyltransferase-deficient genotype (TPMT*3A/*3C). <i>Transplant International</i> , 2005, 18, 623-625.	1.6	9
82	Cholesterol 7 α -Hydrolase (<i>CYP7A1</i>) c. γ 278AGC Promoter Polymorphism in Gallstone Disease Patients. <i>Genetic Testing and Molecular Biomarkers</i> , 2008, 12, 97-100.	1.7	9
83	Effect of ESR1 and ESR2 gene polymorphisms on rheumatoid arthritis treatment with methotrexate. <i>Pharmacological Reports</i> , 2012, 64, 185-190.	3.3	9
84	Association between the CX3CR1 gene V249I polymorphism and delayed kidney allograft function. <i>Transplant Immunology</i> , 2015, 32, 172-174.	1.2	9
85	A Simple Method for TPMT and ITPA Genotyping Using Multiplex HRMA for Patients Treated with Thiopurine Drugs. <i>Molecular Diagnosis and Therapy</i> , 2016, 20, 493-499.	3.8	9
86	Association of <i>COMT</i> gene variability with pain intensity in patients after total hip replacement. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2019, 79, 202-207.	1.2	9
87	Matrix Metalloproteinase-1 Gene Polymorphism in Renal Transplant Patients With and Without Gingival Enlargement. <i>Journal of Periodontology</i> , 2006, 77, 1498-1502.	3.4	8
88	A rare mutation in a rare tumor-deficient malignant glomus tumor. <i>Genes Chromosomes and Cancer</i> , 2016, 55, 107-109.	2.8	8
89	Common Missense Variant of SCN9A Gene Is Associated with Pain Intensity in Patients with Chronic Pain from Disc Herniation. <i>Pain Medicine</i> , 2018, 19, 1010-1014.	1.9	8
90	Association between CRP gene polymorphism 717A/G, C-reactive protein and neurological deficit in ischemic stroke. <i>Journal of Clinical Neuroscience</i> , 2014, 21, 574-577.	1.5	7

#	ARTICLE	IF	CITATIONS
91	Effect of interleukin 6 ϵ 174G>C gene polymorphism on opioid requirements after total hip replacement. <i>Journal of Anesthesia</i> , 2016, 30, 562-567.	1.7	7
92	Polymorphisms of catechol-O-methyltransferase (COMT rs4680:G>A) and μ -opioid receptor (OPRM1) Tj ETQg0,0 0 rgBJ /Overlock	3.2	7
93	The association between COMT rs4680 and OPRM1 rs1799971 polymorphisms and temperamental traits in combat athletes. <i>Personality and Individual Differences</i> , 2018, 124, 105-110.	2.9	7
94	Identifying Differentially Expressed MicroRNAs, Target Genes, and Key Pathways Deregulated in Patients with Liver Diseases. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7368.	4.1	7
95	Over-Expression of Allograft Inflammatory Factor-1 (AIF-1) in Patients with Rheumatoid Arthritis. <i>Biomolecules</i> , 2020, 10, 1064.	4.0	7
96	Effect of ABCB1 (MDR1) 3435C >T and 2677G >A,T polymorphisms and P-glycoprotein inhibitors on salivary digoxin secretion in congestive heart failure patients. <i>Pharmacological Reports</i> , 2007, 59, 323-9.	3.3	6
97	677C > T and 1298A > C MTHFR polymorphisms affect arechin treatment outcome in rheumatoid arthritis. <i>Pharmacological Reports</i> , 2007, 59, 721-6.	3.3	6
98	NOD2 allele variants in patients with rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2007, 26, 868-871.	2.2	5
99	Low-density lipoprotein receptor-related protein-associated protein (LRPAP1) gene IVS5 insertion/deletion polymorphism is not a risk factor for gallstone disease in a Polish population. <i>Digestive and Liver Disease</i> , 2008, 40, 122-125.	0.9	5
100	Matrix metalloproteinase-3 gene polymorphism in renal transplant patients with gingival overgrowth. <i>Journal of Periodontal Research</i> , 2010, 45, 143-147.	2.7	5
101	Association study of GATA-2 transcription factor gene (GATA2) polymorphism and Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , 2010, 16, 284-287.	2.2	5
102	Lack of association between CAG repeat polymorphism in the androgen receptor gene and the outcome of rheumatoid arthritis treatment with leflunomide. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 371-377.	1.9	5
103	Investigation of the role ofMMP3 -1171insApolymorphism in cutaneous malignant melanoma ϵ a preliminary study. <i>Biotechnology and Biotechnological Equipment</i> , 2014, 28, 904-910.	1.3	5
104	Effects of simvastatin on nuclear receptors, drug metabolizing enzymes and transporters expression in Human Umbilical Vein Endothelial Cells. <i>Pharmacological Reports</i> , 2018, 70, 875-880.	3.3	5
105	The impact of Apolipoprotein E alleles on cognitive performance in patients with Parkinson's disease. <i>Neurologia I Neurochirurgia Polska</i> , 2018, 52, 477-482.	1.2	5
106	Expression of nuclear receptors (AhR, PXR, CAR) and transcription factor (Nrf2) in human parotid gland. <i>Acta Poloniae Pharmaceutica</i> , 2013, 70, 215-9.	0.1	5
107	Influence of 825 C>T polymorphism of G protein β 3 subunit gene (GNB3) on hemodynamic response during dobutamine stress echocardiography. <i>Pharmacological Reports</i> , 2012, 64, 123-128.	3.3	4
108	Synthesis and Anticancer Activity of Mitotic-Specific 3,4-Dihydropyridine-2(1H)-thiones. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2462.	4.1	4

#	ARTICLE	IF	CITATIONS
109	Gene Expression and Protein Abundance of Hepatic Drug Metabolizing Enzymes in Liver Pathology. <i>Pharmaceutics</i> , 2021, 13, .	4.5	4
110	SPARC Gene Polymorphism in Renal Transplant Patients With Gingival Overgrowth. <i>Journal of Periodontology</i> , 2007, 78, 2185-2189.	3.4	3
111	TGF β 1 gene polymorphism in renal transplant patients with and without gingival overgrowth. <i>Oral Diseases</i> , 2011, 17, 414-419.	3.0	3
112	The Role of Nrf2 in Pathology of Pleomorphic Adenoma in Parotid Gland. <i>Medical Science Monitor</i> , 2015, 21, 1243-1248.	1.1	3
113	Effects of the IL6 β 174G>C promoter polymorphism and IL6 serum levels on the progression of cutaneous malignant melanoma. <i>Oncology Letters</i> , 2020, 20, 1781-1791.	1.8	3
114	The reference liver CYP450 and UGT enzymes in healthy donor and metastatic livers: the impact of genotype. <i>Pharmacological Reports</i> , 2021, , 1.	3.3	3
115	Association Study of SLCO1B3 and ABCC3 Genetic Variants in Gallstone Disease. <i>Genes</i> , 2022, 13, 512.	2.4	3
116	The SLC19A1 80G>A polymorphism is not associated with male infertility. <i>Biomarkers</i> , 2010, 15, 217-220.	1.9	2
117	Effect of the ADRB1 1165C>G and 145A>G polymorphisms on hemodynamic response during dobutamine stress echocardiography. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 477-482.	1.9	2
118	Comparative evaluation of new dihydropyrimidine and dihydropyridine derivatives perturbing mitotic spindle formation. <i>Future Medicinal Chemistry</i> , 2018, 10, 2395-2410.	2.3	2
119	Hepatic drug-metabolizing enzymes and drug transporters in Wilson's disease patients with liver failure. <i>Pharmacological Reports</i> , 2021, 73, 1427-1438.	3.3	2
120	The role of aryl hydrocarbon receptor (AhR) in the pathology of pleomorphic adenoma in parotid gland. <i>Archives of Oral Biology</i> , 2016, 61, 53-59.	1.8	1
121	Effects of common functional MMP12 gene polymorphisms on PD in a Polish population. <i>Neurologia i Neurochirurgia Polska</i> , 2017, 51, 347-353.	1.2	1
122	Impact of selected genetic factors on clopidogrel inactive metabolite level and antiplatelet response in patients after percutaneous coronary intervention. <i>Pharmacological Reports</i> , 2021, 73, 583-593.	3.3	1
123	Association Between IL18 Gene Polymorphisms and the Release of Interleukin-18 from Stimulated Peripheral Blood Mononuclear Cells. <i>Biotechnology and Biotechnological Equipment</i> , 2012, 26, 2987-2990.	1.3	0
124	Association of genetic variability with the antiplatelet effect of clopidogrel and concentration of inactive clopidogrel metabolite in patients after percutaneous coronary intervention (PCI). <i>Pharmacological Reports</i> , 2015, 67, 22.	3.3	0
125	IL6 β 174G>C gene polymorphism in psoriasis: Focus on treatment efficacy. <i>Pharmacological Reports</i> , 2015, 67, 17.	3.3	0
126	Organic cation/carnitine transporter OCTN2 (SLC22A5) β 207C>G (rs2631367) polymorphism is not associated with male infertility. <i>Reproductive Biology</i> , 2015, 15, 178-183.	1.9	0

#	ARTICLE	IF	CITATIONS
127	Protein abundance of clinically relevant drug transporters in the human liver and along the intestine: a comparative analysis in paired tissue specimens. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO2-14-2.	0.0	0