

# Hairong Huang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4452345/hairong-huang-publications-by-year.pdf>

**Version:** 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

88

papers

1,259

citations

20

h-index

31

g-index

97

ext. papers

1,856

ext. citations

6.5

avg, IF

4.43

L-index

#	Paper	IF	Citations
88	Bone Penetration of Cycloserine in Osteoarticular Tuberculosis Patients of China.. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2022</b> , e0222421	5.9	
87	Extremely high levels of central nervous system involvement in military tuberculosis.. <i>BMC Infectious Diseases</i> , <b>2022</b> , 22, 417	4	
86	In vitro Antimicrobial Activity Comparison of Linezolid, Tedizolid, Sutezolid and Delpazolid Against Slowly Growing Mycobacteria Isolated in Beijing, China. <i>Infection and Drug Resistance</i> , <b>2021</b> , 14, 4689-4697	4.2	1
85	Carbonyl Cyanide 3-Chlorophenylhydrazone (CCCP) Exhibits Direct Antibacterial Activity Against. <i>Infection and Drug Resistance</i> , <b>2021</b> , 14, 1199-1208	4.2	3
84	Prevalence and molecular characterizations of seven additional drug resistance among multidrug-resistant tuberculosis in China: A subsequent study of a national survey. <i>Journal of Infection</i> , <b>2021</b> , 82, 371-377	18.9	5
83	Development and Preliminary Application of Multiplex Loop-Mediated Isothermal Amplification Coupled With Lateral Flow Biosensor for Detection of. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2021</b> , 11, 666492	5.9	3
82	Xpert MTB/RIF Ultra enhanced tuberculous pleurisy diagnosis for patients with unexplained exudative pleural effusion who underwent a pleural biopsy via thoracoscopy: A prospective cohort study. <i>International Journal of Infectious Diseases</i> , <b>2021</b> , 106, 370-375	10.5	3
81	sp. nov., a slow-growing scotochromogenic species isolated from sputum. <i>International Journal of Systematic and Evolutionary Microbiology</i> , <b>2021</b> , 71,	2.2	5
80	Diagnostic accuracy of Xpert MTB/RIF Ultra for tuberculous meningitis in a clinical practice setting of China. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2021</b> , 100, 115306	2.9	3
79	The Comparative Influence of 2 and 4 Weeks Preoperative Antituberculosis Treatment on Spinal Tuberculosis Surgery: A Multicenter, Prospective, Randomized Clinical Trial. <i>Infectious Diseases and Therapy</i> , <b>2021</b> , 10, 1451-1463	6.2	0
78	Differential DNA methylomes of clinical MDR, XDR and XXDR isolates revealed by using single-molecule real-time sequencing. <i>Journal of Drug Targeting</i> , <b>2021</b> , 29, 69-77	5.4	1
77	Bone penetration of linezolid in osteoarticular tuberculosis patients of China. <i>International Journal of Infectious Diseases</i> , <b>2021</b> , 103, 364-369	10.5	2
76	Response. <i>Chest</i> , <b>2021</b> , 159, 448-449	5.3	
75	EasyNAT MTC assay: A simple, rapid, and low-cost cross-priming amplification method for the detection of mycobacterium tuberculosis suitable for point-of-care testing. <i>Emerging Microbes and Infections</i> , <b>2021</b> , 10, 1530-1535	18.9	2
74	Human antibodies targeting a Mycobacterium transporter protein mediate protection against tuberculosis. <i>Nature Communications</i> , <b>2021</b> , 12, 602	17.4	12
73	Comparison of the in vitro activity of linezolid, tedizolid, sutezolid, and delpazolid against rapidly growing mycobacteria isolated in Beijing, China. <i>International Journal of Infectious Diseases</i> , <b>2021</b> , 109, 253-260	10.5	3
72	Characterization of a toxin-antitoxin system in Mycobacterium tuberculosis suggests neutralization by phosphorylation as the antitoxicity mechanism. <i>Communications Biology</i> , <b>2020</b> , 3, 216	6.7	17

71	Population Pharmacokinetic Analysis of Isoniazid among Pulmonary Tuberculosis Patients from China. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2020</b> , 64,	5.9	9
70	Combination of Percutaneous Lung Biopsy and Xpert MTB/RIF Ultra Enhances the Differential Diagnosis of Tuberculosis: A Prospective Cohort Study. <i>Infectious Diseases and Therapy</i> , <b>2020</b> , 9, 797-806	6.2	1
69	Response. <i>Chest</i> , <b>2020</b> , 158, 830-831	5.3	
68	The aceE involves in mycolic acid synthesis and biofilm formation in Mycobacterium smegmatis. <i>BMC Microbiology</i> , <b>2020</b> , 20, 259	4.5	1
67	Accuracy of Xpert MTB/RIF Ultra for the Diagnosis of Pleural TB in a Multicenter Cohort Study. <i>Chest</i> , <b>2020</b> , 157, 268-275	5.3	30
66	Change in prevalence and molecular characteristics of isoniazid-resistant tuberculosis over a 10-year period in China. <i>BMC Infectious Diseases</i> , <b>2019</b> , 19, 689	4	3
65	Penetration of linezolid into bone tissue 24 h after administration in patients with multidrug-resistant spinal tuberculosis. <i>PLoS ONE</i> , <b>2019</b> , 14, e0223391	3.7	5
64	Para-aminosalicylic acid increases the susceptibility to isoniazid in clinical isolates of. <i>Infection and Drug Resistance</i> , <b>2019</b> , 12, 825-829	4.2	5
63	Diagnostic value of Xpert MTB/RIF Ultra for osteoarticular tuberculosis. <i>Journal of Infection</i> , <b>2019</b> , 79, 153-158	18.9	20
62	Activities of Bedaquiline and Delamanid against Nontuberculous Mycobacteria Isolated in Beijing, China. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2019</b> , 63,	5.9	12
61	GeneXpert of stool versus gastric lavage fluid for the diagnosis of pulmonary tuberculosis in severely ill adults. <i>Infection</i> , <b>2019</b> , 47, 611-616	5.8	0
60	No in vitro synergistic effect of bedaquiline combined with fluoroquinolones, linezolid, and clofazimine against extensively drug-resistant tuberculosis. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2019</b> , 94, 361-364	2.9	2
59	Comparison of in vitro activity of the nitroimidazoles delamanid and pretomanid against multidrug-resistant and extensively drug-resistant tuberculosis. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>2019</b> , 38, 1293-1296	5.3	19
58	Epidemiology of Extrapulmonary Tuberculosis among Inpatients, China, 2008-2017. <i>Emerging Infectious Diseases</i> , <b>2019</b> , 25, 457-464	10.2	79
57	Xpert MTB/RIF Ultra improved the diagnosis of paucibacillary tuberculosis: A prospective cohort study. <i>Journal of Infection</i> , <b>2019</b> , 78, 311-316	18.9	35
56	Determination of the Critical Concentration of Rifabutin for Susceptibility Testing Using the Proportion Method with Löwenstein-Jensen Medium against Mycobacterium Tuberculosis Isolates. <i>Laboratory Medicine</i> , <b>2019</b> , 50, 292-297	1.6	1
55	Cross-sectional Whole-genome Sequencing and Epidemiological Study of Multidrug-resistant Mycobacterium tuberculosis in China. <i>Clinical Infectious Diseases</i> , <b>2019</b> , 69, 405-413	11.6	11
54	Mutations of Mycobacterium tuberculosis induced by anti-tuberculosis treatment result in metabolism changes and elevation of ethambutol resistance. <i>Infection, Genetics and Evolution</i> , <b>2019</b> , 72, 151-158	4.5	2

53	Implications of a school outbreak of multidrug-resistant tuberculosis in Northern China. <i>Epidemiology and Infection</i> , <b>2018</b> , 146, 584-588	4.3	11
52	Clofazimine for Treatment of Extensively Drug-Resistant Pulmonary Tuberculosis in China. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2018</b> , 62,	5.9	11
51	A 10-Year Comparative Analysis Shows that Increasing Prevalence of Rifampin-Resistant Mycobacterium tuberculosis in China Is Associated with the Transmission of Strains Harboring Compensatory Mutations. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2018</b> , 62,	5.9	15
50	Validation of Cycloserine Efficacy in Treatment of Multidrug-Resistant and Extensively Drug-Resistant Tuberculosis in Beijing, China. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2018</b> , 62,	5.9	8
49	Antituberculosis drug prescribing for inpatients in a national tuberculosis hospital in China, 2011-2015. <i>Journal of Global Antimicrobial Resistance</i> , <b>2018</b> , 14, 17-22	3.4	3
48	Diagnostic accuracy evaluation of the conventional and molecular tests for Spinal Tuberculosis in a cohort, head-to-head study. <i>Emerging Microbes and Infections</i> , <b>2018</b> , 7, 109	18.9	20
47	GeneXpert MTB/RIF Outperforms Mycobacterial Culture in Detecting from Salivary Sputum. <i>BioMed Research International</i> , <b>2018</b> , 2018, 1514381	3	20
46	Incremental cost-effectiveness of the second Xpert MTB/RIF assay to detect. <i>Journal of Thoracic Disease</i> , <b>2018</b> , 10, 1689-1695	2.6	8
45	Pan-Genomic Study of Reflecting the Primary/Secondary Genes, Generality/Individuality, and the Interconversion Through Copy Number Variations. <i>Frontiers in Microbiology</i> , <b>2018</b> , 9, 1886	5.7	14
44	Activity of PBTZ169 against Multiple Mycobacterium Species. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2018</b> , 62,	5.9	15
43	Relapse Versus Reinfection of Recurrent Tuberculosis Patients in a National Tuberculosis Specialized Hospital in Beijing, China. <i>Frontiers in Microbiology</i> , <b>2018</b> , 9, 1858	5.7	24
42	Activity of Clofazimine against Nontuberculous Mycobacteria Isolated in Beijing, China. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2018</b> , 62,	5.9	24
41	Characteristics of distribution of Mycobacterium tuberculosis lineages in China. <i>Science China Life Sciences</i> , <b>2018</b> , 61, 651-659	8.5	12
40	Comparison of Activity and MIC Distributions between the Novel Oxazolidinone Delpazolid and Linezolid against Multidrug-Resistant and Extensively Drug-Resistant Mycobacterium tuberculosis in China. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2018</b> , 62,	5.9	37
39	Performance of the MTBDRsl Line probe assay for rapid detection of resistance to second-line anti-tuberculosis drugs and ethambutol in China. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2017</b> , 89, 112-117	2.9	9
38	Some Synonymous and Nonsynonymous Mutations in Mycobacterium tuberculosis Lead to Systematic False-Positive Fluoroquinolone Resistance Results with the Hain GenoType MTBDR Assays. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2017</b> , 61,	5.9	18
37	Mycobacterium tuberculosis Lineage Distribution in Xinjiang and Gansu Provinces, China. <i>Scientific Reports</i> , <b>2017</b> , 7, 1068	4.9	9
36	Latently and uninfected healthcare workers exposed to TB make protective antibodies against. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2017</b> , 114, 5023-5028	11.5	81

35	Transdermal delivery of isoniazid and rifampin in guinea pigs by electro-phonophoresis. <i>Drug Delivery</i> , <b>2017</b> , 24, 467-470	7	5
34	GeneXpert MTB/RIF assay in the diagnosis of urinary tuberculosis from urine specimens. <i>Scientific Reports</i> , <b>2017</b> , 7, 6181	4.9	23
33	Prevalence and treatment outcome of extensively drug-resistant tuberculosis plus additional drug resistance from the National Clinical Center for Tuberculosis in China: A five-year review. <i>Journal of Infection</i> , <b>2017</b> , 75, 433-440	18.9	12
32	The Bioinformatics Analysis of Comparative Genomics of Complex (MTBC) Provides Insight into Dissimilarities between Intraspecific Groups Differing in Host Association, Virulence, and Epitope Diversity. <i>Frontiers in Cellular and Infection Microbiology</i> , <b>2017</b> , 7, 88	5.9	24
31	Rifabutin Resistance Associated with Double Mutations in Gene in Isolates. <i>Frontiers in Microbiology</i> , <b>2017</b> , 8, 1768	5.7	12
30	Drug Susceptibility of Bedaquiline, Delamanid, Linezolid, Clofazimine, Moxifloxacin, and Gatifloxacin against Extensively Drug-Resistant Tuberculosis in Beijing, China. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2017</b> , 61,	5.9	54
29	The discovery, function and development of the variable number tandem repeats in different Mycobacterium species. <i>Critical Reviews in Microbiology</i> , <b>2016</b> , 42, 738-58	7.8	8
28	Evaluation of the efficacy of Myco/F lytic system, MGIT960 system and Lowenstein-Jensen medium for recovery of Mycobacterium tuberculosis from sterile body fluids. <i>Scientific Reports</i> , <b>2016</b> , 6, 37757	4.9	4
27	The essential mycobacterial amidotransferase GatCAB is a modulator of specific translational fidelity. <i>Nature Microbiology</i> , <b>2016</b> , 1, 16147	26.6	50
26	Wild-Type and Non-Wild-Type Mycobacterium tuberculosis MIC Distributions for the Novel Fluoroquinolone Antofloxacin Compared with Those for Ofloxacin, Levofloxacin, and Moxifloxacin. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2016</b> , 60, 5232-7	5.9	11
25	Pyrazinamide resistance among multidrug-resistant tuberculosis clinical isolates in a national referral center of China and its correlations with pncA, rpsA, and panD gene mutations. <i>Diagnostic Microbiology and Infectious Disease</i> , <b>2016</b> , 84, 207-11	2.9	32
24	Proteome-wide Lysine Glutarylation Profiling of the Mycobacterium tuberculosis H37Rv. <i>Journal of Proteome Research</i> , <b>2016</b> , 15, 1379-85	5.6	22
23	Assessment of the efficacy of drug transdermal delivery by electro-phonophoresis in treating tuberculous lymphadenitis. <i>Drug Delivery</i> , <b>2016</b> , 23, 1588-93	7	6
22	Precision methylome characterization of Mycobacterium tuberculosis complex (MTBC) using PacBio single-molecule real-time (SMRT) technology. <i>Nucleic Acids Research</i> , <b>2016</b> , 44, 730-43	20.1	62
21	The reliability analysis of Xpert-positive result for smear-negative and culture-negative specimen collected from bone and joint tuberculosis suspects. <i>Journal of Thoracic Disease</i> , <b>2016</b> , 8, 1205-9	2.6	9
20	Evaluation of a High-Intensity Green Fluorescent Protein Fluorophage Method for Drug- Resistance Diagnosis in Tuberculosis for Isoniazid, Rifampin, and Streptomycin. <i>Frontiers in Microbiology</i> , <b>2016</b> , 7, 922	5.7	4
19	Transregional movement of multidrug-resistant tuberculosis in north China: an underlying threat to tuberculosis control. <i>Scientific Reports</i> , <b>2016</b> , 6, 29727	4.9	8
18	Clinical Significance of Nontuberculous Mycobacteria Isolated From Respiratory Specimens in a Chinese Tuberculosis Tertiary Care Center. <i>Scientific Reports</i> , <b>2016</b> , 6, 36299	4.9	16

17	Rapid identification of the NAT2 genotype in tuberculosis patients by multicolor melting curve analysis. <i>Pharmacogenomics</i> , <b>2016</b> , 17, 1211-1218	2.6	2
16	Risk factors for pulmonary cavitation in tuberculosis patients from China. <i>Emerging Microbes and Infections</i> , <b>2016</b> , 5, e110	18.9	12
15	dfra thyA Double Deletion in para-Aminosalicylic Acid-Resistant Mycobacterium tuberculosis Beijing Strains. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2016</b> , 60, 3864-7	5.9	13
14	The prevalence of non-tuberculous mycobacterial infections in mainland China: Systematic review and meta-analysis. <i>Journal of Infection</i> , <b>2016</b> , 73, 558-567	18.9	44
13	Xpert MTB/RIF and GenoType MTBDRplus assays for the rapid diagnosis of bone and joint tuberculosis. <i>International Journal of Infectious Diseases</i> , <b>2015</b> , 36, 27-30	10.5	40
12	Pulmonary tuberculosis caused by Mycobacterium bovis in China. <i>Scientific Reports</i> , <b>2015</b> , 5, 8538	4.9	6
11	Antimicrobial susceptibility testing and genotyping of Mycobacterium avium isolates of two tertiary tuberculosis designated hospital, China. <i>Infection, Genetics and Evolution</i> , <b>2015</b> , 36, 141-146	4.5	5
10	Mutations Found in embCAB, embR, and ubiA Genes of Ethambutol-Sensitive and -Resistant Mycobacterium tuberculosis Clinical Isolates from China. <i>BioMed Research International</i> , <b>2015</b> , 2015, 951706	3.06	26
9	Macrocolonies (Granules) Formation as a Cause of False-Negative Results in the MGIT 960 System: Cause Analysis and Correlation with Mycobacterial Species. <i>BioMed Research International</i> , <b>2015</b> , 2015, 501847	3	1
8	Discrepancies in Drug Susceptibility Test for Tuberculosis Patients Resulted from the Mixed Infection and the Testing System. <i>BioMed Research International</i> , <b>2015</b> , 2015, 651980	3	6
7	Evaluation of the Ribosomal Protein S1 Gene (rpsA) as a Novel Biomarker for Mycobacterium Species Identification. <i>BioMed Research International</i> , <b>2015</b> , 2015, 271728	3	9
6	Species Identification and Clarithromycin Susceptibility Testing of 278 Clinical Nontuberculosis Mycobacteria Isolates. <i>BioMed Research International</i> , <b>2015</b> , 2015, 506598	3	10
5	Transmitted Extended-Spectrum Extensively Drug-Resistant Tuberculosis in Beijing, China, with Discordant Whole-Genome Sequencing Analysis Results. <i>Journal of Clinical Microbiology</i> , <b>2015</b> , 53, 2781-4	9.7	8
4	Genetic determinants involved in p-aminosalicylic acid resistance in clinical isolates from tuberculosis patients in northern China from 2006 to 2012. <i>Antimicrobial Agents and Chemotherapy</i> , <b>2015</b> , 59, 1320-4	5.9	30
3	Genomic analysis of a Mycobacterium bovis bacillus [corrected] Calmette-Guérin strain isolated from an adult patient with pulmonary tuberculosis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0122403	3.7	3
2	Species identification of Mycobacterium abscessus subsp. abscessus and Mycobacterium abscessus subsp. bolletii using rpoB and hsp65, and susceptibility testing to eight antibiotics. <i>International Journal of Infectious Diseases</i> , <b>2014</b> , 25, 170-4	10.5	37
1	A country-wide study of spoligotype and drug resistance characteristics of Mycobacterium tuberculosis isolates from children in China. <i>PLoS ONE</i> , <b>2013</b> , 8, e84315	3.7	10