

Yu Jau-song

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4452601/publications.pdf>

Version: 2024-02-01

198
papers

7,499
citations

50566

48
h-index

90395

73
g-index

200
all docs

200
docs citations

200
times ranked

11606
citing authors

#	ARTICLE	IF	CITATIONS
1	Development of a method for dansylation of metabolites using organic solvent-compatible buffer systems for amine/phenol submetabolome analysis. <i>Analytica Chimica Acta</i> , 2022, 1189, 339218.	2.6	1
2	A novel DNA aptamer targeting lung cancer stem cells exerts a therapeutic effect by binding and neutralizing Annexin A2. <i>Molecular Therapy - Nucleic Acids</i> , 2022, 27, 956-968.	2.3	9
3	Genomic and Molecular Signatures of Successful Patient-Derived Xenografts for Oral Cavity Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2022, 12, 792297.	1.3	2
4	P-glycoprotein Mediates Resistance to the Anaplastic Lymphoma Kinase Inhibitor Ensartinib in Cancer Cells. <i>Cancers</i> , 2022, 14, 2341.	1.7	6
5	Development of a Monoclonal scFv against Cytotoxin to Neutralize Cytolytic Activity Induced by Naja atra Venom on Myoblast C2C12 Cells. <i>Toxins</i> , 2022, 14, 459.	1.5	6
6	Rapid and Efficient Enrichment of Snake Venoms from Human Plasma Using a Strong Cation Exchange Tip Column to Improve Snakebite Diagnosis. <i>Toxins</i> , 2021, 13, 140.	1.5	5
7	Comprehensive functional genomic analyses link APC somatic mutation and mRNA-miRNA networks to the clinical outcome of stage-III colorectal cancer patients. <i>Biomedical Journal</i> , 2021, , .	1.4	2
8	Overexpression of Human ABCB1 and ABCG2 Reduces the Susceptibility of Cancer Cells to the Histone Deacetylase 6-Specific Inhibitor Citarinostat. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2592.	1.8	9
9	Association of urinary ketamine and APOA1 levels with bladder dysfunction in ketamine abusers revealed via proteomics and targeted metabolite analyses. <i>Scientific Reports</i> , 2021, 11, 9583.	1.6	3
10	Identification of Fucosylated SERPINA1 as a Novel Plasma Marker for Pancreatic Cancer Using Lectin Affinity Capture Coupled with iTRAQ-Based Quantitative Glycoproteomics. <i>International Journal of Molecular Sciences</i> , 2021, 22, 6079.	1.8	11
11	Development of Antibody Detection ELISA Based on Immunoreactive Toxins and Toxin-Derived Peptides to Evaluate the Neutralization Potency of Equine Plasma against Naja atra in Taiwan. <i>Toxins</i> , 2021, 13, 818.	1.5	3
12	Assessment of candidate biomarkers in paired saliva and plasma samples from oral cancer patients by targeted mass spectrometry. <i>Journal of Proteomics</i> , 2020, 211, 103571.	1.2	30
13	An immuno-MALDI mass spectrometry assay for the oral cancer biomarker, matrix metalloproteinase-1, in dried saliva spot samples. <i>Analytica Chimica Acta</i> , 2020, 1100, 118-130.	2.6	23
14	Metabolomic profiling of parapneumonic effusion reveals a regulatory role of dipeptides in interleukin-8 production in neutrophil-like cells. <i>Analytica Chimica Acta</i> , 2020, 1128, 238-250.	2.6	2
15	Target peptide enrichment microfluidic chip for rapid detection of oral squamous cell carcinoma using stable isotope standards and capture by anti-peptide antibodies. <i>Sensors and Actuators B: Chemical</i> , 2020, 322, 128607.	4.0	5
16	circRNAome Profiling in Oral Carcinoma Unveils a Novel circFLNB that Mediates Tumour Growth-Regulating Transcriptional Response. <i>Cells</i> , 2020, 9, 1868.	1.8	2
17	Verification of Saliva Matrix Metalloproteinase-1 as a Strong Diagnostic Marker of Oral Cavity Cancer. <i>Cancers</i> , 2020, 12, 2273.	1.7	23
18	SNAP29 mediates the assembly of histidine-induced CTP synthase filaments in proximity to the cytokeratin network. <i>Journal of Cell Science</i> , 2020, 133, .	1.2	6

#	ARTICLE	IF	CITATIONS
19	Integrative Omics Analysis Reveals Soluble Cadherin-3 as a Survival Predictor and an Early Monitoring Marker of EGFR Tyrosine Kinase Inhibitor Therapy in Lung Cancer. <i>Clinical Cancer Research</i> , 2020, 26, 3220-3229.	3.2	13
20	Overexpression of ABCB1 and ABCG2 contributes to reduced efficacy of the PI3K/mTOR inhibitor samotolisib (LY3023414) in cancer cell lines. <i>Biochemical Pharmacology</i> , 2020, 180, 114137.	2.0	19
21	Pathogenesis of local necrosis induced by <i>Naja atra</i> venom: Assessment of the neutralization ability of Taiwanese freeze-dried neurotoxic antivenom in animal models. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008054.	1.3	39
22	Discovery of survival predictor and early monitoring biomarkers for EGFR tyrosine kinase inhibitor therapy in lung adenocarcinoma by integrative omics analysis. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	0
23	BRAF protein immunoprecipitation, elution, and digestion from cell extract using a microfluidic mixer for mutant BRAF protein quantification by mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019, 411, 1085-1094.	1.9	3
24	From discovery of tyrosine phosphorylation to targeted cancer therapies: The 2018 Tang Prize in Biopharmaceutical Science. <i>Biomedical Journal</i> , 2019, 42, 80-83.	1.4	8
25	Dynamic bioenergetic alterations in colorectal adenomatous polyps and adenocarcinomas. <i>EBioMedicine</i> , 2019, 44, 334-345.	2.7	21
26	Development of biomarkers of genitourinary cancer using mass spectrometry-based clinical proteomics. <i>Journal of Food and Drug Analysis</i> , 2019, 27, 387-403.	0.9	13
27	Targeting amine- and phenol-containing metabolites in urine by dansylation isotope labeling and liquid chromatography mass spectrometry for evaluation of bladder cancer biomarkers. <i>Journal of Food and Drug Analysis</i> , 2019, 27, 460-474.	0.9	9
28	TACCO, a Database Connecting Transcriptome Alterations, Pathway Alterations and Clinical Outcomes in Cancers. <i>Scientific Reports</i> , 2019, 9, 3877.	1.6	19
29	Macrophage achieves self-protection against oxidative stress-induced ageing through the Mst-Nrf2 axis. <i>Nature Communications</i> , 2019, 10, 755.	5.8	150
30	Integrated analyses utilizing metabolomics and transcriptomics reveal perturbation of the polyamine pathway in oral cavity squamous cell carcinoma. <i>Analytica Chimica Acta</i> , 2019, 1050, 113-122.	2.6	34
31	Variability Assessment of 90 Salivary Proteins in Intraday and Interday Samples from Healthy Donors by Multiple Reaction Monitoring-Mass Spectrometry. <i>Proteomics - Clinical Applications</i> , 2018, 12, 1700039.	0.8	17
32	Targeting HSP60 by subcutaneous injections of jetPEI/HSP60-shRNA destabilizes cytoplasmic survivin and inhibits hepatocellular carcinoma growth. <i>Molecular Carcinogenesis</i> , 2018, 57, 1087-1101.	1.3	16
33	Integrated omics profiling identifies hypoxia-regulated genes in HCT116 colon cancer cells. <i>Journal of Proteomics</i> , 2018, 188, 139-151.	1.2	13
34	Systematic verification of bladder cancer-associated tissue protein biomarker candidates in clinical urine specimens. <i>Oncotarget</i> , 2018, 9, 30731-30747.	0.8	16
35	Bretschneider solution-induced alterations in the urine metabolome in cardiac surgery patients. <i>Scientific Reports</i> , 2018, 8, 17774.	1.6	7
36	Development of sandwich ELISA and lateral flow strip assays for diagnosing clinically significant snakebite in Taiwan. <i>PLoS Neglected Tropical Diseases</i> , 2018, 12, e0007014.	1.3	35

#	ARTICLE	IF	CITATIONS
37	Histidine-Dependent Protein Methylation Is Required for Compartmentalization of CTP Synthase. <i>Cell Reports</i> , 2018, 24, 2733-2745.e7.	2.9	36
38	Proteomic characterization of six Taiwanese snake venoms: Identification of species-specific proteins and development of a SISCAPA-MRM assay for cobra venom factors. <i>Journal of Proteomics</i> , 2018, 187, 59-68.	1.2	32
39	MiR-31-5p-ACOX1 Axis Enhances Tumorigenic Fitness in Oral Squamous Cell Carcinoma Via the Promigratory Prostaglandin E2. <i>Theranostics</i> , 2018, 8, 486-504.	4.6	80
40	Human ATP-binding cassette transporters ABCB1 and ABCG2 confer resistance to histone deacetylase 6 inhibitor ricolinostat (ACY-1215) in cancer cell lines. <i>Biochemical Pharmacology</i> , 2018, 155, 316-325.	2.0	16
41	Integrated analysis of fine-needle-aspiration cystic fluid proteome, cancer cell secretome, and public transcriptome datasets for papillary thyroid cancer biomarker discovery. <i>Oncotarget</i> , 2018, 9, 12079-12100.	0.8	23
42	Development of a Multiplexed Liquid Chromatography Multiple-Reaction-Monitoring Mass Spectrometry (LC-MRM/MS) Method for Evaluation of Salivary Proteins as Oral Cancer Biomarkers. <i>Molecular and Cellular Proteomics</i> , 2017, 16, 799-811.	2.5	30
43	Super-SILAC mix coupled with SIM/AIMS assays for targeted verification of phosphopeptides discovered in a large-scale phosphoproteome analysis of hepatocellular carcinoma. <i>Journal of Proteomics</i> , 2017, 157, 40-51.	1.2	7
44	Oxidation of protein-bound methionine in Photofrin-photodynamic therapy-treated human tumor cells explored by methionine-containing peptide enrichment and quantitative proteomics approach. <i>Scientific Reports</i> , 2017, 7, 1370.	1.6	13
45	Development of a Multiplexed Assay for Oral Cancer Candidate Biomarkers Using Peptide Immunoaffinity Enrichment and Targeted Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2017, 16, 1829-1849.	2.5	22
46	APOBEC3A is an oral cancer prognostic biomarker in Taiwanese carriers of an APOBEC deletion polymorphism. <i>Nature Communications</i> , 2017, 8, 465.	5.8	89
47	Cysteine protease cathepsin B mediates radiation-induced bystander effects. <i>Nature</i> , 2017, 547, 458-462.	13.7	57
48	Proteomic profiling of the cancer cell secretome: informing clinical research. <i>Expert Review of Proteomics</i> , 2017, 14, 737-756.	1.3	18
49	Activation of hepatic stellate cells by the ubiquitin C-terminal hydrolase 1 protein secreted from hepatitis C virus-infected hepatocytes. <i>Scientific Reports</i> , 2017, 7, 4448.	1.6	14
50	Metabolite marker discovery for the detection of bladder cancer by comparative metabolomics. <i>Oncotarget</i> , 2017, 8, 38802-38810.	0.8	51
51	Analysis of the efficacy of Taiwanese freeze-dried neurotoxic antivenom against <i>Naja kaouthia</i> , <i>Naja siamensis</i> and <i>Ophiophagus hannah</i> through proteomics and animal model approaches. <i>PLoS Neglected Tropical Diseases</i> , 2017, 11, e0006138.	1.3	39
52	Saliva protein biomarkers to detect oral squamous cell carcinoma in a high-risk population in Taiwan. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 11549-11554.	3.3	91
53	Quantitative analysis of wild-type and V600E mutant BRAF proteins in colorectal carcinoma using immunoenrichment and targeted mass spectrometry. <i>Analytica Chimica Acta</i> , 2016, 933, 144-155.	2.6	7
54	Pyk2 activates the NLRP3 inflammasome by directly phosphorylating ASC and contributes to inflammasome-dependent peritonitis. <i>Scientific Reports</i> , 2016, 6, 36214.	1.6	70

#	ARTICLE	IF	CITATIONS
55	Identification and Characterization of Potential Biomarkers by Quantitative Tissue Proteomics of Primary Lung Adenocarcinoma. <i>Molecular and Cellular Proteomics</i> , 2016, 15, 2396-2410.	2.5	65
56	Human ATP-Binding Cassette Transporter ABCG2 Confers Resistance to CUDC-907, a Dual Inhibitor of Histone Deacetylase and Phosphatidylinositol 3-Kinase. <i>Molecular Pharmaceutics</i> , 2016, 13, 784-794.	2.3	29
57	mTOR regulates proteasomal degradation and Dp1/E2F1- mediated transcription of KPNA2 in lung cancer cells. <i>Oncotarget</i> , 2016, 7, 25432-25442.	0.8	15
58	Bone Marrow Stromal Antigen 2 Is a Novel Plasma Biomarker and Prognosticator for Colorectal Carcinoma: A Secretome-Based Verification Study. <i>Disease Markers</i> , 2015, 2015, 1-10.	0.6	18
59	The V-val subtype Epstein-Barr virus nuclear antigen 1 promotes cell survival after serum withdrawal. <i>Oncology Reports</i> , 2015, 33, 958-966.	1.2	7
60	Integration of Hippo signalling and the unfolded protein response to restrain liver overgrowth and tumorigenesis. <i>Nature Communications</i> , 2015, 6, 6239.	5.8	129
61	In-depth Proteomic Analysis of Six Types of Exudative Pleural Effusions for Nonsmall Cell Lung Cancer Biomarker Discovery. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 917-932.	2.5	32
62	Low-molecular-mass secretome profiling identifies HMGA2 and MIF as prognostic biomarkers for oral cavity squamous cell carcinoma. <i>Scientific Reports</i> , 2015, 5, 11689.	1.6	37
63	Proteomics Analysis of EV71-Infected Cells Reveals the Involvement of Host Protein NEDD4L in EV71 Replication. <i>Journal of Proteome Research</i> , 2015, 14, 1818-1830.	1.8	24
64	Quantitative Proteomics Reveals a Novel Role of Karyopherin Alpha 2 in Cell Migration through the Regulation of Vimentin-pErk Protein Complex Levels in Lung Cancer. <i>Journal of Proteome Research</i> , 2015, 14, 1739-1751.	1.8	19
65	Comparative Tissue Proteomics of Microdissected Specimens Reveals Novel Candidate Biomarkers of Bladder Cancer. <i>Molecular and Cellular Proteomics</i> , 2015, 14, 2466-2478.	2.5	62
66	Overexpressed tryptophanyl-tRNA synthetase, an angiostatic protein, enhances oral cancer cell invasiveness. <i>Oncotarget</i> , 2015, 6, 21979-21992.	0.8	37
67	Overexpression of BST2 is associated with nodal metastasis and poorer prognosis in oral cavity cancer. <i>Laryngoscope</i> , 2014, 124, E354-E360.	1.1	37
68	The Hsp90-Dependent Proteome Is Conserved and Enriched for Hub Proteins with High Levels of Protein-Protein Connectivity. <i>Genome Biology and Evolution</i> , 2014, 6, 2851-2865.	1.1	27
69	JMJD5 regulates PKM2 nuclear translocation and reprograms HIF-1-mediated glucose metabolism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 279-284.	3.3	235
70	Secretome Profiling of Primary Cells Reveals That THBS2 Is a Salivary Biomarker of Oral Cavity Squamous Cell Carcinoma. <i>Journal of Proteome Research</i> , 2014, 13, 4796-4807.	1.8	50
71	Targeted Proteomics Pipeline Reveals Potential Biomarkers for the Diagnosis of Metastatic Lung Cancer in Pleural Effusion. <i>Journal of Proteome Research</i> , 2014, 13, 2818-2829.	1.8	33
72	Mass accuracy improvement of reversed-phase liquid chromatography/electrospray ionization mass spectrometry based urinary metabolomic analysis by post-run calibration using sodium formate cluster ions. <i>Rapid Communications in Mass Spectrometry</i> , 2014, 28, 1813-1820.	0.7	15

#	ARTICLE	IF	CITATIONS
73	Binding of the extreme carboxyl-terminus of PAK-interacting exchange factor \hat{I}^2 (\hat{I}^2 PIX) to myosin 18A (MYO18A) is required for epithelial cell migration. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 2513-2527.	1.9	19
74	Salivary Auto-Antibodies as Noninvasive Diagnostic Markers of Oral Cavity Squamous Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014, 23, 1569-1578.	1.1	22
75	Decoding the Disease-Associated Proteins Encoded in the Human Chromosome 4. <i>Journal of Proteome Research</i> , 2013, 12, 33-44.	1.8	9
76	Identification of the lamin A/C phosphoepitope recognized by the antibody P-STM in mitotic HeLa S3 cells. <i>BMC Biochemistry</i> , 2013, 14, 18.	4.4	14
77	Overexpression of caldesmon is associated with lymph node metastasis and poorer prognosis in patients with oral cavity squamous cell carcinoma. <i>Cancer</i> , 2013, 119, 4003-4011.	2.0	33
78	Heat shock protein-90-beta facilitates enterovirus 71 viral particles assembly. <i>Virology</i> , 2013, 443, 236-247.	1.1	36
79	Identification of potential bladder cancer markers in urine by abundant-protein depletion coupled with quantitative proteomics. <i>Journal of Proteomics</i> , 2013, 85, 28-43.	1.2	93
80	Prognostic significance of pituitary tumour-transforming gene-binding factor (<sc>PBF</sc>) expression in papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2013, 78, 303-309.	1.2	22
81	The utility of a high-throughput scanning biosensor in the detection of the pancreatic cancer marker ULBP2. <i>Biosensors and Bioelectronics</i> , 2013, 41, 232-237.	5.3	24
82	Low-molecular-mass secretome profiling identifies C α -C motif chemokine 5 as a potential plasma biomarker and therapeutic target for nasopharyngeal carcinoma. <i>Journal of Proteomics</i> , 2013, 94, 186-201.	1.2	29
83	Site-specific separation and detection of phosphopeptide isomers with pH-mediated stacking capillary electrophoresis-electrospray ionization-tandem mass spectrometry. <i>Journal of Separation Science</i> , 2013, 36, 1582-1589.	1.3	18
84	Rapid identification of <i>M. abscessus</i> and <i>M. massiliense</i> by MALDI-TOF mass spectrometry with a comparison to sequencing methods and antimicrobial susceptibility patterns. <i>Future Microbiology</i> , 2013, 8, 1381-1389.	1.0	18
85	Ochratoxin A Inhibits Mouse Embryonic Development by Activating a Mitochondrion-Dependent Apoptotic Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2013, 14, 935-953.	1.8	42
86	A negative-pressure-driven microfluidic chip for the rapid detection of a bladder cancer biomarker in urine using bead-based enzyme-linked immunosorbent assay. <i>Biomicrofluidics</i> , 2013, 7, 24103.	1.2	33
87	Discovery and Validation Case Studies, Recommendations: A Pipeline that Integrates the Discovery and Verification Studies of Urinary Protein Biomarkers Reveals Candidate Markers for Bladder Cancer. <i>RSC Drug Discovery Series</i> , 2013, , 271-314.	0.2	2
88	Quantitative proteomics reveals regulation of KPNA2 and its potential novel cargo proteins in non-small cell lung cancer. <i>FASEB Journal</i> , 2013, 27, 812.1.	0.2	0
89	Quantitative Proteomics Reveals Regulation of Karyopherin Subunit Alpha-2 (KPNA2) and Its Potential Novel Cargo Proteins in Nonsmall Cell Lung Cancer. <i>Molecular and Cellular Proteomics</i> , 2012, 11, 1105-1122.	2.5	72
90	Comparative and Targeted Proteomic Analyses of Urinary Microparticles from Bladder Cancer and Hernia Patients. <i>Journal of Proteome Research</i> , 2012, 11, 5611-5629.	1.8	185

#	ARTICLE	IF	CITATIONS
91	Multiplexed quantification of 63 proteins in human urine by multiple reaction monitoring-based mass spectrometry for discovery of potential bladder cancer biomarkers. <i>Journal of Proteomics</i> , 2012, 75, 3529-3545.	1.2	134
92	Network analysis and proteomic identification of vimentin as a key regulator associated with invasion and metastasis in human hepatocellular carcinoma cells. <i>Journal of Proteomics</i> , 2012, 75, 4676-4692.	1.2	50
93	Photofrin binds to procaspase-3 and mediates photodynamic treatment-triggered methionine oxidation and inactivation of procaspase-3. <i>Cell Death and Disease</i> , 2012, 3, e347-e347.	2.7	4
94	Immobilization of enzyme and antibody on ALD-HfO ₂ -EIS structure by NH ₃ plasma treatment. <i>Nanoscale Research Letters</i> , 2012, 7, 179.	3.1	18
95	Identification of secretory gelsolin as a plasma biomarker associated with distant organ metastasis of colorectal cancer. <i>Journal of Molecular Medicine</i> , 2012, 90, 187-200.	1.7	31
96	Identification of Guanylate-Binding Protein 1 as a Potential Oral Cancer Marker Involved in Cell Invasion Using Omics-Based Analysis. <i>Journal of Proteome Research</i> , 2011, 10, 3778-3788.	1.8	68
97	Comprehensive Proteome Analysis of Malignant Pleural Effusion for Lung Cancer Biomarker Discovery by Using Multidimensional Protein Identification Technology. <i>Journal of Proteome Research</i> , 2011, 10, 4671-4682.	1.8	52
98	Identification of PRDX4 and P4HA2 as Metastasis-Associated Proteins in Oral Cavity Squamous Cell Carcinoma by Comparative Tissue Proteomics of Microdissected Specimens Using iTRAQ Technology. <i>Journal of Proteome Research</i> , 2011, 10, 4935-4947.	1.8	82
99	Identification of SEC61Î² and its autoantibody as biomarkers for colorectal cancer. <i>Clinica Chimica Acta</i> , 2011, 412, 887-893.	0.5	18
100	Prognostic cytokine markers in peripheral blood for oral cavity squamous cell carcinoma identified by multiplexed immunobead-based profiling. <i>Clinica Chimica Acta</i> , 2011, 412, 980-987.	0.5	33
101	Identification of Phospholipid Scramblase 1 as a Biomarker and Determination of Its Prognostic Value for Colorectal Cancer. <i>Molecular Medicine</i> , 2011, 17, 41-47.	1.9	39
102	Cancer and Treatment with Seeds of Chinese Fan Palm (<i>Livistona chinensis</i> R. Brown)., 2011, , 325-331.		0
103	Detection of Annexin A Autoantibodies in Sera From Colorectal Cancer Patients. <i>Journal of Clinical Gastroenterology</i> , 2011, 45, 125-132.	1.1	12
104	Cul4A is an oncogene in malignant pleural mesothelioma. <i>Journal of Cellular and Molecular Medicine</i> , 2011, 15, 350-358.	1.6	61
105	Overexpression of macrophage inflammatory protein-3Î± in oral cavity squamous cell carcinoma is associated with nodal metastasis. <i>Oral Oncology</i> , 2011, 47, 108-113.	0.8	33
106	Comprehensive proteomic analysis of mineral nanoparticles derived from human body fluids and analyzed by liquid chromatography-tandem mass spectrometry. <i>Analytical Biochemistry</i> , 2011, 418, 111-125.	1.1	69
107	Vascular endothelial growth factors and angiopoietins in presentations and prognosis of papillary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2011, 103, 395-399.	0.8	23
108	Predicting postoperative morbidity and mortality by model for endstage liver disease score for patients with head and neck cancer and liver cirrhosis. <i>Head and Neck</i> , 2011, 33, 529-534.	0.9	12

#	ARTICLE	IF	CITATIONS
109	Multiplexed immunobeadâ€based profiling of cytokine markers for detection of nasopharyngeal carcinoma and prognosis of patient survival. <i>Head and Neck</i> , 2011, 33, 886-897.	0.9	55
110	Importin subunit alphaâ€2 is identified as a potential biomarker for nonâ€small cell lung cancer by integration of the cancer cell secretome and tissue transcriptome. <i>International Journal of Cancer</i> , 2011, 128, 2364-2372.	2.3	104
111	Quantitative plasma proteome analysis reveals aberrant level of blood coagulation-related proteins in nasopharyngeal carcinoma. <i>Journal of Proteomics</i> , 2011, 74, 744-757.	1.2	14
112	An Informatics-assisted Label-free Approach for Personalized Tissue Membrane Proteomics: Case Study on Colorectal Cancer. <i>Molecular and Cellular Proteomics</i> , 2011, 10, M110.003087.	2.5	50
113	Proteome-wide Dysregulation by PRA1 Depletion Delineates a Role of PRA1 in Lipid Transport and Cell Migration. <i>Molecular and Cellular Proteomics</i> , 2011, 10, M900641-MCP200.	2.5	17
114	Secretome-Based Identification of ULBP2 as a Novel Serum Marker for Pancreatic Cancer Detection. <i>PLoS ONE</i> , 2011, 6, e20029.	1.1	48
115	Impaired dephosphorylation renders G6PD-knockdown HepG2 cells more susceptible to H2O2-induced apoptosis. <i>Free Radical Biology and Medicine</i> , 2010, 49, 361-373.	1.3	32
116	Proteomic analysis for the antiâ€apoptotic effects of cystamine on apoptosisâ€prone macrophage. <i>Journal of Cellular Biochemistry</i> , 2010, 110, 660-670.	1.2	5
117	Characterization of photodynamic therapy responses elicited in A431 cells containing intracellular organelleâ€localized photofrin. <i>Journal of Cellular Biochemistry</i> , 2010, 111, 821-833.	1.2	16
118	Identification of candidate nasopharyngeal carcinoma serum biomarkers by cancer cell secretome and tissue transcriptome analysis: Potential usage of cystatin A for predicting nodal stage and poor prognosis. <i>Proteomics</i> , 2010, 10, 2644-2660.	1.3	48
119	Comparison of membrane fraction proteomic profiles of normal and cancerous human colorectal tissues with gelâ€assisted digestion and iTRAQ labeling mass spectrometry. <i>FEBS Journal</i> , 2010, 277, 3028-3038.	2.2	63
120	Identification of MYO18A as a Novel Interacting Partner of the PAK2/Î²PIX/GIT1 Complex and Its Potential Function in Modulating Epithelial Cell Migration. <i>Molecular Biology of the Cell</i> , 2010, 21, 287-301.	0.9	78
121	Combined analysis of survivin autoantibody and carcinoembryonic antigen biomarkers for improved detection of colorectal cancer. <i>Clinical Chemistry and Laboratory Medicine</i> , 2010, 48, 719-25.	1.4	24
122	Somatic sex determination in <i>Caenorhabditis elegans</i> is modulated by SUP-26 repression of tra-2 translation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 18022-18027.	3.3	29
123	Candidate Serological Biomarkers for Cancer Identified from the Secretomes of 23 Cancer Cell Lines and the Human Protein Atlas. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 1100-1117.	2.5	177
124	Discovery of Novel Bladder Cancer Biomarkers by Comparative Urine Proteomics Using iTRAQ Technology. <i>Journal of Proteome Research</i> , 2010, 9, 5803-5815.	1.8	137
125	An approach to the elimination of inter-individual variability in tumor detection. <i>Analyst</i> , The, 2010, 135, 875.	1.7	1
126	Enhanced Interferon Signaling Pathway in Oral Cancer Revealed by Quantitative Proteome Analysis of Microdissected Specimens Using 16O/18O Labeling and Integrated Two-dimensional LC-ESI-MALDI Tandem MS. <i>Molecular and Cellular Proteomics</i> , 2009, 8, 1453-1474.	2.5	88

#	ARTICLE	IF	CITATIONS
127	Separation and Determination of Low Abundant Flavonoids in <i>Scutellaria Baicalensis</i> Georgi by Micellar Electrokinetic Capillary Electrophoresis. <i>Analytical Letters</i> , 2009, 42, 1444-1457.	1.0	9
128	Thymidine phosphorylase mRNA stability and protein levels are increased through ERK-mediated cytoplasmic accumulation of hnRNP K in nasopharyngeal carcinoma cells. <i>Oncogene</i> , 2009, 28, 1904-1915.	2.6	50
129	Discovery of Retinoblastoma-Associated Binding Protein 46 as a Novel Prognostic Marker for Distant Metastasis in Nonsmall Cell Lung Cancer by Combined Analysis of Cancer Cell Secretome and Pleural Effusion Proteome. <i>Journal of Proteome Research</i> , 2009, 8, 4428-4440.	1.8	63
130	Cell Secretome Analysis Using Hollow Fiber Culture System Leads to the Discovery of CLIC1 Protein as a Novel Plasma Marker for Nasopharyngeal Carcinoma. <i>Journal of Proteome Research</i> , 2009, 8, 5465-5474.	1.8	62
131	Combining Alkaline Phosphatase Treatment and Hybrid Linear Ion Trap/Orbitrap High Mass Accuracy Liquid Chromatography-MS/MS Mass Spectrometry Data for the Efficient and Confident Identification of Protein Phosphorylation. <i>Analytical Chemistry</i> , 2009, 81, 7778-7787.	3.2	19
132	Histological Differentiation of Primary Oral Squamous Cell Carcinomas in an Area of Betel Quid Chewing Prevalence. <i>Otolaryngology - Head and Neck Surgery</i> , 2009, 141, 743-749.	1.1	39
133	Identification of collapsin response mediator protein-2 as a potential marker of colorectal carcinoma by comparative analysis of cancer cell secretomes. <i>Proteomics</i> , 2008, 8, 316-332.	1.3	128
134	Identification of potential serum markers for nasopharyngeal carcinoma from a xenografted mouse model using Cy5 dye labeling combined with three-dimensional fractionation. <i>Proteomics</i> , 2008, 8, 3605-3620.	1.3	27
135	Overexpression and elevated plasma level of tumor-associated antigen 90K/Mac-2 binding protein in colorectal carcinoma. <i>Proteomics - Clinical Applications</i> , 2008, 2, 1586-1595.	0.8	18
136	GSK-3 β mediates the okadaic acid-induced modification of collapsin response mediator protein-2 in human SKNSH neuroblastoma cells. <i>Journal of Cellular Biochemistry</i> , 2008, 103, 1833-1848.	1.2	11
137	Complementary serum test of antibodies to Epstein-Barr virus nuclear antigen-1 and early antigen: A possible alternative for primary screening of nasopharyngeal carcinoma. <i>Oral Oncology</i> , 2008, 44, 784-792.	0.8	43
138	Secretome-Based Identification of Mac-2 Binding Protein as a Potential Oral Cancer Marker Involved in Cell Growth and Motility. <i>Journal of Proteome Research</i> , 2008, 7, 3765-3775.	1.8	54
139	Heterogeneous Ribonucleoprotein K and Thymidine Phosphorylase Are Independent Prognostic and Therapeutic Markers for Nasopharyngeal Carcinoma. <i>Clinical Cancer Research</i> , 2008, 14, 3807-3813.	3.2	48
140	Macrophage Inflammatory Protein-3 α Is a Novel Serum Marker for Nasopharyngeal Carcinoma Detection and Prediction of Treatment Outcomes. <i>Clinical Cancer Research</i> , 2008, 14, 6979-6987.	3.2	63
141	Differential Protein Expression of Two Photosystem II Subunits, PsbO and PsbP, in an Albino Mutant of <i>Bambusa edulis</i> with Chloroplast DNA Aberration. <i>Journal of the American Society for Horticultural Science</i> , 2008, 133, 270-277.	0.5	7
142	MCP-1 Promoter Polymorphism at \sim 2518 Is Associated with Metastasis of Nasopharyngeal Carcinoma after Treatment. <i>Clinical Cancer Research</i> , 2007, 13, 6320-6326.	3.2	54
143	Selective downregulation of EGF receptor and downstream MAPK pathway in human cancer cell lines by active components partially purified from the seeds of <i>Livistona chinensis</i> R. Brown. <i>Cancer Letters</i> , 2007, 248, 137-146.	3.2	25
144	Rapid Enrichment of Phosphopeptides and Phosphoproteins from Complex Samples Using Magnetic Particles Coated with Alumina as the Concentrating Probes for MALDI MS Analysis. <i>Journal of Proteome Research</i> , 2007, 6, 316-325.	1.8	131

#	ARTICLE	IF	CITATIONS
145	Identification of a new in vivo phosphorylation site in the cytoplasmic carboxyl terminus of EBV-LMP1 by tandem mass spectrometry. <i>Biochemical and Biophysical Research Communications</i> , 2006, 348, 47-55.	1.0	7
146	Overexpression and elevated serum levels of phosphoglycerate kinase 1 in pancreatic ductal adenocarcinoma. <i>Proteomics</i> , 2006, 6, 2259-2272.	1.3	122
147	The 30-bp Deletion of Epstein-Barr Virus Latent Membrane Protein-1 Gene Has No Effect in Nasopharyngeal Carcinoma. <i>Laryngoscope</i> , 2006, 116, 541-546.	1.1	27
148	Regulation of corneal angiogenesis in limbal stem cell deficiency. <i>Progress in Retinal and Eye Research</i> , 2006, 25, 563-590.	7.3	60
149	Activation of DNA Methyltransferase 1 by EBV LMP1 Involves c-Jun NH2-Terminal Kinase Signaling. <i>Cancer Research</i> , 2006, 66, 11668-11676.	0.4	222
150	Inhibition of Cell Migration by Autophosphorylated Mammalian Sterile 20-Like Kinase 3 (MST3) Involves Paxillin and Protein-tyrosine Phosphatase-PEST. <i>Journal of Biological Chemistry</i> , 2006, 281, 38405-38417.	1.6	70
151	Differential expression of claudin-4 between intestinal and diffuse-type gastric cancer. <i>Oncology Reports</i> , 2006, 16, 729-34.	1.2	22
152	Mitochondrion-Targeted Photosensitizer Enhances the Photodynamic Effect-Induced Mitochondrial Dysfunction and Apoptosis. <i>Annals of the New York Academy of Sciences</i> , 2005, 1042, 419-428.	1.8	48
153	Anti-phosphopeptide antibody, P-STM as a novel tool for detecting mitotic phosphoproteins: Identification of lamins A and C as two major targets. <i>Journal of Cellular Biochemistry</i> , 2005, 94, 967-981.	1.2	14
154	Curcumin prevents methylglyoxal-induced oxidative stress and apoptosis in mouse embryonic stem cells and blastocysts. <i>Journal of Cellular Physiology</i> , 2005, 205, 379-386.	2.0	124
155	Cancer cell-secreted proteomes as a basis for searching potential tumor markers: Nasopharyngeal carcinoma as a model. <i>Proteomics</i> , 2005, 5, 3173-3182.	1.3	93
156	Construction and characterization of monoclonal antibodies specific to Epstein-Barr virus latent membrane protein 1. <i>Journal of Immunological Methods</i> , 2004, 287, 21-30.	0.6	11
157	Curcumin inhibits UV irradiation-induced oxidative stress and apoptotic biochemical changes in human epidermoid carcinoma A431 cells. <i>Journal of Cellular Biochemistry</i> , 2003, 90, 327-338.	1.2	136
158	Subcellular localization of Photofrin® determines the death phenotype of human epidermoid carcinoma A431 cells triggered by photodynamic therapy: When plasma membranes are the main targets. <i>Journal of Cellular Physiology</i> , 2003, 194, 363-375.	2.0	179
159	Identification of protein kinase CK2 as a potent kinase of Epstein-Barr virus latent membrane protein 1. <i>Biochemical and Biophysical Research Communications</i> , 2002, 294, 586-591.	1.0	10
160	Induction of inducible nitric oxide synthase by Epstein-Barr virus B95-8-derived LMP1 in Balb/3T3 cells promotes stress-induced cell death and impairs LMP1-mediated transformation. <i>Oncogene</i> , 2002, 21, 8047-8061.	2.6	23
161	Purification and characterization of porcine testis 90-kDa heat shock protein (HSP90) as a substrate for various protein kinases. <i>The Protein Journal</i> , 2002, 21, 111-121.	1.1	9
162	Enzyme-Linked Immunosorbent Assay for the Determination of p21-Activated Kinase Activity. <i>Journal of Biochemistry</i> , 2001, 129, 243-251.	0.9	7

#	ARTICLE	IF	CITATIONS
163	Apoptotic signalling cascade in photosensitized human epidermal carcinoma A431 cells: involvement of singlet oxygen, c-Jun N-terminal kinase, caspase-3 and p21-activated kinase 2. <i>Biochemical Journal</i> , 2000, 351, 221.	1.7	42
164	Apoptotic signalling cascade in photosensitized human epidermal carcinoma A431 cells: involvement of singlet oxygen, c-Jun N-terminal kinase, caspase-3 and p21-activated kinase 2. <i>Biochemical Journal</i> , 2000, 351, 221-232.	1.7	68
165	Inhibition of UV irradiation-induced oxidative stress and apoptotic biochemical changes in human epidermal carcinoma A431 cells by genistein. , 2000, 78, 73-84.		83
166	PAK2 is cleaved and activated during hyperosmotic shock-induced apoptosis via a caspase-dependent mechanism: Evidence for the involvement of oxidative stress. , 1999, 178, 397-408.		51
167	Heat shock stress induces cleavage and activation of PAK2 in apoptotic cells. <i>The Protein Journal</i> , 1998, 17, 485-494.	1.1	30
168	Proteolytic cleavage and activation of PAK2 during UV irradiation-induced apoptosis in A431 cells. <i>Journal of Cellular Biochemistry</i> , 1998, 70, 442-454.	1.2	43
169	Activation of Protein Phosphatase 2A by the Fe ²⁺ /Ascorbate System. <i>Journal of Biochemistry</i> , 1998, 124, 225-230.	0.9	25
170	Identification of the regulatory autophosphorylation site of autophosphorylation-dependent protein kinase (auto-kinase). <i>Biochemical Journal</i> , 1998, 334, 121-131.	1.7	48
171	Selective Interaction of Protein Kinase FA/Glycogen Synthase Kinase-3 β with Membrane Phospholipids. <i>Biochemical and Biophysical Research Communications</i> , 1997, 237, 331-335.	1.0	2
172	Reversible tyrosine phosphorylation/dephosphorylation of proline-directed protein kinase FA/glycogen synthase kinase-3 β in A431 cells. <i>Journal of Cellular Physiology</i> , 1997, 171, 95-103.	2.0	6
173	Endothelin-1 and Insulin Induce Cellular Inactivation of Protein Kinase F(A)/Glycogen Synthase Kinase-3 β in a Common Signaling Pathway. <i>Journal of Biomedical Science</i> , 1996, 3, 275-275.	2.6	0
174	Endothelin-1 and insulin induce cellular inactivation of protein kinase FA/glycogen synthase kinase-3 β in a common signaling pathway. <i>Journal of Biomedical Science</i> , 1996, 3, 275-279.	2.6	0
175	Activation of the ATP.Mg-dependent type 1 protein phosphatase by the Fe ²⁺ /ascorbate system. <i>The Protein Journal</i> , 1996, 15, 455-460.	1.1	8
176	Overexpression of protein kinase FA/GSK-3 β (a proline-directed protein kinase) correlates with human hepatoma dedifferentiation/progression. <i>Journal of Cellular Biochemistry</i> , 1996, 61, 238-245.	1.2	14
177	Overexpression of cellular activity and protein level of protein kinase FA/GSK-3 β correlates with human thyroid tumor cell dedifferentiation. <i>Journal of Cellular Biochemistry</i> , 1995, 58, 474-480.	1.2	23
178	Dysfunction of protein kinase FA/GSK-3 β in lymphocytes of patients with schizophrenic disorder. <i>Journal of Cellular Biochemistry</i> , 1995, 59, 108-116.	1.2	27
179	Association of protein kinase FA/GSK-3 β (a proline-directed kinase and a regulator of protooncogenes) with human cervical carcinoma dedifferentiation/progression. <i>Journal of Cellular Biochemistry</i> , 1995, 59, 143-150.	1.2	21
180	Effect of Mg ²⁺ concentrations on phosphorylation/activation of phosphorylase b kinase by cAMP/Ca ²⁺ -independent, autophosphorylation-dependent protein kinase. <i>The Protein Journal</i> , 1995, 14, 747-752.	1.1	4

#	ARTICLE	IF	CITATIONS
181	Phosphorylation/Activation of Phosphorylase b Kinase by cAMP/Ca ²⁺ -Independent, Autophosphorylation-Dependent Protein Kinase. <i>Biochemical and Biophysical Research Communications</i> , 1995, 207, 140-147.	1.0	9
182	Autophosphorylation-dependent protein kinase phosphorylates Ser25, Ser38, Ser65, Ser71, and Ser411 in vimentin and thereby inhibits cytoskeletal intermediate filament assembly. <i>The Protein Journal</i> , 1994, 13, 517-525.	1.1	20
183	Tyrosin dephosphorylation and concurrent inactivation of protein kinase FA/GSK-3 β by genistein in A431 cells. <i>Journal of Cellular Biochemistry</i> , 1994, 56, 131-141.	1.2	31
184	Tumor promoter phorbol ester reversibly modulates tyrosine dephosphorylation/ inactivation of protein kinase FA/GSK-3 β in A431 cells. <i>Journal of Cellular Biochemistry</i> , 1994, 56, 550-558.	1.2	15
185	Protein Kinase F _A /Glycogen Synthase Kinase β After Heparin Potentiation Phosphorylates τ , on Sites Abnormally Phosphorylated in Alzheimer's Disease Brain. <i>Journal of Neurochemistry</i> , 1994, 63, 1416-1425.	2.1	48
186	Protein Kinase F _A /Glycogen Synthase Kinase β Predominantly Phosphorylates the In Vivo Site Thr ⁹⁷ in Brain Myelin Basic Protein: Evidence for Thr β and Ser β as Consensus Sequence Motifs. <i>Journal of Neurochemistry</i> , 1994, 62, 1596-1603.	2.1	49
187	Immunological and biochemical study on tissue and subcellular distributions of protein kinase FA (an) Tj ETQq1 1 0.784314 rgBT /Overl high quantity purification from brain. <i>The Protein Journal</i> , 1993, 12, 667-676.	1.1	26
188	Identification and Characterization of Protein Kinase FA/ Glycogen Synthase Kinase 3 in Clathrin-Coated Brain Vesicles. <i>Journal of Neurochemistry</i> , 1993, 60, 1714-1721.	2.1	12
189	Protein Kinase FA/GSK-3 Phosphorylates on Ser235-Pro and Ser404-Pro that Are Abnormally Phosphorylated in Alzheimer's Disease Brain. <i>Journal of Neurochemistry</i> , 1993, 61, 1742-1747.	2.1	85
190	Synergistic Control Mechanism for Abnormal Site Phosphorylation of Alzheimer's Diseased Brain Tau by Kinase FA/GSK-3 β . <i>Biochemical and Biophysical Research Communications</i> , 1993, 197, 400-406.	1.0	13
191	The mechanism of activation of protein kinase FA (the activator of type-1 protein phosphatase) in brain synaptosomes. <i>Biochemical and Biophysical Research Communications</i> , 1992, 182, 129-136.	1.0	3
192	Identification and characterization of the ATP γ -Mg-dependent protein phosphatase activator (F A) as a microtubule protein kinase in the brain. <i>The Protein Journal</i> , 1991, 10, 171-181.	1.1	35
193	On the mechanism of activation of protein kinase FA (an activating factor of ATP γ -Mg-dependent protein) Tj ETQq1 1 0.784314 rgB	1.1	6
194	Regulation of protein kinase Fa (a transmembrane signal of insulin and epidermal growth factor) in the brain. <i>Biochemical and Biophysical Research Communications</i> , 1990, 166, 267-272.	1.0	4
195	Purification and characterization of a Mn ²⁺ /phospholipid-dependent protein phosphatase from pig brain membranes. <i>The Protein Journal</i> , 1989, 8, 499-517.	1.1	9
196	Insulin induces activation of kinase fa in membranes and thereby promotes activation of ATP.Mg-dependent phosphatase in adipocytes. <i>Biochemical and Biophysical Research Communications</i> , 1989, 158, 762-768.	1.0	22
197	The type-1 protein phosphatase activating factor FA is a membrane-associated protein kinase in brain, liver, heart and muscles. <i>Biochemical and Biophysical Research Communications</i> , 1987, 142, 38-46.	1.0	15
198	Endogenous Basic Protein Phosphatases in the Brain Myelin. <i>Journal of Neurochemistry</i> , 1987, 48, 160-166.	2.1	25