

Eric V Shusta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4453099/publications.pdf>

Version: 2024-02-01

106
papers

8,047
citations

57719

44
h-index

51562

86
g-index

116
all docs

116
docs citations

116
times ranked

8203
citing authors

#	ARTICLE	IF	CITATIONS
1	Derivation of blood-brain barrier endothelial cells from human pluripotent stem cells. <i>Nature Biotechnology</i> , 2012, 30, 783-791.	9.4	623
2	InÂvitro models of the bloodâ€“brain barrier: An overview of commonly used brain endothelial cell culture models and guidelines for their use. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2016, 36, 862-890.	2.4	588
3	Bloodâ€“Brain Barrier Transport of Therapeutics via Receptor-Mediation. <i>Pharmaceutical Research</i> , 2007, 24, 1759-1771.	1.7	431
4	A retinoic acid-enhanced, multicellular human blood-brain barrier model derived from stem cell sources. <i>Scientific Reports</i> , 2014, 4, 4160.	1.6	390
5	Hypoxia-enhanced Blood-Brain Barrier Chip recapitulates human barrier function and shuttling of drugs and antibodies. <i>Nature Communications</i> , 2019, 10, 2621.	5.8	371
6	Targeting Receptor-Mediated Transport for Delivery of Biologics Across the Blood-Brain Barrier. <i>Annual Review of Pharmacology and Toxicology</i> , 2015, 55, 613-631.	4.2	291
7	Efficient Differentiation of Human Pluripotent Stem Cells to Endothelial Progenitors via Small-Molecule Activation of WNT Signaling. <i>Stem Cell Reports</i> , 2014, 3, 804-816.	2.3	271
8	Increasing the secretory capacity of <i>Saccharomyces cerevisiae</i> for production of single-chain antibody fragments. <i>Nature Biotechnology</i> , 1998, 16, 773-777.	9.4	244
9	Directed evolution of a stable scaffold for T-cell receptor engineering. <i>Nature Biotechnology</i> , 2000, 18, 754-759.	9.4	234
10	Yeast polypeptide fusion surface display levels predict thermal stability and soluble secretion efficiency 1 1Edited by J. A. Wells. <i>Journal of Molecular Biology</i> , 1999, 292, 949-956.	2.0	233
11	An isogenic bloodâ€“brain barrier model comprising brain endothelial cells, astrocytes, and neurons derived from human induced pluripotent stem cells. <i>Journal of Neurochemistry</i> , 2017, 140, 874-888.	2.1	201
12	Modeling Psychomotor Retardation using iPSCs from MCT8-Deficient Patients Indicates a Prominent Role for the Blood-Brain Barrier. <i>Cell Stem Cell</i> , 2017, 20, 831-843.e5.	5.2	181
13	Directed differentiation of human pluripotent stem cells to blood-brain barrier endothelial cells. <i>Science Advances</i> , 2017, 3, e1701679.	4.7	177
14	A Decade of Yeast Surface Display Technology: Where Are We Now?. <i>Combinatorial Chemistry and High Throughput Screening</i> , 2008, 11, 127-134.	0.6	161
15	Human pluripotent stem cellâ€“derived brain pericyteâ€“like cells induce blood-brain barrier properties. <i>Science Advances</i> , 2019, 5, eaau7375.	4.7	135
16	Differentiation and characterization of human pluripotent stem cell-derived brain microvascular endothelial cells. <i>Methods</i> , 2016, 101, 93-102.	1.9	123
17	Puromycin-purified rat brain microvascular endothelial cell cultures exhibit improved barrier properties in response to glucocorticoid induction. <i>Journal of Neurochemistry</i> , 2006, 97, 922-933.	2.1	120
18	Exploring the effects of cell seeding density on the differentiation of human pluripotent stem cells to brain microvascular endothelial cells. <i>Fluids and Barriers of the CNS</i> , 2015, 12, 13.	2.4	106

#	ARTICLE	IF	CITATIONS
19	A Novel High-Throughput Screen Reveals Yeast Genes That Increase Secretion of Heterologous Proteins. <i>Applied and Environmental Microbiology</i> , 2007, 73, 1189-1198.	1.4	105
20	Modeling the blood-brain barrier using stem cell sources. <i>Fluids and Barriers of the CNS</i> , 2013, 10, 2.	2.4	105
21	Differentiating embryonic neural progenitor cells induce blood-brain barrier properties. <i>Journal of Neurochemistry</i> , 2007, 101, 555-565.	2.1	97
22	A Genomic Comparison of in vivo and in vitro Brain Microvascular Endothelial Cells. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008, 28, 135-148.	2.4	97
23	A human three-dimensional neural-perivascular "assembloid"™ promotes astrocytic development and enables modeling of SARS-CoV-2 neuropathology. <i>Nature Medicine</i> , 2021, 27, 1600-1606.	15.2	94
24	Transcriptomic comparison of human and mouse brain microvessels. <i>Scientific Reports</i> , 2020, 10, 12358.	1.6	89
25	Modeling the blood-brain barrier: Beyond the endothelial cells. <i>Current Opinion in Biomedical Engineering</i> , 2018, 5, 6-12.	1.8	88
26	Î±B-Crystallin: A Novel Regulator of Breast Cancer Metastasis to the Brain. <i>Clinical Cancer Research</i> , 2014, 20, 56-67.	3.2	87
27	Neuronal Activity Regulates Blood-Brain Barrier Efflux Transport through Endothelial Circadian Genes. <i>Neuron</i> , 2020, 108, 937-952.e7.	3.8	86
28	Mining a yeast library for brain endothelial cell-binding antibodies. <i>Nature Methods</i> , 2007, 4, 143-145.	9.0	83
29	Blood-brain barrier modeling with co-cultured neural progenitor cell-derived astrocytes and neurons. <i>Journal of Neurochemistry</i> , 2011, 119, 507-520.	2.1	76
30	Commentary on human pluripotent stem cell-based blood-brain barrier models. <i>Fluids and Barriers of the CNS</i> , 2020, 17, 64.	2.4	75
31	The use of scFv-displaying yeast in mammalian cell surface selections. <i>Journal of Immunological Methods</i> , 2005, 304, 30-42.	0.6	74
32	High affinity T cell receptors from yeast display libraries block T cell activation by superantigens ¹¹ Edited by I. A. Wilson. <i>Journal of Molecular Biology</i> , 2001, 307, 1305-1315.	2.0	70
33	An isogenic neurovascular unit model comprised of human induced pluripotent stem cell-derived brain microvascular endothelial cells, pericytes, astrocytes, and neurons. <i>Fluids and Barriers of the CNS</i> , 2019, 16, 25.	2.4	69
34	Development of GFP-based biosensors possessing the binding properties of antibodies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 11895-11900.	3.3	65
35	Murine in vitro model of the blood-brain barrier for evaluating drug transport. <i>European Journal of Pharmaceutical Sciences</i> , 2011, 42, 148-155.	1.9	64
36	Secretion and Surface Display of Green Fluorescent Protein Using the Yeast <i>Saccharomyces cerevisiae</i> . <i>Biotechnology Progress</i> , 2008, 21, 349-357.	1.3	62

#	ARTICLE	IF	CITATIONS
37	Production of Soluble and Active Transferrin Receptor-Targeting Single-Chain Antibody using <i>Saccharomyces cerevisiae</i> . <i>Pharmaceutical Research</i> , 2006, 23, 790-797.	1.7	61
38	Concise Review: Tissue-Specific Microvascular Endothelial Cells Derived From Human Pluripotent Stem Cells. <i>Stem Cells</i> , 2014, 32, 3037-3045.	1.4	60
39	Vascular Genomics of the Human Brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2002, 22, 245-252.	2.4	58
40	Blood–Brain Barrier Modulation to Improve Glioma Drug Delivery. <i>Pharmaceutics</i> , 2020, 12, 1085.	2.0	52
41	Subtractive Expression Cloning Reveals High Expression of CD46 at the Blood-Brain Barrier. <i>Journal of Neuropathology and Experimental Neurology</i> , 2002, 61, 597-604.	0.9	50
42	Blood–brain barrier genomics and proteomics: elucidating phenotype, identifying disease targets and enabling brain drug delivery. <i>Drug Discovery Today</i> , 2006, 11, 792-799.	3.2	49
43	Protein engineering approaches for regulating blood–brain barrier transcytosis. <i>Current Opinion in Structural Biology</i> , 2017, 45, 109-115.	2.6	49
44	Cells and cell lysates: A direct approach for engineering antibodies against membrane proteins using yeast surface display. <i>Methods</i> , 2013, 60, 27-37.	1.9	48
45	Regionally specified human pluripotent stem cell-derived astrocytes exhibit different molecular signatures and functional properties. <i>Development (Cambridge)</i> , 2019, 146, .	1.2	48
46	Advancing human induced pluripotent stem cell–derived blood–brain barrier models for studying immune cell interactions. <i>FASEB Journal</i> , 2020, 34, 16693-16715.	0.2	47
47	Modeling Group B <i>Streptococcus</i> and Blood-Brain Barrier Interaction by Using Induced Pluripotent Stem Cell-Derived Brain Endothelial Cells. <i>MSphere</i> , 2017, 2, .	1.3	46
48	Exploiting BBB disruption for the delivery of nanocarriers to the diseased CNS. <i>Current Opinion in Biotechnology</i> , 2019, 60, 146-152.	3.3	43
49	Hyaluronan impairs the barrier integrity of brain microvascular endothelial cells through a CD44-dependent pathway. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2019, 39, 1759-1775.	2.4	43
50	Blood-brain barrier genomics, proteomics, and new transporter discovery. <i>NeuroRx</i> , 2005, 2, 151-161.	6.0	41
51	Identification and expression profiling of blood–brain barrier membrane proteins. <i>Journal of Neurochemistry</i> , 2010, 112, 625-635.	2.1	39
52	Activation of RAR α , RAR β , or RXR α Increases Barrier Tightness in Human Induced Pluripotent Stem Cell–Derived Brain Endothelial Cells. <i>Biotechnology Journal</i> , 2018, 13, 1700093.	1.8	39
53	Induced Pluripotent Stem Cell-Derived Brain Endothelial Cells as a Cellular Model to Study <i>Neisseria meningitidis</i> Infection. <i>Frontiers in Microbiology</i> , 2019, 10, 1181.	1.5	39
54	Intrinsic blood–brain barrier dysfunction contributes to multiple sclerosis pathogenesis. <i>Brain</i> , 2022, 145, 4334-4348.	3.7	37

#	ARTICLE	IF	CITATIONS
55	Analysis of Cancer-Targeting Alkylphosphocholine Analogue Permeability Characteristics Using a Human Induced Pluripotent Stem Cell Blood-Brain Barrier Model. <i>Molecular Pharmaceutics</i> , 2016, 13, 3341-3349.	2.3	36
56	Biosynthetic polypeptide libraries. <i>Current Opinion in Biotechnology</i> , 1999, 10, 117-122.	3.3	34
57	Wnt signaling mediates acquisition of blood-brain barrier properties in naïve endothelium derived from human pluripotent stem cells. <i>ELife</i> , 2021, 10, .	2.8	31
58	A Yeast Platform for the Production of Single-Chain Antibody-Green Fluorescent Protein Fusions. <i>Applied and Environmental Microbiology</i> , 2006, 72, 7748-7759.	1.4	30
59	Vascular Proteomics and Subtractive Antibody Expression Cloning. <i>Molecular and Cellular Proteomics</i> , 2002, 1, 75-82.	2.5	28
60	A yeast display immunoprecipitation method for efficient isolation and characterization of antigens. <i>Journal of Immunological Methods</i> , 2009, 341, 117-126.	0.6	28
61	Increasing yeast secretion of heterologous proteins by regulating expression rates and post-secretory loss. <i>Biotechnology and Bioengineering</i> , 2008, 101, 1264-1275.	1.7	27
62	Antibody library screens using detergent-solubilized mammalian cell lysates as antigen sources. <i>Protein Engineering, Design and Selection</i> , 2010, 23, 567-577.	1.0	26
63	Directed Evolution of Brain-Derived Neurotrophic Factor for Improved Folding and Expression in <i>Saccharomyces cerevisiae</i> . <i>Applied and Environmental Microbiology</i> , 2014, 80, 5732-5742.	1.4	26
64	Directed Differentiation of Human Pluripotent Stem Cells to Podocytes under Defined Conditions. <i>Scientific Reports</i> , 2019, 9, 2765.	1.6	25
65	Cryopreservation of Brain Endothelial Cells Derived from Human Induced Pluripotent Stem Cells Is Enhanced by Rho-Associated Coiled Coil-Containing Kinase Inhibition. <i>Tissue Engineering - Part C: Methods</i> , 2016, 22, 1085-1094.	1.1	24
66	Directed Evolution of Protein Thermal Stability Using Yeast Surface Display. <i>Methods in Molecular Biology</i> , 2017, 1575, 45-65.	0.4	24
67	Transthyretin Mimetics as Anti- β -Amyloid Agents: A Comparison of Peptide and Protein Approaches. <i>ChemMedChem</i> , 2018, 13, 968-979.	1.6	23
68	Identifying blood-brain-barrier selective single-chain antibody fragments. <i>Biotechnology Journal</i> , 2014, 9, 664-674.	1.8	22
69	The Ro52/SS-A autoantigen has elevated expression at the brain microvasculature. <i>NeuroReport</i> , 2003, 14, 1861-1865.	0.6	21
70	Engineering an Anti-Transferrin Receptor ScFv for pH-Sensitive Binding Leads to Increased Intracellular Accumulation. <i>PLoS ONE</i> , 2015, 10, e0145820.	1.1	21
71	Enhanced Secretion of Heterologous Proteins from Yeast by Overexpression of Ribosomal Subunit RPP0. <i>Biotechnology Progress</i> , 2008, 24, 748-756.	1.3	19
72	In vitro models of the blood-brain barrier: building in physiological complexity. <i>Current Opinion in Chemical Engineering</i> , 2020, 30, 42-52.	3.8	19

#	ARTICLE	IF	CITATIONS
73	Antibody affinity maturation using yeast display with detergent-solubilized membrane proteins as antigen sources. <i>Protein Engineering, Design and Selection</i> , 2013, 26, 101-112.	1.0	18
74	Advances in microfluidic platforms for analyzing and regulating human pluripotent stem cells. <i>Current Opinion in Genetics and Development</i> , 2015, 34, 54-60.	1.5	18
75	An Evolved Mxe GyrA Intein for Enhanced Production of Fusion Proteins. <i>ACS Chemical Biology</i> , 2015, 10, 527-538.	1.6	18
76	Yeast display biopanning identifies human antibodies targeting glioblastoma stem-like cells. <i>Scientific Reports</i> , 2017, 7, 15840.	1.6	18
77	<i>Streptococcus agalactiae</i> disrupts P-glycoprotein function in brain endothelial cells. <i>Fluids and Barriers of the CNS</i> , 2019, 16, 26.	2.4	18
78	Facile Chemical Functionalization of Proteins through Intein-Linked Yeast Display. <i>Bioconjugate Chemistry</i> , 2013, 24, 1634-1644.	1.8	17
79	Identification of variable lymphocyte receptors that can target therapeutics to pathologically exposed brain extracellular matrix. <i>Science Advances</i> , 2019, 5, eaau4245.	4.7	17
80	Antibody screening using a human iPSC-based blood-brain barrier model identifies antibodies that accumulate in the CNS. <i>FASEB Journal</i> , 2020, 34, 12549-12564.	0.2	17
81	Comparative evaluation of isogenic mesodermal and ectomesodermal chondrocytes from human iPSCs for cartilage regeneration. <i>Science Advances</i> , 2021, 7, .	4.7	17
82	Combinatorial Approaches for the Identification of Brain Drug Delivery Targets. <i>Current Pharmaceutical Design</i> , 2014, 20, 1564-1576.	0.9	17
83	Integrative analysis of the human brain mural cell transcriptome. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021, 41, 3052-3068.	2.4	15
84	Multiplex expression cloning of blood-brain barrier membrane proteins. <i>Proteomics</i> , 2009, 9, 1099-1108.	1.3	14
85	Differentiation of human pluripotent stem cells to brain microvascular endothelial cell-like cells suitable to study immune cell interactions. <i>STAR Protocols</i> , 2021, 2, 100563.	0.5	14
86	An enhanced approach for engineering thermally stable proteins using yeast display. <i>Protein Engineering, Design and Selection</i> , 2012, 25, 625-630.	1.0	13
87	Liquid crystal droplet-based amplification of microvesicles that are shed by mammalian cells. <i>Analyst</i> , 2014, 139, 2386-2396.	1.7	13
88	Past and Current Perspectives in Modeling Bacteria and Blood-Brain Barrier Interactions. <i>Frontiers in Microbiology</i> , 2019, 10, 1336.	1.5	13
89	Site-Specific Antibody Functionalization Using Tetrazine-Styrene Cycloaddition. <i>Bioconjugate Chemistry</i> , 2018, 29, 1605-1613.	1.8	12
90	Coupling brain perfusion screens and next generation sequencing to identify blood-brain barrier binding antibodies. <i>AIChE Journal</i> , 2018, 64, 4229-4236.	1.8	12

#	ARTICLE	IF	CITATIONS
91	Yeast Display-Based Antibody Affinity Maturation Using Detergent-Solubilized Cell Lysates. <i>Methods in Molecular Biology</i> , 2015, 1319, 65-78.	0.4	11
92	Sonic Hedgehog Signaling in Cranial Neural Crest Cells Regulates Microvascular Morphogenesis in Facial Development. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 590539.	1.8	11
93	Antibody-Targeted Liposomes for Enhanced Targeting of the Blood-Brain Barrier. <i>Pharmaceutical Research</i> , 2022, 39, 1523-1534.	1.7	8
94	Creation and evaluation of a single-chain antibody tetramer that targets brain endothelial cells. <i>AICHE Journal</i> , 2014, 60, 1245-1252.	1.8	7
95	Pro-region engineering for improved yeast display and secretion of brain derived neurotrophic factor. <i>Biotechnology Journal</i> , 2016, 11, 425-436.	1.8	6
96	The variable lymphocyte receptor as an antibody alternative. <i>Current Opinion in Biotechnology</i> , 2018, 52, 74-79.	3.3	6
97	Differentiation of Brain Pericyte-Like Cells from Human Pluripotent Stem Cell-Derived Neural Crest. <i>Current Protocols</i> , 2021, 1, e21.	1.3	5
98	Identification of lamprey variable lymphocyte receptors that target the brain vasculature. <i>Scientific Reports</i> , 2022, 12, 6044.	1.6	5
99	A yeast display immunoprecipitation screen for targeted discovery of antibodies against membrane protein complexes. <i>Protein Engineering, Design and Selection</i> , 2019, 32, 219-230.	1.0	3
100	Introducing glycophages arrays: Facile production, purification and patterning of glycophages. <i>Biotechnology Journal</i> , 2015, 10, 20-21.	1.8	2
101	Impacts of the α 1 Amino Acid on Yeast Production of Protein-Intein Fusions. <i>Biotechnology Progress</i> , 2019, 35, e2736.	1.3	2
102	Integrating in vitro disease models of the neurovascular unit into discovery and development of neurotherapeutics. <i>Current Opinion in Biomedical Engineering</i> , 2021, 20, 100341.	1.8	2
103	Identification of Brain ECM Binding Variable Lymphocyte Receptors Using Yeast Surface Display. <i>Methods in Molecular Biology</i> , 2022, 2491, 235-248.	0.4	2
104	Blood-Brain Barrier. , 2007, , 1124-1139.		1
105	Site-Directed Modification of Yeast-Produced Proteins Using Expressed Protein Ligation. <i>Methods in Molecular Biology</i> , 2020, 2133, 221-233.	0.4	0
106	Blood-brain barrier genomics, proteomics, and new transporter discovery. <i>Neurotherapeutics</i> , 2005, 2, 151-161.	2.1	0